

Folder Name	Parent Folder	Folder Description
Starting Point		
Personal Data		One row per person. Data overwritten every night.
Current Addresses	Personal Data	PERM and MAIL return all emplids even if they don't have an address (so populations aren't inadvertently dropped in queries). The other address types only return rows if an address exists (because the populations are really small).
Phone	Personal Data	One row per person per phone type. Data overwritten every night.
Names (Point in time)	Personal Data	
Visa and Citizenship Pmt (Point in time)	Personal Data	
Ethnicity (Point in time)	Personal Data	Ultimately, this will be auditable point-in-time
Residency	Personal Data	
AIS Roles	Personal Data	
External System ID	Personal Data	
Communications		
CM SPRG Function	Communications	
CM STRM Function	Communications	
Comments		
CT SPRG Function	Comments	
CT STRM Function	Comments	
Checklists		
CK SPRG Function	Checklists	
CK STRM Function	Checklists	
Service Indicators		
Student Groups		
Student Groups - Current	Student Groups	Student groups with a current Active status.
Student Groups by Term	Student Groups	Active Student Groups by derived term.
External Orgs - ADD IN PHASE 3		
Student Equation Variables		
UCOP		
Athletics		
Committees		
Test Scores		
Transfer Credit		Not joined on term
Transfer Course Data	Transfer Credit	
Transfer Course Detail	Transfer Course Data	
Transfer Course School	Transfer Course Data	
Transfer Course Term	Transfer Course Data	
Transfer Other Detail	Transfer Credit	
Transfer Test Detail	Transfer Credit	
DRC		
Accommodation Setup	DRC	
Client	DRC	
Accommodations	Client	
Disability	Client	
Coordinator	Client	
Documents	Client	
Manifestations	Client	
Status	Client	
Service Tracker	Client	
Term Accomodation Requests	Client	
Class Accomodation Requests	Client	

Folder Name	Parent Folder	Folder Description
Employee	DRC	
Class Services	DRC	
Class Service Audit	DRC	
Term Service Audit	DRC	
Student Program/Plan		
Program	Student Program/Plan	
Plan - All plan types	Student Program/Plan	This folder includes all plans associated with a student's program/plan stack (graduate plans, proposed majors, pre-majors, declared majors, minors, and colleges). The plans are not flattened; each plan is on a separate row.
Subplan	Student Program/Plan	
College	Student Program/Plan	
Plan/Subplan - Flattened	Student Program/Plan	This is flattened plan information which includes plans other than minors and colleges. Up to three plans per student may be flattened. The object "Number of Plans" can be used to find cases where a student has more than three plans at once.
Plan Owner - Flattened	Plan/Subplan - Flattened	
Minors - Flattened	Student Program/Plan	This is flattened plan information which only includes minors. Up to two minors per student may be flattened. The object "Number of Minors" can be used to find cases where a student has more than three minors at once.
Minor Owner	Minors - Flattened	
Student Attributes	Student Program/Plan	
Milestones		
Student Milestones	Milestones	
Milestone Attempts	Milestones	
Term Activation		
Academic Standing	Term Activation	One row per person, per term, per career based on most recent effective date and sequence. Data overwritten every night.
Term Honors	Term Activation	
Curriculum Management		
Courses	Curriculum Management	
Course	Courses	
Course Attributes	Courses	
Course Instructor	Courses	
Course Offerings	Courses	
Classes	Curriculum Management	
Class	Classes	
Class Associations	Classes	
Class Instructor	Classes	
Facilities	Classes	
Class Exam	Classes	
Class Meeting Pattern	Classes	
Class Reserve Capacity	Classes	
Grade Rosters	Curriculum Management	
Instructor Advisor - Reg Only	Curriculum Management	
Enrollment		
Student Enrollment	Enrollment	
Enrollment Requests	Enrollment	
Change-to Class	Enrollment Requests	
Enrollment Appointments	Enrollment	
Enrollment Messages	Enrollment	

Folder Name	Parent Folder	Folder Description
Transcript Text		This was brought in to be used in the EAP student list report (to show EAP country) but we found we could pull country in from placeholder course title. It was hidden because we're missing the connection between transcript text and the term on which it is displayed on the transcript. JK 3/19/14
Advising and Degree Audit		
Report Request	Advising and Degree Audit	
Results	Advising and Degree Audit	
Courses Table	Advising and Degree Audit	
Courses Used	Advising and Degree Audit	
Courses Available	Advising and Degree Audit	
Condition Lines	Advising and Degree Audit	
Plans Required	Advising and Degree Audit	
Senior Residency	Advising and Degree Audit	
What If	Advising and Degree Audit	
Exception Data	Advising and Degree Audit	
Exception Directives	Advising and Degree Audit	
Exception Requirement Changes	Advising and Degree Audit	
Exception Group Req Line Data	Advising and Degree Audit	
Degrees		
Degree Plan - All plan types	Degrees	
Degree Subplan	Degrees	
Degree College	Degrees	
Degree Honors	Degrees	
Degree Plan - Flattened	Degrees	
Degree Plan Flattened - Honors	Degree Plan - Flattened	
Degree Plan Flattened - Owner	Degree Plan - Flattened	
Degree Minor - Flattened	Degrees	
Filler		This class contains several null (empty) value objects in a variety of formats for use in Union Queries, to act as filler when needed to balance both sides of the query.

Folder Name	Object Name	Description
Starting Point	SP Emplid	Data is completely replaced nightly. Steward: Shared Source: PS_PERSON.EMPLID
Starting Point	SP FERPA	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_SA.FERPA
Starting Point	SP Student Career Code	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PROG.ACAD_CAREER
Starting Point	SP Last Snapshot Date	
Personal Data	PD Birth Date	Data is completely replaced nightly. Steward: Shared Source: PS_PERSON.BIRTHDATE
Personal Data	PD Current Age	Data is completely replaced nightly. Steward: Shared Source: Derived from PS_PERSON.BIRTHDATE
Personal Data	PD Age as of Prompted Date	Data is completely replaced nightly. Steward: Shared Source: Derived from PS_PERSON.BIRTHDATE
Personal Data	PD Birthplace	Data is completely replaced nightly. Steward: Shared Source: PS_PERSON.BIRTHPLACE
Personal Data	PD Birth Country Code	Data is completely replaced nightly. Steward: Shared Source: PS_PERSON.BIRTHCOUNTRY
Personal Data	PD Country Descr	Data is completely replaced nightly. Steward: Shared Source: PS_COUNTRY_TBL.DESCR
Personal Data	PD Birth State Code	Data is completely replaced nightly. Steward: Shared Source: PS_PERSON.BIRTHSTATE
Personal Data	PD State Descr	Data is completely replaced nightly. Steward: Shared Source: PS_STATE_TBL.DESCR
Personal Data	PD Date Of Death	Data is completely replaced nightly. Steward: Shared Source: PS_PERSON.DT_OF_DEATH
Personal Data	PD VA Benefit	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_SA.VA_BENEFIT
Personal Data	PD Campus Directory	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_2003_FERPA.RELEASE_ALL
Personal Data	PD Release to Publications Code	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_2003_RL_PUB.INST_PUB_CATG
Personal Data	PD Release to Publications Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_INST_CATG_TBL.DESCR
Personal Data	PD Local Phone	Data is completely replaced nightly. Steward: Shared Source: PS_PERSONAL_PHONE.PHONE where PS_PERSONAL_PHONE.PHONE_TYPE='LOCL'
Personal Data	PD Preferred Phone	Data is completely replaced nightly. Steward: Shared Source: PS_PERSONAL_PHONE.PHONE where PS_PERSONAL_PHONE.PREF_PHONE_FLAG='Y'
Personal Data	PD Campus Email	Data is completely replaced nightly. Steward: Shared Source: PS_EMAIL_ADDRESSES.EMAIL_ADDR where PS_EMAIL_ADDRESSES.E_ADDR_TYPE='CAMP'
Personal Data	PD Other Email	Data is completely replaced nightly. Steward: Shared Source: PS_EMAIL_ADDRESSES.EMAIL_ADDR where PS_EMAIL_ADDRESSES.E_ADDR_TYPE='OTHR'
Personal Data	PD Preferred Email	Data is completely replaced nightly. Steward: Shared Source: PS_EMAIL_ADDRESSES.EMAIL_ADDR where PS_EMAIL_ADDRESSES.PREF_EMAIL_FLAG='Y'
Personal Data	PD Gender - point in time	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_PERS_DATA_EFFDT.SEX
Personal Data	PD Gender - Current	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_PERS_DATA_EFFDT.SEX
Personal Data	PD Military Status Code - point in time	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_PERS_DATA_USA.MILITARY_STATUS
Personal Data	PD Military Status Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME.
Personal Data	PD Preferred Full Name	Data is completely replaced nightly and limited to the latest Effdt. Steward: Shared Source: PS_NAMES.NAME where NAME_TYPE = 'PRF' and EFF_STATUS = 'A' and EFFDT is maximum EFFDT for EMPLID and NAME_TYPE, otherwise primary name
Personal Data	PD Preferred Last Name	Data is completely replaced nightly and limited to the latest Effdt. Steward: Shared Source: PS_NAMES.LAST_NAME where NAME_TYPE = 'PRF' and EFF_STATUS = 'A' and EFFDT is maximum EFFDT for EMPLID and NAME_TYPE, otherwise primary name
Personal Data	PD Preferred First Name	Data is completely replaced nightly and limited to the latest Effdt. Steward: Shared Source: PS_NAMES.FIRST_NAME where NAME_TYPE = 'PRF' and EFF_STATUS = 'A' and EFFDT is maximum EFFDT for EMPLID and NAME_TYPE, otherwise primary name
Personal Data	PD Preferred Middle Name	Data is completely replaced nightly and limited to the latest Effdt. Steward: Shared Source: PS_NAMES.MIDDLE_NAME where NAME_TYPE = 'PRF' and EFF_STATUS = 'A' and EFFDT is maximum EFFDT for EMPLID and NAME_TYPE, otherwise primary name

Folder Name	Object Name	Description
Personal Data	PD Preferred Name Suffix	Data is completely replaced nightly and limited to the latest Effdt. Steward: Shared Source: PS_NAMES.NAME_SUFFIX where NAME_TYPE = 'PRF' and EFF_STATUS = 'A' and EFFDT is maximum EFFDT for EMPLID and NAME_TYPE, otherwise primary name
Personal Data	PD Preferred Display Name	Data is completely replaced nightly and limited to the latest Effdt. Steward: Shared Source: PS_NAMES.NAME_DISPLAY where NAME_TYPE = 'PRF' and EFF_STATUS = 'A' and EFFDT is maximum EFFDT for EMPLID and NAME_TYPE, otherwise primary name
Personal Data	PD Primary Full Name	Data is completely replaced nightly and limited to the latest Effdt. Steward: Shared Source: PS_NAMES.NAME where NAME_TYPE = 'PRI' and EFF_STATUS = 'A' and EFFDT is maximum EFFDT for EMPLID and NAME_TYPE
Personal Data	PD Primary Last Name	Data is completely replaced nightly and limited to the latest Effdt. Steward: Shared Source: PS_NAMES.LAST_NAME where NAME_TYPE = 'PRI' and EFF_STATUS = 'A' and EFFDT is maximum EFFDT for EMPLID and NAME_TYPE
Personal Data	PD Primary First Name	Data is completely replaced nightly and limited to the latest Effdt. Steward: Shared Source: PS_NAMES.FIRST_NAME where NAME_TYPE = 'PRI' and EFF_STATUS = 'A' and EFFDT is maximum EFFDT for EMPLID and NAME_TYPE
Personal Data	PD Primary Middle Name	Data is completely replaced nightly and limited to the latest Effdt. Steward: Shared Source: PS_NAMES.MIDDLE_NAME where NAME_TYPE = 'PRI' and EFF_STATUS = 'A' and EFFDT is maximum EFFDT for EMPLID and NAME_TYPE
Personal Data	PD Primary Name Suffix	Data is completely replaced nightly and limited to the latest Effdt. Steward: Shared Source: PS_NAMES.NAME_SUFFIX where NAME_TYPE = 'PRI' and EFF_STATUS = 'A' and EFFDT is maximum EFFDT for EMPLID and NAME_TYPE
Personal Data	PD Primary Display Name	Data is completely replaced nightly and limited to the latest Effdt. Steward: Shared Source: PS_NAMES.NAME_DISPLAY where NAME_TYPE = 'PRI' and EFF_STATUS = 'A' and EFFDT is maximum EFFDT for EMPLID and NAME_TYPE
Current Addresses	CA Address Type Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq, if that row has an 'Active' status. Steward: Shared Source: PS_ADDRESS_TYP_TBL.ADDR_TYPE
Current Addresses	CA Address Type Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq, if that row has an 'Active' status. Steward: Shared Source: PS_ADDRESS_TYP_TBL.ADDR_TYPE_DESCR
Current Addresses	CA Country Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq, if that row has an 'Active' status. Steward: Shared Source: PS_ADDRESSES.COUNTRY
Current Addresses	CA Country Descr	Data is completely replaced nightly. Steward: Shared Source: PS_COUNTRY_TBL.DESCR
Current Addresses	CA Address1	Data is completely replaced nightly and limited to the latest Effdt or Effseq, if that row has an 'Active' status. Steward: Shared Source: PS_ADDRESSES.ADDRESS1
Current Addresses	CA Address2	Data is completely replaced nightly and limited to the latest Effdt or Effseq, if that row has an 'Active' status. Steward: Shared Source: PS_ADDRESSES.ADDRESS2
Current Addresses	CA Address3	Data is completely replaced nightly and limited to the latest Effdt or Effseq, if that row has an 'Active' status. Steward: Shared Source: PS_ADDRESSES.ADDRESS3
Current Addresses	CA Address4	Data is completely replaced nightly and limited to the latest Effdt or Effseq, if that row has an 'Active' status. Steward: Shared Source: PS_ADDRESSES.ADDRESS4
Current Addresses	CA City	Data is completely replaced nightly and limited to the latest Effdt or Effseq, if that row has an 'Active' status. Steward: Shared Source: PS_ADDRESSES.CITY
Current Addresses	CA Num1	Data is completely replaced nightly and limited to the latest Effdt or Effseq, if that row has an 'Active' status. Steward: Shared Source: PS_ADDRESSES.NUM1
Current Addresses	CA Num2	Data is completely replaced nightly and limited to the latest Effdt or Effseq, if that row has an 'Active' status. Steward: Shared Source: PS_ADDRESSES.NUM2
Current Addresses	CA Addr Field1	Data is completely replaced nightly and limited to the latest Effdt or Effseq, if that row has an 'Active' status. Steward: Shared Source: PS_ADDRESSES.ADDR_FIELD1
Current Addresses	CA Addr Field2	Data is completely replaced nightly and limited to the latest Effdt or Effseq, if that row has an 'Active' status. Steward: Shared Source: PS_ADDRESSES.ADDR_FIELD2
Current Addresses	CA Addr Field3	Data is completely replaced nightly and limited to the latest Effdt or Effseq, if that row has an 'Active' status. Steward: Shared Source: PS_ADDRESSES.ADDR_FIELD3

Folder Name	Object Name	Description
Current Addresses	CA County	Data is completely replaced nightly and limited to the latest Effdt or Effseq, if that row has an 'Active' status. Steward: Shared Source: PS_ADDRESSES.COUNTY
Current Addresses	CA State Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq, if that row has an 'Active' status. Steward: Shared Source: PS_ADDRESSES.STATE
Current Addresses	CA State Descr	Data is completely replaced nightly. Steward: Shared Source: PS_STATE_TBL.DESCR
Current Addresses	CA Postal Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq, if that row has an 'Active' status. Steward: Shared Source: PS_ADDRESSES.POSTAL
Current Addresses	CA Last Updated Date/Time	Data is completely replaced nightly and limited to the latest Effdt or Effseq, if that row has an 'Active' status. Steward: Shared Source: PS_ADDRESSES.LASTUPDDTTM
Current Addresses	CA Last Updated by ID	Data is completely replaced nightly and limited to the latest Effdt or Effseq, if that row has an 'Active' status. Steward: Shared Source: PS_ADDRESSES.LASTUPDOPRID
Current Addresses	CA Last Updated by Name	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC
Phone	PH Phone Type Code	Data is completely replaced nightly. Steward: Shared Source: PS_PERSONAL_PHONE.PHONE_TYPE
Phone	PH Country Code	Data is completely replaced nightly. Steward: Shared Source: PS_PERSONAL_PHONE.COUNTRY_CODE
Phone	PH Phone Number	Data is completely replaced nightly. Steward: Shared Source: PS_PERSONAL_PHONE.PHONE
Phone	PH Extension	Data is completely replaced nightly. Steward: Shared Source: PS_PERSONAL_PHONE.EXTENSION
Phone	PH Preferred Phone Flag	Data is completely replaced nightly. Steward: Shared Source: PS_PERSONAL_PHONE.PREF_PHONE_FLAG
Names (Point in time)	NM Name Type Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_NAMES.NAME_TYPE
Names (Point in time)	NM Name Type Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_NAME_TYPE_TBL.NAME_TYPE_DESCR
Names (Point in time)	NM Full Name	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_NAMES.NAME
Names (Point in time)	NM Initials	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_NAMES.NAME_INITIALS
Names (Point in time)	NM Prefix	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_NAMES.NAME_PREFIX
Names (Point in time)	NM Suffix	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_NAMES.NAME_SUFFIX
Names (Point in time)	NM Last Name	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_NAMES.LAST_NAME
Names (Point in time)	NM First Name	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_NAMES.FIRST_NAME
Names (Point in time)	NM Middle Name	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_NAMES.MIDDLE_NAME
Names (Point in time)	NM Display Name	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_NAMES.NAME_DISPLAY
Names (Point in time)	NM Valid From	
Names (Point in time)	NM Valid To	
Visa and Citizenship Pmt (Point in time)	VC Visa/Permit Type Group	Display F1 and J1 visa types, all other visa types display as 'Other' to preserve confidentiality
Visa and Citizenship Pmt (Point in time)	VC Visa/Permit Type Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_VISA_PMT_DATA.VISA_PERMIT_TYPE
Visa and Citizenship Pmt (Point in time)	VC Visa/Permit Type Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_VISA_PMT_DATA.DESCR
Visa and Citizenship Pmt (Point in time)	VC Visa/Permit Class	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_VISA_PERMIT_TBL.VISA_PERMIT_CLASS
Visa and Citizenship Pmt (Point in time)	VC Visa/Permit Class Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME

Folder Name	Object Name	Description
Visa and Citizenship Pmt (Point in time)	VC Visa Workpermit Nbr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_VISA_PMT_DATA.VISA_WRPMT_NBR
Visa and Citizenship Pmt (Point in time)	VC Visa Workpermit Status Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_VISA_PMT_DATA.VISA_WRPMT_STATUS
Visa and Citizenship Pmt (Point in time)	VC Visa Workpermit Status Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Visa and Citizenship Pmt (Point in time)	VC Visa Status Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_VISA_PMT_DATA.STATUS_DT
Visa and Citizenship Pmt (Point in time)	VC Visa Date Issued	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_VISA_PMT_DATA.DT_ISSUED
Visa and Citizenship Pmt (Point in time)	VC Visa Duration Time	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_VISA_PMT_DATA.DURATION_TIME
Visa and Citizenship Pmt (Point in time)	VC Visa Duration Type	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_VISA_PMT_DATA.DURATION_TYPE
Visa and Citizenship Pmt (Point in time)	VC Visa Entry Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_VISA_PMT_DATA.ENTRY_DT
Visa and Citizenship Pmt (Point in time)	VC Visa Expiration Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_VISA_PMT_DATA.EXPIRATN_DT
Visa and Citizenship Pmt (Point in time)	VC Visa Valid From	
Visa and Citizenship Pmt (Point in time)	VC Visa Valid To	
Visa and Citizenship Pmt (Point in time)	VC Citizenship Country Code	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Shared Source: PS_CITIZENSHIP.COUNTRY
Visa and Citizenship Pmt (Point in time)	VC Citizenship Country Descr	Data is completely replaced nightly. Steward: Shared Source: PS_COUNTRY_TBL.DESCR
Visa and Citizenship Pmt (Point in time)	VC Citizenship Status	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Shared Source: PS_CITIZENSHIP.CITIZENSHIP_STATUS
Visa and Citizenship Pmt (Point in time)	VC Citizen Status Descr	Data is completely replaced nightly. Steward: Shared Source: PS_CITIZEN_STS_TBL.DESCR
Visa and Citizenship Pmt (Point in time)	VC Citizenship Data Load Date	The date the data was loaded to the data warehouse -- has nothing to do with when the citizenship is effective.
Visa and Citizenship Pmt (Point in time)	VC Citizenship Next Data Change Date	The date prior to when the next citizenship record was loaded.
Ethnicity (Point in time)	ET Ethnic Group Code	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Shared Source: PS_ETHNICITY_DTL.ETHNIC_GRP_CD
Ethnicity (Point in time)	ET Ethnic Group Long Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_ETHNIC_GRP_TBL.DESCR50
Ethnicity (Point in time)	ET Ethnic Group Short Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_ETHNIC_GRP_TBL.DESCRSHORT
Ethnicity (Point in time)	ET Ethnic Group Category	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Ethnicity (Point in time)	ET Primary Ethnicity	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Shared Source: PS_DIVERS_ETHNIC.PRIMARY_INDICATOR
Ethnicity (Point in time)	ET Ethnicity Detail	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Shared Source: PS_DIVERS_ETHNIC.ETHNIC_GRP_CD
Ethnicity (Point in time)	ET Ethnic Percent Numerator	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Shared Source: PS_ETHNICITY_DTL.ETHNIC_PCT_NUMRATR
Ethnicity (Point in time)	ET Ethnic Percent Denominator	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Shared Source: PS_ETHNICITY_DTL.ETHNIC_PCT_DENMRTR

Folder Name	Object Name	Description
Ethnicity (Point in time)	ET IPEDS	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Shared Source: PS_ETHNICITY_DTL.ETH_VALIDATED
Ethnicity (Point in time)	ET Hispanic/Latino	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Shared Source: PS_ETHNICITY_DTL.HISP_LATINO
Ethnicity (Point in time)	ET Last Updated Date/Time	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Shared Source: PS_ETHNICITY_DTL.LASTUPDDTTM
Ethnicity (Point in time)	ET Last Updated by ID	OperID of the person who last updated the field. Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Shared Source: PS_ETHNICITY_DTL.LASTUPDOPRID
Ethnicity (Point in time)	ET Valid From	
Ethnicity (Point in time)	ET Valid To	
Residency	RE Academic Career	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_RESIDENCY_OFF.ACAD_CAREER
Residency	RE Effective Term	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_RESIDENCY_OFF.EFFECTIVE_TERM
Residency	RE Effective Through Term	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: Calculated based on PS_RESIDENCY_OFF.EFFECTIVE_TERM. For the latest term for each student and career, this field has a value of 2230.
Residency	RE Residency Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_RESIDENCY_OFF.RESIDENCY_DT
Residency	RE Residency Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_RESIDENCY_OFF.RESIDENCY
Residency	RE Residency Descr	Data is completely replaced nightly. Steward: Shared Source: PS_RESIDENCY_TBL.DESCR
Residency	RE Admissions Residency Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_RESIDENCY_OFF.ADMISSION_RES
Residency	RE Admissions Residency Descr	Data is completely replaced nightly. Steward: Shared Source: PS_RESIDENCY_TBL.DESCR
Residency	RE Tuition Residency Code - REG ONLY	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_RESIDENCY_OFF.TUITION_RES
Residency	RE Tuition Residency Descr	Data is completely replaced nightly. Steward: Shared Source: PS_RESIDENCY_TBL.DESCR
Residency	RE Tuition Residency Exception - REG ONLY	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_RESIDENCY_OFF.TUITION_EXCPT
Residency	RE Valid From	
Residency	RE Valid To	
AIS Roles	AR User ID	Data is completely replaced nightly. Steward: Shared Source: PSROLEUSER.ROLEUSER
AIS Roles	AR Role	Data is completely replaced nightly. Steward: Shared Source: PSROLEUSER.ROLENAME
External System ID	ES CruzID	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_EXTERNAL_SYSTEM.EXTERNAL_SYSTEM_ID where PS_EXTERNAL_SYSTEM.EXTERNAL_SYSTEM = 'CRZ'
External System ID	ES Has IDM Claim Code	Data is completely replaced nightly. Steward: Shared Source: SCX_IDM_TBL.SCX_HAS_CLAIM_CODE
External System ID	ES CruzID Blue Reset Date	Data is completely replaced nightly. Steward: Shared Source: SCX_CRUZID_UPD.SCX_CRUZID_RESEDT where SCX_CRUZID_UPD.SCX_CRUZID_COLOR='B'
External System ID	ES CruzID Gold Reset Date	Data is completely replaced nightly. Steward: Shared Source: SCX_CRUZID_UPD.SCX_CRUZID_RESEDT where SCX_CRUZID_UPD.SCX_CRUZID_COLOR='G'
External System ID	ES PPS ID	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_EXTERNAL_SYSTEM.EXTERNAL_SYSTEM_ID where PS_EXTERNAL_SYSTEM.EXTERNAL_SYSTEM = 'PPS'
External System ID	ES Path ID	
Communications	CM Admin Function	Data is completely replaced nightly. Steward: Registrar Source: PS_COMMUNICATION.ADMIN_FUNCTION
Communications	CM Sequence Number	Data is completely replaced nightly. Steward: Registrar Source: PS_COMMUNICATION.SEQ_3C
Communications	CM Date/Time	Data is completely replaced nightly. Steward: Registrar Source: PS_COMMUNICATION.COMM_DTTM
Communications	CM Category Code	Data is completely replaced nightly. Steward: Registrar Source: PS_COMMUNICATION.COMM_CATEGORY
Communications	CM Category Descr	Data is completely replaced nightly. Steward: Shared Source: PS_COMM_CATG_TBL.DESCR

Folder Name	Object Name	Description
Communications	CM Context Code	Data is completely replaced nightly. Steward: Registrar Source:PS_COMMUNICATION.COMM_CONTEXT
Communications	CM Context Descr	Data is completely replaced nightly. Steward: Shared Source: PS_COMM_CTXT_TBL.DESCR
Communications	CM Method Code	Data is completely replaced nightly. Steward: Registrar Source: PS_COMMUNICATION.COMM_METHOD
Communications	CM Method Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM where FIELDNAME='COMM_METHOD'
Communications	CM Department Code	Data is completely replaced nightly. Steward: Registrar Source: PS_COMMUNICATION.DEPTID
Communications	CM Communication ID	Data is completely replaced nightly. Steward: Registrar Source: PS_COMMUNICATION.COMM_ID
Communications	CM Date	Data is completely replaced nightly. Steward: Registrar Source: PS_COMMUNICATION.COMM_DT
Communications	CM Completed	Data is completely replaced nightly. Steward: Registrar Source: PS_COMMUNICATION.COMPLETED_COMM
Communications	CM Completed ID	Data is completely replaced nightly. Steward: Registrar Source: PS_COMMUNICATION.COMPLETED_ID
Communications	CM Completed Date	Data is completely replaced nightly. Steward: Registrar Source: PS_COMMUNICATION.COMPLETED_DT
Communications	CM Direction Code	Data is completely replaced nightly. Steward: Registrar Source: PS_COMMUNICATION.COMM_DIRECTION
Communications	CM Direction Descr	Data is completely replaced nightly. Steward: Registrar Source: PSXLATITEM.XLATLONGNAME
Communications	CM Letter Code	Data is completely replaced nightly. Steward: Registrar Source: PS_COMMUNICATION.SCC_LETTER_CD
Communications	CM Variable Data Sequence Number	Data is completely replaced nightly. Steward: Registrar Source: PS_COMMUNICATION.VAR_DATA_SEQ
Communications	CM Var Data Academic Career SPRG	Data is completely replaced nightly. Steward: Registrar Source: PS_VAR_DATA_SPRG.ACAD_CAREER
Communications	CM Var Data Student Career Nbr SPRG	Data is completely replaced nightly. Steward: Registrar Source: PS_VAR_DATA_SPRG.STDNT_CAR_NBR
Communications	CM Var Data Academic Career STRM	Data is completely replaced nightly. Steward: Registrar Source: PS_VAR_DATA_STRM.ACAD_CAREER
Communications	CM Var Data Term Code STRM	Data is completely replaced nightly. Steward: Registrar Source: PS_VAR_DATA_STRM.STRM
Comments	CT Admin Function	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_COMMENT.ADMIN_FUNCTION
Comments	CT Sequence Number	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_COMMENT.SEQ_3C
Comments	CT Date/Time	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_COMMENT.COMMENT_DTTM
Comments	CT Category Code	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_COMMENT.CMNT_CATEGORY
Comments	CT Category Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_CMNT_CATG_TBL.DESCR
Comments	CT Department Code	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_COMMENT.DEPTID
Comments	CTG Comment ID	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_COMMENT.CMNT_ID
Comments	CT Date	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_COMMENT.COMMENT_DT
Comments	CT Variable Data Sequence Number	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_COMMENT.VAR_DATA_SEQ
Comments	CT Var Data Academic Career SPRG	Data is completely replaced nightly. Steward: Registrar Source: PS_VAR_DATA_SPRG.ACAD_CAREER
Comments	CT Var Data Student Career Nbr SPRG	Data is completely replaced nightly. Steward: Registrar Source: PS_VAR_DATA_SPRG.STDNT_CAR_NBR
Comments	CT Var Data Academic Career STRM	Data is completely replaced nightly. Steward: Registrar Source: PS_VAR_DATA_STRM.ACAD_CAREER
Comments	CT Var Data Term Code STRM	Data is completely replaced nightly. Steward: Registrar Source: PS_VAR_DATA_STRM.STRM
Checklists	CK Admin Function	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_CHECKLST.ADMIN_FUNCTION
Checklists	CK Checklist Sequence Number	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_CHECKLST.SEQ_3C
Checklists	CK Checklist Date/Time	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_CHECKLST.CHECKLIST_DTTM
Checklists	CK Checklist Code	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_CHECKLST.CHECKLIST_CD
Checklists	CK Checklist Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_CS_CHKLST_TBL.DESCR
Checklists	CK Checklist Status Code	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_CHECKLST.CHECKLIST_STATUS
Checklists	CK Checklist Status Descr	Data is completely replaced nightly. Steward: Registrar Source: PSXLATITEM.XLATLONGNAME
Checklists	CK Checklist Status Date	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_CHECKLST.STATUS_DT
Checklists	CK Checklist Due Date	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_CHECKLST.DUE_DT
Checklists	CK Checklist Department Code	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_CHECKLST.DEPTID
Checklists	CK Checklist Responsible ID	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_CHECKLST.RESPONSIBLE_ID
Checklists	CK Checklist Variable Data Sequence Nbr	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_CHECKLST.VAR_DATA_SEQ

Folder Name	Object Name	Description
Checklists	CK Checklist Comments	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_CHECKLST.COMM_COMMENTS
Checklists	CK Item Sequence Number	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_CHK_ITEM.CHECKLIST_SEQ
Checklists	CK Item Code	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_CHK_ITEM.CHKLST_ITEM_CD
Checklists	CK Item Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_SCC_CKLSITM_TBL.DESCR
Checklists	CK Item Comment	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_SCC_CKLSITM_TBL.DESCRLONG
Checklists	CK Item Status Code	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_CHK_ITEM.ITEM_STATUS
Checklists	CK Item Status Descr	Data is completely replaced nightly. Steward: Registrar Source: PSXLATITEM.XLATLONGNAME
Checklists	CK Item Status Date	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_CHK_ITEM.STATUS_DT
Checklists	CK Item Due Date	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_CHK_ITEM.DUE_DT
Checklists	CK Item Responsible ID	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_CHK_ITEM.RESPONSIBLE_ID
Checklists	CK Item Association ID	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_CHK_ITEM.ASSOC_ID
Checklists	CK Item Association Name	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_CHK_ITEM.NAME
Checklists	CK Var Data Academic Career SPRG	Data is completely replaced nightly. Steward: Registrar Source: PS_VAR_DATA_SPRG.ACAD_CAREER
Checklists	CK Var Data Student Career Nbr SPRG	Data is completely replaced nightly. Steward: Registrar Source: PS_VAR_DATA_SPRG.STDNT_CAR_NBR
Checklists	CK Var Data Academic Career STRM	Data is completely replaced nightly. Steward: Registrar Source: PS_VAR_DATA_STRM.ACAD_CAREER
Checklists	CK Var Data Term Code STRM	Data is completely replaced nightly. Steward: Registrar Source: PS_VAR_DATA_STRM.STRM
Service Indicators	SI Date/Time	Data is completely replaced nightly. Steward: Shared Source: PS_SRVC_IND_DATA.SRVC_IND_DTTM
Service Indicators	SI User ID	Data is completely replaced nightly. Steward: Shared Source: PS_SRVC_IND_DATA.OPRID
Service Indicators	SI User Name	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC
Service Indicators	SI Service Indicator Code	Data is completely replaced nightly. Steward: Shared Source: PS_SRVC_IND_DATA.SRVC_IND_CD
Service Indicators	SI Service Indicator Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_SRVC_IND_CD_TBL.DESCR
Service Indicators	SI Reason Code	Data is completely replaced nightly. Steward: Shared Source: PS_SRVC_IND_DATA.SRVC_IND_REASON
Service Indicators	SI Reason Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_SRVC_IN_RSN_TBL.DESCR
Service Indicators	SI Active Term	Data is completely replaced nightly. Steward: Shared Source: PS_SRVC_IND_DATA.SRVC_IND_ACT_TERM
Service Indicators	SI Active Date	Data is completely replaced nightly. Steward: Shared Source: PS_SRVC_IND_DATA.SRVC_IND_ACTIVE_DT
Service Indicators	SI End Term	Data is completely replaced nightly. Steward: Shared Source: PS_SRVC_IND_DATA.SCC_SI_END_TERM
Service Indicators	SI End Date	Data is completely replaced nightly. Steward: Shared Source: PS_SRVC_IND_DATA.SCC_SI_END_DT
Service Indicators	SI Positive Service Indicator	Data is completely replaced nightly. Steward: Shared Source: PS_SRVC_IND_DATA.POS_SRVC_INDICATOR
Service Indicators	SI Reference	Data is completely replaced nightly. Steward: Shared Source: PS_SRVC_IND_DATA.SRVC_IND_REFRNCE
Service Indicators	SI Department ID	Data is completely replaced nightly. Steward: Shared Source: PS_SRVC_IND_DATA.DEPTID
Service Indicators	SI Contact Name	Data is completely replaced nightly. Steward: Shared Source: PS_SRVC_IND_DATA.CONTACT
Service Indicators	SI Contact ID	Data is completely replaced nightly. Steward: Shared Source: PS_SRVC_IND_DATA.CONTACT_ID
Service Indicators	SI Amount	Data is completely replaced nightly. Steward: Shared Source: PS_SRVC_IND_DATA.CONTACT_ID
Service Indicators	SI Placed by Name	Data is completely replaced nightly. Steward: Shared Source: PS_SRVC_IND_DATA.PLACED_PERSON
Service Indicators	SI Placed by ID	Data is completely replaced nightly. Steward: Shared Source: PS_SRVC_IND_DATA.PLACED_PERSON_ID
Service Indicators	SI Service Impact Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_SRVC_IMPACT_TBL.SERVICE_IMPACT
Service Indicators	SI Service Impact Term Category Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_SERVICE_IMPACT.TERM_CATEGORY
Service Indicators	SI Service Impact Long Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_SERVICE_IMPACT.DESCRLONG (CLOB)
Service Indicators	SI Positive Service Impact	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_SRVC_IMPACT_TBL.POS_SRVC_IMPACT
Service Indicators	SI Service Impact Short Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_SRVC_IMPACT_TBL.DESCR

Folder Name	Object Name	Description
Student Groups - Current	SGC Student Group	Is currently in this student group with "Active" status. Steward: Shared Source: Derived from PS_STDNT_GRP_HIST.STDNT_GROUP
Student Groups - Current	SGC Is Bridge	Has any status (active or inactive) in the Bridge student group (ABRG). Steward: Undergraduate Admissions Source: Derived from PS_STDNT_GRP_HIST
Student Groups - Current	SGC Is EOP	Has any status (active or inactive) in the EOP student group (AEOP). Steward: Undergraduate Admissions Source: Derived from PS_STDNT_GRP_HIST
Student Groups by Term	SG Student Group Code	Data is completely replaced nightly. Steward: Shared Source: PS_STDNT_GROUP_TBL.STDNT_GROUP
Student Groups by Term	SG Student Group Descr	Data is completely replaced nightly. Steward: Shared Source: PS_STDNT_GROUP_TBL.DESCR
Student Groups by Term	SG Derived Term	Data is completely replaced nightly. Steward: Shared Source: Derived by comparing PS_STDNT_GRP_HIST.EFFDT and PS_STDNT_GRP_HIST.EFF_STATUS with term dates.
Student Groups by Term	SG Comments	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_GRP_HIST_BY_TERM.COMMENTS
Student Groups by Term	SG Valid From	
Student Groups by Term	SG Valid To	
Student Equation Variables	EV Variable Flag1	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_EQUTN_VAR.VARIABLE_FLAG1
Student Equation Variables	EV Variable Flag2	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_EQUTN_VAR.VARIABLE_FLAG2
Student Equation Variables	EV Variable Flag3	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_EQUTN_VAR.VARIABLE_FLAG3
Student Equation Variables	EV Variable Flag4	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_EQUTN_VAR.VARIABLE_FLAG4
Student Equation Variables	EV Variable Flag5	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_EQUTN_VAR.VARIABLE_FLAG5
Student Equation Variables	EV Variable Flag6	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_EQUTN_VAR.VARIABLE_FLAG6
Student Equation Variables	EV Variable Flag7	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_EQUTN_VAR.VARIABLE_FLAG7
Student Equation Variables	EV Variable Flag8	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_EQUTN_VAR.VARIABLE_FLAG8
Student Equation Variables	EV Variable Flag9	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_EQUTN_VAR.VARIABLE_FLAG9
Student Equation Variables	EV Variable Flag10	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_EQUTN_VAR.VARIABLE_FLAG10
UCOP	UC EmplID	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.EMPLID
UCOP	UC Interface Run Mode	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCX_PB_RUN_MODE
UCOP	UC Effective Date	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.EFFDT
UCOP	UC ID Number - Student	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_A020
UCOP	UC Year Registered - UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_A030
UCOP	UC C010 Term Registered UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_C010
UCOP	UC G010 Name Student UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_G010
UCOP	UC G020 SSN UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_G020
UCOP	UC Date of Birth	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.BIRTHDATE
UCOP	UC H020 Sex Code UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H020
UCOP	UC H030 Ethnic Origin UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H030
UCOP	UC H040 Home Location UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H040
UCOP	UC H050 Citizenship Country UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H050
UCOP	UC H060 Citizenship Status UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H060
UCOP	UC H070 Residence Status UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H070
UCOP	UC H080 Reg Status 3Wk UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H080
UCOP	UC H100 Reg Status Before WD UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H100
UCOP	UC H090 Reg Status EOT UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H090
UCOP	UC H110 College 3WK UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H110
UCOP	UC H120 College 1 3WK UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H120
UCOP	UC H130 College 2 3WK UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H130
UCOP	UC H140 College 3 3WK UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H140
UCOP	UC H150 College EOT UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H150
UCOP	UC H160 College 1 EOT UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H160

Folder Name	Object Name	Description
UCOP	UC H170 College 2 EOT UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H170
UCOP	UC H180 College 3 EOT UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H180
UCOP	UC H190 Major 3WK UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H190
UCOP	UC H200 Major 1 3WK UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H200
UCOP	UC H210 Major 2 3WK UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H210
UCOP	UC H220 Major 3 3WK UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H220
UCOP	UC H230 Major EOT UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H230
UCOP	UC H240 Major 1 EOT UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H240
UCOP	UC H250 Major 2 EOT UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H250
UCOP	UC Major 3 EOT UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H260
UCOP	UC H310 Special Program UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H310
UCOP	UC H800 Summer Reg Status UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H800
UCOP	UC H810 Home Campus UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H810
UCOP	UC H820 Home UC Campus ID UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H820
UCOP	UC H830 Non UC Stnt Source UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H830
UCOP	UC H390 Units Comp TTD 3WK UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H390
UCOP	UC H400 Units Comp TTD EOT UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H400
UCOP	UC H410 Units Att Curr 3WK UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H410
UCOP	UC H420 Units Att Curr EOT UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H420
UCOP	UC H430 Grade Pts Curr EOT UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H430
UCOP	UC H440 Units Pssd Grded EOT UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H440
UCOP	UC H450 Unts Att Cur PNP EOT UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H450
UCOP	UC H460 Unts Pssd PNPCur EOT UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H460
UCOP	UC H470 Unts Att Grd TTD 3WK	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H470
UCOP	UC H480 Unts Att Grd TTD UC UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H480
UCOP	UC H490 Grd Pts TTD UC 3WK UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H490
UCOP	UC H500 Grd Pts TTD UC EOT UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H500
UCOP	UC H510 Unts Pssd TTD Grd 3W UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H510
UCOP	UC H520 Unt Pssd TTD Grd EOT	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H520
UCOP	UC H530 Unts Att TTD PNP EOT	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H530
UCOP	UC H540 Unt Pssd TTD PNP EOT UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H540
UCOP	UC H550 Units Inc TTD 3WK UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H550
UCOP	UC H560 Units Inc TTD EOT UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H560
UCOP	UC H590 Units Att Lower Div UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H590
UCOP	UC H600 Units Att Upper Div UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H600
UCOP	UC H610 Unt Att Graduate UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H610
UCOP	UC H620 Part Time Code UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H620
UCOP	UC H630 Qtrs Reg Since Can UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H630
UCOP	UC H640 Degree 1 UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H640
UCOP	UC H650 Degree 2 UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H650
UCOP	UC H660 Degree 3 UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H660
UCOP	UC H570 Student Level 3WK UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H570
UCOP	UC H580 Student Level EOT UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H580
UCOP	UC H700 Disability UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H700
UCOP	UC H840 Unt Cred by Exam AP UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H840
UCOP	UC H850 Unt Cred by Exam IB UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H850
UCOP	UC H860 Unt Cred by Exam UC UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H860

Folder Name	Object Name	Description
UCOP	UC H870 Units Cred from CCC UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H870
UCOP	UC H880 Unt Cr frm oth NonUC UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H880
UCOP	UC H890 Non Degr Unt Att Cur UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H890
UCOP	UC H900 Unt Pssd TTD PNP 3WK UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H900
UCOP	UC H910 In Absentia	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H910
UCOP	UC Ethnic IPEDS Hispanic	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H920
UCOP	UC Ethnic IPEDS African	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H921
UCOP	UC Ethnic IPEDS Am Ind	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H922
UCOP	UC Ethnic IPEDS Asian	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H923
UCOP	UC Ethnic IPEDS Pacific	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H924
UCOP	UC Ethnic IPEDS White	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H925
UCOP	UC Ethnic UC African Amer	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H926
UCOP	UC Ethnic UC African	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H927
UCOP	UC Ethnic UC Caribbean	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H928
UCOP	UC Ethnic UC Other Black	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H929
UCOP	UC Ethnic UC Am Ind AK Native	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H930
UCOP	UC Ethnic UC Asian Ind	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H931
UCOP	UC Ethnic UC East Indian PAK	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H932
UCOP	UC Ethnic UC Bangladeshi	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H933
UCOP	UC Ethnic UC Cambodian	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H934
UCOP	UC Ethnic UC Chinese	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H935
UCOP	UC Ethnic UC Filipino	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H936
UCOP	UC Ethnic UC Hmong	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H937
UCOP	UC Ethnic UC Indonesian	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H938
UCOP	UC Ethnic UC Japanese	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H939
UCOP	UC Ethnic UC Korean	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H940
UCOP	UC Ethnic UC Laotian	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H941
UCOP	UC Ethnic UC Malaysian	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H942
UCOP	UC Ethnic UC Pakistani	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H943
UCOP	UC Ethnic UC Sri Lankan	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H944
UCOP	UC Ethnic UC Taiwanese	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H945
UCOP	UC Ethnic UC Thai	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H946
UCOP	UC Ethnic UC Vietnamese	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H947
UCOP	UC Ethnic UC Other Asian	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H948
UCOP	UC Ethnic UC Cuban	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H949
UCOP	UC Ethnic UC Latin Amer	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H950
UCOP	UC Ethnic UC Mexican Chicano	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H951
UCOP	UC Ethnic UC Puerto Rican	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H952
UCOP	UC Ethnic UC Other Hisp Latino	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H953
UCOP	UC Ethnic UC Fijian	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H954
UCOP	UC Ethnic UC Guamanian	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H955
UCOP	UC Ethnic UC	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H956
UCOP	UC Ethnic UC Samoan	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H957
UCOP	UC Ethnic UC Tongan	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H958
UCOP	UC Ethnic UC Other Pac Island	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H959
UCOP	UC Ethnic UC Hawaiian Pac Isle	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H960
UCOP	UC Ethnic UC White Caucasian	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H961
UCOP	UC Ethnic UC Middle Eastern	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H962
UCOP	UC Ethnic UC North African	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H963

Folder Name	Object Name	Description
UCOP	UC Ethnic UC Other White	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H964
UCOP	UC Ethnic UC Other	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H965
Athletics	AT Sport Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward:Registrar Source: PS_ATHL_PART_STAT.SPORT
Athletics	AT Sport Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Athletics	AT Status Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward:Registrar Source: PS_ATHL_PART_STAT.ATHL_PARTIC_CD
Athletics	AT Status Descr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward:Registrar Source: PS_ATHL_PART_TBL.DESCR
Athletics	AT NCAA Eligible	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward:Registrar Source: PS_ATHL_PART_STAT.NCAA_ELIGIBLE
Athletics	AT Current Participant	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward:Registrar Source: PS_ATHL_PART_STAT.CUR_PARTICIPANT
Athletics	AT Valid From	
Athletics	AT Valid To	
Committees	CE Effective Date	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Graduate Division Source: PS_SCG_ACAD_CMTE_M.EFFDFT
Committees	CE Effective Sequence	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Graduate Division Source: PS_SCG_ACAD_CMTE_M.EFFSEQ
Committees	CE Committee Type Code	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Graduate Division Source: PS_SCG_ACAD_CMTE_M.SCG_ACAD_CMTE_TYPE
Committees	CE Committee Type Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Committees	CE Committee Member Nbr	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Graduate Division Source: PS_SCG_ACAD_CMTE_M.SCG_A_CMTE_MBR_NBR
Committees	CE Committee Member Role Code	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Graduate Division Source: PS_SCG_ACAD_CMTE_M.SCG_A_CMTE_MBR_ROL
Committees	CE Committee Member Role Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Committees	CE Association ID	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Graduate Division Source: PS_SCG_ACAD_CMTE_M.ASSOC_ID
Committees	CE Name	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Graduate Division Source: PS_SCG_ACAD_CMTE_M.NAME
Committees	CE Valid From	
Committees	CE Valid To	
Test Scores	TS Test ID Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_SA_TEST_TBL.TEST_ID
Test Scores	TS Test ID Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_SA_TEST_TBL.DESCRSHORT
Test Scores	TS Test Component Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_STDNT_TEST_COMP.TEST_COMPONENT
Test Scores	TS Test Component Descr	Data is completely replaced nightly. Steward: Shared Source: PS_SA_TCMP_REL_TBL.DESCR
Test Scores	TS Test Date	Data is completely replaced nightly. Steward: Shared Source: PS_STDNT_TEST_COMP.TEST_DT
Test Scores	TS Data Source Code	Data is completely replaced nightly. Steward: Shared Source: PS_STDNT_TEST_COMP.LS_DATA_SOURCE
Test Scores	TS Data Source Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Test Scores	TS Score	Data is completely replaced nightly. Steward: Shared Source: PS_STDNT_TEST_COMP.SCORE

Folder Name	Object Name	Description
Test Scores	TS Date Loaded	Data is completely replaced nightly. Steward: Shared Source: PS_STDNT_TEST_COMP.DATE_LOADED
Test Scores	TS Percentile	Data is completely replaced nightly. Steward: Shared Source: PS_STDNT_TEST_COMP.PERCENTILE
Transfer Course Detail	TCD Articulation Term	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.ARTICULATION_TERM
Transfer Course Detail	TCD Transfer Model Number	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.MODEL_NBR
Transfer Course Detail	TCD Transfer Equivalency Group	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.TRNSFR_EQVLNCY_GRP
Transfer Course Detail	TCD Transfer Equivalency Sequence	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.TRNSFR_EQVLNCY_SEQ
Transfer Course Detail	TCD Transfer Status Code	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.TRNSFR_STAT
Transfer Course Detail	TCD Transfer Status Descr	Data is completely replaced nightly. Steward: Shared Source: PS_XLATITEM.XLATLONGNAME
Transfer Course Detail	TCD Source ID	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.TRNSFR_SRC_ID
Transfer Course Detail	TCD Equivalency Rule	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.TRNSFR_EQVLNCY
Transfer Course Detail	TCD Equivalency Component	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.TRNSFR_EQVLNCY_CMP
Transfer Course Detail	TCD External Course Number	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.EXT_COURSE_NBR
Transfer Course Detail	TCD Term Year	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.TERM_YEAR
Transfer Course Detail	TCD External Term	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.EXT_TERM
Transfer Course Detail	TCD School Subject	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.SCHOOL_SUBJECT
Transfer Course Detail	TCD School Course Nbr	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.SCHOOL_CRSE_NBR
Transfer Course Detail	TCD Descr	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.DESCR
Transfer Course Detail	TCD Units Taken (External)	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.SSR_UNT_TAKEN_EXT
Transfer Course Detail	TCD Grade Input	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.CRSE_GRADE_INPUT
Transfer Course Detail	TCD Course ID	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.CRSE_ID
Transfer Course Detail	TCD Course Subject	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SUBJECT
Transfer Course Detail	TCD Course Catalog Nbr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.CATALOG_NBR
Transfer Course Detail	TCD Catalog Nbr Prompt	This is the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_CRSE_OFFER.CATALOG_NBR
Transfer Course Detail	TCD Catalog Nbr Sort	This is the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_CRSE_OFFER.CATALOG_NBR

Folder Name	Object Name	Description
Transfer Course Detail	TCD Subject - Catalog Nbr	This uses the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SUBJECT, PS_CRSE_OFFER.CATALOG_NBR
Transfer Course Detail	TCD Subject - Catalog Nbr Sort	This uses the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SUBJECT, PS_CRSE_OFFER.CATALOG_NBR
Transfer Course Detail	TCD Course Offering Number	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.CRSE_OFFER_NBR
Transfer Course Detail	TCD Units Transferred	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.UNT_TRNSFR
Transfer Course Detail	TCD Grade Points per Unit	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.GRD_PTS_PER_UNIT
Transfer Course Detail	TCD Earn Credit	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.EARN_CREDIT
Transfer Course Detail	TCD Include in GPA	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.INCLUDE_IN_GPA
Transfer Course Detail	TCD Units Attempted	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.UNITS_ATTEMPTED
Transfer Course Detail	TCD Requirement Designation	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.RQMNT_DESIGNTN
Transfer Course Detail	TCD General Education Code	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCR
Transfer Course Detail	TCD General Education Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCRFORMAL
Transfer Course School	TCS Credit Source Type	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_SCH_TRNSFR_SRC_TYPE
Transfer Course School	TCS External Org ID	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_SCH.EXT_ORG_ID
Transfer Course School	TCS School Type	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_SCH.LS_SCHOOL_TYPE
Transfer Course School	TCS Data Source	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_SCH.LS_DATA_SOURCE
Transfer Course School	TCS Source Institution	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_SCH.SRC_ORG_NAME
Transfer Course School	TCS Model Status Code	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_SCH.MODEL_STATUS
Transfer Course School	TCS Model Status Descr	Data is completely replaced nightly. Steward: Shared Source: PS_XLATITEM.XLATLONGNAME
Transfer Course School	TCS Units Taken	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_SCH.UNT_TAKEN
Transfer Course School	TCS Units Transferred	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_SCH.UNT_TRNSFR
Transfer Course Term	TCT Model Status Code	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_TERM.MODEL_STATUS
Transfer Course Term	TCT Model Status Descr	Data is completely replaced nightly. Steward: Shared Source: PS_XLATITEM.XLATLONGNAME
Transfer Course Term	TCT Units Taken	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_TERM.UNT_TAKEN
Transfer Course Term	TCT Units Transferred	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_TERM.UNT_TRNSFR
Transfer Course Term	TCT Posted Date	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_TERM.POST_DT

Folder Name	Object Name	Description
Transfer Course Term	TCT Posted by ID	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_TERM.OPRID
Transfer Course Term	TCT Posted by Name	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC
Transfer Other Detail	TO Articulation Term	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_OTHR_DTL.ARTICULATION_TERM
Transfer Other Detail	TO Transfer Model Number	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_OTHR_DTL.MODEL_NBR
Transfer Other Detail	TO Transfer Equivalency Group	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_OTHR_DTL.TRNSFR_EQVLNCY_GRP
Transfer Other Detail	TO Transfer Equivalency Sequence	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_OTHR_DTL.TRNSFR_EQVLNCY_SEQ
Transfer Other Detail	TO Descr	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_OTHR_DTL.DESCR
Transfer Other Detail	TO Long Descr	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_OTHR_DTL.DESCR254A
Transfer Other Detail	TO Evaluation Date	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_OTHR_DTL.EVALUATION_DT
Transfer Other Detail	TO Transfer Status	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_OTHR_DTL.TRNSFR_STAT
Transfer Other Detail	TO Course ID	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_OTHR_DTL.CRSE_ID
Transfer Other Detail	TO Course Subject	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SUBJECT
Transfer Other Detail	TO Course Catalog Nbr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.CATALOG_NBR
Transfer Other Detail	TO Catalog Nbr Prompt	This is the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_CRSE_OFFER.CATALOG_NBR
Transfer Other Detail	TO Catalog Nbr Sort	This is the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_CRSE_OFFER.CATALOG_NBR
Transfer Other Detail	TO Subject - Catalog Nbr	This uses the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SUBJECT, PS_CRSE_OFFER.CATALOG_NBR
Transfer Other Detail	TO Subject - Catalog Nbr Sort	This uses the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SUBJECT, PS_CRSE_OFFER.CATALOG_NBR
Transfer Other Detail	TO Grade Points per Unit	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_OTHR_DTL.GRD_PTS_PER_UNIT
Transfer Other Detail	TO Requirement Designation	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_OTHR_DTL.RQMNT_DESIGNTN
Transfer Other Detail	TO General Education Code	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCR
Transfer Other Detail	TO General Education Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCRFORMAL
Transfer Test Detail	TT Articulation Term	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.ARTICULATION_TERM
Transfer Test Detail	TT Transfer Model Number	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.MODEL_NBR
Transfer Test Detail	TT Transfer Equivalency Group	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.TRNSFR_EQVLNCY_GRP

Folder Name	Object Name	Description
Transfer Test Detail	TT Transfer Equivalency Sequence	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.TRNSFR_EQVLNCY_SEQ
Transfer Test Detail	TT Transfer Status Code	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.TRNSFR_STAT
Transfer Test Detail	TT Transfer Status Descr	Data is completely replaced nightly. Steward: Shared Source: PS_XLATITEM.XLATLONGNAME
Transfer Test Detail	TT Test Equivalency Rule	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.TST_EQVLNCY
Transfer Test Detail	TT Equivalency Component	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.TRNSFR_EQVLNCY_CMP
Transfer Test Detail	TT Test ID	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.TEST_ID
Transfer Test Detail	TT Test Component	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.TEST_COMPONENT
Transfer Test Detail	TT Descr	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.DESCR
Transfer Test Detail	TT Test Date	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.TEST_DT
Transfer Test Detail	TT Data Source	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.LS_DATA_SOURCE
Transfer Test Detail	TT Score	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.SCORE
Transfer Test Detail	TT Percentile	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.PERCENTILE
Transfer Test Detail	TT Course ID	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.CRSE_ID
Transfer Test Detail	TT Course Subject	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SUBJECT
Transfer Test Detail	TT Course Catalog Nbr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.CATALOG_NBR
Transfer Test Detail	TT Catalog Nbr Prompt	This is the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_CRSE_OFFER.CATALOG_NBR
Transfer Test Detail	TT Catalog Nbr Sort	This is the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_CRSE_OFFER.CATALOG_NBR
Transfer Test Detail	TT Subject - Catalog Nbr	This uses the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SUBJECT, PS_CRSE_OFFER.CATALOG_NBR
Transfer Test Detail	TT Subject - Catalog Nbr Sort	This uses the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SUBJECT, PS_CRSE_OFFER.CATALOG_NBR
Transfer Test Detail	TT Course Offering Number	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.CRSE_OFFER_NBR
Transfer Test Detail	TT Units Transferred	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.UNT_TRNSFR
Transfer Test Detail	TT Grading Basis	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.GRADING_BASIS
Transfer Test Detail	TT Requirement Designation	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.RQMNT_DESIGNTN

Folder Name	Object Name	Description
Transfer Test Detail	TT General Education Code	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCR
Transfer Test Detail	TT General Education Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCRFORMAL
DRC	DRC Client Emplid	Emplid for any person who has data in the DRC Client pages. Data is completely replaced nightly. Steward: Disability Resource Center Source: PS_SCR_DRC_CLNT.EMPLID
Accommodation Setup	ACS Accommodation Type	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Disability Resource Center Source: PS_SCR_DRC_ACCSETP.ACCOMMODATION_TYPE
Accommodation Setup	ACS Effective Term	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Disability Resource Center Source: PS_SCR_DRC_ACCSETP.EFFECTIVE_TERM
Accommodation Setup	ACS Effective Through Term	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Disability Resource Center Source: calculated using PS_SCR_DRC_ACCSETP.EFFECTIVE_TERM
Accommodation Setup	ACS Accommodation Type Descr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Disability Resource Center Source: PS_SCR_DRC_ACCSETP.DESCR60
Accommodation Setup	ACS Status	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Disability Resource Center Source: PS_SCR_DRC_ACCSETP.STATUS
Accommodation Setup	ACS Available Through Self Service	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Disability Resource Center Source: PS_SCR_DRC_ACCSETP.ALLOW_SELF_SERVICE
Accommodation Setup	ACS Accommodation Basis	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Disability Resource Center Source: PS_SCR_DRC_ACCSETP.SCR_DRC_ACCOMBASIS
Accommodation Setup	ACS Valid From	
Accommodation Setup	ACS Valid To	
Client	CL Rehab Flag	Flag to show whether a client is a Department of Rehabilitation client. Values: Y, N Data is completely replaced nightly. Steward: Disability Resource Center Source: PS_SCR_DRC_CLNT.SCR_DRC_REHAB_FLAG
Client	CL Rehab Counselor's Name	Name of the client's Department of Rehabilitation counselor. Data is completely replaced nightly. Steward: Disability Resource Center Source: PS_SCR_DRC_CLNT.SCR_DRC_REHAB_NAME
Client	CL Rehab Counselor's Email	Email of the client's Department of Rehabilitation counselor. Data is completely replaced nightly. Steward: Disability Resource Center Source: PS_SCR_DRC_CLNT.SCR_DRC_REHABEMAIL
Client	CL Rehab Counselor's Phone	Phone number of the client's Department of Rehabilitation counselor. Data is completely replaced nightly. Steward: Disability Resource Center Source: PS_SCR_DRC_CLNT.SCR_DRC_REHABPHONE
Client	CL Veteran	Flag to show whether a client is a self-reported veteran. Values: Y, N Data is completely replaced nightly. Steward: Disability Resource Center Source: PS_SCR_DRC_CLNT.VETERAN
Accommodations	AC Accommodation Type Code	Data is completely replaced nightly. Steward: Disability Resource Center Source: PS_SCR_DRC_ACCOMOD.ACCOMMODATION_TYPE
Accommodations	AC Accommodation Type Descr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Disability Resource Center Source: PS_SCR_DRC_ACCSETP.DESCR60
Accommodations	AC Accomodation Accept Flag	Data is completely replaced nightly. Steward: Disability Resource Center Source: PS_SCR_DRC_ACCOMOD.SCR_DRC_ACCEPT_FL
Accommodations	AC Accomodation Status Code	Data is completely replaced nightly. Steward: Disability Resource Center Source: PS_SCR_DRC_ACCOMOD.SCR_DRC_ACC_STATUS
Accommodations	AC Accommodation Status Descr	Data is completely replaced nightly. Steward: Disability Resource Center Source: PSXLATITEM.XLATLONGNAME
Accommodations	AC Accomodation End Date	Data is completely replaced nightly. Steward: Disability Resource Center Source: PS_SCR_DRC_ACCOMOD.END_DATE
Accommodations	AC Accomodation Start Date	Data is completely replaced nightly. Steward: Disability Resource Center Source: PS_SCR_DRC_ACCOMOD.START_DATE

Folder Name	Object Name	Description
Disability	DI Disability Code	Disability code. Values: ABI, ADHD, etc. Data is completely replaced nightly. Steward: Disability Resource Center Source: PS_SCR_DRC_DIAGNOS.DIAGNOSIS_CD
Disability	DI Disability Descr	Data is completely replaced nightly. Steward: Disability Resource Center Source: PS_DIAGNOSIS_TBL.DESCR
Disability	DI Disability Start Date	Start date for this disability. Data is completely replaced nightly. Steward: Disability Resource Center Source: PS_SCR_DRC_DIAGNOS.START_DATE
Disability	DI Disability End Date	End date for this disability. This is left blank for permanent disabilities. Data is completely replaced nightly. Steward: Disability Resource Center Source: PS_SCR_DRC_DIAGNOS.END_DATE
Disability	DI Primary Disability	Flag to indicate primary disability. Each client must have one disability marked as primary. Values: Y, N Data is completely replaced nightly. Steward: Disability Resource Center Source: PS_SCR_DRC_DIAGNOS.SCR_DRC_PRI_DIAG
Coordinator	CRD Coordinator Emplid	7-digit emplID of the student's coordinator. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Disability Resource Center Source: PS_SCR_DRC_COORDIN.SCR_DRC_COORDINATR
Coordinator	CRD Coordinator Start Date	Start date for this coordinator being assigned to this student. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Disability Resource Center Source: PS_SCR_DRC_COORDIN.START_DATE
Coordinator	CRD Current Coordinator	Student's current coordinator. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Disability Resource Center Source: Derived
Coordinator	CRD Coordinator Valid From	
Coordinator	CRD Coordinator Valid To	
Documents	DO Document Source	Data is completely replaced nightly. Steward: Disability Resource Center Source: PS_SCR_DRC_MED_DOC.SCR_DRC_DOC_SOURCE
Documents	DO Document Status	Data is completely replaced nightly. Steward: Disability Resource Center Source: PS_SCR_DRC_MED_DOC.SCR_DRC_DOC_STATUS
Documents	DO Document Type	Data is completely replaced nightly. Steward: Disability Resource Center Source: PSXLATITEM.XLATLONGNAME
Documents	DO Document Received Date	Data is completely replaced nightly. Steward: Disability Resource Center Source: PS_SCR_DRC_MED_DOC.RECEIVED_DT
Documents	DO Document Reviewer ID	Data is completely replaced nightly. Steward: Disability Resource Center Source: PS_SCR_DRC_MED_DOC.REVIEWER_ID
Documents	DO Document Review Date	Data is completely replaced nightly. Steward: Disability Resource Center Source: PS_SCR_DRC_MED_DOC.REVIEW_DT
Manifestations	MN Manifestation Code	Data is completely replaced nightly. Steward: Disability Resource Center Source: PS_SCR_DRC_MANIF.SCR_DRC_MAN_CD
Manifestations	MN Manifestation Descr	Data is completely replaced nightly. Steward: Disability Resource Center Source: PS_SCR_DRC_MAN_SET.DESCR100
Manifestations	MN Manifestation Start Date	Data is completely replaced nightly. Steward: Disability Resource Center Source: PS_SCR_DRC_MANIF.START_DATE
Manifestations	MN Manifestation End Date	Data is completely replaced nightly. Steward: Disability Resource Center Source: PS_SCR_DRC_MANIF.END_DATE

Folder Name	Object Name	Description
Manifestations	MN Manifestation Displayed	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_MANIF.DISPLAYED_FLAG
Status	SS DRC Status	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_STATUS.SCR_DRC_STATUS
Status	SS DRC Status Start Date	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_STATUS.START_DATE
Status	SS DRC Status End Date	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_STATUS.END_DATE
Service Tracker	ST Service Sequence Number	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_TRACKER.SEQNO
Service Tracker	ST Service From Date	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_TRACKER.SRVC_DT_FROM
Service Tracker	ST Service Code	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_TRACKER.SCR_DRC_SERVICE
Service Tracker	ST Service Descr	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_SERVICE.DESCR
Service Tracker	ST Service Quantity	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_TRACKER.QUANTITY
Service Tracker	ST Service Comments	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_TRACKER.SCR_DRC_COMMENTS
Term Accomodation Requests	TAR Accommodation Type Code	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_CLTRMSV.ACCOMMODATION_TYPE
Term Accomodation Requests	TAR Accommodation Type Descr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Disability Resource Center Source: PS_SCR_DRC_ACCSETP.DESCR60
Term Accomodation Requests	TAR Accommodation Selected	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_CLTRMSV.SELECTED
Term Accomodation Requests	TAR Accommodation Effective From	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_CLTRMSV.EFFDT_FROM
Class Accomodation Requests	CAR Accommodation Type	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_CLCLSSV.ACCOMMODATION_TYPE
Class Accomodation Requests	CAR Accommodation Type Descr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Disability Resource Center Source: PS_SCR_DRC_ACCSETP.DESCR60
Class Accomodation Requests	CAR Accommodation Selected	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_CLCLSSV.SELECTED

Folder Name	Object Name	Description
Class Accomodation Requests	CAR Accommodation Effective From	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_CLCLSSV.EFFDT_FROM
Employee	EMP Employee EmplID	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_EMPLCLS.EMPLID
Employee	EMP Available	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_EMPLCLS.SCR_DRC_AVAIL
Employee	EMP Availability Dt	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_EMPLCLS.AVAILABILITY_DT
Employee	EMP Selected	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_EMPLCLS.SCR_DRC_SELECT
Employee	EMP Selected Date	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_EMPLCLS.SCR_DRC_ASGN_DATE
Employee	EMP Email Address 1	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_EMPL.EMAIL_ADDR
Employee	EMP Email Address 2	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_EMPL.EMAIL_ADDR2
Employee	EMP Phone1	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_EMPL.PHONE1
Employee	EMP Phone1 Type	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_EMPL.PHONE1_TYPE
Employee	EMP Phone2	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_EMPL.PHONE2
Employee	EMP Phone2 Type	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_EMPL.PHONE2_TYPE
Employee	EMP Academic Interests	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_EMPL.SCR_DRC_ACAD_INTR
Employee	EMP Position Code	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_EMPLPOS.SCR_DRC_POSITION
Employee	EMP Position Descr	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_POSITN.LABEL
Employee	EMP From Date	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_EMPLPOS.FROM_DATE

Folder Name	Object Name	Description
Employee	EMP To Date	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_EMPLPOS.TO_DATE
Class Services	CSV Course ID	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_CLNTCLS.CRSE_ID
Class Services	CSV Course Offer Nbr	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_CLNTCLS.CRSE_OFFER_NBR
Class Services	CSV Session Code - dupl of class tbl join?	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_CLNTCLS.SESSION_CODE
Class Services	CSV Class Section - dupl of class tbl join?	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_CLNTCLS.CLASS_SECTION
Class Services	CSV Subject - dupl of class tbl join?	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_CLNTCLS.SUBJECT
Class Services	CSV Catalog Nbr - dupl of class tbl join?	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_CLNTCLS.CATALOG_NBR
Class Services	CSV Notetaker	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_CLNTCLS.SCR_DRC_NTKR
Class Services	CSV Notetaker Date	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_CLNTCLS.SCR_DRC_NTKRDATE
Class Services	CSV Typist	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_CLNTCLS.SCR_DRC_TYPIST
Class Services	CSV Typist Date	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_CLNTCLS.SCR_DRC_TYP_DATE
Class Services	CSV Caption	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_CLNTCLS.SCR_DRC_CAPTION
Class Services	CSV Caption Date	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_CLNTCLS.SCR_DRC_CAPDATE
Class Services	CSV Interpreter	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_CLNTCLS.SCR_DRC_INTERPRET
Class Services	CSV Interpreter Date	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_CLNTCLS.SCR_DRC_INTDATE
Class Service Audit	CSA OprID	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_AUDIT_SCCLCLSSV.AUDIT_OPRID

Folder Name	Object Name	Description
Class Service Audit	CSA Date/Time	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_AUDIT_SCCLCLSSV.AUDIT_STAMP
Class Service Audit	CSA Action	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_AUDIT_SCCLCLSSV.AUDIT_ACTN
Class Service Audit	CSA EmplID	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_AUDIT_SCCLCLSSV.EMPLID
Class Service Audit	CSA Course ID	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_AUDIT_SCCLCLSSV.CRSE_ID
Class Service Audit	CSA Course Offer Nbr	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_AUDIT_SCCLCLSSV.CRSE_OFFER_NBR
Class Service Audit	CSA Term Code	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_AUDIT_SCCLCLSSV.STRM
Class Service Audit	CSA Session Code	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_AUDIT_SCCLCLSSV.SESSION_CODE
Class Service Audit	CSA Section	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_AUDIT_SCCLCLSSV.CLASS_SECTION
Class Service Audit	CSA Accommodation Type Code	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_AUDIT_SCCLCLSSV.ACCOMMODATION_TYPE
Class Service Audit	CSA Selected	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_AUDIT_SCCLCLSSV.SELECTED
Class Service Audit	CSA Effective Date From	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_AUDIT_SCCLCLSSV.EFFDT_FROM
Class Service Audit	CSA Last Updated by ID	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_AUDIT_SCCLCLSSV.LASTUPDOPRID
Class Service Audit	CSA Last Updated Date/Time	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_AUDIT_SCCLCLSSV.LASTUPDDTTM
Term Service Audit	TSA OprID	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_AUDIT_SCCLTRMSV.AUDIT_OPRID
Term Service Audit	TSA Date/Time	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_AUDIT_SCCLTRMSV.AUDIT_STAMP
Term Service Audit	TSA Action	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_AUDIT_SCCLTRMSV.AUDIT_ACTN

Folder Name	Object Name	Description
Term Service Audit	TSA EmplID	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_AUDIT_SCCLTRMSV.EMPLID
Term Service Audit	TSA Term Code	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_AUDIT_SCCLTRMSV.STRM
Term Service Audit	TSA Accommodation Type Code	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_AUDIT_SCCLTRMSV.ACCOMMODATION_TYPE
Term Service Audit	TSA Selected	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_AUDIT_SCCLTRMSV.SELECTED
Term Service Audit	TSA Effective Date From	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_AUDIT_SCCLTRMSV.EFFDT_FROM
Term Service Audit	TSA Last Updated by ID	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_AUDIT_SCCLTRMSV.LASTUPDOPRID
Term Service Audit	TSA Last Updated Date/Time	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_AUDIT_SCCLTRMSV.LASTUPDDTTM
Student Program/Plan	SPP Academic Career	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PROG.ACAD_CAREER
Student Program/Plan	SPP Career Number	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PROG.STDNT_CAR_NBR
Student Program/Plan	SPP Effective Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PROG.EFFDT
Student Program/Plan	SPP Effective Sequence	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PROG.EFFSEQ
Student Program/Plan	SPP Valid From	
Student Program/Plan	SPP Valid To	
Program	PRG Academic Program	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PROG.ACAD_PROG
Program	PRG Program Status Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PROG.PROG_STATUS
Program	PRG Program Status Descr	Data is completely replaced nightly. Steward: Shared Source: PS_XLATITEM.XLATLONGNAME
Program	PRG Program Action Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PROG.PROG_ACTION
Program	PRG Program Action Descr	Data is completely replaced nightly. Steward: Shared Source: PS_XLATITEM.XLATLONGNAME
Program	PRG Program Action Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PROG.ACTION_DT
Program	PRG Program Reason Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PROG.PROG_REASON
Program	PRG Program Reason Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_PROG_RSN_TBL.DESCR
Program	PRG Admit Term	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PROG.ADMIT_TERM
Program	PRG Admit Term Short Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.DESCRSHORT
Program	PRG Admit Term Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.DESCR

Folder Name	Object Name	Description
Program	PRG Expected Graduation Term Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PROG.EXP_GRAD_TERM
Program	PRG Expected Graduation Term Short Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.DESCRSHORT
Program	PRG Expected Graduation Term Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.DESCR
Program	PRG Program Requirement Term	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PROG.REQ_TERM
Program	PRG Approved Academic Load	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PROG.ACAD_LOAD_APPR
Program	PRG Degree Checkout Status Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PROG.DEGR_CHKOUT_STAT
Program	PRG Degree Checkout Status Descr	Data is completely replaced nightly. Steward: Shared Source: PS_XLATITEM.XLATLONGNAME
Program	PRG Completion Term	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PROG.COMPLETION_TERM
Program	PRG Created By ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PROG.SCC_ROW_ADD_OPRID
Program	PRG Created By Name	Data is completely replaced nightly. Steward: Registrar Source: PSOPRDEFN.OPRDEFNDESC
Program	PRG Created Date/Time	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PROG.SCC_ROW_ADD_DTTM
Program	PRG Updated By ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PROG.SCC_ROW_UPD_OPRID
Program	PRG Updated By Name	Data is completely replaced nightly. Steward: Registrar Source: PSOPRDEFN.OPRDEFNDESC
Program	PRG Updated By Date/Time	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PROG.SCC_ROW_UPD_DTTM
Plan - All plan types	PLNA Plan Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.ACAD_PLAN
Plan - All plan types	PLNA Plan Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
Plan - All plan types	PLNA Plan Type	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.ACAD_PLAN_TYPE
Plan - All plan types	PLNA Department Code	For plans owned by two departments, the department codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Plan - All plan types	PLNA Department Descr	For plans owned by two departments, the department descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Plan - All plan types	PLNA Dept 1 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Plan - All plan types	PLNA Dept 2 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Plan - All plan types	PLNA Dept 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Plan - All plan types	PLNA Dept 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Plan - All plan types	PLNA Percent Owned 1	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
Plan - All plan types	PLNA Percent Owned 2	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
Plan - All plan types	PLNA Division Code	For plans owned by two divisions, the division codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TREENODE
Plan - All plan types	PLNA Division Descr	For plans owned by two divisions, the division descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Plan - All plan types	PLNA Declare Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.DECLARE_DT

Folder Name	Object Name	Description
Plan - All plan types	PLNA Sequence	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.PLAN_SEQUENCE
Plan - All plan types	PLNA Requirement Term	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.REQ_TERM
Plan - All plan types	PLNA Degree	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DEGREE
Plan - All plan types	PLNA Diploma Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DIPLOMA_DESCR
Plan - All plan types	PLNA Diploma Print Flag	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DIPLOMA_PRINT_FL
Plan - All plan types	PLNA First Term Valid	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.FIRST_TERM_VALID
Plan - All plan types	PLNA CIP Code	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.CIP_CODE
Plan - All plan types	PLNA Created By	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.SCC_ROW_ADD_OPRID
Plan - All plan types	PLNA Created By Name	Data is completely replaced nightly. Steward: Registrar Source: PSOPRDEFN.OPRDEFNDESC
Plan - All plan types	PLNA Created Date/Time	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.SCC_ROW_ADD_DTTM
Plan - All plan types	PLNA Updated By	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.SCC_ROW_UPD_OPRID
Plan - All plan types	PLNA Updated By Name	Data is completely replaced nightly. Steward: Registrar Source: PSOPRDEFN.OPRDEFNDESC
Plan - All plan types	PLNA Updated Date/Time	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.SCC_ROW_UPD_DTTM
Subplan	SBP Subplan Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_SUBPLAN.ACAD_SUB_PLAN
Subplan	SBP Subplan Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DESCR
Subplan	SBP Subplan Type	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.ACAD_SUBPLAN_TYPE
Subplan	SBP Declare Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_SUBPLAN.DECLARE_DT
Subplan	SBP Requirement Term	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_SUBPLAN.REQ_TERM
Subplan	SBP Created By ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_SUBPLAN.SCC_ROW_ADD_OPRID
Subplan	SBP Created By Name	Data is completely replaced nightly. Steward: Registrar Source: PSOPRDEFN.OPRDEFNDESC
Subplan	SBP Created Date/Time	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_SUBPLAN.SCC_ROW_ADD_DTTM
Subplan	SBP Updated By ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_SUBPLAN.SCC_ROW_UPD_OPRID
Subplan	SBP Updated By Name	Data is completely replaced nightly. Steward: Registrar Source: PSOPRDEFN.OPRDEFNDESC
Subplan	SBP Updated Date/Time	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_SUBPLAN.SCC_ROW_UPD_DTTM
College	COL College Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.ACAD_PLAN where PS_ACAD_PLAN_TBL.ACAD_PLAN_TYPE = 'COL'

Folder Name	Object Name	Description
College	COL College Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
College	COL Declare Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.DECLARE_DT where PS_ACAD_PLAN_TBL.ACAD_PLAN_TYPE = 'COL'
College	COL Plan Sequence	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.PLAN_SEQUENCE where PS_ACAD_PLAN_TBL.ACAD_PLAN_TYPE = 'COL'
College	COL Requirement Term	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.REQ_TERM where PS_ACAD_PLAN_TBL.ACAD_PLAN_TYPE = 'COL'
College	COL Created By ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.SCC_ROW_ADD_OPRID where PS_ACAD_PLAN_TBL.ACAD_PLAN_TYPE = 'COL'
College	COL Created By Name	Data is completely replaced nightly. Steward: Registrar Source: PSOPRDEFN.OPRDEFNDESC
College	COL Created By Date/Time	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.SCC_ROW_ADD_DTTM where PS_ACAD_PLAN_TBL.ACAD_PLAN_TYPE = 'COL'
College	COL Updated By ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.SCC_ROW_UPD_OPRID where PS_ACAD_PLAN_TBL.ACAD_PLAN_TYPE = 'COL'
College	COL Updated By Name	Data is completely replaced nightly. Steward: Registrar Source: PSOPRDEFN.OPRDEFNDESC
College	COL Updated Date/Time	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.SCC_ROW_UPD_DTTM where PS_ACAD_PLAN_TBL.ACAD_PLAN_TYPE = 'COL'
Plan/Subplan - Flattened	PLNF Number of Plans	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ACAD_PLAN
Plan/Subplan - Flattened	PLNF Plan 1 Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ACAD_PLAN.ACAD_PLAN
Plan/Subplan - Flattened	PLNF Plan 2 Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ACAD_PLAN.ACAD_PLAN
Plan/Subplan - Flattened	PLNF Plan 3 Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ACAD_PLAN.ACAD_PLAN
Plan/Subplan - Flattened	PLNF Plan 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
Plan/Subplan - Flattened	PLNF Plan 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
Plan/Subplan - Flattened	PLNF Plan 3 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
Plan/Subplan - Flattened	PLNF Plan 1 Transcript Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.TRNSCR_DESCR
Plan/Subplan - Flattened	PLNF Plan 2 Transcript Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.TRNSCR_DESCR
Plan/Subplan - Flattened	PLNF Plan 3 Transcript Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.TRNSCR_DESCR
Plan/Subplan - Flattened	PLNF Subplan 1 Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ACAD_SUBPLAN.ACAD_SUB_PLAN
Plan/Subplan - Flattened	PLNF Subplan 2 Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ACAD_SUBPLAN.ACAD_SUB_PLAN
Plan/Subplan - Flattened	PLNF Subplan 3 Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ACAD_SUBPLAN.ACAD_SUB_PLAN
Plan/Subplan - Flattened	PLNF Subplan 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DESCR
Plan/Subplan - Flattened	PLNF Subplan 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DESCR
Plan/Subplan - Flattened	PLNF Subplan 3 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DESCR

Folder Name	Object Name	Description
Plan/Subplan - Flattened	PLNF Subplan 1 Transcript Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.TRNSCR_DESCR
Plan/Subplan - Flattened	PLNF Subplan 2 Transcript Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.TRNSCR_DESCR
Plan/Subplan - Flattened	PLNF Subplan 3 Transcript Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.TRNSCR_DESCR
Plan/Subplan - Flattened	PLNF Req Term Plan 1	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.REQ_TERM
Plan/Subplan - Flattened	PLNF Req Term Plan 2	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.REQ_TERM
Plan/Subplan - Flattened	PLNF Req Term Plan 3	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.REQ_TERM
Plan/Subplan - Flattened	PLNF Req Term Subplan 1	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ACAD_SUBPLAN.REQ_TERM
Plan/Subplan - Flattened	PLNF Req Term Subplan 2	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ACAD_SUBPLAN.REQ_TERM
Plan/Subplan - Flattened	PLNF Req Term Subplan 3	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ACAD_SUBPLAN.REQ_TERM
Plan Owner - Flattened	PLNFO Plan 1 Dept Code	For plans owned by two departments, the department codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Plan Owner - Flattened	PLNFO Plan 1 Dept Descr	For plans owned by two departments, the department descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Plan Owner - Flattened	PLNFO Plan 1 Dept 1 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Plan Owner - Flattened	PLNFO Plan 1 Dept 2 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Plan Owner - Flattened	PLNFO Plan 1 Dept 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Plan Owner - Flattened	PLNFO Plan 1 Dept 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Plan Owner - Flattened	PLNFO Plan 1 Percent Owned 1	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
Plan Owner - Flattened	PLNFO Plan 1 Percent Owned 2	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
Plan Owner - Flattened	PLNFO Plan 1 Division Code	For plans owned by two divisions, the division codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TREENODE
Plan Owner - Flattened	PLNFO Plan 1 Division Descr	For plans owned by two divisions, the division descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Plan Owner - Flattened	PLNFO Plan 2 Dept Code	For plans owned by two departments, the department codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Plan Owner - Flattened	PLNFO Plan 2 Dept Descr	For plans owned by two departments, the department descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Plan Owner - Flattened	PLNFO Plan 2 Dept 1 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Plan Owner - Flattened	PLNFO Plan 2 Dept 2 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Plan Owner - Flattened	PLNFO Plan 2 Dept 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Plan Owner - Flattened	PLNFO Plan 2 Dept 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL

Folder Name	Object Name	Description
Plan Owner - Flattened	PLNFO Plan 2 Percent Owned 1	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
Plan Owner - Flattened	PLNFO Plan 2 Percent Owned 2	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
Plan Owner - Flattened	PLNFO Plan 2 Division Code	For plans owned by two divisions, the division codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TREENODE
Plan Owner - Flattened	PLNFO Plan 2 Division Descr	For plans owned by two divisions, the division descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Plan Owner - Flattened	PLNFO Plan 3 Dept Code	For plans owned by two departments, the department codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Plan Owner - Flattened	PLNFO Plan 3 Dept Descr	For plans owned by two departments, the department descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Plan Owner - Flattened	PLNFO Plan 3 Dept 1 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Plan Owner - Flattened	PLNFO Plan 3 Dept 2 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Plan Owner - Flattened	PLNFO Plan 3 Dept 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Plan Owner - Flattened	PLNFO Plan 3 Dept 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Plan Owner - Flattened	PLNFO Plan 3 Percent Owned 1	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
Plan Owner - Flattened	PLNFO Plan 3 Percent Owned 2	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
Plan Owner - Flattened	PLNFO Plan 3 Division Code	For plans owned by two divisions, the division codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TREENODE
Plan Owner - Flattened	PLNFO Plan 3 Division Descr	For plans owned by two divisions, the division descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Minors - Flattened	MIN Number of Minors	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ACAD_PLAN
Minors - Flattened	MIN Minor 1 Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ACAD_PLAN.ACAD_PLAN
Minors - Flattened	MIN Minor 2 Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ACAD_PLAN.ACAD_PLAN
Minors - Flattened	MIN Minor 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
Minors - Flattened	MIN Minor 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
Minors - Flattened	MIN Minor 1 Transcript Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.TRNSCR_DESCR
Minors - Flattened	MIN Minor 2 Transcript Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.TRNSCR_DESCR
Minors - Flattened	MIN Minor 1 Req Term	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.REQ_TERM
Minors - Flattened	MIN Minor 2 Req Term	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.REQ_TERM
Minor Owner	MINO Minor 1 Dept Code	For minors owned by two departments, the department codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Minor Owner	MINO Minor 1 Dept Descr	For minors owned by two departments, the department descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Minor Owner	MINO Minor 1 Dept 1 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Minor Owner	MINO Minor 1 Dept 2 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Minor Owner	MINO Minor 1 Dept 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Minor Owner	MINO Minor 1 Dept 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL

Folder Name	Object Name	Description
Minor Owner	MINO Minor 1 Percent Owned 1	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
Minor Owner	MINO Minor 1 Percent Owned 2	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
Minor Owner	MINO Minor 1 Division Code	For minors owned by two divisions, the division codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TREENODE
Minor Owner	MINO Minor 1 Division Descr	For minors owned by two divisions, the division descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Minor Owner	MINO Minor 2 Dept Code	For minors owned by two departments, the department codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Minor Owner	MINO Minor 2 Dept Descr	For minors owned by two departments, the department descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Minor Owner	MINO Minor 2 Dept 1 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Minor Owner	MINO Minor 2 Dept 2 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Minor Owner	MINO Minor 2 Dept 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Minor Owner	MINO Minor 2 Dept 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Minor Owner	MINO Minor 2 Percent Owned 1	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
Minor Owner	MINO Minor 2 Percent Owned 2	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
Minor Owner	MINO Minor 2 Division Code	For minors owned by two divisions, the division codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TREENODE
Minor Owner	MINO Minor 2 Division Descr	For minors owned by two divisions, the division descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Student Attributes	SA Student Attribute Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_STDNT_ATTR_DTL.STDNT_ATTR
Student Attributes	SA Student Attribute Descr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_STDNT_ATTR_TBL.DESCR
Student Attributes	SA Student Attribute Value Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_STDNT_ATTR_DTL.STDNT_ATTR_VALUE
Student Attributes	SA Student Attribute Value Descr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_STDNT_ATTR_VAL.DESCR
Student Milestones	MI Effective Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.EFFDT
Student Milestones	MI Academic Plan	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.ACAD_PLAN
Student Milestones	MI Milestone Number	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.MILESTONE_NBR
Student Milestones	MI Milestone Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.MILESTONE
Student Milestones	MI Descr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.DESCR

Folder Name	Object Name	Description
Student Milestones	MI Formal Descr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.DESCRFORMAL
Student Milestones	MI Title	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.MILESTONE_TITLE
Student Milestones	MI Level Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.MILESTONE_LEVEL
Student Milestones	MI Level Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_MLSTN_LVL_TBL.DESCR
Student Milestones	MI Term Required	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.TERM_REQUIRED
Student Milestones	MI Date Required	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.DATE_REQUIRED
Student Milestones	MI Anticipated Term	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.ANTICIPATED_TERM
Student Milestones	MI Anticipated Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.ANTICIPATED_DATE
Student Milestones	MI Milestone Complete	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.MILESTONE_COMPLETE
Student Milestones	MI How Completed	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.HOW_COMPLETED
Student Milestones	MI Date Completed	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.DATE_COMPLETED
Student Milestones	MI Transcript Level	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.TRANSCRIPT_LEVEL
Student Milestones	MI Print Milestone Detail	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.PRNT_MLSTN_DETL
Student Milestones	MI Attempts Allowed	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.ATTEMPTS_ALLOWED
Student Milestones	MI Advisor1 ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.ADVISOR1_ID
Student Milestones	MI Advisor2 ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.ADVISOR2_ID
Student Milestones	MI Valid From	
Student Milestones	MI Valid To	

Folder Name	Object Name	Description
Milestone Attempts	MA Effective Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_MLSTN_ATMPT.EFFDT
Milestone Attempts	MA Academic Plan	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_MLSTN_ATMPT.ACAD_PLAN
Milestone Attempts	MA Milestone Number	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_MLSTN_ATMPT.MILESTONE_NBR
Milestone Attempts	MA Attempt Number	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_MLSTN_ATMPT.ATTEMPT_NBR
Milestone Attempts	MA Grading Scheme	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_MLSTN_ATMPT.GRADING_SCHEME
Milestone Attempts	MA Grading Basis	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_MLSTN_ATMPT.GRADING_BASIS
Milestone Attempts	MA Grade Input	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_MLSTN_ATMPT.CRSE_GRADE_INPUT
Milestone Attempts	MA Milestone Complete	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_MLSTN_ATMPT.MILESTONE_COMPLETE
Milestone Attempts	MA How Attempted	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_MLSTN_ATMPT.HOW_ATTEMPTED
Milestone Attempts	MA Date Attempted	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_MLSTN_ATMPT.DATE_ATTEMPTED
Milestone Attempts	MA Valid From	
Milestone Attempts	MA Valid To	
Term Activation	TA Term Code	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.STRM
Term Activation	TA Term Short Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.DESCRSHORT
Term Activation	TA Term Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.DESCR
Term Activation	TA Academic Career	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.ACAD_CAREER
Term Activation	TA Term Category Code	R = Regular, S = Summer. Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.TERM_CATEGORY
Term Activation	TA Term Begin Date	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.TERM_BEGIN_DT
Term Activation	TA Term End Date	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.TERM_END_DT
Term Activation	TA Student Career Number	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.STDNT_CAR_NBR

Folder Name	Object Name	Description
Term Activation	TA Academic Program	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.ACAD_PROG_PRIMARY
Term Activation	TA Withdraw Code	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.WITHDRAW_CODE
Term Activation	TA Withdraw Descr	Data is completely replaced nightly. Steward: Registrar Source: PSXLATITEM.XLATLONGNAME
Term Activation	TA Withdraw Reason Code	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.WITHDRAW_REASON
Term Activation	TA Withdraw Reason Descr	Data is completely replaced nightly. Steward: Registrar Source: PSXLATITEM.XLATLONGNAME
Term Activation	TA Withdraw Date	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.WITHDRAW_DATE
Term Activation	TA Last Date Attended	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.LAST_DATE_ATTENDED
Term Activation	TA Approved Academic Load Code	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.ACAD_LOAD_APPR
Term Activation	TA Approved Academic Load Descr	Data is completely replaced nightly. Steward: Registrar Source: PSXLATITEM.XLATLONGNAME
Term Activation	TA Academic Load Code	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.ACADEMIC_LOAD
Term Activation	TA Academic Load Descr	Data is completely replaced nightly. Steward: Registrar Source: PSXLATITEM.XLATLONGNAME
Term Activation	TA Academic Level - Projected Code	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.ACAD_LEVEL_PROJ
Term Activation	TA Academic Level - Projected Descr	Data is completely replaced nightly. Steward: Registrar Source: PSXLATITEM.XLATLONGNAME
Term Activation	TA Academic Level - Term Start Code	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.ACAD_LEVEL_BOT
Term Activation	TA Academic Level - Term Start Descr	Data is completely replaced nightly. Steward: Registrar Source: PSXLATITEM.XLATLONGNAME
Term Activation	TA Academic Level - Term End Code	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.ACAD_LEVEL_EOT
Term Activation	TA Academic Level - Term End Descr	Data is completely replaced nightly. Steward: Registrar Source: PSXLATITEM.XLATLONGNAME
Term Activation	TA Override Projected Level	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.OVRD_ACAD_LVL_PROJ
Term Activation	TA Eligible to Enroll	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.ELIG_TO_ENROLL

Folder Name	Object Name	Description
Term Activation	TA Override Maximum Units	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.OVRD_MAX_UNITS
Term Activation	TA Max Total Units	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.MAX_TOTAL_UNIT
Term Activation	TA Max Wait List Units	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.MAX_WAIT_UNIT
Term Activation	TA Min Total Units	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.MIN_TOTAL_UNIT
Term Activation	TA Units Taken for Progress	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_TAKEN_PRGRSS
Term Activation	TA Units Passed for Progress	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_PASSD_PRGRSS
Term Activation	TA Units Taken Toward GPA	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_TAKEN_GPA
Term Activation	TA Units Passed Toward GPA	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_PASSD_GPA
Term Activation	TA Units Taken Not Toward GPA	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_TAKEN_NOGPA
Term Activation	TA Units Passed Not Toward GPA	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_PASSD_NOGPA
Term Activation	TA Units In Progress - GPA	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_INPROG_GPA
Term Activation	TA Unit In Progress - Not for GPA	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_INPROG_NOGPA
Term Activation	TA Grade Points	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.GRADE_POINTS
Term Activation	TA Units from Other Credit	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_OTHER
Term Activation	TA Units from Test Credit	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_TEST_CREDIT
Term Activation	TA Units Transferred	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_TRNSFR
Term Activation	TA Transfer Credit Units Adjustment	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TC_UNITS_ADJUST
Term Activation	TA Term Units - Total	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_TERM_TOT
Term Activation	TA Total Taken for Progress	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_TAKEN_PRGRSS
Term Activation	TA Total Passed for Progress	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_PASSD_PRGRSS

Folder Name	Object Name	Description
Term Activation	TA Total Taken Toward GPA	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_TAKEN_GPA
Term Activation	TA Total Passed Toward GPA	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_PASSED_GPA
Term Activation	TA Total Taken Not Toward GPA	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_TAKEN_NOGPA
Term Activation	TA Total Passed Not Toward GPA	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_PASSED_NOGPA
Term Activation	TA Total In Progress - GPA	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_INPROG_GPA
Term Activation	TA Total In Progress - Not for GPA	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_INPROG_NOGPA
Term Activation	TA Total Transferred	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_TRNSFR
Term Activation	TA Total From Test Credit	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_TEST_CREDIT
Term Activation	TA Total Cumulative Units	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_CUMULATIVE
Term Activation	TA Total Grade Points	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_GRADE_POINTS
Term Activation	TA Form of Study Code	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.FORM_OF_STUDY
Term Activation	TA Form of Study Descr	Data is completely replaced nightly. Steward: Registrar Source: PSXLATITEM.XLATLONGNAME
Term Activation	TA Academic Year	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.ACAD_YEAR
Term Activation	TA External Org ID	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.EXT_ORG_ID
Term Activation	TA NUCSA Country Code	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.COUNTRY
Term Activation	TA NUCSA Country Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_COUNTRY_TBL.DESCR
Term Activation	TA Study Agreement	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.STUDY_AGREEMENT
Term Activation	TA NUCSA Start Date	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.START_DATE
Term Activation	TA NUCSA End Date	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.END_DATE
Term Activation	TA GPA - Current	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.CUR_GPA
Term Activation	TA GPA - Cumulative	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.CUM_GPA
Term Activation	TA GPA - UC	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_SPCL_GPA.LS_GPA

Folder Name	Object Name	Description
Term Activation	TA Total Resident Terms	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.CUM_RESIDENT_TERMS
Term Activation	TA Tuition Group - Reg Only	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.SEL_GROUP
Term Activation	TA Tuition Calc Required - Reg Only	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TUIT_CALC_REQ
Term Activation	TA Tuition Calc Date/Time - Reg Only	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TUIT_CALC_DTTM
Term Activation	TA Override Withdrawal Schedule - Reg Only	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.OVRD_WDRW_SCHED
Term Activation	TA Override Tuition Group - Reg Only	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.OVRD_TUIT_GROUP
Term Activation	TA Financial Aid Load - FA Only	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.FA_LOAD
Term Activation	TA NSLDS Loan Year - FA Only	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.NSLDS_LOAN_YEAR
Term Activation	TA Fin Aid Progress Units Taken - FA Only	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_TAKEN_FA
Term Activation	TA Fin Aid Progress Units Passed - FA Only	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_PASSD_FA
Term Activation	TA Fin Aid Units Taken Toward GPA - FA Only	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_TAKEN_FA_GPA
Term Activation	TA Fin Aid Grade Points - FA Only	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.GRADE_POINTS_FA
Term Activation	TA Total Fin Aid Units Taken - FA Only	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_TAKEN_FA
Term Activation	TA Total Fin Aid Units Passed- FA Only	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_PASSD_FA
Term Activation	TA Total Fin Aid Taken Toward GPA - FA Only	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_TAKEN_FA_GPA
Term Activation	TA Total Fin Aid Grade Points - FA Only	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_GRD_POINTS_FA
Term Activation	TA Fin Aid Stats Calculation Required - FA Only	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.FA_STATS_CALC_REQ
Term Activation	TA Fin Aid Stats Calc Date/Time - FA Only	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.FA_STATS_CALC_DTTM
Term Activation	TA Fin Aid Program Eligibility Flag - FA Only	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.FA_ELIGIBILITY
Academic Standing	AS Academic Standing Action Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_ACAD_STDNG_ACTN.ACAD_STNDNG_ACTN

Folder Name	Object Name	Description
Academic Standing	AS Academic Standing Action Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_ACAD_STACTN_TBL.DESCR
Academic Standing	AS Academic Standing Status Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_ACAD_STDNG_ACTN.ACAD_STNDNG_STAT
Academic Standing	AS Academic Standing Status Descr	Data is completely replaced nightly. Steward: Registrar Source: PSXLATITEM.XLATLONGNAME
Academic Standing	AS Action Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_ACAD_STDNG_ACTN.ACTION_DT
Academic Standing	AS User ID	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_ACAD_STDNG_ACTN.OPRID
Academic Standing	AS Name of User	Data is completely replaced nightly. Steward: Registrar Source: PS_OPRDEFN.OPRDEFNDESC
Term Honors	TH Internal External	Data is completely replaced nightly. Steward: Registrar Source: PS_HONOR_AWARD_CS.INTERNAL_EXTERNAL
Term Honors	TH Honor Code	Data is completely replaced nightly. Steward: Registrar Source: PS_HONOR_AWARD_CS.AWARD_CODE
Term Honors	TH Honor Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_HONOR_AWARD_CS.DESCRFORMAL
Term Honors	TH Date Received	Data is completely replaced nightly. Steward: Registrar Source: PS_HONOR_AWARD_CS.DT_RECVD
Term Honors	TH Comments	CLOB. Data is completely replaced nightly. Steward: Registrar Source: PS_HONOR_AWARD_CS.COMMENTS
Course	CO Course ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.CRSE_ID
Course	CO Effective Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.EFFDT
Course	CO Effective Status	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.EFF_STATUS
Course	CO Descr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.DESCR
Course	CO Equivalent Course Group	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.EQUIV_CRSE_ID
Course	CO Equivalent Course Effective Status	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_EQUIV_TBL.EFF_STATUS
Course	CO Equivalent Course Descr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_EQUIV_TBL.DESCR
Course	CO Equivalent Course Short Descr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_EQUIV_TBL.DESCRSHORT

Folder Name	Object Name	Description
Course	CO Type of Consent Required	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.CONSENT
Course	CO Allow Multiple Enroll in Term	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.ALLOW_MULT_ENROLL
Course	CO Minimum Units	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.UNITS_MINIMUM
Course	CO Maximum Units	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.UNITS_MAXIMUM
Course	CO Academic Progress Units	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.UNITS_ACAD_PROG
Course	CO Financial Aid Progress Units	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.UNITS_FINAID_PROG
Course	CO Repeat for Credit	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.CRSE_REPEATABLE
Course	CO Total Units Allowed	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.UNITS_REPEAT_LIMIT
Course	CO Total Completions Allowed	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.CRSE_REPEAT_LIMIT
Course	CO Grading Basis	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.GRADING_BASIS
Course	CO Grade Roster Print	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.GRADE_ROSTER_PRINT
Course	CO Course Component	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.SSR_COMPONENT
Course	CO Optional Component	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_COMPONENT.OPTIONAL_SECTION
Course	CO Default Section Size	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_COMPONENT.DEFAULT_SECT_SIZE
Course	CO Final Exam	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_COMPONENT.FINAL_EXAM
Course	CO Long Course Title	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.COURSE_TITLE_LONG
Course	CO Last Course of Mult Term Seq	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.LST_MULT_TRM_CRS

Folder Name	Object Name	Description
Course	CO Requirement Designation	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.RQMNT_DESIGN
Course	CO General Education Code	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCR
Course	CO General Education Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCRFORMAL
Course	CO Fees Exist Flag	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.FEES_EXIST
Course	CO Primary Component	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.COMPONENT_PRIMARY
Course	CO Attendance Type	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_ATTENDANCE.CLASS_ATTEND_TYPE
Course	CO Instruction Mode	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_ATTENDANCE.INSTRUCTION_MODE
Course	CO Created By User ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.SCC_ROW_ADD_OPRID
Course	CO Created By User Name	Data is completely replaced nightly. Steward: Shared Source: PS_OPRDEFN.OPRDEFNDESC
Course	CO Created Date/Time	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.SCC_ROW_ADD_DTTM
Course	CO Updated By User ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.SCC_ROW_UPD_OPRID
Course	CO Updated By User Name	Data is completely replaced nightly. Steward: Shared Source: PS_OPRDEFN.OPRDEFNDESC
Course	CO Updated Date/Time	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.SCC_ROW_UPD_DTTM
Course	CO Valid From	
Course	CO Valid To	
Course Attributes	CAT Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_CRSE_ATTRIBUTES.EFFDT
Course Attributes	CAT Course Attribute Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_CRSE_ATTRIBUTES.CRSE_ATTR
Course Attributes	CAT Course Attribute Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_CRSE_ATTR_TBL.DESCR
Course Attributes	CAT Course Attribute Value Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_CRSE_ATTRIBUTES.CRSE_ATTR_VALUE
Course Attributes	CAT Course Attribute Value Descr	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CRSE_ATTR_VALUE.DESCR
Course Attributes	CAT Course Attribute Value Effective Date	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CRSE_ATTR_VALUE.EFFDT
Course Attributes	CAT Course Attribute Value Catalog Print	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CRSE_ATTR_VALUE.CATALOG_PRINT
Course Attributes	CAT Course Attribute Value Schedule Print	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CRSE_ATTR_VALUE.SCHEDULE_PRINT
Course Attributes	CAT Created By	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_CRSE_ATTRIBUTES.SCC_ROW_ADD_OPRID

Folder Name	Object Name	Description
Course Attributes	CAT Created Date/Time	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_CRSE_ATTRIBUTES.SCC_ROW_ADD_DTTM
Course Attributes	CAT Updated By	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_CRSE_ATTRIBUTES.SCC_ROW_UPD_OPRID
Course Attributes	CAT Last Updated Date/Time	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_CRSE_ATTRIBUTES.SCC_ROW_UPD_DTTM
Course Instructor	COI Emplid	Data is completely replaced nightly. Steward: Registrar Source: PS_INSTR_CRSE.EMPLID
Course Instructor	COI Effective Date	Data is completely replaced nightly. Steward: Registrar Source: PS_INSTR_CRSE.EFFDT
Course Instructor	COI Instructor Course Sequence Nbr	Data is completely replaced nightly. Steward: Registrar Source: PS_INSTR_CRSE
Course Instructor	COI Academic Organization	Data is completely replaced nightly. Steward: Registrar Source: PS_INSTR_CRSE.ACAD_ORG
Course Offerings	COF Course Offering Nbr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.CRSE_OFFER_NBR
Course Offerings	COF Subject Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SUBJECT
Course Offerings	COF Subject Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_SUBJECT_TBL.DESCR
Course Offerings	COF Catalog Nbr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.CATALOG_NBR
Course Offerings	COF Catalog Nbr Prompt	This is the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_CRSE_OFFER.CATALOG_NBR
Course Offerings	COF Catalog Nbr Sort	This is the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_CRSE_OFFER.CATALOG_NBR
Course Offerings	COF Subject - Catalog Nbr	This uses the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SUBJECT, PS_CRSE_OFFER.CATALOG_NBR
Course Offerings	COF Subject - Catalog Nbr Sort	This uses the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SUBJECT, PS_CRSE_OFFER.CATALOG_NBR
Course Offerings	COF Course Approved	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.COURSE_APPROVED
Course Offerings	COF Schedule Print	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SCHEDULE_PRINT
Course Offerings	COF Catalog Print	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.CATALOG_PRINT
Course Offerings	COF Print Instructor in Schedule	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SCHED_PRINT_INSTR
Course Offerings	COF Department Code	Data is completely replaced nightly. Steward: Registrar Source: PSTREENODE
Course Offerings	COF Department Descr	Data is completely replaced nightly. Steward: Registrar Source: PSTREENODE
Course Offerings	COF Division Code	Data is completely replaced nightly. Steward: Registrar Source: PSTREENODE
Course Offerings	COF Division Descr	Data is completely replaced nightly. Steward: Registrar Source: PSTREENODE
Course Offerings	COF Academic Career	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.ACAD_CAREER
Course Offerings	COF Schedule Term Roll	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SCHED_TERM_ROLL'
Course Offerings	COF Requirement Group	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.RQRMNT_GROUP
Course Offerings	COF Allow Course to be Scheduled	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SCHEDULE_COURSE

Folder Name	Object Name	Description
Course Offerings	COF Exam Only Course	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SSR_AC_EXAM_ONLY
Course Offerings	COF Created By User ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SCC_ROW_ADD_OPRID
Course Offerings	COF Created By User Name	Data is completely replaced nightly. Steward: Shared Source: PS_OPRDEFN.OPRDEFNDESC
Course Offerings	COF Created Date/Time	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SCC_ROW_ADD_DTTM
Course Offerings	COF Updated By User ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SCC_ROW_UPD_OPRID
Course Offerings	COF Updated By User Name	Data is completely replaced nightly. Steward: Shared Source: PS_OPRDEFN.OPRDEFNDESC
Course Offerings	COF Last Updated Date/Time	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SCC_ROW_UPD_DTTM
Course Offerings	COF Valid From	
Course Offerings	COF Valid To	
Class	CS Course ID	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.CRSE_ID
Class	CS Course Offer Nbr	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.CRSE_OFFER_NBR
Class	CS Class Number	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.CLASS_NBR
Class	CS Show in Class Search	Data is completely replaced nightly. Steward: Registrar Source: If PS_TERM_VAL_TBL.SSR_SSCLS_STD_BDT (the "Show in class search" date) is in the past this is Y, else N.
Class	CS Academic Year	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.ACAD_YEAR
Class	CS Term Code	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.STRM
Class	CS Term Short Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.DESCRSHORT
Class	CS Term Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.DESCR
Class	CS Term Category Code	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.TERM_CATEGORY
Class	CS Session Code	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SESSION_CODE
Class	CS Session Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATSHORTNAME
Class	CS Academic Career	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.ACAD_CAREER
Class	CS Subject Code	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SUBJECT
Class	CS Subject Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_SUBJECT_TBL.DESCR
Class	CS Catalog Nbr	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.CATALOG_NBR
Class	CS Catalog Nbr Prompt	This is the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_CLASS_TBL.CATALOG_NBR

Folder Name	Object Name	Description
Class	CS Catalog Nbr Sort	This is the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_CLASS_TBL.CATALOG_NBR
Class	CS Subject - Catalog Nbr	This is the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SUBJECT, PS_CLASS_TBL.CATALOG_NBR
Class	CS Subject - Catalog Nbr Sort	This uses the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SUBJECT, PS_CLASS_TBL.CATALOG_NBR
Class	CS Subject - Catalog Nbr - Section	This uses the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SUBJECT, PS_CLASS_TBL.CATALOG_NBR, PS_CLASS_TBL.CLASS_SECTION
Class	CS Subject - Catalog Nbr Sort - Section	This uses the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SUBJECT, PS_CLASS_TBL.CATALOG_NBR, PS_CLASS_TBL.CLASS_SECTION
Class	CS Class Section	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.CLASS_SECTION
Class	CS Class Title	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.DESCR
Class	CS Class Component Code	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SSR_COMPONENT
Class	CS Class Component Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Class	CS Component Optional Section	Data is completely refreshed nightly. Steward: Registrar Source: PS_CLASS_COMPONENT.OPTIONAL_SECTION
Class	CS Component Final Exam	Data is completely refreshed nightly. Steward: Registrar Source: PS_CLASS_COMPONENT.FINAL_EXAM
Class	CS Enrollment Status Code	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.ENRL_STAT
Class	CS Enrollment Status Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Class	CS Class Status	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.CLASS_STAT
Class	CS Class Type Code	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.CLASS_TYPE
Class	CS Class Type Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Class	CS Associated Class	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.ASSOCIATED_CLASS

Folder Name	Object Name	Description
Class	CS Wait List Daemon Switch	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.WAITLIST_DAEMON
Class	CS Auto Enroll from Wait List	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.AUTO_ENRL_WAITLIST
Class	CS Schedule Print	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SCHEDULE_PRINT
Class	CS Type of Consent Required	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.CONSENT
Class	CS Enrollment Capacity	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.ENRL_CAP
Class	CS Wait List Capacity	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.WAIT_CAP
Class	CS Minimum Enrollment Number	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.MIN_ENRL
Class	CS Enrollment Total	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.ENRL_TOT
Class	CS Wait List Total	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.WAIT_TOT
Class	CS Course Topic ID	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.CRS_TOPIC_ID
Class	CS Print Topic in Schedule	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.PRINT_TOPIC
Class	CS Department Code	Data is completely replaced nightly. Steward: Registrar Source: PSTREENODE
Class	CS Department Descr	Data is completely replaced nightly. Steward: Registrar Source: PSTREENODE
Class	CS Division Code	Data is completely replaced nightly. Steward: Registrar Source: PSTREENODE
Class	CS Division Descr	Data is completely replaced nightly. Steward: Registrar Source: PSTREENODE
Class	CS Next Student Position	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.NEXT_STDNT_POSITIN
Class	CS EmplID	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.EMPLID
Class	CS Event ID	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.CAMPUS_EVENT_NBR
Class	CS Instruction Mode	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.INSTRUCTION_MODE

Folder Name	Object Name	Description
Class	CS Equivalent Course Group	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.EQUIV_CRSE_ID
Class	CS Override Equivalent Course	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.OVRD_CRSE_EQUIV_ID
Class	CS Requested Room Capacity	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.ROOM_CAP_REQUEST
Class	CS Start Date	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.START_DT
Class	CS End Date	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.END_DT
Class	CS Cancel Date	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.CANCEL_DT
Class	CS Primary Instructional Section	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.PRIM_INSTR_SECT
Class	CS Combined Section	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.COMBINED_SECTION
Class	CS Combined Section Descr	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_SCTN_CMBND_TBL.DESCR
Class	CS Fees Exist Flag	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.FEES_EXIST
Class	CS Course Fee Item Type	Data is completely replaced nightly. Steward: Registrar Source: PS_CRSE_SUBFEE_TBL.ITEM_TYPE
Class	CS Course Fee Trigger	Data is completely replaced nightly. Steward: Registrar Source: PS_CRSE_SUBFEE_TBL.FEE_TRIGGER
Class	CS Course Fee Flat Amount	Data is completely replaced nightly. Steward: Registrar Source: PS_CRSE_SUBFEE_TBL.FLAT_AMT
Class	CS Course Fee Adjustment Code	Data is completely replaced nightly. Steward: Registrar Source: PS_CRSE_SUBFEE_TBL.ADJ_TERM_CD
Class	CS Course Fee Due Date Code	Data is completely replaced nightly. Steward: Registrar Source: PS_CRSE_SUBFEE_TBL.DUE_DATE_CODE
Class	CS Course Fee Waiver Group	Data is completely replaced nightly. Steward: Registrar Source: PS_CRSE_SUBFEE_TBL.WAIVER_GROUP
Class	CS Cancel if Student Enrolled	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.CNCL_IF_STUD_ENRLD
Class	CS Room Characteristic	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_CHRSTC.ROOM_CHRSTC
Class	CS Room Characteristic Quantity	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_CHRSTC.ROOM_CHRSTC_QUANTI
Class	CS Valid From	
Class	CS Valid To	
Class	CS Class Attribute	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_ATTRIBUTE.CRSE_ATTR
Class	CS Class Attribute Value	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_ATTRIBUTE.CRSE_ATTR_VALUE

Folder Name	Object Name	Description
Class	CS Class Note Nbr	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_NOTES.CLASS_NOTE_NBR
Class	CS Class Notes Long Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_NOTES.DESCRLONG
Class	CS Class Notes Table Long Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_NOTES_TBL.DESCRLONG
Class Associations	CAS Associated Class	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_ASSOC.ASSOCIATED_CLASS
Class Associations	CAS Minimum Units	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_ASSOC.UNITS_MINIMUM
Class Associations	CAS Maximum Units	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_ASSOC.UNITS_MAXIMUM
Class Associations	CAS Academic Progress Units	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_ASSOC.UNITS_ACAD_PROG
Class Associations	CAS Financial Aid Progress Units	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_ASSOC.UNITS_FINAID_PROG
Class Associations	CAS Grading Basis	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_ASSOC.GRADING_BASIS
Class Associations	CAS Grade Roster Print	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_ASSOC.GRADE_ROSTER_PRINT
Class Associations	CAS Course Component	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_ASSOC.SSR_COMPONENT
Class Associations	CAS Requirement Group Code	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_ASSOC.RQRMNT_GROUP
Class Associations	CAS Requirement Group Descr	Data is refreshed nightly. Steward: Registrar Source: PS_RQ_GRP_TBL.DESCR
Class Associations	CAS Also Use Catalog Requisite	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_ASSOC.USE_CATLG_RQS
Class Associations	CAS Requirement Designation	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_ASSOC.RQMNT_DESIGNTN
Class Associations	CAS General Education Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCR
Class Associations	CAS General Education Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCRFORMAL
Class Associations	CAS Primary Component	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_ASSOC.COMPONENT_PRIMARY
Class Associations	CAS Valid From	
Class Associations	CAS Valid To	
Class Instructor	CI Class Meeting Pattern Nbr	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_INSTR.CLASS_MTG_NBR
Class Instructor	CI Class/Instructor Assign Seq #	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_INSTR.INSTR_ASSIGN_SEQ
Class Instructor	CI Instructor EmplID	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_INSTR.EMPLID
Class Instructor	CI Instructor Full Name	Data is completely replaced nightly. Steward: Shared Source: PS_NAMES.NAME_DISPLAY current active row where NAME_TYPE = 'PRI'
Class Instructor	CI Instructor Name	Data is completely replaced nightly. Steward: Shared Source: Derived from PS_NAMES current active row where NAME_TYPE = 'PRI'; Last Name, First Initial.Middle Initial
Class Instructor	CI Instructor CruzID	Data is completely replaced nightly. Steward: Shared Source: PS_EXTERNAL_SYSTEM.EXTERNAL_SYSTEM_ID where PS_EXTERNAL_SYSTEM.EXTERNAL_SYSTEM = 'CRZ'

Folder Name	Object Name	Description
Class Instructor	CI Instructor PPS ID	Data is completely replaced nightly. Steward: Shared Source: PS_EXTERNAL_SYSTEM.EXTERNAL_SYSTEM_ID where PS_EXTERNAL_SYSTEM.EXTERNAL_SYSTEM = 'PPS'
Class Instructor	CI Instructor Role	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_INSTR.INSTR_ROLE
Class Instructor	CI Grade Roster Access	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_INSTR.GRADE_RSTR_ACCESS
Class Instructor	CI Print Instructor in Schedule	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_INSTR.SCHED_PRINT_INSTR
Class Instructor	CI Valid From	
Class Instructor	CI Valid To	
Facilities	CF Facility ID	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_FACILITY_TBL.FACILITY_ID
Facilities	CF Facility Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_FACILITY_TBL.DESCR
Facilities	CF Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_FACILITY_TBL.EFFDT
Facilities	CF Effective Status	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_FACILITY_TBL.EFF_STATUS
Facilities	CF Building Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_FACILITY_TBL.BLDG_CD
Facilities	CF Room	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_FACILITY_TBL.ROOM
Facilities	CF Room Long Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_FACILITY_TBL.DESCR
Facilities	CF Room Short Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_FACILITY_TBL.DESCRSHORT
Facilities	CF Facility Type Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_FACILITY_TBL.FACILITY_TYPE
Facilities	CF Facility Type Descr	Data is completely replaced nightly.. Steward: Registrar Source: PSXLATITEM.XLATLONGNAME
Facilities	CF Room Capacity	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_FACILITY_TBL.ROOM_CAPACITY
Facilities	CF General Assignment	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_FACILITY_TBL.GENERL_ASSIGN
Class Exam	CEX Class Exam Sequence Nbr	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_EXAM.CLASS_EXAM_SEQ

Folder Name	Object Name	Description
Class Exam	CEX Exam Time Code	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_EXAM.EXAM_TIME_CODE
Class Exam	CEX Exam Date	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_EXAM.EXAM_DT
Class Exam	CEX Start Time	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_EXAM.EXAM_START_TIME
Class Exam	CEX End Time	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_EXAM.EXAM_END_TIME
Class Exam	CEX Class Exam Type	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_EXAM.CLASS_EXAM_TYPE
Class Exam	CEX As Of Date	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_EXAM.AS_OF_DATE
Class Meeting Pattern	CMP Class Meeting Pattern Nbr	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_MTG_PAT.CLASS_MTG_NBR
Class Meeting Pattern	CMP Meeting Start Time	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_MTG_PAT.MEETING_TIME_START
Class Meeting Pattern	CMP Meeting End Time	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_MTG_PAT.MEETING_TIME_END
Class Meeting Pattern	CMP Mon	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_MTG_PAT.MON
Class Meeting Pattern	CMP Tues	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_MTG_PAT.TUES
Class Meeting Pattern	CMP Wed	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_MTG_PAT.WED
Class Meeting Pattern	CMP Thurs	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_MTG_PAT.THURS
Class Meeting Pattern	CMP Fri	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_MTG_PAT.FRI
Class Meeting Pattern	CMP Sat	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_MTG_PAT.SAT
Class Meeting Pattern	CMP Sun	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_MTG_PAT.SUN
Class Meeting Pattern	CMP Class Days	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_MTG_PAT days of the week Y/N flags, concatenated.
Class Meeting Pattern	CMP Start Date	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_MTG_PAT.START_DT

Folder Name	Object Name	Description
Class Meeting Pattern	CMP End Date	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_MTG_PAT.END_DT
Class Meeting Pattern	CMP Standard Meeting Pattern - Reg only	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_MTG_PAT.STND_MTG_PAT
Class Meeting Pattern	CMP Print Topic On Transcript	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_MTG_PAT.PRINT_TOPIC_ON_XCR
Class Meeting Pattern	CMP Valid From	
Class Meeting Pattern	CMP Valid To	
Class Reserve Capacity	CRC Reserve Capacity Sequence	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_RSRV_CAP.RSRV_CAP_NBR
Class Reserve Capacity	CRC Start Date	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_RSRV_CAP.START_DT
Class Reserve Capacity	CRC Enrollment Capacity	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_RSRV_CAP.ENRL_CAP
Class Reserve Capacity	CRC Requirement Group Code	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_RSRV_CAP.RQRMNT_GROUP
Class Reserve Capacity	CRC Requirement Group Descr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_RQ_GRP_TBL.DESCR
Class Reserve Capacity	CRC Reserve Capacity Valid From	
Class Reserve Capacity	CRC Reserve Capacity Valid To	
Class Reserve Capacity	CRC Reserve Group Enrollment Total	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_RSRV_GRP.ENRL_TOT
Class Reserve Capacity	CRC Reserve Group Valid From	
Class Reserve Capacity	CRC Reserve Group Valid To	
Grade Rosters	GR Grade Roster Type Sequence Nbr	Data is completely replaced nightly. Steward: Registrar Source: PS_GRADE_RSTR_TYPE.GRD_RSTR_TYPE_SEQ
Grade Rosters	GR Grading Status	Data is completely replaced nightly. Steward: Registrar Source: PS_GRADE_RSTR_TYPE.GRADING_STATUS
Grade Rosters	GR Approval Status	Data is completely replaced nightly. Steward: Registrar Source: PS_GRADE_RSTR_TYPE.GR_APPROVAL_STATUS
Grade Rosters	GR Posting Date	Data is completely replaced nightly. Steward: Registrar Source: PS_GRADE_RSTR_TYPE.POSTING_DATE
Instructor Advisor - Reg Only	IA Effective Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_INSTR_ADVISOR.EFFDT
Instructor Advisor - Reg Only	IA Effective Status	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_INSTR_ADVISOR.EFF_STATUS
Instructor Advisor - Reg Only	IA Academic Organization	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_INSTR_ADVISOR.ACAD_ORG

Folder Name	Object Name	Description
Instructor Advisor - Reg Only	IA Advisor	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_INSTR_ADVISOR.ADVISOR
Instructor Advisor - Reg Only	IA Instructor Type	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_INSTR_ADVISOR.INSTR_TYPE
Instructor Advisor - Reg Only	IA Instructor Available	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_INSTR_ADVISOR.INSTR_AVAILABLE
Instructor Advisor - Reg Only	IA Valid From	
Instructor Advisor - Reg Only	IA Valid To	
Student Enrollment	SE Class Number	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.CLASS_NBR
Student Enrollment	SE Class Title	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_TBL.DESCR
Student Enrollment	SE Subject	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_TBL.SUBJECT
Student Enrollment	SE Catalog Nbr	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_TBL.CATALOG_NBR
Student Enrollment	SE Catalog Nbr Prompt	This is the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_CLASS_TBL.CATALOG_NBR
Student Enrollment	SE Catalog Nbr Sort	This is the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_CLASS_TBL.CATALOG_NBR
Student Enrollment	SE Subject - Catalog Nbr	This uses the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SUBJECT, PS_CLASS_TBL.CATALOG_NBR
Student Enrollment	SE Subject - Catalog Nbr Sort	This uses the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SUBJECT, PS_CLASS_TBL.CATALOG_NBR
Student Enrollment	SE Subject - Catalog Nbr - Section	This uses the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SUBJECT, PS_CLASS_TBL.CATALOG_NBR, PS_CLASS_TBL.CLASS_SECTION
Student Enrollment	SE Subject - Catalog Nbr Sort - Section	This uses the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SUBJECT, PS_CLASS_TBL.CATALOG_NBR, PS_CLASS_TBL.CLASS_SECTION
Student Enrollment	SE Class Section	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_TBL.CLASS_SECTION
Student Enrollment	SE Department Descr	Data is completely replaced nightly. Steward: Registrar Source: PSTREENODE
Student Enrollment	SE Division Descr	Data is completely replaced nightly. Steward: Registrar Source: PSTREENODE
Student Enrollment	SE Class Component	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_TBL.SSR_COMPONENT
Student Enrollment	SE Course Career	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.CRSE_CAREER
Student Enrollment	SE Session Code	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.SESSION_CODE
Student Enrollment	SE Student Enrollment Status Code	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.STDNT_ENRL_STATUS
Student Enrollment	SE Student Enrollment Status Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME

Folder Name	Object Name	Description
Student Enrollment	SE Enrollment Status Reason Code	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.ENRL_STATUS_REASON
Student Enrollment	SE Enrollment Status Reason Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Student Enrollment	SE Last Enrollment Action	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.ENRL_ACTION_LAST
Student Enrollment	SE Last Enrl Action Reason	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.ENRL_ACTN_RSN_LAST
Student Enrollment	SE Status Date	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.STATUS_DT
Student Enrollment	SE Enrollment Add Date	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.ENRL_ADD_DT
Student Enrollment	SE Enrollment Drop Date	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.ENRL_DROP_DT
Student Enrollment	SE Units Taken	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.UNT_TAKEN
Student Enrollment	SE Units Taken for Progress	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.UNT_PRGRSS
Student Enrollment	SE Units Taken - Fin Aid Progress	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.UNT_PRGRSS_FA
Student Enrollment	SE Billing Units	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.UNT_BILLING
Student Enrollment	SE Grading Basis	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.GRADING_BASIS_ENRL
Student Enrollment	SE Override Grading Basis	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.OVRD_GRADING_BASIS
Student Enrollment	SE Official Grade	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.CRSE_GRADE_OFF
Student Enrollment	SE Grade Input	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.CRSE_GRADE_INPUT
Student Enrollment	SE Grade Date	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.GRADE_DT
Student Enrollment	SE Repeat Code	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.REPEAT_CODE
Student Enrollment	SE Repeat Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_REPEAT_CODE_TBL.DESCR
Student Enrollment	SE Repeat Date	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.REPEAT_DT
Student Enrollment	SE Class Permission Nbr	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.CLASS_PRMSN_NBR
Student Enrollment	SE Associated Class	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.ASSOCIATED_CLASS
Student Enrollment	SE Student Position	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.STDNT_POSITIN
Student Enrollment	SE Earn Credit	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.EARN_CREDIT
Student Enrollment	SE Include in GPA	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.INCLUDE_IN_GPA

Folder Name	Object Name	Description
Student Enrollment	SE Units Attempted	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.UNITS_ATTEMPTED
Student Enrollment	SE Grade Points	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.GRADE_POINTS
Student Enrollment	SE Financial Aid Grade Points	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.GRADE_POINTS_FA
Student Enrollment	SE Grade Points Per Unit	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.GRD_PTS_PER_UNIT
Student Enrollment	SE Reserve Capacity Sequence	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.RSRV_CAP_NBR
Student Enrollment	SE Requirement Designation	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.RQMNT_DESIGNTN
Student Enrollment	SE General Education Code	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCR
Student Enrollment	SE General Education Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCRFORMAL
Student Enrollment	SE Drop This Class if Enrolled	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.DROP_CLASS_IF_ENRL
Student Enrollment	SE User ID	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.OPRID
Student Enrollment	SE Name of User	Data is completely replaced nightly. Steward: Registrar Source: PS_OPRDEFN.OPRDEFNDESC
Student Enrollment	SE Notify Student of Change	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.NOTIFY_STDNT_CHNG
Student Enrollment	SE Repeat Candidate Flag	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.REPEAT_CANDIDATE
Student Enrollment	SE Valid Attempted Grade	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.VALID_ATTEMPT
Student Enrollment	SE Grade Category	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.GRADE_CATEGORY
Student Enrollment	SE Tuition Group	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.SEL_GROUP
Student Enrollment	SE Units Earned	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.UNT_EARNED
Student Enrollment	SE Last Update Date Stamp	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.LAST_UPD_DT_STMP
Student Enrollment	SE Last Enrollment Date Stamp	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.LAST_ENRL_DT_STMP
Student Enrollment	SE Last Drop Date Stamp	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.LAST_DROP_DT_STMP
Student Enrollment	SE Enrollment Request Source	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.ENRL_REQ_SOURCE
Student Enrollment	SE Last Enrollment Request Source	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.LAST_UPD_ENREQ_SRC
Student Enrollment	SE Related Class Nbr 1	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.RELATE_CLASS_NBR_1
Student Enrollment	SE Related Class Nbr 2	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.RELATE_CLASS_NBR_2
Enrollment Requests	ER Enrollment Request ID	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_HEADER.ENRL_REQUEST_ID

Folder Name	Object Name	Description
Enrollment Requests	ER Enrollment Req Process Status	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_HEADER.ENRL_REQ_PROC_ST
Enrollment Requests	ER Enrollment Request Source	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_HEADER.ENRL_REQ_SOURCE
Enrollment Requests	ER Process Instance	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_HEADER.PROCESS_INSTANCE
Enrollment Requests	ER Header Last Update Date/Time	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_HEADER.DTTM_STAMP_SEC
Enrollment Requests	ER Enrollment Req Detail Sequence	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.ENRL_REQ_DETL_SEQ
Enrollment Requests	ER Class Number	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.CLASS_NBR
Enrollment Requests	ER Subject	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_TBL.SUBJECT
Enrollment Requests	ER Catalog Nbr	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_TBL.CATALOG_NBR
Enrollment Requests	ER Catalog Nbr Prompt	This is the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_CLASS_TBL.CATALOG_NBR
Enrollment Requests	ER Catalog Nbr Sort	This is the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_CLASS_TBL.CATALOG_NBR
Enrollment Requests	ER Section	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_TBL.CLASS_SECTION
Enrollment Requests	ER Subject - Catalog Nbr	This uses the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SUBJECT, PS_CLASS_TBL.CATALOG_NBR
Enrollment Requests	ER Subject - Catalog Nbr Sort	This uses the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SUBJECT, PS_CLASS_TBL.CATALOG_NBR
Enrollment Requests	ER Subject - Catalog Nbr - Section	This uses the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SUBJECT, PS_CLASS_TBL.CATALOG_NBR, PS_CLASS_TBL.CLASS_SECTION
Enrollment Requests	ER Subject - Catalog Nbr Sort - Section	This uses the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SUBJECT, PS_CLASS_TBL.CATALOG_NBR, PS_CLASS_TBL.CLASS_SECTION
Enrollment Requests	ER Action Code	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.ENRL_REQ_ACTION
Enrollment Requests	ER Action Descr	Data is completely replaced nightly. Steward: Registrar Source: PSXLATITEM.XLATLONGNAME
Enrollment Requests	ER Action Reason Code	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.ENRL_ACTION_REASON

Folder Name	Object Name	Description
Enrollment Requests	ER Action Reason Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_ENRL_RSN_TBL.DESCR
Enrollment Requests	ER Action Date	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.ENRL_ACTION_DT
Enrollment Requests	ER Units Taken	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.UNT_TAKEN
Enrollment Requests	ER Units Earned	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.UNT_EARNED
Enrollment Requests	ER Repeat Code	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.REPEAT_CODE
Enrollment Requests	ER Grade Input	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.CRSE_GRADE_INPUT
Enrollment Requests	ER Grading Basis	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.GRADING_BASIS_ENRL
Enrollment Requests	ER Class Permission Nbr	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.CLASS_PRMSN_NBR
Enrollment Requests	ER Drop This Class if Enrolled	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.DROP_CLASS_IF_ENRL
Enrollment Requests	ER Change To Wait List Nbr	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.CHG_TO_WL_NUM
Enrollment Requests	ER Related Class Number 1	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.RELATE_CLASS_NBR_1
Enrollment Requests	ER Related Class Number 2	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.RELATE_CLASS_NBR_2
Enrollment Requests	ER Override Closed Class	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.OVRD_CLASS_LIMIT
Enrollment Requests	ER Override Grading Basis	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.OVRD_GRADING_BASIS
Enrollment Requests	ER Override Class Units	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.OVRD_CLASS_UNITS
Enrollment Requests	ER Override Unit Load	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.OVRD_UNIT_LOAD
Enrollment Requests	ER Override Class Links	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.OVRD_CLASS_LINKS
Enrollment Requests	ER Override Class Permission	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.OVRD_CLASS_PRMSN

Folder Name	Object Name	Description
Enrollment Requests	ER Override Requisites	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.OVRD_REQUISITES
Enrollment Requests	ER Override Time Conflict	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.OVRD_TIME_CNFLCT
Enrollment Requests	ER Override Career	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.OVRD_CAREER
Enrollment Requests	ER Wait List Okay	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.WAIT_LIST_OKAY
Enrollment Requests	ER Override Action Date	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.OVRD_ENRL_ACTN_DT
Enrollment Requests	ER Override Service Indicator	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.OVRD_SRVC_INDIC
Enrollment Requests	ER Override Appointment	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.OVRD_APPT
Enrollment Requests	ER Detail Status Code	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.ENRL_REQ_DETL_STAT
Enrollment Requests	ER Detail Status Descr	Data is completely replaced nightly. Steward: Registrar Source: PSXLATITEM.XLATLONGNAME
Enrollment Requests	ER Requirement Designation	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.RQMNT_DESIGNTN
Enrollment Requests	ER General Education Code	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCR
Enrollment Requests	ER General Education Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCRFORMAL
Enrollment Requests	ER Transcript Note ID	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.TSCRPT_NOTE_ID
Enrollment Requests	ER Transcript Note Exists Flag	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.TSCRPT_NOTE_EXISTS
Enrollment Requests	ER User ID	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.OPRID
Enrollment Requests	ER Name of User	Data is completely replaced nightly. Steward: Registrar Source: PS_OPRDEFN.OPRDEFNDESC
Enrollment Requests	ER Detail Last Update Date/Time	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.DTTM_STAMP_SEC
Enrollment Requests	ER Start Date	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.START_DT
Enrollment Requests	ER Academic Program	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.ACAD_PROG
Change-to Class	CHG2 Class Nbr	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.CLASS_NBR_CHG_TO
Change-to Class	CHG2 Department Code	Data is completely replaced nightly. Steward: Registrar Source: PSTREENODE

Folder Name	Object Name	Description
Change-to Class	CHG2 Department Descr	Data is completely replaced nightly. Steward: Registrar Source: PSTREENODE
Change-to Class	CHG2 Subject Code	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_TBL.SUBJECT
Change-to Class	CHG2 Catalog Nbr	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_TBL.CATALOG_NBR
Change-to Class	CHG2 Catalog Nbr Prompt	This is the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_CLASS_TBL.CATALOG_NBR
Change-to Class	CHG2 Catalog Nbr Sort	This is the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_CLASS_TBL.CATALOG_NBR
Change-to Class	CHG2 Section	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_TBL.CLASS_SECTION
Change-to Class	CHG2 Subject - Catalog Nbr	This uses the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SUBJECT, PS_CLASS_TBL.CATALOG_NBR
Change-to Class	CHG2 Subject - Catalog Nbr Sort	This uses the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SUBJECT, PS_CLASS_TBL.CATALOG_NBR
Change-to Class	CHG2 Subject - Catalog Nbr - Section	This uses the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SUBJECT, PS_CLASS_TBL.CATALOG_NBR, PS_CLASS_TBL.CLASS_SECTION
Change-to Class	CHG2 Subject - Catalog Nbr Sort - Section	This uses the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SUBJECT, PS_CLASS_TBL.CATALOG_NBR, PS_CLASS_TBL.CLASS_SECTION
Change-to Class	CHG2 Course ID	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.CRSE_ID
Change-to Class	CHG2 Academic Year	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.ACAD_YEAR
Change-to Class	CHG2 Term Code	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.STRM
Change-to Class	CHG2 Term Short Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.DESCRSHORT
Change-to Class	CHG2 Term Category Code	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.TERM_CATEGORY
Change-to Class	CHG2 Session Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATSHORTNAME
Change-to Class	CHG2 Class Title	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.DESCR
Change-to Class	CHG2 Class Component Code	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SSR_COMPONENT
Change-to Class	CHG2 Class Component Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Change-to Class	CHG2 Enrollment Status Code	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.ENRL_STAT
Change-to Class	CHG2 Enrollment Status Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME

Folder Name	Object Name	Description
Change-to Class	CHG2 Class Status	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.CLASS_STAT
Change-to Class	CHG2 Class Type Code	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.CLASS_TYPE
Change-to Class	CHG2 Class Type Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Change-to Class	CHG2 Enrollment Capacity	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.ENRL_CAP
Change-to Class	CHG2 Wait List Capacity	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.WAIT_CAP
Change-to Class	CHG2 Enrollment Total	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.ENRL_TOT
Change-to Class	CHG2 Wait List Total	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.WAIT_TOT
Change-to Class	CHG2 Requested Room Capacity	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.ROOM_CAP_REQUEST
Change-to Class	CHG2 Facility Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_FACILITY_TBL.DESCR
Change-to Class	CHG2 Room Capacity	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_FACILITY_TBL.ROOM_CAPACITY
Enrollment Appointments	EA Appointment Block	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL_APPT.SSR_APPT_BLOCK
Enrollment Appointments	EA Appointment Number	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL_APPT.APPOINTMENT_NBR
Enrollment Appointments	EA Appointment Limit Id	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL_APPT.APPT_LIMIT_ID
Enrollment Appointments	EA Student Block	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL_APPT.SSR_APPT_STDT_BLCK
Enrollment Appointments	EA Start Date - Reg Only	Data is completely replaced nightly. Steward: Registrar Source: PS_APPOINTMENT_TBL.APPT_START_DATE
Enrollment Appointments	EA Start Time - Reg Only	Data is completely replaced nightly. Steward: Registrar Source: PS_APPOINTMENT_TBL.APPT_START_TIME
Enrollment Appointments	EA End Date - Reg Only	Data is completely replaced nightly. Steward: Registrar Source: PS_APPOINTMENT_TBL.APPT_END_DATE
Enrollment Appointments	EA End Time - Reg Only	Data is completely replaced nightly. Steward: Registrar Source: PS_APPOINTMENT_TBL.APPT_END_TIME

Folder Name	Object Name	Description
Enrollment Appointments	EA Appointment Block - Reg Only	Data is completely replaced nightly. Steward: Registrar Source: PS_APPOINTMENT_TBL.SSR_APPT_BLOCK
Enrollment Appointments	EA Number of Students per Appt - Reg Only	Data is completely replaced nightly. Steward: Registrar Source: PS_APPOINTMENT_TBL.SSR_APPT_NBR_STDNT
Enrollment Appointments	EA Number of Students Assigned - Reg Only	Data is completely replaced nightly. Steward: Registrar Source: PS_APPOINTMENT_TBL.SSR_APPT_STD_ASGN
Enrollment Messages	EM Message Set Nbr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PSMGTCATDEFN.MESSAGE_SET_NBR
Enrollment Messages	EM Message Nbr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PSMGTCATDEFN.MESSAGE_NBR
Enrollment Messages	EM Message Text	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PSMGTCATDEFN.MESSAGE_TEXT
Enrollment Messages	EM Message Severity Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PSMGTCATDEFN.MSG_SEVERITY
Enrollment Messages	EM Message Severity Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Advising and Degree Audit	AAR Emplid	This contains the emplid for every student who has ever had an AAR run. Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_REPORT.EMPLID
Report Request	RR Analysis DB Sequence	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_REPORT.ANALYSIS_DB_SEQ; most recent RPT_DATE for each EMPLID
Report Request	RR Academic Career	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_REPORT.SAA_CAREER_RPT; most recent RPT_DATE for each EMPLID
Report Request	RR Report Date	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_REPORT.RPT_DATE; most recent RPT_DATE for each EMPLID
Report Request	RR Report Type	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_REPORT.RPT_DATE; most recent RPT_DATE for each EMPLID
Report Request	RR Report Identifier	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_REPORT.SAA_RPT_IDENTIFIER; most recent RPT_DATE for each EMPLID
Report Request	RR Transcript Type	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_REPORT.TSCRPT_TYPE; most recent RPT_DATE for each EMPLID
Report Request	RR Use Career Simulation	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_REPORT.WHAT_IF_FL; most recent RPT_DATE for each EMPLID
Report Request	RR As of Date	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_REPORT.ASOF_DATE; most recent RPT_DATE for each EMPLID
Report Request	RR Report Request Nbr	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_REPORT.REPORT_REQUEST_NBR; most recent RPT_DATE for each EMPLID

Folder Name	Object Name	Description
Report Request	RR Date/Time Processed	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_REPORT.SAA_RPT_DTTM_STAMP; most recent RPT_DATE for each EMPLID
Results	RS Entry Sequence	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.SAA_ENTRY_SEQ; most recent RPT_DATE for each EMPLID
Results	RS Report Date	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.RPT_DATE; most recent RPT_DATE for each EMPLID
Results	RS Transcript Type	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.TSCRPT_TYPE; most recent RPT_DATE for each EMPLID
Results	RS Report Identifier	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.SAA_RPT_IDENTIFIER; most recent RPT_DATE for each EMPLID
Results	RS Entry Type	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.ENTRY_R_TYPE; most recent RPT_DATE for each EMPLID
Results	RS Academic Career	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.ACAD_CAREER; most recent RPT_DATE for each EMPLID
Results	RS Academic Program	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.ACAD_PROG; most recent RPT_DATE for each EMPLID
Results	RS Academic Plan	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.ACAD_PLAN; most recent RPT_DATE for each EMPLID
Results	RS Academic Subplan	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.ACAD_SUB_PLAN; most recent RPT_DATE for each EMPLID
Results	RS Requirement Date	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.RQ_DATE; most recent RPT_DATE for each EMPLID
Results	RS Requirement Group	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.RQRMNT_GROUP; most recent RPT_DATE for each EMPLID
Results	RS Req Group Line Nbr	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.RQ_GRP_LINE_NBR; most recent RPT_DATE for each EMPLID
Results	RS Requirement	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.REQUIREMENT; most recent RPT_DATE for each EMPLID
Results	RS Req Line Nbr	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.RQ_LINE_NBR; most recent RPT_DATE for each EMPLID
Results	RS Reporting Sequence	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.RQRMNT_LIST_SEQ; most recent RPT_DATE for each EMPLID
Results	RS Req Group Line Type	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.RQ_GRP_LINE_TYPE; most recent RPT_DATE for each EMPLID

Folder Name	Object Name	Description
Results	RS Req Line Type	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.REQ_LINE_TYPE; most recent RPT_DATE for each EMPLID
Results	RS Display Select Line	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.DISP_SELECT_LINE; most recent RPT_DATE for each EMPLID
Results	RS Partition Fail	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.PARTITION_FAIL; most recent RPT_DATE for each EMPLID
Results	RS Units Required	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.UNITS_REQUIRED; most recent RPT_DATE for each EMPLID
Results	RS Units Used	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.SAA_UNITS_USED; most recent RPT_DATE for each EMPLID
Results	RS Units Needed	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.UNITS_NEEDED; most recent RPT_DATE for each EMPLID
Results	RS Courses Required	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.CRSES_REQUIRED; most recent RPT_DATE for each EMPLID
Results	RS Courses Used	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.SAA_CRSES_USED; most recent RPT_DATE for each EMPLID
Results	RS Courses Needed	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.CRSES_NEEDED; most recent RPT_DATE for each EMPLID
Results	RS Course Count	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.SAA_CRSE_COUNT; most recent RPT_DATE for each EMPLID
Results	RS Minimum GPA	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.GPA_REQUIRED; most recent RPT_DATE for each EMPLID
Results	RS GPA Actual	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.GPA_ACTUAL; most recent RPT_DATE for each EMPLID
Results	RS Advisement Override	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.RQ_AA_OVERRIDE; most recent RPT_DATE for each EMPLID
Results	RS As of Date	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.ASOF_DATE; most recent RPT_DATE for each EMPLID
Results	RS Override Action	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.RQ_OVRD_ACTION; most recent RPT_DATE for each EMPLID
Results	RS Old Minimum Units	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.OLD_MIN_UNITS; most recent RPT_DATE for each EMPLID

Folder Name	Object Name	Description
Results	RS New Minimum Units	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.NEW_MIN_UNITS; most recent RPT_DATE for each EMPLID
Results	RS Old Maximum Units	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.OLD_MAX_UNITS; most recent RPT_DATE for each EMPLID
Results	RS New Maximum Units	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.NEW_MAX_UNITS; most recent RPT_DATE for each EMPLID
Results	RS Old Minimum Courses	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.OLD_MIN_CRSES; most recent RPT_DATE for each EMPLID
Results	RS New Minimum Courses	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.NEW_MIN_CRSES; most recent RPT_DATE for each EMPLID
Results	RS Old Maximum Courses	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.OLD_MAX_CRSES; most recent RPT_DATE for each EMPLID
Results	RS New Maximum Courses	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.NEW_MAX_CRSES; most recent RPT_DATE for each EMPLID
Results	RS Ref Requirement Group	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.REF_RQMT_GROUP; most recent RPT_DATE for each EMPLID
Results	RS Ref Requirement	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.REF_REQUIREMENT; most recent RPT_DATE for each EMPLID
Results	RS Item Status	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.ITEM_R_STATUS; most recent RPT_DATE for each EMPLID
Results	RS Display Control	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.SAA_PRINT_CNTL; most recent RPT_DATE for each EMPLID
Results	RS AA Oprid Display Option	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.SAA_DISPLAY_OPTION; most recent RPT_DATE for each EMPLID
Results	RS Satisfied GPA	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.SAA_DISPLAY_GPA; most recent RPT_DATE for each EMPLID
Results	RS Display Satisfied Units	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.SAA_DISPLAY_UNITS; most recent RPT_DATE for each EMPLID
Results	RS Display Satisfied Course Count	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.SAA_DISPLAY_CRSCNT; most recent RPT_DATE for each EMPLID
Results	RS User ID	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.OPRID; most recent RPT_DATE for each EMPLID
Results	RS User Name	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.SAA_OPRID_NAME; most recent RPT_DATE for each EMPLID

Folder Name	Object Name	Description
Results	RS Long Descr	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.DESCR254A; most recent RPT_DATE for each EMPLID
Results	RS Hide Status	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.SAA_HIDE_STATUS; most recent RPT_DATE for each EMPLID
Courses Table	CTA Course Tag	Data is completely replaced nightly. Steward: Academic Advising Source: AISOPS.R_SAA_ADB_COURSES.CRSE_TAG; most recent RPT_DATE for each EMPLID
Courses Table	CTA Report Date	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.RPT_DATE; most recent RPT_DATE for each EMPLID
Courses Table	CTA Transcript Type	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.TSCRIPT_TYPE; most recent RPT_DATE for each EMPLID
Courses Table	CTA Report Identifier	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.SAA_RPT_IDENTIFIER; most recent RPT_DATE for each EMPLID
Courses Table	CTA Academic Career	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.ACAD_CAREER; most recent RPT_DATE for each EMPLID
Courses Table	CTA Course Career	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.CRSE_CAREER; most recent RPT_DATE for each EMPLID
Courses Table	CTA Term Code	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.STRM; most recent RPT_DATE for each EMPLID
Courses Table	CTA Applied Term	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.APPLIED_TERM; most recent RPT_DATE for each EMPLID
Courses Table	CTA Term Taken	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.TERM_TAKEN; most recent RPT_DATE for each EMPLID
Courses Table	CTA Class Nbr	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.CLASS_NBR; most recent RPT_DATE for each EMPLID
Courses Table	CTA Student Enrollment Status	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.STDNT_ENRL_STATUS; most recent RPT_DATE for each EMPLID
Courses Table	CTA Units Taken	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.UNT_TAKEN; most recent RPT_DATE for each EMPLID
Courses Table	CTA Units Earned	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.UNT_EARNED; most recent RPT_DATE for each EMPLID
Courses Table	CTA Units Taken for Progress	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.UNT_PRGRSS; most recent RPT_DATE for each EMPLID

Folder Name	Object Name	Description
Courses Table	CTA Grading Basis	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.GRADING_BASIS_ENRL; most recent RPT_DATE for each EMPLID
Courses Table	CTA Official Grade	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.CRSE_GRADE_OFF; most recent RPT_DATE for each EMPLID
Courses Table	CTA Repeat Code	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.REPEAT_CODE; most recent RPT_DATE for each EMPLID
Courses Table	CTA Associated Class	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.ASSOCIATED_CLASS; most recent RPT_DATE for each EMPLID
Courses Table	CTA Audit Grading Basis	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.AUDIT_GRADE_BASIS; most recent RPT_DATE for each EMPLID
Courses Table	CTA Earn Credit	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.EARN_CREDIT; most recent RPT_DATE for each EMPLID
Courses Table	CTA Include in GPA	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.INCLUDE_IN_GPA; most recent RPT_DATE for each EMPLID
Courses Table	CTA Units Attempted	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.UNITS_ATTEMPTED; most recent RPT_DATE for each EMPLID
Courses Table	CTA Grade Points	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.GRADE_POINTS; most recent RPT_DATE for each EMPLID
Courses Table	CTA Course ID	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.CRSE_ID; most recent RPT_DATE for each EMPLID
Courses Table	CTA Course Offering Nbr	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.CRSE_OFFER_NBR; most recent RPT_DATE for each EMPLID
Courses Table	CTA Session Code	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.SESSION_CODE; most recent RPT_DATE for each EMPLID
Courses Table	CTA Class Section	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.CLASS_SECTION; most recent RPT_DATE for each EMPLID
Courses Table	CTA Academic Group	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.ACAD_GROUP; most recent RPT_DATE for each EMPLID
Courses Table	CTA Subject	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.SUBJECT; most recent RPT_DATE for each EMPLID
Courses Table	CTA Catalog Nbr	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.CATALOG_NBR; most recent RPT_DATE for each EMPLID
Courses Table	CTA Catalog Nbr Prompt	This is the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_SAA_ADB_COURSES.CATALOG_NBR

Folder Name	Object Name	Description
Courses Table	CTA Catalog Nbr Sort	This is the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_SAA_ADB_COURSES.CATALOG_NBR
Courses Table	CTA Subject - Catalog Nbr	This uses the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_SAA_ADB_COURSES.SUBJECT, PS_SAA_ADB_COURSES.CATALOG_NBR
Courses Table	CTA Subject - Catalog Nbr Sort	This uses the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_SAA_ADB_COURSES.SUBJECT, PS_SAA_ADB_COURSES.CATALOG_NBR
Courses Table	CTA Descr	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.DESCR; most recent RPT_DATE for each EMPLID
Courses Table	CTA Course Component	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.SSR_COMPONENT; most recent RPT_DATE for each EMPLID
Courses Table	CTA Course Topic ID	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.CRS_TOPIC_ID; most recent RPT_DATE for each EMPLID
Courses Table	CTA Display Topics in AA Reports	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.SAA_DISPLAY_TOPIC; most recent RPT_DATE for each EMPLID
Courses Table	CTA Equivalent Course Group	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.EQUIV_CRSE_ID; most recent RPT_DATE for each EMPLID
Courses Table	CTA Override Equivalent Course	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.OVRD_CRSE_EQUIV_ID; most recent RPT_DATE for each EMPLID
Courses Table	CTA Start Date	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.START_DT; most recent RPT_DATE for each EMPLID
Courses Table	CTA End Date	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.END_DT; most recent RPT_DATE for each EMPLID
Courses Table	CTA Course Count	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.CRSE_COUNT; most recent RPT_DATE for each EMPLID
Courses Table	CTA Class Enroll Type	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.CLASS_ENRL_TYPE; most recent RPT_DATE for each EMPLID
Courses Table	CTA Course Type	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.SAA_CRSE_TYPE; most recent RPT_DATE for each EMPLID
Courses Table	CTA Advisement School Type	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.RQ_SCHOOL_TYPE; most recent RPT_DATE for each EMPLID
Courses Table	CTA Grade Category	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.GRADE_CATEGORY; most recent RPT_DATE for each EMPLID

Folder Name	Object Name	Description
Courses Table	CTA Valid Attempted Grade	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.VALID_ATTEMPT; most recent RPT_DATE for each EMPLID
Courses Table	CTA Grade Points Per Unit	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.GRD_PTS_PER_UNIT; most recent RPT_DATE for each EMPLID
Courses Table	CTA Requirement Designation	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.RQMNT_DESIGNTN; most recent RPT_DATE for each EMPLID
Courses Table	CTA General Education Code	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCR
Courses Table	CTA General Education Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCRFORMAL
Courses Table	CTA Evaluation Date	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.EVALUATION_DT; most recent RPT_DATE for each EMPLID
Courses Table	CTA Test Date	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.TEST_DT; most recent RPT_DATE for each EMPLID
Courses Table	CTA Grading Scheme	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.GRADING_SCHEME; most recent RPT_DATE for each EMPLID
Courses Table	CTA Sub Academic Group	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.SUB_ACAD_GROUP; most recent RPT_DATE for each EMPLID
Courses Table	CTA Sub Course ID	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.SUB_CRSE_ID; most recent RPT_DATE for each EMPLID
Courses Table	CTA Sub Subject	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.SUB_SUBJECT; most recent RPT_DATE for each EMPLID
Courses Table	CTA Sub Catalog Nbr	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.SUB_CATLG_NBR; most recent RPT_DATE for each EMPLID
Courses Table	CTA Sub Descr	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.SAA_SUB_DESCR; most recent RPT_DATE for each EMPLID
Courses Table	CTA User ID	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.OPRID; most recent RPT_DATE for each EMPLID
Courses Table	CTA User Name	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.SAA_OPRID_NAME; most recent RPT_DATE for each EMPLID
Courses Table	CTA AA OprID Display Option	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.SAA_DISPLAY_OPTION; most recent RPT_DATE for each EMPLID
Courses Table	CTA Substitution Seq	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.STDNT_SUB_NBR; most recent RPT_DATE for each EMPLID
Courses Table	CTA Long Descr	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.DESCR254A; most recent RPT_DATE for each EMPLID

Folder Name	Object Name	Description
Courses Used	CUS Analysis DB Sequence	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.ANALYSIS_DB_SEQ; most recent RPT_DATE for each EMPLID
Courses Used	CUS Academic Career	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.SAA_CAREER_RPT; most recent RPT_DATE for each EMPLID
Courses Used	CUS Entry Sequence	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.SAA_ENTRY_SEQ; most recent RPT_DATE for each EMPLID
Courses Used	CUS Course Sequence Number	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.SAA_COURSE_SEQ; most recent RPT_DATE for each EMPLID
Courses Used	CUS Course Tag	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.CRSE_TAG; most recent RPT_DATE for each EMPLID
Courses Used	CUS Report Date	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.RPT_DATE; most recent RPT_DATE for each EMPLID
Courses Used	CUS Transcript Type	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.TSCRPT_TYPE; most recent RPT_DATE for each EMPLID
Courses Used	CUS Report Identifier	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.SAA_RPT_IDENTIFIER; most recent RPT_DATE for each EMPLID
Courses Used	CUS Requirement Group	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.RQRMNT_GROUP; most recent RPT_DATE for each EMPLID
Courses Used	CUS Group Line Nbr	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.RQ_GRP_LINE_NBR; most recent RPT_DATE for each EMPLID
Courses Used	CUS Academic Requirement	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.REQUIREMENT; most recent RPT_DATE for each EMPLID
Courses Used	CUS Line Nbr	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.RQ_LINE_NBR; most recent RPT_DATE for each EMPLID
Courses Used	CUS Selection Process Type	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.SEL_PROCESS_TYPE; most recent RPT_DATE for each EMPLID
Courses Used	CUS Selection Mode	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.SEL_MODE; most recent RPT_DATE for each EMPLID
Courses Used	CUS In Progress Grade	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.IN_PROGRESS_GRD; most recent RPT_DATE for each EMPLID
Courses Used	CUS Units Taken	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.UNT_TAKEN; most recent RPT_DATE for each EMPLID

Folder Name	Object Name	Description
Courses Used	CUS Units Earned	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.UNT_EARNED; most recent RPT_DATE for each EMPLID
Courses Used	CUS Course Count	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.CRSE_COUNT; most recent RPT_DATE for each EMPLID
Courses Used	CUS Advisement Override	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.RQ_AA_OVERRIDE; most recent RPT_DATE for each EMPLID
Courses Used	CUS As of Date	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.ASOF_DATE; most recent RPT_DATE for each EMPLID
Courses Used	CUS Course Directive Type	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.DIRCT_TYPE; most recent RPT_DATE for each EMPLID
Courses Used	CUS AA OprID Display Option	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.SAA_DISPLAY_OPTION; most recent RPT_DATE for each EMPLID
Courses Used	CUS Operator Name	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.SAA_OPRID_NAME; most recent RPT_DATE for each EMPLID
Courses Used	CUS OprID	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.OPRID; most recent RPT_DATE for each EMPLID
Courses Used	CUS Long Description	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.DESCR254A; most recent RPT_DATE for each EMPLID
Courses Available	CAV Analysis Db Sequence	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEAVL.ANALYSIS_DB_SEQ; most recent RPT_DATE for each EMPLID
Courses Available	CAV Academic Career	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEAVL.SAA_CAREER_RPT; most recent RPT_DATE for each EMPLID
Courses Available	CAV Entry Sequence	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEAVL.SAA_ENTRY_SEQ; most recent RPT_DATE for each EMPLID
Courses Available	CAV Course Sequence Number	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEAVL.SAA_COURSE_SEQ; most recent RPT_DATE for each EMPLID
Courses Available	CAV Report Date	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEAVL.RPT_DATE; most recent RPT_DATE for each EMPLID
Courses Available	CAV Transcript Type	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEAVL.TSCRPT_TYPE; most recent RPT_DATE for each EMPLID
Courses Available	CAV Report Identifier	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEAVL.SAA_RPT_IDENTIFIER; most recent RPT_DATE for each EMPLID
Courses Available	CAV Course List	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEAVL.COURSE_LIST; most recent RPT_DATE for each EMPLID
Courses Available	CAV Effective Date	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEAVL.EFFDT; most recent RPT_DATE for each EMPLID
Courses Available	CAV Course Sequence	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEAVL.R_COURSE_SEQUENCE; most recent RPT_DATE for each EMPLID
Courses Available	CAV Requirement Group	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEAVL.RQRMNT_GROUP; most recent RPT_DATE for each EMPLID

Folder Name	Object Name	Description
Courses Available	CAV Group Line Nbr	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEAVL.RQ_GRP_LINE_NBR; most recent RPT_DATE for each EMPLID
Courses Available	CAV Academic Requirement	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEAVL.REQUIREMENT; most recent RPT_DATE for each EMPLID
Courses Available	CAV Line Nbr	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEAVL.RQ_LINE_NBR; most recent RPT_DATE for each EMPLID
Courses Available	CAV Subject	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEAVL.SUBJECT; most recent RPT_DATE for each EMPLID
Courses Available	CAV Catalog Nbr	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEAVL.CATALOG_NBR; most recent RPT_DATE for each EMPLID
Courses Available	CAV Catalog Nbr Prompt	This is the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_SAA_ADB_CRSEAVL.CATALOG_NBR
Courses Available	CAV Catalog Nbr Sort	This is the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_SAA_ADB_CRSEAVL.CATALOG_NBR
Courses Available	CAV Subject - Catalog Nbr	This uses the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_SAA_ADB_CRSEAVL.SUBJECT, PS_SAA_ADB_CRSEAVL.CATALOG_NBR
Courses Available	CAV Subject - Catalog Nbr Sort	This uses the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_SAA_ADB_CRSEAVL.SUBJECT, PS_SAA_ADB_CRSEAVL.CATALOG_NBR
Courses Available	CAV Course ID	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEAVL.CRSE_ID; most recent RPT_DATE for each EMPLID
Courses Available	CAV Course Topic ID	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEAVL.CRS_TOPIC_ID; most recent RPT_DATE for each EMPLID
Courses Available	CAV Requirement Designation	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEAVL.RQMNT_DESIGNTN; most recent RPT_DATE for each EMPLID
Courses Available	CAV General Education Code	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCR
Courses Available	CAV General Education Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCRFORMAL
Courses Available	CAV Descr	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEAVL.DESCR; most recent RPT_DATE for each EMPLID
Condition Lines	CLS Entry Sequence	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CONDUSE.SAA_ENTRY_SEQ; most recent RPT_DATE for each EMPLID
Condition Lines	CLS Condition Sequence Number	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CONDUSE.SAA_CONDITION_SEQ; most recent RPT_DATE for each EMPLID
Condition Lines	CLS Report Date	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CONDUSE.RPT_DATE; most recent RPT_DATE for each EMPLID
Condition Lines	CLS Transcript Type	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CONDUSE.TSCRPT_TYPE; most recent RPT_DATE for each EMPLID
Condition Lines	CLS Report Identifier	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CONDUSE.SAA_RPT_IDENTIFIER; most recent RPT_DATE for each EMPLID
Condition Lines	CLS Requirement Group	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CONDUSE.RQMNT_GROUP; most recent RPT_DATE for each EMPLID

Folder Name	Object Name	Description
Condition Lines	CLS Req Group Line Nbr	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CONDUSE.RQ_GRP_LINE_NBR; most recent RPT_DATE for each EMPLID
Condition Lines	CLS Requirement	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CONDUSE.REQUIREMENT; most recent RPT_DATE for each EMPLID
Condition Lines	CLS Req Line Nbr	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CONDUSE.RQ_LINE_NBR; most recent RPT_DATE for each EMPLID
Condition Lines	CLS Condition Code	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CONDUSE.CONDITION_CODE; most recent RPT_DATE for each EMPLID
Condition Lines	CLS Condition Operator	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CONDUSE.CONDITION_OPERATOR; most recent RPT_DATE for each EMPLID
Condition Lines	CLS Condition Data	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CONDUSE.CONDITION_DATA; most recent RPT_DATE for each EMPLID
Condition Lines	CLS Test ID	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CONDUSE.TEST_ID; most recent RPT_DATE for each EMPLID
Condition Lines	CLS Test Component	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CONDUSE.TEST_COMPONENT; most recent RPT_DATE for each EMPLID
Condition Lines	CLS Test Score	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CONDUSE.SCORE; most recent RPT_DATE for each EMPLID
Condition Lines	CLS Maximum Age for a Test	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CONDUSE.SAA_MAX_VALID_AGE; most recent RPT_DATE for each EMPLID
Condition Lines	CLS Select Best Test Score Method	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CONDUSE.SAA_BEST_TEST_OPT; most recent RPT_DATE for each EMPLID
Condition Lines	CLS Item Status	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CONDUSE.ENTRY_R_STATUS; most recent RPT_DATE for each EMPLID
Plans Required	PR Entry Sequence	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RQDPLAN.SAA_ENTRY_SEQ; most recent RPT_DATE for each EMPLID
Plans Required	PR Required Plan Sequence	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RQDPLAN.SAA_RQDPLN_SEQ; most recent RPT_DATE for each EMPLID
Plans Required	PR Report Date	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RQDPLAN.RPT_DATE; most recent RPT_DATE for each EMPLID
Plans Required	PR Transcript Type	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RQDPLAN.TSCRIPT_TYPE; most recent RPT_DATE for each EMPLID

Folder Name	Object Name	Description
Plans Required	PR Report Identifier	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RQDPLAN.SAA_RPT_IDENTIFIER; most recent RPT_DATE for each EMPLID
Plans Required	PR Requirement Group Code	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RQDPLAN.RQRMNT_GROUP; most recent RPT_DATE for each EMPLID
Plans Required	PR Requirement Group Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_RQ_GRP_TBL.DESCR; most recent RPT_DATE for each EMPLID
Plans Required	PR Plans Needed	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RQDPLAN.PLANS_NEEDED; most recent RPT_DATE for each EMPLID
Plans Required	PR Academic Career	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RQDPLAN.ACAD_CAREER; most recent RPT_DATE for each EMPLID
Plans Required	PR Academic Program	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RQDPLAN.ACAD_PROG; most recent RPT_DATE for each EMPLID
Plans Required	PR Academic Plan	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RQDPLAN.ACAD_PLAN; most recent RPT_DATE for each EMPLID
Plans Required	PR Academic Subplan	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RQDPLAN.ACAD_SUB_PLAN; most recent RPT_DATE for each EMPLID
Senior Residency	SR Senior Residency Status	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SCV_SENIOR_RES.SCV_SR_RES_STATUS
What If	WI What-If Sequence Number	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_WHATIF.SAA_WHATIF_SEQ; most recent RPT_DATE for each EMPLID
What If	WI Report Date	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_WHATIF.RPT_DATE; most recent RPT_DATE for each EMPLID
What If	WI Transcript Type	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_WHATIF.TSCRPT_TYPE; most recent RPT_DATE for each EMPLID
What If	WI Report Identifier	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_WHATIF.SAA_RPT_IDENTIFIER; most recent RPT_DATE for each EMPLID
What If	WI Academic Career	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_WHATIF.ACAD_CAREER; most recent RPT_DATE for each EMPLID
What If	WI Career Requirement Term	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_WHATIF.CAR_REQ_TERM; most recent RPT_DATE for each EMPLID
What If	WI Student Career Number	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_WHATIF.STDNT_CAR_NBR; most recent RPT_DATE for each EMPLID

Folder Name	Object Name	Description
What If	WI Academic Program	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_WHATIF.ACAD_PROG; most recent RPT_DATE for each EMPLID
What If	WI Academic Program Term	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_WHATIF.ACAD_PROG_TERM; most recent RPT_DATE for each EMPLID
What If	WI Plan Sequence	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_WHATIF.PLAN_SEQUENCE; most recent RPT_DATE for each EMPLID
What If	WI Academic Plan	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_WHATIF.ACAD_PLAN; most recent RPT_DATE for each EMPLID
What If	WI Academic Plan Term	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_WHATIF.ACAD_PLAN_TERM; most recent RPT_DATE for each EMPLID
What If	WI Subplan Sequence	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_WHATIF.SUB_PLAN_SEQUENCE; most recent RPT_DATE for each EMPLID
What If	WI Academic Subplan	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_WHATIF.ACAD_SUB_PLAN; most recent RPT_DATE for each EMPLID
What If	WI Academic Subplan Term	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_WHATIF.ACAD_SUB_PLAN_TERM; most recent RPT_DATE for each EMPLID
Exception Data	EDA Advisement Override	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVERRIDE.RQ_AA_OVERRIDE
Exception Data	EDA Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVERRIDE.EFFDT
Exception Data	EDA Status as of Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVERRIDE.EFF_STATUS
Exception Data	EDA Description	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVERRIDE.DESCR
Exception Data	EDA Short Description	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVERRIDE.DESCRSHORT
Exception Data	EDA Long Description	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVERRIDE.DESCR254A
Exception Data	EDA Selection Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVERRIDE.RQ_AA_WHO_CODE
Exception Data	EDA Selection Data	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVERRIDE.RQ_AA_WHO_DATA
Exception Data	EDA Override Operation Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVERRIDE.RQ_AA_OVRD_OPCODE
Exception Data	EDA Operation Level	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVERRIDE.RQ_AA_OVRD_OPLEVEL
Exception Data	EDA User ID	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVERRIDE.OPRID
Exception Data	EDA Academic Career	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVERRIDE.ACAD_CAREER
Exception Data	EDA Academic Program	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVERRIDE.ACAD_PROG

Folder Name	Object Name	Description
Exception Data	EDA Academic Plan	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVERRIDE.ACAD_PLAN
Exception Data	EDA Academic Subplan	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVERRIDE.ACAD_SUB_PLAN
Exception Directives	EDI Advisement Override	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.RQ_AA_OVERRIDE
Exception Directives	EDI Override Line Number	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.RQ_AA_OVRD_LN_NBR
Exception Directives	EDI Directive Course Number	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.RQ_AA_OVRD_CRS_NBR
Exception Directives	EDI Course Source	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.RQ_CRSE_SOURCE
Exception Directives	EDI Term Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.STRM
Exception Directives	EDI Class Nbr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.CLASS_NBR
Exception Directives	EDI Course ID	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.CRSE_ID
Exception Directives	EDI Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.EFFDT
Exception Directives	EDI Course Offering Nbr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.CRSE_OFFER_NBR
Exception Directives	EDI Subject Area	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.SUBJECT
Exception Directives	EDI Catalog Nbr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.CATALOG_NBR
Exception Directives	EDI Catalog Nbr Prompt	This is the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_AA_OVRD_CRSDATA.CATALOG_NBR
Exception Directives	EDI Catalog Nbr Sort	This is the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_AA_OVRD_CRSDATA.CATALOG_NBR
Exception Directives	EDI Subject - Catalog Nbr	This uses the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_AA_OVRD_CRSDATA.SUBJECT, PS_AA_OVRD_CRSDATA.CATALOG_NBR
Exception Directives	EDI Subject - Catalog Nbr Sort	This uses the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_AA_OVRD_CRSDATA.SUBJECT, PS_AA_OVRD_CRSDATA.CATALOG_NBR
Exception Directives	EDI Session	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.SESSION_CODE
Exception Directives	EDI Class Section	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.CLASS_SECTION
Exception Directives	EDI Course Topic ID	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.CRS_TOPIC_ID
Exception Directives	EDI Directed Courses	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.CRSES_DIRECTED
Exception Directives	EDI Directed Units	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.UNITS_DIRECTED

Folder Name	Object Name	Description
Exception Directives	EDI Course Directive Type	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.DIRCT_TYPE
Exception Directives	EDI Minimum Grade Points	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.GRADE_POINTS_MIN
Exception Directives	EDI Academic Group	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.ACAD_GROUP
Exception Directives	EDI Transfer Equivalency Group	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.TRNSFR_EQVLNCY_GRP
Exception Directives	EDI Transfer Equivalency Seq	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.TRNSFR_EQVLNCY_SEQ
Exception Directives	EDI Transfer Model Nbr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.MODEL_NBR
Exception Directives	EDI Official Grade	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.CRSE_GRADE_OFF
Exception Directives	EDI Units Earned	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.UNT_EARNED
Exception Directives	EDI Requirement Designation	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.RQMNT_DESIGNTN
Exception Directives	EDI General Education Code	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCR
Exception Directives	EDI General Education Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCRFORMAL
Exception Directives	EDI Requirement Designation Grade	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.RQMNT_DESIGNTN_GRD
Exception Directives	EDI Requirement Designation Option	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.RQMNT_DESIGNTN_OPT
Exception Requirement Changes	ERC Advisement Override	Data is completely replaced nightly . Steward: Academic Advising Source: PS_AA_OVRD_DATA.RQ_AA_OVERRIDE
Exception Requirement Changes	ERC Override Line Number	Data is completely replaced nightly . Steward: Academic Advising Source: PS_AA_OVRD_DATA.RQ_AA_OVRD_LN_NBR
Exception Requirement Changes	ERC Condition Code	Data is completely replaced nightly . Steward: Academic Advising Source: PS_AA_OVRD_DATA.CONDITION_CODE
Exception Requirement Changes	ERC Condition Operator	Data is completely replaced nightly . Steward: Academic Advising Source: PS_AA_OVRD_DATA.CONDITION_OPERATOR
Exception Requirement Changes	ERC Condition Data	Data is completely replaced nightly . Steward: Academic Advising Source: PS_AA_OVRD_DATA.CONDITION_DATA
Exception Requirement Changes	ERC Course List	Data is completely replaced nightly . Steward: Academic Advising Source: PS_AA_OVRD_DATA.COURSE_LIST
Exception Requirement Changes	ERC Requirement Group	Data is completely replaced nightly . Steward: Academic Advising Source: PS_AA_OVRD_DATA.RQMNT_GROUP
Exception Requirement Changes	ERC Academic Requirement	Data is completely replaced nightly . Steward: Academic Advising Source: PS_AA_OVRD_DATA.REQUIREMENT
Exception Requirement Changes	ERC Minimum Units	Data is completely replaced nightly . Steward: Academic Advising Source: PS_AA_OVRD_DATA.MIN_UNITS_REQD
Exception Requirement Changes	ERC Minimum Courses	Data is completely replaced nightly . Steward: Academic Advising Source: PS_AA_OVRD_DATA.MIN_CRSES_REQD
Exception Requirement Changes	ERC Maximum Units Allowed	Data is completely replaced nightly . Steward: Academic Advising Source: PS_AA_OVRD_DATA.MAX_UNITS_ALLOWD
Exception Requirement Changes	ERC Maximum Courses Allowed	Data is completely replaced nightly . Steward: Academic Advising Source: PS_AA_OVRD_DATA.MAX_CRSES_ALLOWD
Exception Group Req Line Data	EG Advisement Override	Data is completely replaced nightly . Steward: Academic Advising Source: PS_AA_OVRD_WHERE.RQ_AA_OVERRIDE

Folder Name	Object Name	Description
Exception Group Req Line Data	EG Override Line Number	Data is completely replaced nightly . Steward: Academic Advising Source: PS_AA_OVRD_WHERE.RQ_AA_OVRD_LN_NBR
Exception Group Req Line Data	EG Requirement Group	Data is completely replaced nightly . Steward: Academic Advising Source: PS_AA_OVRD_WHERE.RQRMNT_GROUP
Exception Group Req Line Data	EG Academic Requirement	Data is completely replaced nightly . Steward: Academic Advising Source: PS_AA_OVRD_WHERE.REQUIREMENT
Exception Group Req Line Data	EG Line Nbr	Data is completely replaced nightly . Steward: Academic Advising Source: PS_AA_OVRD_WHERE.RQ_LINE_NBR
Exception Group Req Line Data	EG Course List	Data is completely replaced nightly . Steward: Academic Advising Source: PS_AA_OVRD_WHERE.COURSE_LIST
Degrees	DG Student Degree Nbr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR.STDNT_DEGR
Degrees	DG Degree	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR.DEGREE
Degrees	DG Short Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_DEGREE_TBL.DESCRSHORT
Degrees	DG Completion Term Code	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR.COMPLETION_TERM
Degrees	DG Completion Term Short Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.DESCRSHORT
Degrees	DG Completion Term Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.DESCR
Degrees	DG Formal Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_DEGREE_TBL.DESCRFORMAL
Degrees	DG Confer Date	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR.DEGR_CONFER_DT
Degrees	DG Education Level	Data is completely replaced nightly. Steward: Registrar Source: PS_DEGREE_TBL.EDUCATION_LVL
Degrees	DG Internal Degree	Data is completely replaced nightly. Steward: Registrar Source: PS_DEGREE_TBL.INTERNAL_DEGREE
Degrees	DG Degree Status Date	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR.DEGR_STATUS_DATE
Degrees	DG User ID	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR.OPRID
Degrees	DG Name of User	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC
Degree Plan - All plan types	DP Student Career Nbr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_PLAN.STDNT_CAR_NBR
Degree Plan - All plan types	DP Academic Plan Code	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_PLAN.ACAD_PLAN
Degree Plan - All plan types	DP Academic Plan Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
Degree Plan - All plan types	DP Academic Plan Type	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.ACAD_PLAN_TYPE
Degree Plan - All plan types	DP Department Code	For plans owned by two departments, the department codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Degree Plan - All plan types	DP Department Descr	For plans owned by two departments, the department descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Degree Plan - All plan types	DP Dept 1 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Degree Plan - All plan types	DP Dept 2 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Degree Plan - All plan types	DP Dept 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Degree Plan - All plan types	DP Dept 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Degree Plan - All plan types	DP Percent Owned 1	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
Degree Plan - All plan types	DP Percent Owned 2	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
Degree Plan - All plan types	DP Division Code	For plans owned by two divisions, the division codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TREENODE
Degree Plan - All plan types	DP Division Descr	For plans owned by two divisions, the division descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Degree Plan - All plan types	DP Degree Status Date	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_PLAN.DEGR_STATUS_DATE
Degree Plan - All plan types	DP Diploma Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_PLAN.DIPLOMA_DESCR

Folder Name	Object Name	Description
Degree Plan - All plan types	DP Transcript Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_PLAN.TRNSCR_DESCR
Degree Plan - All plan types	DP Honors Suffix	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_PLAN.HONORS_SUFFIX
Degree Plan - All plan types	DP User ID	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_PLAN.OPRID
Degree Plan - All plan types	DP Name of User	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC
Degree Subplan	DS Academic Subplan Code	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_SPLN.ACAD_SUB_PLAN
Degree Subplan	DS Academic Subplan Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_SPLN.TBL.DESCR
Degree Subplan	DS Diploma Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_SPLN.DIPLOMA_DESCR
Degree Subplan	DS Transcript Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_SPLN.TRNSCR_DESCR
Degree Subplan	DS Subplan Sequence	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_SPLN.SUB_PLAN_SEQUENCE
Degree Subplan	DS User ID	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_SPLN.OPRID
Degree Subplan	DS Name of User	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC
Degree College	DC Student Career Nbr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_PLAN.STDNT_CAR_NBR
Degree College	DC College Code	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_PLAN.ACAD_PLAN
Degree College	DC College Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
Degree College	DC Degree Status Date	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_PLAN.DEGR_STATUS_DATE
Degree College	DC Diploma Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_PLAN.DIPLOMA_DESCR
Degree College	DC Transcript Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_PLAN.TRNSCR_DESCR
Degree College	DC College Honors Code	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_PLAN.HONORS_SUFFIX
Degree College	DC College Honors Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_DEGR_HONORS.DESCR
Degree Honors	DH Honors Nbr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_HONS.HONORS_NBR
Degree Honors	DH Honors Code	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_HONS.HONORS_CODE
Degree Honors	DH Honors Award Date	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_HONS.HONORS_AWARD_DT
Degree Honors	DH Honors Type	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_HONS_TBL.HONORS_TYPE
Degree Honors	DH Honors Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_HONS_TBL.DESCR
Degree Honors	DH Honors Formal Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_HONS_TBL.DESCRFORMAL
Degree Plan - Flattened	DPF Academic Career	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR.ACAD_CAREER
Degree Plan - Flattened	DPF Completion Term	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR.COMPLETION_TERM
Degree Plan - Flattened	DPF College Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_PLAN.ACAD_PLAN
Degree Plan - Flattened	DPF College Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
Degree Plan - Flattened	DPF Number of Degrees	Number of degrees per student per completion term. Can be used to verify that no student has more than the 2 degrees that this table is flattened to display. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR.STDNT_DEGR
Degree Plan - Flattened	DPF Degree 1	First degree (alphabetically) per student per completion term. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR.DEGREE
Degree Plan - Flattened	DPF Degree 1 Number of Plans	Number of plans in the first degree (alphabetically) for a student student per completion term. Can be used to verify that no student has more than the 3 plans per degree that this table is flattened to display. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_PLAN.ACAD_PLAN
Degree Plan - Flattened	DPF Degree 1 Plan 1 Code	First plan (by plan sequence) for the student for their first degree in a completion term. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_PLAN.ACAD_PLAN
Degree Plan - Flattened	DPF Degree 1 Plan 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR

Folder Name	Object Name	Description
Degree Plan - Flattened	DPF Degree 1 Subplan 1 Code	Subplan for first plan (by plan sequence) for the student for their first degree in a completion term. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_SPLN.ACAD_SUB_PLAN
Degree Plan - Flattened	DPF Degree 1 Subplan 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DESCR
Degree Plan - Flattened	DPF Degree 1 Plan 2 Code	Second plan (by plan sequence) for the student for their first degree in a completion term. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_PLAN.ACAD_PLAN
Degree Plan - Flattened	DPF Degree 1 Plan 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
Degree Plan - Flattened	DPF Degree 1 Subplan 2 Code	Subplan for second plan (by plan sequence) for the student for their first degree in a completion term. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_SPLN.ACAD_SUB_PLAN
Degree Plan - Flattened	DPF Degree 1 Subplan 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DESCR
Degree Plan - Flattened	DPF Degree 1 Plan 3 Code	Third plan (by plan sequence) for the student for their first degree in a completion term. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_PLAN.ACAD_PLAN
Degree Plan - Flattened	DPF Degree 1 Plan 3 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
Degree Plan - Flattened	DPF Degree 1 Subplan 3 Code	Subplan for third plan (by plan sequence) for the student for their first degree in a completion term. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_SPLN.ACAD_SUB_PLAN
Degree Plan - Flattened	DPF Degree 1 Subplan 3 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DESCR
Degree Plan - Flattened	DPF Degree 2	Second degree (alphabetically) per student per completion term. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR.DEGREE
Degree Plan - Flattened	DPF Degree 2 Number of Plans	Number of plans in the second degree (alphabetically) for a student student per completion term. Can be used to verify that no student has more than the 3 plans per degree that this table is flattened to display. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_PLAN.ACAD_PLAN
Degree Plan - Flattened	DPF Degree 2 Plan 1 Code	First plan (by plan sequence) for the student for their second degree in a completion term. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_PLAN.ACAD_PLAN
Degree Plan - Flattened	DPF Degree 2 Plan 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
Degree Plan - Flattened	DPF Degree 2 Subplan 1 Code	Subplan for first plan (by plan sequence) for the student for their second degree in a completion term. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_SPLN.ACAD_SUB_PLAN
Degree Plan - Flattened	DPF Degree 2 Subplan 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DESCR
Degree Plan - Flattened	DPF Degree 2 Plan 2 Code	Second plan (by plan sequence) for the student for their second degree in a completion term. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_PLAN.ACAD_PLAN
Degree Plan - Flattened	DPF Degree 2 Plan 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
Degree Plan - Flattened	DPF Degree 2 Subplan 2 Code	Subplan for second plan (by plan sequence) for the student for their second degree in a completion term. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_SPLN.ACAD_SUB_PLAN
Degree Plan - Flattened	DPF Degree 2 Subplan 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DESCR
Degree Plan - Flattened	DPF Degree 2 Plan 3 Code	Third plan (by plan sequence) for the student for their second degree in a completion term. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_PLAN.ACAD_PLAN
Degree Plan - Flattened	DPF Degree 2 Plan 3 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
Degree Plan - Flattened	DPF Degree 2 Subplan 3 Code	Subplan for third plan (by plan sequence) for the student for their second degree in a completion term. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_SPLN.ACAD_SUB_PLAN
Degree Plan - Flattened	DPF Degree 2 Subplan 3 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DESCR
Degree Plan Flattened - Honors	DPFH University Honors Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_HONS.HONORS_CODE
Degree Plan Flattened - Honors	DPFH University Honors Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_DEGR_HONORS_TBL.DESCR
Degree Plan Flattened - Honors	DPFH Degree 1 Plan 1 Dept Honors Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_PLAN.HONORS_SUFFIX

Folder Name	Object Name	Description
Degree Plan Flattened - Owner	DPFO Degree 2 Plan 1 Division Code	For plans owned by two divisions, the division codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TREENODE
Degree Plan Flattened - Owner	DPFO Degree 2 Plan 1 Division Descr	For plans owned by two divisions, the division descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Degree Plan Flattened - Owner	DPFO Degree 2 Plan 2 Dept Code	For plans owned by two departments, the department codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Degree Plan Flattened - Owner	DPFO Degree 2 Plan 2 Dept Descr	For plans owned by two departments, the department descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Degree Plan Flattened - Owner	DPFO Degree 2 Plan 2 Division Code	For plans owned by two divisions, the division codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TREENODE
Degree Plan Flattened - Owner	DPFO Degree 2 Plan 2 Division Descr	For plans owned by two divisions, the division descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Degree Plan Flattened - Owner	DPFO Degree 2 Plan 3 Dept Code	For plans owned by two departments, the department codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Degree Plan Flattened - Owner	DPFO Degree 2 Plan 3 Dept Descr	For plans owned by two departments, the department descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Degree Plan Flattened - Owner	DPFO Degree 2 Plan 3 Division Code	For plans owned by two divisions, the division codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TREENODE
Degree Plan Flattened - Owner	DPFO Degree 2 Plan 3 Division Descr	For plans owned by two divisions, the division descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Degree Minor - Flattened	DPM Number of Minors	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_PLAN.ACAD_PLAN
Degree Minor - Flattened	DPM Minor 1 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_PLAN.ACAD_PLAN
Degree Minor - Flattened	DPM Minor 2 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_PLAN.ACAD_PLAN
Degree Minor - Flattened	DPM Minor 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
Degree Minor - Flattened	DPM Minor 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
Degree Minor - Flattened	DPM Department Minor 1 Code	For plans owned by two departments, the department codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Degree Minor - Flattened	DPM Department Minor 2 Code	For plans owned by two departments, the department codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Degree Minor - Flattened	DPM Department Minor 1 Descr	For plans owned by two departments, the department descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Degree Minor - Flattened	DPM Department Minor 2 Descr	For plans owned by two departments, the department descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Degree Minor - Flattened	DPM Division Minor 1 Code	For plans owned by two divisions, the division codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TREENODE
Degree Minor - Flattened	DPM Division Minor 2 Code	For plans owned by two divisions, the division codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TREENODE
Degree Minor - Flattened	DPM Division Minor 1 Descr	For plans owned by two divisions, the division descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Degree Minor - Flattened	DPM Division Minor 2 Descr	For plans owned by two divisions, the division descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Degree Minor - Flattened	DPM User ID	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_PLAN.OPRID
Degree Minor - Flattened	DPM Name of User	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC
Filler	F Empty Date 1	Null (empty) as a date format
Filler	F Empty Date 2	Null (empty) as a date format
Filler	F Empty Date 3	Null (empty) as a date format
Filler	F Empty Date 4	Null (empty) as a date format

Folder Name	Object Name	Description
Filler	F Empty Date 5	Null (empty) as a date format
Filler	F Empty Number 1	Null (empty) as a number format
Filler	F Empty Number 2	Null (empty) as a number format
Filler	F Empty Number 3	Null (empty) as a number format
Filler	F Empty Number 4	Null (empty) as a number format
Filler	F Empty Number 5	Null (empty) as a number format
Filler	F Empty Number as Text 1	Null (empty) as a number format but as a dimension instead of a measure
Filler	F Empty Number as Text 2	Null (empty) as a number format but as a dimension instead of a measure
Filler	F Hyphen Text 1	A single hyphen (instead of null or blank) as a text or character format
Filler	F Hyphen Text 2	A single hyphen (instead of null or blank) as a text or character format
Filler	F Hyphen Text 3	A single hyphen (instead of null or blank) as a text or character format
Filler	F Hyphen Text 4	A single hyphen (instead of null or blank) as a text or character format
Filler	F Hyphen Text 5	A single hyphen (instead of null or blank) as a text or character format
Filler	F Hyphen Text 6	A single hyphen (instead of null or blank) as a text or character format
Filler	F Hyphen Text 7	A single hyphen (instead of null or blank) as a text or character format
Filler	F Hyphen Text 8	A single hyphen (instead of null or blank) as a text or character format
Filler	F Hyphen Text 9	A single hyphen (instead of null or blank) as a text or character format
Filler	F Hyphen Text 10	A single hyphen (instead of null or blank) as a text or character format
Filler	F Hyphen Text 11	A single hyphen (instead of null or blank) as a text or character format
Filler	F Hyphen Text 12	A single hyphen (instead of null or blank) as a text or character format
Filler	F Hyphen Text 13	A single hyphen (instead of null or blank) as a text or character format
Filler	F Hyphen Text 14	A single hyphen (instead of null or blank) as a text or character format
Filler	F Hyphen Text 15	A single hyphen (instead of null or blank) as a text or character format

Folder Name	Predefined Filter Name	Description	Where
Personal Data	Gender As-of-Date		@Prompt('Enter As of date','D',,Mono,Free) BETWEEN AISOPS.R_PERS_DATA_EFFDT.VALID_FROM(+) AND AISOPS.R_PERS_DATA_EFFDT.VALID_TO(+)
Personal Data	Military As-of-Date		@Prompt('Enter As of date','D',,Mono,Free) BETWEEN AISOPS.R_PERS_DATA_USA.VALID_FROM(+) AND AISOPS.R_PERS_DATA_USA.VALID_TO(+)
Names (Point in time)	Current Record - Names		AISOPS.R_NAMES.CURRENT_RECORD(+)='Y'
Names (Point in time)	Name As-of Date		@Prompt('Enter As of date for Names','D',,Mono,Free) BETWEEN AISOPS.R_NAMES.VALID_FROM(+) AND AISOPS.R_NAMES.VALID_TO(+)
Visa and Citizenship Pmt (Point in time)	Current Record - Visa		AISOPS.R_VISA_PMT_DATA.CURRENT_RECORD(+)='Y'
Visa and Citizenship Pmt (Point in time)	Current Record - Citizenship		AISOPS.R_CITIZENSHIP_NO_DELETES.CURRENT_RECORD(+)='Y'
Visa and Citizenship Pmt (Point in time)	Citizenship As-of Date		@Prompt('Enter As of date for Citizenship/Visa','D',,Mono,Free) BETWEEN AISOPS.R_CITIZENSHIP_NO_DELETES.VALID_FROM(+) AND AISOPS.R_CITIZENSHIP_NO_DELETES.VALID_TO(+)
Visa and Citizenship Pmt (Point in time)	Visa As-of Date		@Prompt('Enter As of date for Citizenship/Visa','D',,Mono,Free) BETWEEN AISOPS.R_VISA_PMT_DATA.VALID_FROM(+) AND AISOPS.R_VISA_PMT_DATA.VALID_TO(+)
Ethnicity (Point in time)	Current Record - Ethnicity Dtl		AISOPS.R_ETHNICITY_DTL_NO_DELS.CURRENT_RECORD(+)='Y'
Ethnicity (Point in time)	Current Record - Divers Ethnic		AISOPS.R_DIVERS_ETHNIC_NO_DELS.CURRENT_RECORD(+)='Y'
Ethnicity (Point in time)	Ethnicity As-of Date		@Prompt('Enter As of date','D',,Mono,Free) BETWEEN AISOPS.R_ETHNICITY_DTL_NO_DELS.VALID_FROM(+) AND AISOPS.R_ETHNICITY_DTL_NO_DELS.VALID_TO(+)
Residency	Current Record - Residency		AISOPS.R_RESIDENCY_OFF_W_END_TERM.CURRENT_RECORD(+)='Y'
Residency	Maximum Residency Row Filter	Maximum effective term row for each emplid regardless of career.	AISOPS.R_RESIDENCY_OFF_W_END_TERM.EFFECTIVE_TERM = (Select Max(m.EFFECTIVE_TERM) from AISOPS.R_RESIDENCY_OFF_W_END_TERM m WHERE AISOPS.R_RESIDENCY_OFF_W_END_TERM.EMPLID = m.EMPLID(+))
Athletics	Current Record - Athletics		AISOPS.R_ATHL_PART_STAT.CURRENT_RECORD(+)='Y'
Athletics	Athletics As-of-Date		@Prompt('Enter As of date','D',,Mono,Free) BETWEEN AISOPS.R_ATHL_PART_STAT.VALID_FROM(+) AND AISOPS.R_ATHL_PART_STAT.VALID_TO(+)
Committees	Current Record - Committees		AISOPS.R_SCG_ACAD_CMTE.CURRENT_RECORD(+)='Y'
Committees	Committees As-of-Date		@Prompt('Enter As of date','D',,Mono,Free) BETWEEN AISOPS.R_SCG_ACAD_CMTE.VALID_FROM(+) AND AISOPS.R_SCG_ACAD_CMTE.VALID_TO(+)
Accommodation Setup	Current Record - Accommodation Setup		AISOPS.R_SCR_DRC_ACCSETP_W_END_TERM.CURRENT_RECORD(+)='Y'
Student Program/Plan	Current Record - Program/Plan		AISOPS.TXN_ACAD_PROG_XWALK.CURRENT_RECORD(+)='Y'
Student Program/Plan	Program/Plan As-of-Date		@Prompt('Enter As of date','D',,Mono,Free) BETWEEN AISOPS.TXN_ACAD_PROG_XWALK.VALID_FROM(+) AND AISOPS.TXN_ACAD_PROG_XWALK.VALID_TO(+)

Folder Name	Predefined Filter Name	Description	Where
Student Program/Plan	Program/Plan Maximum Sequence at End of Day	Returns the maximum effective sequence for the effective date. Can be used with 'As of Date' filter, or with manually created date filters (such as Term End Date)	AISOPS.TXN_ACAD_PROG_XWALK.EOD_RECORD(+) = 'Y'
Plan - All plan types	Current Record - PLNA Plan Descr and Owner	Current Plan Description and Plan Owner - dept or div	AISOPS.R_ACAD_PLAN_OWNER_FLAT.CURRENT_RECORD(+) = 'Y' and
Plan - All plan types	Plan Descr and Owner As-of-Date		@Prompt('Enter As of date', 'D',, Mono, Free) BETWEEN AISOPS.R_ACAD_PLAN_OWNER_FLAT.VALID_FROM(+) AND AISOPS.R_ACAD_PLAN_OWNER_FLAT.VALID_TO(+) and @Prompt('Enter As of date', 'D',, Mono, Free) BETWEEN AISOPS.R_ACAD_PLAN_TBL.VALID_FROM(+) AND AISOPS.R_ACAD_PLAN_TBL.VALID_TO(+)
Subplan	Current Record - Subplan Descr	Current Subplan Description	AISOPS.R_ACAD_SUBPLN_TBL.CURRENT_RECORD(+) = 'Y'
Subplan	Subplan Descr As-of-Date		@Prompt('Enter As of date', 'D',, Mono, Free) BETWEEN AISOPS.R_ACAD_SUBPLN_TBL.VALID_FROM(+) AND AISOPS.R_ACAD_SUBPLN_TBL.VALID_TO(+)
Plan/Subplan - Flattened	Current Record - PLNF Plan Descr and Owner		AISOPS_R_ACAD_PLAN_TBL_MAJORS2.CURRENT_RECORD(+) = 'Y' and AISOPS_R_ACAD_PLAN_TBL_MAJORS3.CURRENT_RECORD(+) = 'Y' and AISOPS.R_ACAD_PLAN_TBL_MAJORS.CURRENT_RECORD(+) = 'Y' and AISOPS_R_ACAD_SUBPLN_TBL2.CURRENT_RECORD(+) = 'Y' and AISOPS_R_ACAD_SUBPLN_TBL3.CURRENT_RECORD(+) = 'Y' and AISOPS_R_ACAD_SUBPLN_TBL4.CURRENT_RECORD(+) = 'Y' and AISOPS_R_ACAD_PLAN_OWNER_FLAT2.CURRENT_RECORD(+) = 'Y' and AISOPS_R_ACAD_PLAN_OWNER_FLAT3.CURRENT_RECORD(+) = 'Y' and AISOPS_R_ACAD_PLAN_OWNER_FLAT4.CURRENT_RECORD(+) = 'Y'

Folder Name	Predefined Filter Name	Description	Where
Plan/Subplan - Flattened	Plan Descr and Owner As-of-Date		@Prompt('Enter As of date', 'D',,Mono,Free) BETWEEN AISOPS_R_ACAD_PLAN_TBL_MAJORS2.VALID_FROM(+) AND AISOPS_R_ACAD_PLAN_TBL_MAJORS2.VALID_TO(+) and @Prompt('Enter As of date', 'D',,Mono,Free) BETWEEN AISOPS_R_ACAD_PLAN_TBL_MAJORS3.VALID_FROM(+) AND AISOPS_R_ACAD_PLAN_TBL_MAJORS3.VALID_TO(+) and @Prompt('Enter As of date', 'D',,Mono,Free) BETWEEN AISOPS.R_ACAD_PLAN_TBL_MAJORS.VALID_FROM(+) AND AISOPS.R_ACAD_PLAN_TBL_MAJORS.VALID_TO(+) and @Prompt('Enter As of date', 'D',,Mono,Free) BETWEEN AISOPS_R_ACAD_SUBPLN_TBL2.VALID_FROM(+) AND AISOPS_R_ACAD_SUBPLN_TBL2.VALID_TO(+) and @Prompt('Enter As of date', 'D',,Mono,Free) BETWEEN AISOPS_R_ACAD_SUBPLN_TBL3.VALID_FROM(+) AND AISOPS_R_ACAD_SUBPLN_TBL3.VALID_TO(+) and @Prompt('Enter As of date', 'D',,Mono,Free) BETWEEN AISOPS_R_ACAD_SUBPLN_TBL4.VALID_FROM(+) AND AISOPS_R_ACAD_SUBPLN_TBL4.VALID_TO(+) and @Prompt('Enter As of date', 'D',,Mono,Free) BETWEEN AISOPS_R_ACAD_PLAN_OWNER_FLAT2.VALID_FROM(+) AND AISOPS_R_ACAD_PLAN_OWNER_FLAT2.VALID_TO(+) and @Prompt('Enter As of date', 'D',,Mono,Free) BETWEEN AISOPS_R_ACAD_PLAN_OWNER_FLAT3.VALID_FROM(+) AND AISOPS_R_ACAD_PLAN_OWNER_FLAT3.VALID_TO(+) and @Prompt('Enter As of date', 'D',,Mono,Free) BETWEEN AISOPS_R_ACAD_PLAN_OWNER_FLAT4.VALID_FROM(+) AND AISOPS_R_ACAD_PLAN_OWNER_FLAT4.VALID_TO(+)
Minors - Flattened	Current Record - Minor Descr and Owner		AISOPS.R_ACAD_PLAN_TBL_MINORS.CURRENT_RECORD(+)= 'Y' and AISOPS_R_ACAD_PLAN_TBL_MINORS2.CURRENT_RECORD(+))='Y' and AISOPS_R_ACAD_PLAN_OWNER_FLAT5.CURRENT_RECORD(+))='Y' and AISOPS_R_ACAD_PLAN_OWNER_FLAT6.CURRENT_RECORD(+))='Y'
Minors - Flattened	Minor Descr and Owner As-of-Date		@Prompt('Enter As of date', 'D',,Mono,Free) BETWEEN AISOPS.R_ACAD_PLAN_TBL_MINORS.VALID_FROM(+) AND AISOPS.R_ACAD_PLAN_TBL_MINORS.VALID_TO(+) and @Prompt('Enter As of date', 'D',,Mono,Free) BETWEEN AISOPS_R_ACAD_PLAN_TBL_MINORS2.VALID_FROM(+) AND AISOPS_R_ACAD_PLAN_TBL_MINORS2.VALID_TO(+) and @Prompt('Enter As of date', 'D',,Mono,Free) BETWEEN AISOPS_R_ACAD_PLAN_OWNER_FLAT5.VALID_FROM(+) AND AISOPS_R_ACAD_PLAN_OWNER_FLAT5.VALID_TO(+)and @Prompt('Enter As of date', 'D',,Mono,Free) BETWEEN AISOPS_R_ACAD_PLAN_OWNER_FLAT6.VALID_FROM(+) AND AISOPS_R_ACAD_PLAN_OWNER_FLAT6.VALID_TO(+)
Student Milestones	Current Record - Student Milestones		AISOPS.R_STDNT_CAR_MLSTN.CURRENT_RECORD(+)='Y'

Folder Name	Predefined Filter Name	Description	Where
Student Milestones	Student Milestones As-of-Date		@Prompt('Enter As of date','D',,Mono,Free) BETWEEN AISOPS.R_STDNT_CAR_MLSTN.VALID_FROM(+) AND AISOPS.R_STDNT_CAR_MLSTN.VALID_TO(+)
Milestone Attempts	Current Record - Milestone Attempts		AISOPS.R_MLSTN_ATMPT.CURRENT_RECORD(+)= 'Y'
Milestone Attempts	Milestone Attempts As-of-Date		@Prompt('Enter As of date','D',,Mono,Free) BETWEEN AISOPS.R_MLSTN_ATMPT.VALID_FROM(+) AND AISOPS.R_MLSTN_ATMPT.VALID_TO(+)
Course	Current Record - Course		AISOPS.R_CRSE_CATALOG.CURRENT_RECORD(+)= 'Y'
Course	Course As-of-date		@Prompt('Enter As of date','D',,Mono,Free) BETWEEN AISOPS.R_CRSE_CATALOG.VALID_FROM(+) AND AISOPS.R_CRSE_CATALOG.VALID_TO(+)
Course Offerings	Current Record - Course Offerings		AISOPS.R_CRSE_OFFER.CURRENT_RECORD(+)= 'Y'
Course Offerings	Course Offerings As-of-date		@Prompt('Enter As of date','D',,Mono,Free) BETWEEN AISOPS.R_CRSE_OFFER.VALID_FROM(+) AND AISOPS.R_CRSE_OFFER.VALID_TO(+)
Class	Current Record - Class		AISOPS.R_CLASS_TBL_W_DT_NO_DELS.CURRENT_RECORD(+) = 'Y'
Class	Class As-of-Date		@Prompt('Enter As of date','D',,Mono,Free) BETWEEN AISOPS.R_CLASS_TBL_W_DT_NO_DELS.VALID_FROM(+) AND AISOPS.R_CLASS_TBL_W_DT_NO_DELS.VALID_TO(+)
Class	Current Record - Combined Section Descr		AISOPS.R_SCTN_CMBND_TBL_NO_DELS.CURRENT_RECORD(+) = 'Y'
Class	Combined Section Descr As-of-date		@Prompt('Enter As of date','D',,Mono,Free) BETWEEN AISOPS.R_SCTN_CMBND_TBL_NO_DELS.VALID_FROM(+) AND AISOPS.R_SCTN_CMBND_TBL_NO_DELS.VALID_TO(+)
Class	Current Record - Combined Section		AISOPS.R_SCTN_CMBND_NO_DELS.CURRENT_RECORD(+) = 'Y'
Class	Combined Section As-of-date		@Prompt('Enter As of date','D',,Mono,Free) BETWEEN AISOPS.R_SCTN_CMBND_NO_DELS.VALID_FROM(+) AND AISOPS.R_SCTN_CMBND_NO_DELS.VALID_TO(+)
Class Associations	Current Record - Class Associations		AISOPS.R_CLASS_ASSOC_NO_DELS.CURRENT_RECORD(+)= 'Y'
Class Associations	Class Associations As-of-Date		@Prompt('Enter As of date','D',,Mono,Free) BETWEEN AISOPS.R_CLASS_ASSOC_NO_DELS.VALID_FROM(+) AND AISOPS.R_CLASS_ASSOC_NO_DELS.VALID_TO(+)
Class Instructor	Current Record - Class Instructor		AISOPS.R_CLASS_INSTR_NO_DELETES.CURRENT_RECORD(+) = 'Y'
Class Instructor	Class Instructor As-of-Date		@Prompt('Enter As of date','D',,Mono,Free) BETWEEN AISOPS.R_CLASS_INSTR_NO_DELETES.VALID_FROM(+) AND AISOPS.R_CLASS_INSTR_NO_DELETES.VALID_TO(+)
Class Meeting Pattern	Current Record - Class Meeting Pattern		AISOPS.R_CLASS_MTG_PAT_NO_DELS.CURRENT_RECORD(+) = 'Y'
Class Meeting Pattern	Class Meeting Pattern As-of-Date		@Prompt('Enter As of date','D',,Mono,Free) BETWEEN AISOPS.R_CLASS_MTG_PAT_NO_DELS.VALID_FROM(+) AND AISOPS.R_CLASS_MTG_PAT_NO_DELS.VALID_TO(+)

Folder Name	Predefined Filter Name	Description	Where
Class Reserve Capacity	Current Record - Class Reserve Capacity		AISOPS.R_CLASS_RSRV_CAP_NO_DELS.CURRENT_RECORD(+) = 'Y'
Class Reserve Capacity	Class Reserve Capacity As-of-date		@Prompt('Enter As of date', 'D',, Mono, Free) BETWEEN AISOPS.R_CLASS_RSRV_CAP_NO_DELS.VALID_FROM(+) AND AISOPS.R_CLASS_RSRV_CAP_NO_DELS.VALID_TO(+)
Class Reserve Capacity	Current Record - Class Reserve Group		AISOPS.R_CLASS_RSRV_GRP_NO_DELS.CURRENT_RECORD(+) = 'Y'
Class Reserve Capacity	Class Reserve Group As-of-date		@Prompt('Enter As of date', 'D',, Mono, Free) BETWEEN AISOPS.R_CLASS_RSRV_GRP_NO_DELS.VALID_FROM(+) AND AISOPS.R_CLASS_RSRV_GRP_NO_DELS.VALID_TO(+)
Instructor Advisor - Reg Only	Current Record - Instructor Advisor		AISOPS.R_INSTR_ADVISOR.CURRENT_RECORD(+) = 'Y'
Instructor Advisor - Reg Only	Instructor Advisor As-of-date		@Prompt('Enter As of date', 'D',, Mono, Free) BETWEEN AISOPS.R_INSTR_ADVISOR.VALID_FROM(+) AND AISOPS.R_INSTR_ADVISOR.VALID_TO(+)
Exception Data	Current Record - Exception Data		AISOPS.R_AA_OVERRIDE_STDN.CURRENT_RECORD(+) = 'Y'
Exception Data	Exception Data As-of Date		@Prompt('Enter As of date for Exception Data', 'D',, Mono, Free) BETWEEN AISOPS.R_AA_OVERRIDE_STDN.VALID_FROM(+) AND AISOPS.R_AA_OVERRIDE_STDN.VALID_TO(+)
Exception Directives	Current Record - Exception Directives		AISOPS.R_AA_OVRD_CRSDATA.CURRENT_RECORD(+) = 'Y'
Exception Directives	Exception Directives As-of Date		@Prompt('Enter As of date for Exception Directives', 'D',, Mono, Free) BETWEEN AISOPS.R_AA_OVRD_CRSDATA.VALID_FROM(+) AND AISOPS.R_AA_OVRD_CRSDATA.VALID_TO(+)
Degree Plan - All plan types	Current Record - Plan Descr and Owner		AISOPS_R_ACAD_PLAN_OWNER_FLAT7.CURRENT_RECORD(+) = 'Y' and AISOPS_R_ACAD_PLAN_TBL2.CURRENT_RECORD(+) = 'Y'
Degree Plan - All plan types	Plan Descr and Owner As-of-Date		@Prompt('Enter As of date', 'D',, Mono, Free) BETWEEN AISOPS_R_ACAD_PLAN_OWNER_FLAT7.VALID_FROM(+) AND AISOPS_R_ACAD_PLAN_OWNER_FLAT7.VALID_TO(+) and @Prompt('Enter As of date', 'D',, Mono, Free) BETWEEN AISOPS_R_ACAD_PLAN_TBL2.VALID_FROM(+) AND AISOPS_R_ACAD_PLAN_TBL2.VALID_TO(+)
Degree Subplan	Current Record - Subplan Descr		AISOPS_R_ACAD_SUBPLN_TBL5.CURRENT_RECORD(+) = 'Y'
Degree Subplan	Subplan Descr As-of-Date		@Prompt('Enter As of date', 'D',, Mono, Free) BETWEEN AISOPS_R_ACAD_SUBPLN_TBL5.VALID_FROM(+) AND AISOPS_R_ACAD_SUBPLN_TBL5.VALID_TO(+)

Folder Name	Predefined Filter Name	Description	Where
Degree Plan Flattened - Owner	Current Record - DPF Plan Descr and Owner		AISOPS_R_ACAD_SUBPLN_TBL6.CURRENT_RECORD(+)='Y' and AISOPS_R_ACAD_SUBPLN_TBL7.CURRENT_RECORD(+)='Y' and AISOPS_R_ACAD_SUBPLN_TBL8.CURRENT_RECORD(+)='Y' and AISOPS_R_ACAD_SUBPLN_TBL9.CURRENT_RECORD(+)='Y' and AISOPS_R_ACAD_SUBPLN_TBL10.CURRENT_RECORD(+)='Y' and AISOPS_R_ACAD_SUBPLN_TBL11.CURRENT_RECORD(+)='Y' and AISOPS_R_ACAD_PLAN_TBL9.CURRENT_RECORD(+)='Y' and AISOPS_R_ACAD_PLAN_TBL4.CURRENT_RECORD(+)='Y' and AISOPS_R_ACAD_PLAN_TBL5.CURRENT_RECORD(+)='Y' and AISOPS_R_ACAD_PLAN_TBL6.CURRENT_RECORD(+)='Y' and AISOPS_R_ACAD_PLAN_TBL10.CURRENT_RECORD(+)='Y' and AISOPS_R_ACAD_PLAN_TBL11.CURRENT_RECORD(+)='Y' and AISOPS_R_ACAD_PLAN_TBL12.CURRENT_RECORD(+)='Y' and AISOPS_R_ACAD_PLAN_OWNER_FLAT8.CURRENT_RECORD(+)='Y' and AISOPS_R_ACAD_PLAN_OWNER_FLAT9.CURRENT_RECORD(+)='Y' and AISOPS_R_ACAD_PLAN_OWNR_FLAT10.CURRENT_RECORD(+)='Y' and AISOPS_R_ACAD_PLAN_OWNR_FLAT13.CURRENT_RECORD(+)='Y' and AISOPS_R_ACAD_PLAN_OWNR_FLAT14.CURRENT_RECORD(+)='Y'
Degree Minor - Flattened	Current Record - DMF Minor Descr and Owner		AISOPS_R_ACAD_PLAN_TBL7.CURRENT_RECORD(+)='Y' and AISOPS_R_ACAD_PLAN_TBL8.CURRENT_RECORD(+)='Y' and AISOPS_R_ACAD_PLAN_OWNR_FLAT11.CURRENT_RECORD(+)='Y' and AISOPS_R_ACAD_PLAN_OWNR_FLAT12.CURRENT_RECORD(+)='Y'