Class Name	Parent Class	Class Description
Starting Point		This folder contains a handful of objects that are likely to be used in most reports. One row per person per
Personal Data		career. This folder contains personal information about all persons who have an Emplid (AIS ID) including applicants, students, faculty, staff, etc. Examples include preferred name, primary name, gender, email address, phone number, etc. One "current" row per person, unless object is named "point in time". Data overwritten every night.
Addresses - Current	Personal Data	Address information for all address types. A customization exists for address types PERM and MAIL in that queries will return one row per person, even if the person does not have a PERM or MAIL address. This customization exists to keep populations intact. If you need to exclude those addresses, add a condition to the query such as "AC Address1 IS NOT NULL". One "current" row per person per address type.
Phone	Personal Data	Phone numbers for all phone types. These are available for occasions when simply using the "preferred phone" object (available in the main Personal Data folder) is insufficient for the specific business purpose. One "current" row per person per phone type.
Names (Point in time)	Personal Data	
Visa and Citizenship Pmt (Point in time)	Personal Data	Limited visa and citizenship information. Visa history is based on effective date. Citizenship history is not effective dated, so it is built based on data load date. One or more "point in time" row per person.
Ethnicity (Point in time)	Personal Data	Self-identified ethnicity information, including detail, group, and IPEDS category. Ethnicity history is not effective dated, so it is built based on data load date, beginning 12/19/13. One or more "point in time" row per person.
Residency	Personal Data	
AIS Roles	Personal Data	
External System ID	Personal Data	Crosswalk of CruzID, PPS ID, and a placeholder for the future UC PATH ID. One "current" row per person.
Sex and Gender Detail	Personal Data	
Admissions		
UGRD Admitted Students	Admissions	Application and Admission process information for individuals with a most recent program status of AD, AC, or PM. Information is only visible to reports after a specific date has passed for a relative admit term. Summer admit terms are not visible until after April 15th of the cycle Fall admit terms are not visible until after March 15th of the cycle Winter admit terms are not visible until after October 15th of the cycle Spring admit terms are not visible until after January 15th of the cycle Spring admit terms are not visible until after January 15th of the cycle Spring admit terms are not visible until after January 15th of the cycle Spring admit terms are not visible until after January 15th of the cycle Spring admit terms are not visible until after January 15th of the cycle Spring admit terms are not visible until after January 15th of the cycle Spring admit terms are not visible until after January 15th of the cycle Spring admit terms are not visible until after January 15th of the cycle Spring admit terms are not visible until after January 15th of the cycle Spring admit terms are not visible until after January 15th of the cycle Spring admit terms are not visible until after January 15th of the cycle Spring admit terms are not visible until after January 15th of the cycle Spring admit terms are not visible until after January 15th of the cycle Spring admit terms are not visible until after January 15th of the cycle Spring admit terms are not visible until after January 15th of the cycle Spring admit terms are not visible until after January 15th of the cycle Spring admit terms are not visible until after January 15th of the cycle Spring admit terms are not visible until after January Spring admit terms are not visible until after January Spring admit terms are not visible until after January Spring admit after Spring admit terms are not visible until after Spring admit after Spring admit after Spring admit after Spring admit after Spring admit
Adm Milestones	UGRD Admitted Students	This folder contains information about whether or not a milestone has been attempted or satisfied. It is identical to the data in the main milestones folder, but is joined to the UGRD Admitted Students data so it can be used in reports run before matriculation. In AIS, Milestones are for tracking specific event completion, such as Subject A requirements, advancing to candidacy, exit interviews, etc. History is rebuilt each night based on effective date. One or more "point in time" row per person per career per effective date.
Adm Student Milestones	Adm Milestones	This folder contains information about the milestone and whether or not it was completed by the student.
Adm Milestone Attempts	Adm Milestones	This folder contains information about how the student attempted to complete the milestone.
UGRD Admitted Last School Attended	UGRD Admitted Students	
UGRD LS External Organizations - REMOVE?	UGRD Admitted Last School	
LS External Orgs Admissions2	UGRD LS External	

AIS Daily Universe - Classes

Class Name	Parent Class	Class Description
LS API2	UGRD LS External	
UGRD LS Location Info - REMOVE??	UGRD Admitted Last School	
UGRD Admitted Program/Plan	UGRD Admitted Students	
UGRD Admissions College	UGRD Admitted Program/Plan	Limited to information from academic plan rows where the plan type is 'CLG'. In other words, this folder includes only a person's College affiliation in separate objects (from Plan). One "current" row per person per career per student career number per effective date and effective sequence.
UGRD Admissions Plan - All plan types	UGRD Admitted Program/Plan	
UGRD Admissions Subplan	UGRD Admitted Program/Plan	
UGRD Admissions Plan(Major)/Subplan - Flattened	UGRD Admitted Program/Plan	
UGRD Admissions Plan Owner - Flattened	UGRD Admissions Plan(Major)/Subplan - Flattened	This folder contains several department and division (plan owner) objects that correspond with each flattened plan object. One "point in time" row per plan.
UGRD Admission Minors - Flattened	UGRD Admitted Program/Plan	This folder contains custom derived information that pivots or "flattens" the multiple rows of academic plan to present it one row. The information is limited in that it only includes Minor plan types, and only displays information about the first two minors (determined by plan sequence). History is rebuilt each night based on effective date and the highest effective sequence for that date (other effective sequence rows that day are not included in the "flattened stack"). There is a custom "Number of Minors" objects that displays the counts of all (Minor) plans the person has. Plan descriptions are also "point in time" objects. One row per person per career per student career number per effective date (not per effective sequence).
UGRD Admissions Minor Owner	UGRD Admission Minors - Flattened	This folder contains several department and division (plan owner) objects that correspond with each flattened minor object. One "point in time" row per minor.
UGRD UC GPA	UGRD Admitted Students	
GRAD Applicants and Admitted Students	Admissions	Contains GRAD career records thoughout the application cycle for academic department/division reporting.
GRAD Admissions Program/Plan	GRAD Applicants and Admitted	
GRAD Admissions Program	GRAD Admissions	
GRAD Admissions Plan - All plan types	GRAD Admissions	
GRAD Admissions Subplan	GRAD Admissions	
GRAD Admissions Subplan - Flattened	GRAD Admissions	
GRAD Recruitment	GRAD Applicants and Admitted	
GRAD Admit Response	GRAD Applicants and Admitted	
GRAD External Education	GRAD Applicants and Admitted	
GRAD External Academic Data	GRAD External Education	
GRAD External Organizations	GRAD External Academic Data	
GRAD EE External Org Location	GRAD External Organizations	
GRAD EE External Orgs Admissions	GRAD External Organizations	
GRAD EE Service Indicators	GRAD External Organizations	
GRAD External Academic Subject	GRAD External Education	
GRAD External Degree	GRAD External Education	
GRAD Support Offer	GRAD Applicants and Admitted	
Shared	Admissions	
Application Data	Admissions	
Admissions Program/Plan	Admissions	
Admissions Program	Admissions Program/Plan	
		1
Admissions Plan - All plan types	Admissions Program/Plan	

Class Name	Parent Class	Class Description
Admissions College	Admissions Program/Plan	Limited to information from academic plan rows where the plan type is 'CLG'. In other words, this folder includes only a person's College affiliation in separate objects (from Plan). One "current" row per person per career per student career number per effective date and effective sequence.
Admissions Plan(Major)/Subplan - Flattened	Admissions Program/Plan	
Admissions Plan Owner - Flattened	Admissions Plan(Major)/Subplan - Flattenec	This folder contains several department and division (plan owner) objects that correspond with each flattened plan object. One "point in time" row per plan.
Admission Minors - Flattened	Admissions Program/Plan	This folder contains custom derived information that pivots or "flattens" the multiple rows of academic plan to present it one row. The information is limited in that it only includes Minor plan types, and only displays information about the first two minors (determined by plan sequence). History is rebuilt each night based on effective date and the highest effective sequence for that date (other effective sequence rows that day are not included in the "flattened stack"). There is a custom "Number of Minors" objects that displays the counts of all (Minor) plans the person has. Plan descriptions are also "point in time" objects. One row per person per career per student career number per effective date (not per effective sequence).
Admissions Minor Owner	Admission Minors - Flattened	This folder contains several department and division (plan owner) objects that correspond with each flattened minor object. One "point in time" row per minor.
Calendar	Admissions Program/Plan	
Admissions Program/Plan Calcs	Admissions Program/Plan	Fields that are calculated on load to the data warehouse for use with admissions program/plan data.
Recruitment	Admissions	
Admit Response	Admissions	
External Education	Admissions	
External Academic Data	External Education	
EAD External Organizations	External Academic Data	
EE External Org Location	EAD External Organizations	
EE External Orgs Admissions	EAD External Organizations	
EE API	EAD External Organizations	
EE Service Indicators	EAD External Organizations	
External Academic Subject	External Academic Data	
External Academic Summary	External Academic Data	
External Degree	External Academic Data	
GRAD	Admissions	
Language	Admissions	
Support Offer	Admissions	
Applications Suspense	Admissions	
GARP Citizenship and Residency	Applications Suspense	
GARP Diversity App	Applications Suspense	
GARP Research Interest	Applications Suspense	
GARP Self-Reported Tests	Applications Suspense	
Admissions Comments	Admissions	
GARP Funding - FOR TESTING	Admissions	
UGRD	Admissions	
Applicant and Family	Admissions	
Last School Attended	Admissions	
LS Service Indicators	Last School Attended	
LS External Organizations	Last School Attended	
LS External Org Location	LS External Organizations	
LS External Orgs Admissions	LS External Organizations	

Class Name	Parent Class	Class Description
LS API	LS External Organizations	
Admission Evaluation	Admissions	
Mirror	Admission Evaluation	
Mirror B	Admission Evaluation	
Ugrad Comprehensive Review	Admission Evaluation	
Evaluation Committee Rating	Admission Evaluation	
Other UC Applied	Admissions	
Extracurricular Activity	Admissions	
Admissions Interests	Admissions	
Holistic Review	Admissions	
Full Detail	Holistic Review	
Flattened Detail	Holistic Review	
CETAD - Shared Review	Admissions	
Basis of Admission	Admissions	
Accept SIR Wizard	Admissions	
College Preferences	Admissions	
Electronic Transcripts	Admissions	
Clearing	Admissions	
University Requirements	Admissions	
		This folder contains information about transfer credit from courses, tests or other articulation agreements.
Adm Transfer Credit	Admissions	The information is joined to Admissions Application Program information. One or more "current" row per person.
Adm Transfer Course Data	Adm Transfer Credit	Information about a course(s) a person took at an external institution that satisfy UCSC course requirements through an articulation agreement. One or more "current" row per person.
Adm Transfer Course Detail	Adm Transfer Course Data	Information about the specific course the person took at another institution and what UCSC course that the articulation agreement satisfies. Examples include equivalency rule, grade received, units transferred, manual credit, TCSS pre-2004, etc. This folder does not include the external institution's local course information such as term taken, subject and course description, course number, etc. One row per person per articulated course per articulation term.
Adm Transfer Course School	Adm Transfer Course Data	Information about the external institution, such as school type and external organization ID. One "current" row per person per external institution.
Adm Transfer Course Term	Adm Transfer Course Data	Information about who did the "clearing," usually this is an evaluator. Includes Emplid of the person who posted the credit, name, date, how many units were taken and transferred, etc. One "current" row per person per articulation term.
Adm Transfer Other Detail	Adm Transfer Credit	Information about external courses that satisfy prerequisites, determined by UCSC academic department advisers. One or more "current" row per person.
Adm Transfer Test Data	Adm Transfer Credit	
Adm Transfer Test Detail	Adm Transfer Test Data	Information about a test that was taken to satisfy UCSC course requirements through an articulation agreement. One or more "current" row per person.
Adm Transfer Test Term	Adm Transfer Test Data	
Transfer Credit Rules	Admissions	
Transfer Rule	Transfer Credit Rules	
Ext Transfer Equivalency	Transfer Credit Rules	
Transfer From	Transfer Credit Rules	
Transfer To	Transfer Credit Rules	
UC GPA	Admissions	
Other Units	Admissions	

AIS Daily Universe - Classes

Class Name	Parent Class	Class Description
Orientation Students	Orientation	
Orientation Guests	Orientation	
Orientation Guests - Full	Orientation Guests	
Orientation Guests - Flat	Orientation Guests	
For Alumni Assn	Admissions	
CCC		
Communications	ccc	This folder contains information about communication records a person has in AIS. Communications records exist for messages that have been sent, have not yet been sent, and may not ever be sent, so use caution when reporting on this information. Through InfoView [™] security groups, rows are limited to certain communication categories that fall within the GEN, STRM, and SPRG administrative functions. Specific "offices of record" have access to additional/different rows and/or administrative functions. One or more "current" row per person.
Comments	ccc	This folder contains information about comments that functional offices placed on records in AIS. Through InfoView [™] security groups, rows are limited to certain communication categories that fall within the GEN, STRM, and SPRG administrative functions. Specific "offices of record" have access to additional/different rows and/or administrative functions. One or more "current" row per person.
Checklists	ccc	This folder contains information about checklists that functional offices assigned to students or applicants in AIS, and their completion status. Through InfoView [™] security groups, rows are limited to certain communication categories that fall within the GEN, STRM, and SPRG administrative functions. Specific "offices of record" have access to additional/different rows and/or administrative functions. One or more "current" row per person.
Service Indicators		This folder contains information about service indicators that functional offices have assigned to students or applicants in AIS. Positive service indicators make a student eligible to receive services. Negative service indicators limit a student's access to services, e.g., enrollment hold or transcript hold. One or more "current" row per person.
Student Groups		This folder contains information about what student groups a person belongs to. In AIS student groups are used to assign a student or applicant to a specific custom code (group) for tracking purposes. Depending on the business process for a specific group code, a person is either added to a group and then is always in that group, or a person is added to a group and then either inactivated or deleted from a group when no longer associated with it. One "current" row per person per student group.
Student Groups - Current	Student Groups	Limited to persons in a student group that have a current "active" status in that group. One "active" row per person per student group.
Student Groups by Term	Student Groups	Limited to persons in a student group who have an "active" status during a term. A term code has been derived from the Term table for each term that falls within each student group row's valid_from and valid_to date (which is based on effective date). Term history is rebuilt each night based on effective date. One "active" row per person per student group per derived term.
Financial Aid		
Current Relationships	Financial Aid	
NSLDS	Financial Aid	
NSLDS Aggregates	NSLDS	
NSLDS Overpayment	NSLDS	
NSLDS Pell	NSLDS	
FA Account SF	Financial Aid	
Student Aid Attributes	Financial Aid	
Student Restricted Aid	Student Aid Attributes	

Class Name	Parent Class	Class Description
Scf Aud Apstat	Student Aid Attributes	
Student Term Budget	Student Aid Attributes	Top three Aid Years
Student Budget Item	Student Term Budget	Top three Aid Years
Budget Item Table	Student Budget Item	
Verification	Student Aid Attributes	
Data Verification	Verification	
Data Verification Other	Verification	
Simple-Complex Reason	Verification	
Student FA Messages	Student Aid Attributes	
Student A messages	Financial Aid	
Loans	Student Awards	
Loan Origination Detail		
	Loans	
Loan Origination Loan Edit Error	Loan Origination Detail	
	Loan Origination Detail	
Loan Origination Action	Loan Origination Detail	
Loan Origination Message	Loan Origination Action	
Loan Disbursement	Loans	
Loan Disbursement Action	Loan Disbursement	
Loan Disbursement Message	Loan Disbursement Action	
Loan Type Table	Loan Disbursement	
Perkins MPN	Loans	
Awards	Student Awards	Contains award information for (revolving) highest two Aid Years in AIS
Student Award Disbursement	Awards	
Student Disbursed Awards	Student Award Disbursement	
Student Disbursement Messages	Student Disbursed Awards	
Student Award Activity	Awards	
Item Types - FA	Student Awards	
FA Item SF	Item Types - FA	
FA Item Type Table	Item Types - FA	
FA GL Interface	FA Item Type Table	
Item Type FA	FA Item Type Table	
FA Item Type Fiscal	Item Type FA	
FA Disb Rule Item	Item Type FA	
Cal Grant	Financial Aid	
Cal Grant Detail	Cal Grant	
Cal Grant Proc	Cal Grant	
Student Award Period	Financial Aid	
Student Award Period-Audit	Student Award Period	Change history is tracked based on load date to data warehouse. Only top two years are maintained. First date of history capture was 6/17/2014.
Student Aggregate Life	Financial Aid	
Student Aggregate School	Student Aggregate Life	
Student Packaging Variables	Financial Aid	Contains packaging variables information for (revolving) highest two Aid Years in AIS
FA Term	Financial Aid	Top three Aid Years
ISIR	Financial Aid	Contains ISIR information for (revolving) highest two aid years.
ISIR Control	ISIR	
ISIR Control	ISIR Control	
	ISIR Correction Fields	Ton three Aid Veera
ISIR Comments		Top three Aid Years
ISIR 00 1 EC	ISIR Control	
ISIR 00 2 EC	ISIR 00 1 EC	
ISIR 00 3 EC	ISIR 00 1 EC	

Class Name	Parent Class	Class Description
ISIR Reject Reason	ISIR	
ISIR Computed	ISIR	Top three Aid Years
ISIR Parent	ISIR	Top three Aid Years
ISIR Student	ISIR	Top three Aid Years
Cal ISIR	Financial Aid	
Cal ISIR Control	Cal ISIR	
Cal ISIR 00 1 EC	Cal ISIR Control	
Cal ISIR 00 2 EC	Cal ISIR 00 1 EC	
Cal ISIR Reject Reason	Cal ISIR	
Cal ISIR Comment	Cal ISIR	
Cal ISIR Computed	Cal ISIR	
Cal ISIR Interpret	Cal ISIR	
Cal ISIR Parent	Cal ISIR	
Cal ISIR Student	Cal ISIR	
Pell Reconciliation	Financial Aid	
Pell Cal Grant	Financial Aid	
Student Financials		
Account Total	Student Financials	Joined to Starting Point EMPLID.
Billing - NOT JOINED TO ANYTHING	Student Financials	
Billing External Org Primary Address	Billing - NOT JOINED TO	
Out of Balance NOT JOINED TO ANYTHING	Student Financials	
Curr Direct Deposit	Student Financials	
Credit History	Student Financials	Joined to Starting Point EMPLID.
Cashiers Office Receipt	Student Financials	Joined to Starting Point EMPLID.
Receipt Line	Cashiers Office Receipt	
Receipt Line Tender	Receipt Line	In AIS there are over 1,000 rows in Receipt Line Tender that do not have a matching Receipt Line record. Per Student Billing Services it is acceptable for reporting that these rows not appear.
Payment	Student Financials	Joined to Starting Point EMPLID.
		Joined to Starting Point EMPLID.
		select distinct refund_nbr
Refund Detail - JOIN TO ITEM XREF? 16		from r_refund_dtl
refund_nbr values drop	Student Financials	minus 🗆
		select distinct refund_nbr
		from r_item_xref□
		16 rows⊡
Item Types	Student Financials	Joined to Starting Point EMPLID.
Item Line - multiple rows per Item Nbr	Item Types	
Item Type Xref for Payment - multiple rows per	Item Line - multiple rows per	
Item Line Charge	Item Nbr	
Item Type	Item Types	
IGL Interface	Item Type	
Aisops R GI Int Dt Tbl - NOT JOINED - WHERE		
DOES IT GO?	Student Financials	
Accounting Line - NOT JOINED TO ANYTHING	Student Financials	
UCOP		

Class Name	Parent Class	Class Description
Athletics		This folder contains information about what sport(s) a person participates in. History is rebuilt each night based on effective date. One "point in time" record per person per sport code.
Test Scores		This folder contains information about a person's test scores, such as placement tests, SAT, ACT, etc. The data source code indicates the source of the information. For example "SLF" is self-reported data and is not considered to be official. One or more "current" row per person per test component.
DRC		
Accommodation Setup	DRC	
Client	DRC	
Accommodations	Client	
Disability	Client	
Coordinator	Client	
Documents	Client	
Manifestations	Client	
Status	Client	
Service Tracker	Client	
Term Accommodation Requests	Client	
Class Accommodation Requests	Client	
Employee	DRC	
Class Services	DRC	
Class Service Audit	DRC	
Term Service Audit	DRC	
Advising and Degree Audit		This folder contains information related to students' most recent Academic Advisement Report (AAR). It includes various separate sets of pre-calculated information that are used in degree audit business processes by advisers. Each sub-folder contains multiple rows per person, so mixing them together in reports may be a challenge. The AAR is run every night for all students in applied status. It is also run once a week for every student. In addition, it can be run for a single student on any given day by an adviser or the student. Only the most recent information (the last AAR as of the last snapshot date) is available for reporting. One or more "current" record per student.
Report Request	Advising and Degree Audit	General information about the AAR that was last run for the student, includes report date and type.
Results	Advising and Degree Audit	Specific information about the satisfaction of each student's requirement groups and requirements in the AAR, including career, program, plan, sub plan, requirement groups, requirements, courses require/taken/needed, GPA required/actual, and item status of comp/satisfied or fail/unsatisfied for requirements and requirement groups
Courses Table	Advising and Degree Audit	Specific information about courses a student has taken per the AAR, including term, course ID, class number, subject, catalog number, section, description, units taken/earned, grade, repeat code, include in GPA, grade points, and requirement designation.
Courses Used	Advising and Degree Audit	Specific information about courses a student has taken that are used to satisfy a student's requirements per the AAR, including the requirement group and requirement they have been used by, and the course directive type for course directives.
Courses Available	Advising and Degree Audit	Specific information about courses needed or that can be taken to satisfy a student's requirements in the Academic Advisement report, including requirement group, requirement, subject, catalog number, course ID, and requirement designator.

Class Name	Parent Class	Class Description
Condition Lines	Advising and Degree Audit	Specific information about conditions used by requirements in the student's AAR, including requirement group, requirement, condition code (e.g., program), condition operator (e.g., equals), condition data (e.g., UGRD), and item status of comp/satisfied or fail/unsatisfied for requirements and requirement groups. Conditions also include test scores used by requirements in the student's AAR, including test ID, test component, and test score, and item status of comp/satisfied or fail/unsatisfied for requirements and requirements and requirement groups.
Plans Required	Advising and Degree Audit	Specific information about plans required in the student's AAR, including requirement group, plans needed, career, program, plan, and sub plan. This has not been used extensively, but may soon be used for some proposed majors to require all requirement groups and requirements in the declared major.
Senior Residency	Advising and Degree Audit	Specific information about senior residency status of comp/satisfied or fail/not satisfied, in the student's AAR, for students in applied status.
What If	Advising and Degree Audit	Specific information about the what-if scenario data for a student's AAR, including the what-if career, program, plan, and sub-plan and their requirement terms. The reg office requested this folder be hidden 5/7/14, as they saw a risk to including it in reporting (as report writers are not familiar with what this data is, or when and how it is populated), but no current benefit.
Exception Data	Advising and Degree Audit	General information about student exceptions that are used by a student's AAR, including override number, description (requirement description), long description (details), selection data (student ID), override code (course directive, requirement change, or waiver), user ID of the user entering the student exception, career, program, plan, and sub-plan of the exception.
Exception Directives	Advising and Degree Audit	Specific information about course directives that are used by a student's Academic Advisement Report, including override number, term, class number, course ID, subject, catalog number, section, grade, units, and requirement designation.
Exception Requirement Changes	Advising and Degree Audit	Specific information about requirement changes that are used by a student's AAR, including override number, requirement group, requirement, the new minimum units and minimum courses.
Exception Group Req Line Data	Advising and Degree Audit	Specific information about exception groups, including override number, requirement group, and requirement. The average report writer would probably not use this table.
Student Program/Plan		This folder contains information about a student's associated programs, plans (major, college, minor), subplans, and attributes. History is rebuilt each night based on effective date and effective sequence, and is not term-specific. The information is presented in a variety of structures for flexible reporting. At the top level are the objects-in-common that can be used to crosswalk to any and all of the sub-folders in a single report. One or more "point in time" row per person per career per student career number, per effective date and effective sequence.
Program	Student Program/Plan	A student's program information including status, action, reason, admit term, degree checkout status, etc. One "point in time" program row per person per career per student career number, per effective date and effective sequence.
Plan - All plan types	Student Program/Plan	A student's academic plan information for every plan type (college, minor, proposed major, pre-major, declared major, graduate plan, etc.), including plan description and multiple columns for department and division (plan owner) that also are "point in time" objects. This information is presented as multiple rows (a.k.a. "full plan stack"). One or more "point in time" plan row per person per career per student career number, per effective date and effective sequence.

Class Name	Parent Class	Class Description
Subplan	Student Program/Plan	A student's indicated subplan information per plan. For undergraduate students subplans are used to indicate concentrations and advising clusters. For graduate students subplans are used to indicate emphases, research groups, and credential tracks. Subplan descriptions change from time to time, so they are "point in time" objects. This information is presented as multiple rows (a.k.a. "full subplan stack"). One or more "point in time" subplan row per plan per person per career per student career number, per effective date and effective sequence.
College	Student Program/Plan	Limited to information from academic plan rows where the plan type is 'CLG'. In other words, this folder includes only a student's College affiliation in separate objects (from Plan). One "current" row per person per career per student career number per effective date and effective sequence.
Plan(Major)/Subplan - Flattened	Student Program/Plan	Custom derived information that pivots or "flattens" the multiple rows of academic plan and subplan information to present it one row. The information is limited in that it excludes College and Minor plan types, and only displays information about the first three plan codes (determined by plan sequence). History is rebuilt each night based on effective date and the highest effective sequence for that date (other effective sequence rows that day are not included in the "flattened stack"). There is a custom "Number of Plans" objects that displays the counts of all (non-College and non-Minor) plans the person has. Plan descriptions are also "point in time" objects. One row per person per career per student career number per effective date (not per effective sequence).
Plan Owner - Flattened	Plan(Major)/Subplan - Flattened	This folder contains several department and division (plan owner) objects that correspond with each flattened plan object. One "point in time" row per plan.
Minors - Flattened	Student Program/Plan	This folder contains custom derived information that pivots or "flattens" the multiple rows of academic plan to present it one row. The information is limited in that it only includes Minor plan types, and only displays information about the first two minors (determined by plan sequence). History is rebuilt each night based on effective date and the highest effective sequence for that date (other effective sequence rows that day are not included in the "flattened stack"). There is a custom "Number of Minors" objects that displays the counts of all (Minor) plans the person has. Plan descriptions are also "point in time" objects. One row per person per career per student career number per effective date (not per effective sequence).
Minor Owner	Minors - Flattened	This folder contains several department and division (plan owner) objects that correspond with each flattened minor object. One "point in time" row per minor.
Student Attributes	Student Program/Plan	Student attributes are used in AIS to determine whether a student is eligible to be given a GPA. One or more "point in time" row per person per career per student career number per effective date and effective sequence.
University Honors Cutoffs	Student Program/Plan	
Transcript Text	Student Program/Plan	This was brought in to be used in the EAP student list report (to show EAP country) but we found we could pull country in from placeholder course title. It was hidden because we're missing the connection between transcript text and the term on which it is displayed on the transcript. JK 3/19/14
Student Transfer Credit		This folder contains information about transfer credit from courses, tests or other articulation agreements. The information is joined to Program information, but not to Term Activation, because the articulation term is not always the same as the person's first term enrolled or any term enrolled. One or more "current" row per person.
Transfer Course Data	Student Transfer Credit	Information about a course(s) a person took at an external institution that satisfy UCSC course requirements through an articulation agreement. One or more "current" row per person.

Class Name	Parent Class	Class Description
Transfer Course Detail	Transfer Course Data	Information about the specific course the person took at another institution and what UCSC course that the articulation agreement satisfies. Examples include equivalency rule, grade received, units transferred, manual credit, TCSS pre-2004, etc. This folder does not include the external institution's local course information such as term taken, subject and course description, course number, etc. One row per person per articulated course per articulation term.
Transfer Course School	Transfer Course Data	Information about the external institution, such as school type and external organization ID. One "current" row per person per external institution.
Transfer Course Term	Transfer Course Data	Information about who did the "clearing," usually this is an evaluator. Includes Emplid of the person who posted the credit, name, date, how many units were taken and transferred, etc. One "current" row per person per articulation term.
Transfer Other Detail	Student Transfer Credit	Information about external courses that satisfy prerequisites, determined by UCSC academic department advisers. One or more "current" row per person.
Transfer Test Data	Student Transfer Credit	
Transfer Test Detail	Transfer Test Data	Information about a test that was taken to satisfy UCSC course requirements through an articulation agreement. One or more "current" row per person.
Transfer Test Term	Transfer Test Data	
Student Adviser		
Student Planner		
Committees		This folder contains information about committee membership. History is rebuilt each night based on effective date. One "point in time" row per person per committee type.
Milestones		This folder contains information about whether or not a student milestone has been attempted or satisfied. In AIS, Milestones are for tracking specific event completion, such as Subject A requirements, advancing to candidacy, exit interviews, etc. History is rebuilt each night based on effective date. One or more "point in time" row per person per career per effective date.
Student Milestones	Milestones	This folder contains information about the milestone and whether or not it was completed by the student.
Milestone Attempts	Milestones	This folder contains information about how the student attempted to complete the milestone.
Grad Student Notes		
Term Activation		This folder contains information about students who are activated in AIS for term processing. If a student is not activated in AIS for a term, they do not have a row in the table for that term. Term activation is required for business processes such as enrollment, assessing fees, etc. One or more "current" row per person per term.
Term Units and Grade Points	Term Activation	
Cumulative Units and Grade Points	Term Activation	
Academic Standing	Term Activation	This folder contains information about academic actions or status of a student in a term, based on student academic performance or personal obstacles toward progress.
Term Honors	Term Activation	This folder contains information about students who have received honors that term, based on academic performance in courses. Currently this is only populated with Dean's Honors.
Graduate Academic Progress	Term Activation	
Student Equation Variables		
Curriculum Management		This folder contains a series of sub-folders that contain information about courses and classes from a setup or scheduling perspective. It does not contain individual student enrollment information. One or more "point in time" row per course.
Courses	Curriculum Management	General information about courses.

Class Name	Parent Class	Class Description
Course	Courses	Information about each course, such as name of course, allowable units, grading basis, component ("LEC", "SEM", "DIS", etc.), general education type, whether a course is active or inactive, etc.
Course Attributes	Courses	
Course Instructor	Courses	Instructor(s) is updated yearly to a course for the exclusive purpose of printing instructor names in the UCSC Online Catalog. The changes are not effective dated and are subject to change when the class is actually taught. Note: Class Instructor folder contains more accurate information about instructors attached to a class in a given term.
Course Offerings	Courses	Course Offerings: Information about whether or not the course is active and allowed to be scheduled, cancelled, or suspended. Multiple offering rows indicate cross-listed courses – offering #1 is the department/subject area of record, additional offerings indicate affiliated department/subject areas. Information includes subject area, sponsoring academic organization, approved enrollment requirement group (prereqs, restrictions, etc.) for each course.
Stakeholders	Course Offerings	
Requirement Usage	Stakeholders	
Prerequisite or Corequisite Courses	Stakeholders	
Cross-List or Historically Known As	Stakeholders	
Is Prequisite for Other Course	Stakeholders	
Course Topics	Courses	
Classes	Curriculum Management	General information about classes each term
Class	Classes	Information about each class, such as subject, catalog number, section number, name of class, component, class type, actual enrollment total, wait list total, ownership (department and division), etc.
Class Associations	Classes	Information associated with a class, such as general education code, requirement groups, grading basis, units, etc.
Class Instructor	Classes	Information about instructor(s) assigned to a class, including name, role, Emplid, PPS ID, etc.
Facilities	Classes	Information about the location(s) assigned to a class, including building, room and room capacity.
Class Final Exam	Classes	Information about final exams associated with a class. Final exam times are not populated in AIS until the second half of the quarter, usually week 8. Final exams are scheduled for all classes that meet in general assignment space. There is an underlying presumption that all of the classes meet for the exam prior, so it does not reflect that some classes may require papers or take home exams and are not actually meeting at the assigned time/room. It is not an accurate reflection of courses that meet in department or lab space.
Class Meeting Pattern	Classes	Information about when a class meets, including day(s) of week, and time(s)
Class Reserve Capacity	Classes	Reserve capacity indicates the number of seats reserved for students that are part of a pre-defined student group, academic plan, academic level, etc. who can enroll in a class. Currently, this component is used during Summer Orientation to supplement the gating of a class to restrict enrollment to only those students attending Orientation that day. It can also be used to permit a number of majors, etc. into a class for a specific time period.
Class Permissions	Classes	
Grade Rosters	Curriculum Management	Information about the status of a grading roster for a class, including the date posted.
Instructor Advisor - Reg Only	Curriculum Management	
Enrollment		This folder contains sub-folders of information about students enrolling or enrolled in classes. One "current" record per student per class per term.

education code, tuilion group, grade, etc. Control to the control to th	Class Name	Parent Class	Class Description
education code, tuilion group, grade, etc. Control to the control to th			This folder contains information about the specific classes that students are enrolled in, have been enrolled in,
Purged Wait Lit Enrollment Enrollment Enrollment Enrollment Change-to Class Enrollment Requests Enrollment Requests Enrollment Requests Enrollment Messages Enrollment Degrees Enrollment Status Degrees Enrollment Antissis Degree Plan - All plan types Degrees Degree Plan - All plan types Degrees Degree Subplan Degrees Degree Subplan Degrees Degree Plan - All plan types Degrees Degree Subplan Degrees Degrees Subplan Degrees Degrees Flan - All plan types Degrees Degrees Subplan Degrees Degrees Subplan Degrees Degrees Subplan Degrees Degrees College Degrees Degrees Plan (Major/College) - Flattoned Degrees Degrees Plan (Major/College) - Flattoned Degrees Degrees Plan (Major/College) - Flattoned Degrees Plan (Major/College) - Flattoned Degrees Plan (Major/College) - Flattoned Degrees Plan (Major/College) - Elatoned <	Student Enrollment	Enrollment	or are on a wait list for. Examples include enrollment status, units, grading basis, repeat code, general
Encliment Requests Encliment Appointments Encliment Appointment Requests Encliment Appointments Deck a student is necling degree, completion term, level, etc. One or more row per student per degree per completion term. Merel, including degree, completion term, etc.), including plan descriptions appoint to plan row per person per degree per completion term. Appoint in time "objects. This information is presented as multiple rows (a.k.a. "tuil plan stack"). One or more "point in time" objects. This information is presented as multiple rows (a.k.a. "tuil plan stack"). One or more "point in time" objects. This information is presented as multiple rows (a.k.a. "tuil plan stack"). One or more "point in time" objects. This information is presented as multiple rows (a.k.a. "tuil plan stack"). One or more "point in time" objects. This information is presented as multiple rows (a.k.a. "tuil plan stack"). One or more "point in time" objects in plan reperson per degree per completion term. This information is presented as multiple rows (a.k.a. "tuil plan stack"). One or more "point in time" subplan row per plan per person per degree per completion term. This information is presented as multiple rows (a.k.a. "tuil plan stack"). One or more "point in time" objects. This information is presented as multiple rows (a.k.a. "tuil plan stack"). One or more "point in time" objects. This information is presented as multiple rows (a.k.a. "tuil plan stack"). One or more "point in time" objects. This information is presented as multiple rows of degree per completion term. This information is more plan per person per degree per completion term. This information term person pe			education code, tuition group, grade, etc.
Change to Class Enrollment Requests Instended to Class Enrollment Appointments Enrollment This folder contains information about which appointment block a student is in. Degrees This folder contains information about degrees earned by students, including degree, completion term, level, etc. One or more row per student pred degree per completion term. Degrees A student's academic plan information for every plan type (college, minor, major, etc.), including plan description and multiple columns for deyramment and division (plan owner) that are 'point in time' 'objects. This information is presented as multiple rows (a.k.a. 'tull plan stack'). One or more 'point in time' 'objects. This information is presented as multiple rows (a.k.a. 'tull plan stack'). One or more 'point in time' 'objects. Student's subplan description change from time to impace and designated emphases and designated emphases. Student's subplan description change from time to impace and designate row per pare per completion term. Degrees Degrees Student's subplan information for academic plan or we here the plan type is 'CLG'. In other words, this folder contains information about students subplan stack'). One or more 'point in time' subplan row per plan per person per degree per completion term. Degrees Degrees Limited to information from academic plan stack's 'One or more 'point in time' subplan row per plan per index's dived contains information about students where the plan type is 'CLG'. In other words, this folder contains information about students where the plan type is 'CLG'. In other words, this folder contains information about students where the plan type is 'CLG'. In	Purged Wait List Enrollment	Enrollment	
Enrollment Enrollment This folder contains information about which appointment block a student is in. Degrees enrollment enrollment Degrees enc.One or more row per students including degree, completion term. level, etc. One or more row feet degree per completion term. enc.One or more row (a k.a. "tul plan type) Degrees Plan - All plan types Degrees A student's academic plan information for every plan type (college, minor, major, etc.), including plan description and multiple columes (a k.a. "tul plan stack"). One or more "point in time" objects. This information is presented as multiple rows (a k.a. "tul plan stack"). One or more "point in time" plan row per per person per degree per completion term. Degrees Studplan Degrees A student's studplan information per plan. For undegraduate students subplans are used to indicate emphases. Studplan descriptions change from time to time, subplan tack"). One or more "point in time" subplan row per plan per person per degree per completion term. Degrees College Degrees Customation from academic plan row where the plan type is "CLC". In other words, this folder contains information from academic plan row where the plan type is "CLC". In other words, this folder contains information is parate abjects (from Plan). One "current" row per parane red ogree per completion term. Degrees Degrees This folder contains information tabout students who have received University Honors (Current words the folder contains information tabout students who have received University Honors (Current words the folder contains inf	Enrollment Requests	Enrollment	
Enrollment Enrollment This folder contains information about which appointment block a student is in. Degrees enrollment enrollment Degrees enc.One or more row per students including degree, completion term. level, etc. One or more row feet degree per completion term. enc.One or more row (a k.a. "tul plan type) Degrees Plan - All plan types Degrees A student's academic plan information for every plan type (college, minor, major, etc.), including plan description and multiple columes (a k.a. "tul plan stack"). One or more "point in time" objects. This information is presented as multiple rows (a k.a. "tul plan stack"). One or more "point in time" plan row per per person per degree per completion term. Degrees Studplan Degrees A student's studplan information per plan. For undegraduate students subplans are used to indicate emphases. Studplan descriptions change from time to time, subplan tack"). One or more "point in time" subplan row per plan per person per degree per completion term. Degrees College Degrees Customation from academic plan row where the plan type is "CLC". In other words, this folder contains information from academic plan row where the plan type is "CLC". In other words, this folder contains information is parate abjects (from Plan). One "current" row per parane red ogree per completion term. Degrees Degrees This folder contains information tabout students who have received University Honors (Current words the folder contains information tabout students who have received University Honors (Current words the folder contains inf		Enrollment Requests	
Enrollment Messages Enrollment This folder contains information about degrees earned by students, including degree, completion term, including degree, completion term,. <td< td=""><td></td><td>Enrollment</td><td>This folder contains information about which appointment block a student is in.</td></td<>		Enrollment	This folder contains information about which appointment block a student is in.
Degrees This lolder contains information about degrees eared by students, including degree, completion term, level, etc. One or more row per student per degree per completion term. Degree Plan - All plan types Degrees A student's academic plan information for every plan type (college, minor, major, etc.), including plan description and multiple columns for department and division (plan owner) that are "point in time" objects. This information is presented as multiple rows (a.k.a. "Ull plan stack"). One or more "point in time" plan row per person per degree per completion term. Degree Subplan Degrees A student's aubplan information for every plan type (college, minor, major, etc.), including plan descriptions change from time to time, subplan stack". One or more "point in time" objects. This information is presented as multiple rows (a.k.a. "Ull plan stack"). One or more "point in time" subplan row per plan per person per degree per completion term. Degree Subplan Degrees A student's college affiliation in separate objects. This information is preson per degree per completion term. Degree College Degrees This folder contains information form academic plan rows where the plan type is "CLG". In other words, this folder contains information form academic plan rows where the plan type is "CLG". In other words, this folder contains information is presented as multiple cows (a.k.a. "Ill applan stack"). One or more "point in time" subplan cow per degree per completion term. Degree University Honors Degrees This folder contains information is information is inmited to information for acadegree diffication in sequestees). There are custom		Enrollment	
Degree Plan - All plan types Degrees description and multiple couns for department and division (plan owner) that are "point in time" objects. Degree Plan - All plan types Degrees A student's subplan information per plan. For undergraduate students subplans are used to indicate emphases and designated emphases. Degree Subplan Degrees A student's subplan information per plan. For undergraduate students subplans are used to indicate emphases and designated emphases. Degree College Degrees Subplan descriptions change from time to time, so they are "point in time" objects. This information is presented as multiple rows (a. k.a. "full subplan stack"). One or more "point in time" subplan row per plan per person per degree per completion term. Degree College Degrees Limited to information from academic plan rows where the plan type is "CLG". In other words, this folder includes only a student"s college affiliation in separate objects (from Plan.) One "current" row per person per degree per completion term. Degree Plan (Major/College) - Flattened Degrees Custom derived information that pivots or "lattens" the multiple rows of degree, academic plan and subplan information to present it no nerows from sequence). There are custom "Number of Degrees" and "Number of Majors per degree Plan (Major/College) - Degrees Degree Plan (Major/College) - Flattened Degrees Plan (Major/College) - Degrees This folder contains information there outs of all (non-Ninor) plans the person har degree plan sequence). There are custom "Number of Degrees" and "Number of Majors p	Degrees		
Degree SubplanDegreesconcentrations. "For graduate students subplans are used to indicate emphases and designated emphases. Subplan descriptions change from time to time, so they are "point in time" objects. This information is presented as multiple rows (a.k.a. "tull subplan stack"). One or more "point in time" subplan row per plan per person per degree per completion term.Degree CollegeDegreesLimited to information from academic plan rows where the plan type is "CLG". In other words, this folder includes only a student's College affiliation in separate objects (from Plan). One "current" row per person per degree per completion term.Degree University HonorsDegreesThis folder contains information about students who have received University Honors (Cur laude, Magna cum laude, Summa cum laude) with their degree.Degree Plan (Major/College) - FlattenedDegreesCustom derived information that pivots or "flattens" the multiple rows of degree, academic plan and subplan information to pursent it one row. The information is limited in that it excludes College and Minor plan types, and only displays information about pto two degrees per completion term.Degree Plan (Major/College) - FlattenedDegree Plan (Major/College) - Degree Plan (Major/College) - This folder contains suctom derived information that pivots or "flattens" the multiple rows of academic plan to present it one row. The information is limited in that it only includes Minor plan types, and only displays information about the counts of all (Minor) p	Degree Plan - All plan types	Degrees	description and multiple columns for department and division (plan owner) that are "point in time" objects. This information is presented as multiple rows (a.k.a. "full plan stack"). One or more "point in time" plan row
Degree College Degrees includes only a student's College affiliation in separate objects (from Plan). One "current" row per person per degree per completion term. Degree University Honors Degrees This folder contains information about students who have received University Honors (Cum laude, Magna cum laude, Summa cum laude) with their degree. Degree Plan (Major/College) - Flattened Degrees Custom derived information that pivots or "flattens" the multiple rows of degree, academic plan and subplan information to present it one row. The information is limited in that it excludes College and Minor plan types, and only displays information about up to two degrees per completion term with the first three plan codes for each (determined by plan sequence). There are custom "Number of Degrees" and "Number of Majors per degree" objects that displays the counts of all (non-College and non-Minor) plans the person has per degree. Plan descriptions are "point in time" objects. One row per person per degree per completion term. Degree Plan Flattened - Honors Degree Plan (Major/College) - Degree Plan Flattened - Owner Degree Plan (Major/College) - Degree Plan (Major/College) - Degree Plan (Major/College) - Degree Plan (Major/College) - Degrees This folder contains custom derived information that pivots or "flattens" the multiple rows of academic plan to present it one row. The information is limited in that it only includes Minor plan types, and only displays information about the first two minors (determined by plan sequence). There is a custom "Number of Minors" objects that displays the counts of all (Minor) plans per degree. Plan descriptions are "point in time" objects. One row per person per degree per completion term.	Degree Subplan	Degrees	concentrations. For graduate students subplans are used to indicate emphases and designated emphases. Subplan descriptions change from time to time, so they are "point in time" objects. This information is presented as multiple rows (a.k.a. "full subplan stack"). One or more "point in time" subplan row per plan per
Degree University Honors Degrees laude, Summa cum laude) with their degree. Degree Plan (Major/College) - Flattened Degrees Custom derived information that pivots or "flattens" the multiple rows of degree, academic plan and subplan information about up to two degrees per completion term with the first three plan codes for each (determined by plan sequence). There are custom "Number of Degrees" and only displays the counts of all (non-College and non-Minor) plans the person has per degree. Plan descriptions are "point in time" objects. One row per person per degree per completion term. Degree Plan Flattened - Honors Degree Plan (Major/College) - Image: Plan descriptions are "point in time" objects. One row per person per degree per completion term. Degree Minor - Flattened Degrees Image: Plan (Major/College) - Image: Plan (Major/College) - Degrees Degrees Image: Plan (Major/College) - Image: Plan (Major/College) - Degrees Degrees Image: Plan (Major/College) - Image: Plan (Major/College) - Degrees Degrees Image: Plan (Major/College) - Image: Plan (Major/College) -	Degree College	Degrees	includes only a student's College affiliation in separate objects (from Plan). One "current" row per person per degree per completion term.
Degree Plan (Major/College) - FlattenedDegreesinformation to present it one row. The information is limited in that it excludes College and Minor plan types, and only displays information about up to two degrees per completion term with the first three plan codes for degree" objects that displays the counts of all (non-College and non-Minor) plans the person has per degree. Plan descriptions are "point in time" objects. One row per person per degree per completion term.Degree Plan Flattened - HonorsDegree Plan (Major/College) - Degree Plan flattened - OwnerDegree Plan (Major/College) - Degree Plan (Major/College) - Degree Plan (Major/College) - Degree Plan flattened - OwnerDegree Plan (Major/College) - Degree Plan (Major/College) - Degree Plan (Major/College) - Degree Plan flattened - OwnerDegree Plan (Major/College) - Degree Plan (Major/College) - Degree Plan (Major/College) - Degree Plan flattened - OwnerDegree Plan (Major/College) - Degree Plan (Major/College) - Degree Plan (Major/College) - Degree Minor - FlattenedDegree Plan (Major/College) - Degree Plan (Major/College) - Degree SDegree Minor - FlattenedOwnerDegreesDegree Plan (Major/College) - Degree SThis folder contains custom derived information that pivots or "flattens" the multiple rows of academic plan to present it one row. The information is limited in that it only includes Minor plan types, and only displays information about the first two minors (determined by plan sequence). There is a custom "Number of Minors" objects that displays the counts of all (Minor) plans per degree. Plan descriptions are "point in time" objects. One row per person per degree per completion term.FillerThis folder contains a variety of objects of different data types (number, date, text) that can	Degree University Honors	Degrees	
Degree Plan Flattened - Owner Degree Plan (Major/College) - Degree Minor - Flattened Degrees Degree Minor - Flattened Degrees This folder contains custom derived information is limited in that it only includes Minor plan types, and only displays information about the first two minors (determined by plan sequence). There is a custom "Number of Minors" objects that displays the counts of all (Minor) plans per degree. Plan descriptions are "point in time" objects. One row per person per degree per completion term. Filler This folder contains a variety of objects of different data types (number, date, text) that can be used in UNION queries as placeholder or substitution objects when needed to fill-in disparate areas. There is only one row and it contains all empty data (0 for number, '-' for text). It is joined to Emplid so that it will work with any object in the AIS-Daily universe. One row per person.	Degree Plan (Major/College) - Flattened	Degrees	information to present it one row. The information is limited in that it excludes College and Minor plan types, and only displays information about up to two degrees per completion term with the first three plan codes for each (determined by plan sequence). There are custom "Number of Degrees" and "Number of Majors per degree" objects that displays the counts of all (non-College and non-Minor) plans the person has per degree.
Degree Plan Flattened - Owner Degree Plan (Major/College) - Degree Minor - Flattened Degrees Degree Minor - Flattened Degrees This folder contains custom derived information is limited in that it only includes Minor plan types, and only displays information about the first two minors (determined by plan sequence). There is a custom "Number of Minors" objects that displays the counts of all (Minor) plans per degree. Plan descriptions are "point in time" objects. One row per person per degree per completion term. Filler This folder contains a variety of objects of different data types (number, date, text) that can be used in UNION queries as placeholder or substitution objects when needed to fill-in disparate areas. There is only one row and it contains all empty data (0 for number, '-' for text). It is joined to Emplid so that it will work with any object in the AIS-Daily universe. One row per person.	Degree Plan Flattened - Honors	Degree Plan (Major/College) -	
Degree Minor - FlattenedDegreesThis folder contains custom derived information that pivots or "flattens" the multiple rows of academic plan to present it one row. The information is limited in that it only includes Minor plan types, and only displays information about the first two minors (determined by plan sequence). There is a custom "Number of Minors" objects that displays the counts of all (Minor) plans per degree. Plan descriptions are "point in time" objects. One row per person per degree per completion term.FillerThis folder contains a variety of objects of different data types (number, date, text) that can be used in UNION queries as placeholder or substitution objects when needed to fill-in disparate areas. There is only one row and it contains all empty data (0 for number, '-' for text). It is joined to Emplid so that it will work with any object in the AIS-Daily universe. One row per person.			
Filler Filler queries as placeholder or substitution objects when needed to fill-in disparate areas. There is only one row and it contains all empty data (0 for number, '-' for text). It is joined to Emplid so that it will work with any object in the AIS-Daily universe. One row per person.	Degree Minor - Flattened		present it one row. The information is limited in that it only includes Minor plan types, and only displays information about the first two minors (determined by plan sequence). There is a custom "Number of Minors" objects that displays the counts of all (Minor) plans per degree. Plan descriptions are "point in time" objects.
TEST Req Desig Plan Codes	Filler		queries as placeholder or substitution objects when needed to fill-in disparate areas. There is only one row and it contains all empty data (0 for number, '-' for text). It is joined to Emplid so that it will work with any
	TEST Req Desig Plan Codes		

Class Name	Parent Class	Class Description
Student ELWR		Everything in this folder is calculated for the population of students who exist in the UGRD Admitted Students folder with these criteria: UAD Admit Term >= 2058, UAD Admit Term does not end in 4 (no summer admits), UAD Entry Level Writing Requirement Code <> '-', UAD Admit Term Code >= 2058, UAD Admit Type Code <> RAD (no readmits), UAD Current Admissions Status = AC. It is joined to Student Academic Program on emplid, academic career, and academic program.
DO NOT DELETE - NOT JOINED TO ANYTHING - FOR DEADWOOD FEEDS		
Bsoelits Deadwood Sftp	DO NOT DELETE - NOT JOINED TO ANYTHING - FOR	

Class Name	Object Name	Description
Starting Point	SP Emplid	Unique 7-digit AIS identifier. Data is completely replaced nightly. Steward: Shared Source: PS_PERSON.EMPLID□
Starting Point	SP Surrogate ID	This alphanumeric identifier is randomly regenerated nightly for each Emplid. It is intended to be used instead of Emplid in reports that will not include personal information, such as summary reports. Emplid, name, and other personal information should not be included in any report that uses this object.
Starting Point	SP CTC ID - Restricted	Unique identifier for CTC
Starting Point	SP FERPA Non-Release	Identifies students who have submitted a Non-Release of Information (sometimes referred to as an NRI or a FERPA block) which restricts the release of that student's "public information" (defined on http://registrar.ucsc.edu/records/privacy/index.html). *"Public information" for students with this flag should not be released where persons without a business need for the information could view it.* Values: N= Directory information may be released; Y=Do not release directory information. Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_SA.FERPA
Starting Point	SP Career Code from Student Program Plan	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PROG.ACAD_CAREER
Starting Point Personal Data	SP Last Snapshot Date PD Birth Date	Data is completely replaced nightly. Steward: Shared Source: PS_PERSON.BIRTHDATE
Personal Data	PD Current Age	Data is completely replaced nightly. Steward: Shared Source: Derived from PS_PERSON.BIRTHDATE
Personal Data	PD Age as of Prompted Date	Data is completely replaced nightly. Steward: Shared Source: Derived from PS_PERSON.BIRTHDATE
Personal Data	PD Age as of Term Begin Date	Data is completely replaced nightly. Steward: Shared Source: Derived from PS_PERSON.BIRTHDATE
Personal Data	PD Birthplace	Data is completely replaced nightly. Steward: Shared Source: PS_PERSON.BIRTHPLACE
Personal Data	PD Birth Country Code	Data is completely replaced nightly. Steward: Shared Source: PS_PERSON.BIRTHCOUNTRY
Personal Data	PD Birth Country Descr	Data is completely replaced nightly. Steward: Shared Source: PS_COUNTRY_TBL.DESCR
Personal Data	PD Birth State Code	Data is completely replaced nightly. Steward: Shared Source: PS_PERSON.BIRTHSTATE
Personal Data	PD Birth State Descr	Data is completely replaced nightly. Steward: Shared Source: PS_STATE_TBL.DESCR
Personal Data	PD Date Of Death	Data is completely replaced nightly. Steward: Shared Source: PS_PERSON.DT_OF_DEATH
Personal Data	PD VA Benefit	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_SA.VA_BENEFIT

Class Name	Object Name	Description
Personal Data	PD Campus Directory	Indicates whether a student has chosen to have their information excluded from the campus directory. This is defaulted to N for new students. Values: N=excluded from campus directory, Y=included in campus directory, '-' = same as 'Y'. Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_2003_FERPA.RELEASE_ALL
Personal Data	PD Release to Publications Code	This code indicates that a student with an NRI has designated that some of their directory information may be released for inclusion in specific publications. Values: CMCMT = Release to Commencement Programs and Honors Lists Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_2003_RL_PUB.INST_PUB_CATG
Personal Data	PD Release to Publications Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_INST_CATG_TBL.DESCR
Personal Data	PD Local Phone	Phone number associated with the "Local Land Line" phone type. Data is completely replaced nightly. Steward: Shared Source: PS_PERSONAL_PHONE.PHONE where PS_PERSONAL_PHONE.PHONE_TYPE='LOCL'
Personal Data	PD Preferred Phone	Data is completely replaced nightly. Steward: Shared Source: PS_PERSONAL_PHONE.PHONE where PS_PERSONAL_PHONE.PREF_PHONE_FLAG='Y'
Personal Data	PD Campus Email	Data is completely replaced nightly. Steward: Shared Source: PS_EMAIL_ADDRESSES.EMAIL_ADDR where PS_EMAIL_ADDRESSES.E_ADDR_TYPE='CAMP'
Personal Data	PD Other Email - use judiciously	Data is completely replaced nightly. Steward: Shared Source: PS_EMAIL_ADDRESSES.EMAIL_ADDR where PS_EMAIL_ADDRESSES.E_ADDR_TYPE='OTHR' For most business purposes, campus email should be used for campus communication. Other Email should only be used if campus email does not exist, for example, when communicating to students prior to matriculation or after they are no longer enrolled at UCSC. Generally speaking, Other Email address is not maintained in AIS after the student leaves UCSC. As a reminder, email communication should not include student record information or any personally identifiable information without making a reasonable attempt to verify the identity of the student.
Personal Data	PD Preferred Email	This is the email address that should be used in most cases. It is the person's @ucsc.edu email address if they have one, and if not it is their other email address. Data is completely replaced nightly. Steward: Shared Source: PS_EMAIL_ADDRESSES.EMAIL_ADDR where PS_EMAIL_ADDRESSES.PREF_EMAIL_FLAG='Y'
Personal Data	PD Gender - point in time	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_PERS_DATA_EFFDT.SEX

Class Name	Object Name	Description
Personal Data	PD Gender - Current	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_PERS_DATA_EFFDT.SEX
Personal Data	PD Domestic/International - Current	This is calculated based on current citizenship and visa data in AIS using UCOP's definition of "international". Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source:
Personal Data	PD Military Status Code - point in time	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_PERS_DATA_USA.MILITARY_STATUS
Personal Data	PD Military Status Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME.
Personal Data	PD Military Status Valid From	
Personal Data	PD Military Status Valid To	
Personal Data	PD Preferred Full Name	A concatenation of Last name,First name Middle name. Example: Slug,Sammy The Data is completely replaced nightly and limited to the latest Effdt. Steward: Shared Source: PS_NAMES.NAME where NAME_TYPE = 'PRF' and EFF_STATUS = 'A' and EFFDT is maximum EFFDT for EMPLID and NAME_TYPE, otherwise primary name
Personal Data	PD Preferred Last Name	Data is completely replaced nightly and limited to the latest Effdt. Steward: Shared Source: PS_NAMES.LAST_NAME where NAME_TYPE = 'PRF' and EFF_STATUS = 'A' and EFFDT is maximum EFFDT for EMPLID and NAME_TYPE, otherwise primary name
Personal Data	PD Preferred First Name	Data is completely replaced nightly and limited to the latest Effdt. Steward: Shared Source: PS_NAMES.FIRST_NAME where NAME_TYPE = 'PRF' and EFF_STATUS = 'A' and EFFDT is maximum EFFDT for EMPLID and NAME_TYPE, otherwise primary name
Personal Data	PD Preferred Middle Name	Data is completely replaced nightly and limited to the latest Effdt. Steward: Shared Source: PS_NAMES.MIDDLE_NAME where NAME_TYPE = 'PRF' and EFF_STATUS = 'A' and EFFDT is maximum EFFDT for EMPLID and NAME_TYPE, otherwise primary name
Personal Data	PD Preferred Name Suffix	Data is completely replaced nightly and limited to the latest Effdt. Steward: Shared Source: PS_NAMES.NAME_SUFFIX where NAME_TYPE = 'PRF' and EFF_STATUS = 'A' and EFFDT is maximum EFFDT for EMPLID and NAME_TYPE, otherwise primary name
Personal Data	PD Preferred Display Name	A concatenation of first name plus last name. Example: Sammy Slug Data is completely replaced nightly and limited to the latest Effdt. Steward: Shared Source: PS_NAMES.NAME_DISPLAY where NAME_TYPE = 'PRF' and EFF_STATUS = 'A' and EFFDT is maximum EFFDT for EMPLID and NAME_TYPE, otherwise primary name

Class Name	Object Name	Description
Personal Data	PD Primary Formal Display Name	A concatenation of first name plus middle name plus last name plus suffix. Example: Sammy Slug Data is completely replaced nightly and limited to the latest Effdt. Steward: Shared Source: Derived field. Concatenation of all name fields where NAME_TYPE = 'PRI' and EFF_STATUS = 'A' and EFFDT is maximum EFFDT for EMPLID
Personal Data	PD Primary Full Name	A concatenation of Last name, First name Middle name. Example: Slug, Sammy The Data is completely replaced nightly and limited to the latest Effdt. Steward: Shared Source: PS_NAMES.NAME where NAME_TYPE = 'PRI' and EFF_STATUS = 'A' and EFFDT is maximum EFFDT for EMPLID and NAME_TYPE
Personal Data	PD Primary Last Name	Data is completely replaced nightly and limited to the latest Effdt. Steward: Shared Source: PS_NAMES.LAST_NAME where NAME_TYPE = 'PRI' and EFF_STATUS = 'A' and EFFDT is maximum EFFDT for EMPLID and NAME_TYPE
Personal Data	PD Primary First Name	Data is completely replaced nightly and limited to the latest Effdt. Steward: Shared Source: PS_NAMES.FIRST_NAME where NAME_TYPE = 'PRI' and EFF_STATUS = 'A' and EFFDT is maximum EFFDT for EMPLID and NAME_TYPE
Personal Data	PD Primary Middle Name	Data is completely replaced nightly and limited to the latest Effdt. Steward: Shared Source: PS_NAMES.MIDDLE_NAME where NAME_TYPE = 'PRI' and EFF_STATUS = 'A' and EFFDT is maximum EFFDT for EMPLID and NAME_TYPE
Personal Data	PD Primary Name Suffix	Data is completely replaced nightly and limited to the latest Effdt. Steward: Shared Source: PS_NAMES.NAME_SUFFIX where NAME_TYPE = 'PRI' and EFF_STATUS = 'A' and EFFDT is maximum EFFDT for EMPLID and NAME_TYPE
Personal Data	PD Primary Display Name	A concatenation of first name plus last name. Example: Sammy Slug Data is completely replaced nightly and limited to the latest Effdt. Steward: Shared Source: PS_NAMES.NAME_DISPLAY where NAME_TYPE = 'PRI' and EFF_STATUS = 'A' and EFFDT is maximum EFFDT for EMPLID and NAME_TYPE
Personal Data	PD NSC Sort	Data is completely replaced nightly. Steward: Shared Source: derived from NATIONAL_ID and PRI_NAME, this field is a numeric sort of lowest SSN to highest SSN. If the SSN is missing (0000000) then the sort order is based on primary full name (last, first, middle). This field is for use in National Student Clearinghouse submission reviews.
Addresses - Current	AC Address Type Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq, if that row has an 'Active' status. Steward: Shared Source: PS_ADDRESS_TYP_TBL.ADDR_TYPE

Class Name	Object Name	Description
Addresses - Current	AC Address Type Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq, if that row has an 'Active' status. Steward: Shared Source: PS_ADDRESS_TYP_TBL.ADDR_TYPE_DESCR
Addresses - Current	AC Country Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq, if that row has an 'Active' status. Steward: Shared Source: PS_ADDRESSES.COUNTRY
Addresses - Current	AC Country Descr	Data is completely replaced nightly. Steward: Shared Source: PS_COUNTRY_TBL.DESCR
Addresses - Current	AC Address1	Data is completely replaced nightly and limited to the latest Effdt or Effseq, if that row has an 'Active' status. Steward: Shared Source: PS_ADDRESSES.ADDRESS1
Addresses - Current	AC Address2	Data is completely replaced nightly and limited to the latest Effdt or Effseq, if that row has an 'Active' status. Steward: Shared Source: PS_ADDRESSES.ADDRESS2
Addresses - Current	AC Address3	Data is completely replaced nightly and limited to the latest Effdt or Effseq, if that row has an 'Active' status. Steward: Shared Source: PS_ADDRESSES.ADDRESS3
Addresses - Current	AC Address4	Data is completely replaced nightly and limited to the latest Effdt or Effseq, if that row has an 'Active' status. Steward: Shared Source: PS_ADDRESSES.ADDRESS4
Addresses - Current	AC City	Data is completely replaced nightly and limited to the latest Effdt or Effseq, if that row has an 'Active' status. Steward: Shared Source: PS_ADDRESSES.CITY
Addresses - Current	AC Num1	Data is completely replaced nightly and limited to the latest Effdt or Effseq, if that row has an 'Active' status. Steward: Shared Source: PS_ADDRESSES.NUM1
Addresses - Current	AC Num2	Data is completely replaced nightly and limited to the latest Effdt or Effseq, if that row has an 'Active' status. Steward: Shared Source: PS_ADDRESSES.NUM2
Addresses - Current	AC Addr Field1	Data is completely replaced nightly and limited to the latest Effdt or Effseq, if that row has an 'Active' status. Steward: Shared Source: PS_ADDRESSES.ADDR_FIELD1
Addresses - Current	AC Addr Field2	Data is completely replaced nightly and limited to the latest Effdt or Effseq, if that row has an 'Active' status. Steward: Shared Source: PS_ADDRESSES.ADDR_FIELD2
Addresses - Current	AC Addr Field3	Data is completely replaced nightly and limited to the latest Effdt or Effseq, if that row has an 'Active' status. Steward: Shared Source: PS_ADDRESSES.ADDR_FIELD3
Addresses - Current	AC County	Data is completely replaced nightly and limited to the latest Effdt or Effseq, if that row has an 'Active' status. Steward: Shared Source: PS_ADDRESSES.COUNTY
Addresses - Current	AC State Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq, if that row has an 'Active' status. Steward: Shared Source: PS_ADDRESSES.STATE
Addresses - Current	AC State Descr	Data is completely replaced nightly. Steward: Shared Source: PS_STATE_TBL.DESCR

Class Name	Object Name	Description
Addresses - Current	AC Postal Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq, if that row has an 'Active' status. Steward: Shared Source: PS_ADDRESSES.POSTAL
Addresses - Current	AC Last Updated Date/Time	Data is completely replaced nightly and limited to the latest Effdt or Effseq, if that row has an 'Active' status. Steward: Shared Source: PS_ADDRESSES.LASTUPDDTTM
Addresses - Current	AC Last Updated by ID	Data is completely replaced nightly and limited to the latest Effdt or Effseq, if that row has an 'Active' status. Steward: Shared Source: PS_ADDRESSES.LASTUPDOPRID
Addresses - Current	AC Last Updated by Name	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC
Phone	PH Phone Type Code	Data is completely replaced nightly. Steward: Shared Source: PS_PERSONAL_PHONE.PHONE_TYPE
Phone	PH Country Code	Data is completely replaced nightly. Steward: Shared Source: PS_PERSONAL_PHONE.COUNTRY_CODE
Phone	PH Phone Number	Data is completely replaced nightly. Steward: Shared Source: PS_PERSONAL_PHONE.PHONE
Phone	PH Extension	Data is completely replaced nightly. Steward: Shared Source: PS_PERSONAL_PHONE.EXTENSION
Phone	PH Preferred Phone Flag	Data is completely replaced nightly. Steward: Shared Source: PS_PERSONAL_PHONE.PREF_PHONE_FLAG
Names (Point in time)	NM Name Type Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_NAMES.NAME_TYPE
Names (Point in time)	NM Name Type Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_NAME_TYPE_TBL.NAME_TYPE_DESCR
Names (Point in time)	NM Full Name	A concatenation of Last name, First name Middle name. Example: Slug, Sammy The Data is completely replaced nightly, then history is built based on Effdt or Effseq for as- of-date reporting. Steward: Shared Source: PS_NAMES.NAME
Names (Point in time)	NM Initials	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_NAMES.NAME_INITIALS
Names (Point in time)	NM Prefix	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_NAMES.NAME_PREFIX
Names (Point in time)	NM Suffix	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_NAMES.NAME_SUFFIX
Names (Point in time)	NM Last Name	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_NAMES.LAST_NAME
Names (Point in time)	NM First Name	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_NAMES.FIRST_NAME

Class Name	Object Name	Description
Names (Point in time)	NM Middle Name	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_NAMES.MIDDLE_NAME
Names (Point in time)	NM Display Name	A concatenation of first name plus last name. Example: Sammy Slug Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of- date reporting. Steward: Shared Source: PS_NAMES.NAME_DISPLAY
Names (Point in time)	NM Valid From	
Names (Point in time)	NM Valid To	
Visa and Citizenship Pmt (Point in time)	VC Visa/Permit Type Group - Granted	For visas/permits with a status of Granted, displays F1 and J1 visa types, all other visa types display as 'Other' to preserve confidentiality. A person may have multiple "current record" rows.
Visa and Citizenship Pmt (Point in time)	VC Visa/Permit Type Group - Applied	For visas/permits with a status of Applied, displays F1 and J1 visa types, all other visa types display as 'Other' to preserve confidentiality. A person may have multiple "current record" rows.
Visa and Citizenship Pmt (Point in time)	VC Visa/Permit Type Code	Visa/permit code. This may be the code for a visa (e.g., F1, J1) or for a residence type (e.g., AP, AM). Use VC Visa/Permit Class to differentiate between these categories. A person may have multiple "current record" rows. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_VISA_PMT_DATA.VISA_PERMIT_TYPE
Visa and Citizenship Pmt (Point in time)	VC Visa/Permit Type Descr	Visa/permit description. This may be the description for a visa (e.g., Student, Exchange Visitor) or for a residence type (e.g., Applicant for Permanent Residence, Amnesty Recpnt Defn by INS). Use VC Visa/Permit Class to differentiate between these categories. A person may have multiple "current record" rows. Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_VISA_PMT_DATA.DESCR
Visa and Citizenship Pmt (Point in time)	VC Visa/Permit Class	A person may have multiple "current record" rows. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_VISA_PERMIT_TBL.VISA_PERMIT_CLASS
Visa and Citizenship Pmt (Point in time)	VC Visa/Permit Class Descr	A person may have multiple "current record" rows. Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Visa and Citizenship Pmt (Point in time)	VC Visa Workpermit Nbr	A person may have multiple "current record" rows. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_VISA_PMT_DATA.VISA_WRKPMT_NBR

Class Name	Object Name	Description
Visa and Citizenship Pmt (Point in time)	VC Visa Workpermit Status Code	A person may have multiple "current record" rows. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_VISA_PMT_DATA.VISA_WRKPMT_STATUS
Visa and Citizenship Pmt (Point in time)	VC Visa Workpermit Status Descr	A person may have multiple "current record" rows. Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Visa and Citizenship Pmt (Point in time)	VC Visa Status Date	A person may have multiple "current record" rows. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_VISA_PMT_DATA.STATUS_DT
Visa and Citizenship Pmt (Point in time)	VC Visa Date Issued	A person may have multiple "current record" rows. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_VISA_PMT_DATA.DT_ISSUED
Visa and Citizenship Pmt (Point in time)	VC Visa Duration Time	A person may have multiple "current record" rows. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_VISA_PMT_DATA.DURATION_TIME
Visa and Citizenship Pmt (Point in time)	VC Visa Duration Type	A person may have multiple "current record" rows. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_VISA_PMT_DATA.DURATION_TYPE
Visa and Citizenship Pmt (Point in time)	VC Visa Entry Date	A person may have multiple "current record" rows. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_VISA_PMT_DATA.ENTRY_DT
Visa and Citizenship Pmt (Point in time)	VC Visa Expiration Date	A person may have multiple "current record" rows. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_VISA_PMT_DATA.EXPIRATN_DT
Visa and Citizenship Pmt (Point in time)	VC Visa Valid From	
Visa and Citizenship Pmt (Point in time)	VC Visa Valid To	
Visa and Citizenship Pmt (Point in time)	VC Citizenship Country Code	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Shared Source: PS_CITIZENSHIP.COUNTRY
Visa and Citizenship Pmt (Point in time)	VC Citizenship Country Descr	Data is completely replaced nightly. Steward: Shared Source: PS_COUNTRY_TBL.DESCR
Visa and Citizenship Pmt (Point in time)	VC Citizenship Status	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Shared Source:PS_CITIZENSHIP.CITIZENSHIP_STATUS
Visa and Citizenship Pmt (Point in time)	VC Citizen Status Descr	Data is completely replaced nightly. Steward: Shared Source: PS_CITIZEN_STS_TBL.DESCR
Visa and Citizenship Pmt (Point in time)	VC Citizenship Data Load Date	The date the data was loaded to the data warehouse has nothing to do with when the citizenship is effective.

Class Name	Object Name	Description
Visa and Citizenship Pmt (Point in time)	VC Citizenship Next Data Change Date	The date prior to when the next citizenship record was loaded.
Ethnicity (Point in time)	ET Ethnic Group Code	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Shared Source: PS_ETHNICITY_DTL.ETHNIC_GRP_CD
Ethnicity (Point in time)	ET Ethnic Group Long Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_ETHNIC_GRP_TBL.DESCR50
Ethnicity (Point in time)	ET Ethnic Group Short Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_ETHNIC_GRP_TBL.DESCRSHORT
Ethnicity (Point in time)	ET Ethnic Group Category	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Ethnicity (Point in time)	ET Primary Ethnicity Flag	If a person has provided multiple ethnicities, this flag will be 'Y' for the single ethnicity that UCOP would use for the person, based on UCOP's trumping hierarchy for ethnicity. Filtering a report on Primary Ethnicity = 'Y' will limit the results to one row per person. Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Shared Source: PS_DIVERS_ETHNIC.PRIMARY_INDICATOR
Ethnicity (Point in time)	ET Ethnicity Detail	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Shared Source: PS_DIVERS_ETHNIC.ETHNIC_GRP_CD
Ethnicity (Point in time)	ET Ethnic Percent Numerator	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Shared Source: PS_ETHNICITY_DTL.ETHNIC_PCT_NUMRATR
Ethnicity (Point in time)	ET Ethnic Percent Denominator	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Shared Source: PS_ETHNICITY_DTL.ETHNIC_PCT_DENMRTR
Ethnicity (Point in time)	ET IPEDS Validated	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Shared Source: PS_ETHNICITY_DTL.ETH_VALIDATED
Ethnicity (Point in time)	ET IPEDS Ethnicity	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Shared Source: Derived using PS_ETHNICITY_DTL, PS_ETHNIC_GRP_TBL, and PSXLATITEM for records with PS_ETHNICITY_DTL.ETH_VALIDATED = 'Y'
Ethnicity (Point in time)	ET Hispanic/Latino	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Shared Source: PS_ETHNICITY_DTL.HISP_LATINO

Class Name	Object Name	Description
Ethnicity (Point in time)	ET Last Updated Date/Time	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Shared Source: PS_ETHNICITY_DTL.LASTUPDDTTM
Ethnicity (Point in time)	ET Last Updated by ID	OprID of the person who last updated the field. □ Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Shared Source: PS_ETHNICITY_DTL.LASTUPDOPRID
Ethnicity (Point in time)	ET Current Record	Y or N
Ethnicity (Point in time)	ET Valid From	
Ethnicity (Point in time)	ET Valid To	
Residency	RE Academic Career	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_RESIDENCY_OFF.ACAD_CAREER
Residency	RE Effective Term	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_RESIDENCY_OFF.EFFECTIVE_TERM□ Picklists are pre-sorted in descending order.
Residency	RE Effective Through Term	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: Calculated based on PS_RESIDENCY_OFF.EFFECTIVE TERM. For the latest term for each student and career, this field has a value of 2230.
Residency	RE Residency Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_RESIDENCY_OFF.RESIDENCY_DT
Residency	RE Residency Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_RESIDENCY_OFF.RESIDENCY
Residency	RE Residency Descr	Data is completely replaced nightly. Steward: Shared Source: PS_RESIDENCY_TBL.DESCR
Residency	RE Admissions Residency Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_RESIDENCY_OFF.ADMISSION_RES
Residency	RE Admissions Residency Descr	Data is completely replaced nightly. Steward: Shared Source: PS_RESIDENCY_TBL.DESCR
Residency	RE Tuition Residency Code - REG ONLY	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_RESIDENCY_OFF.TUITION_RES
Residency	RE Tuition Residency Descr	Data is completely replaced nightly. Steward: Shared Source: PS_RESIDENCY_TBL.DESCR

Class Name	Object Name	Description
Residency	RE Tuition Residency Exception - REG ONLY	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_RESIDENCY_OFF.TUITION_EXCPT
Residency	RE Valid From	
Residency	RE Valid To	
AIS Roles	AR User ID	Data is completely replaced nightly. Steward: Shared Source: PSROLEUSER.ROLEUSER
AIS Roles	AR Oprclass	Data is completely replaced nightly. Steward: Shared Source: PS_OPRDEFN.OPRCLASS
AIS Roles	AR Rowsecclass	Data is completely replaced nightly. Steward: Shared Source: PS_OPRDEFN.ROWSECCLASS
AIS Roles	AR Acct Lock	Data is completely replaced nightly. Steward: Shared Source: PS_OPRDEFN.ACCTLOCK
AIS Roles	AR Role	Data is completely replaced nightly. Steward: Shared Source: PSROLEUSER.ROLENAME
AIS Roles	AR Dynamic Sw	Data is completely replaced nightly. Steward: Shared Source: PSROLEUSER.DYNAMIC_SW
AIS Roles	AR Has Institution Row Level Security	Data is completely replaced nightly. Steward: Shared Source: Derived from PS_SCRTY_TBL_INST.INSTITUTION
External System ID	ES CruzID	Unique UCSC identifier in the Identity Management System, used to authenticate into systems across campus, including campus email. Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_EXTERNAL_SYSTEM.EXTERNAL_SYSTEM_ID where PS_EXTERNAL_SYSTEM.EXTERNAL_SYSTEM = 'CRZ'
External System ID	ES Has IDM Claim Code	Data is completely replaced nightly. Steward: Shared Source: SCX_IDM_TBL.SCX_HAS_CLAIM_CODE
External System ID	ES CruzID Blue Reset Date	Data is completely replaced nightly. Steward: Shared Source: SCX_CRUZID_UPD.SCX_CRUZID_RESETDT where SCX_CRUZID_UPD.SCX_CRUZID_COLOR='B'
External System ID	ES CruzID Gold Reset Date	Data is completely replaced nightly. Steward: Shared Source: SCX_CRUZID_UPD.SCX_CRUZID_RESETDT where SCX_CRUZID_UPD.SCX_CRUZID_COLOR='G'
External System ID	ES PPS ID	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_EXTERNAL_SYSTEM.EXTERNAL_SYSTEM_ID where PS_EXTERNAL_SYSTEM.EXTERNAL_SYSTEM = 'PPS'
External System ID	ES Path ID	
Sex and Gender Detail	SGD Effective Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_SCX_GEN_SEX_DTL.EFFDT
Sex and Gender Detail	SGD Birth Sex Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_SCX_GEN_SEX_DTL.SCA_AU_SEX
Sex and Gender Detail	SGD Birth Sex Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME

Object Name	Description
SGD Gender Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_SCX_GEN_SEX_DTL.SCA_AU_GENDER
SGD Gender Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
SGD Sexual Orientation Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_SCX_GEN_SEX_DTL.SCA_AU_SEX_ORIENT
SGD Sexual Orientation Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
SGD Sexual Orient Other	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_SCX_GEN_SEX_DTL.SCA_AU_SEX_ORIENTO
SGD Valid From	
SGD Valid To	
UAD Academic Career	Data is completely replaced nightly. Steward: Admissions Source: derived from PS_ADM_APPL_DATA.ACAD_CAREER
UAD Student Career Number	Data is completely replaced nightly. Steward: Admissions Source: derviced from PS_ADM_APPL_DATA.STDNT_CAR_NBR
UAD Application Number	Data is completely replaced nightly. Steward: Admissions Source: derviced from PS_ADM_APPL_DATA.ADM_APPL_NBR
UAD Admit Term Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: derived from PS_ADM_APPL_PROG.ADMIT_TERM Picklists are pre-sorted in descending order.
UAD Admit Term Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.DESCR□ Values are pre-sorted in descending order, picklist displays terms up to one year in advance of today.
UAD Admit Year	The academic year to which the admit term belongs; summer is a leading term (Su, F, W, Sp). In AIS academic year is the four-digit calendar year for the fall term. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TERM_TBL.ACAD_YEAR
UAD Level	When admit type is "AFR" or "BAF" then "Frosh", when admit type is "CSO" or "DJR" then "Transfer", else admit type description. Data is completely replaced nightly. Steward: Admissions Source: derived from PS_ADM_APPL_DATA.ADMIT_TYPE
UAD Admit Type Code	Data is completely replaced nightly. Steward: Admissions Source: derived from PS_ADM_APPL_DATA.ADMIT_TYPE
	SGD Gender Code SGD Gender Descr SGD Sexual Orientation Code SGD Sexual Orientation Descr SGD Sexual Orient Other SGD Valid From SGD Valid To UAD Academic Career UAD Student Career Number UAD Application Number UAD Admit Term Code UAD Admit Term Descr UAD Admit Year UAD Level

Class Name	Object Name	Description
UGRD Admitted Students	UAD Admit Type Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ADMIT_TYPE_TBL.DESCR
UGRD Admitted Students	UAD UGRD SIRed Date	Custom derived field. If a UGRD applicant has a row with a PROG_STATUS = PM and PROG_ACTION = DEIN for a given admit term and application number then the Effective Date for that row is displayed as the SIRed Date. If an applicant has more than one row that meets the criteria, the maximum effective date is displayed from those rows.
UGRD Admitted Students	UAD Current Admissions Status	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: derived from PS_ADM_APPL_PROG.PROG_STATUS
UGRD Admitted Students	UAD Current Admissions Status Description	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: derived from PS_ADM_APPL_PROG.PROG_STATUS as SIRed, Enrolled, or Admitted
UGRD Admitted Students	UAD Current Status Action Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: derived from PS_ADM_APPL_PROG.PROG_ACTION
UGRD Admitted Students	UAD Current Status Action Descr Short	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATSHORTNAME
UGRD Admitted Students	UAD Current Status Action Descr Long	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
UGRD Admitted Students	UAD Current Status Action Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: derived from PS_ADM_APPL_PROG.ACTION_DT
UGRD Admitted Students	UAD Current Status Reason	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: derived from PS_ADM_APPL_PROG.PROG_REASON
UGRD Admitted Students	UAD Current Status Reason Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_PROG_RSN_TBL.DESCR
UGRD Admitted Students	UAD Central Pool Identification Nbr (CPID)	Data is completely replaced nightly. Steward: Admissions Source: derived from PS_ADM_APPL_DATA.EXT_ADM_APPL_NBR
UGRD Admitted Students	UAD Housing Interest Code	Data is completely replaced nightly. Steward: Admissions Source: derived from PS_ADM_APPL_DATA.HOUSING_INTEREST
UGRD Admitted Students	UAD Housing Interest Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
UGRD Admitted Students	UAD First Generation	Data is completely replaced nightly. Steward: Shared Source: derived from PS_SCA_ADM_APP_UCP.SCA_EDU_LVL_FTHR, PS_SCA_ADM_APP_UCP.SCA_EDU_LVL_MTHR, PS_SCA_ADM_APP_UCP.SCA_SNGL_PRN_PRN

Class Name	Object Name	Description
UGRD Admitted Students	UAD Residency for Communication	Undergraduate Applicant Residency based on Service Indicators during admissions process. Data is completely replaced nightly. Steward: Admissions Source: Derived from AISOPS.R_SRVC_IND_DATA.SRVC_IND_CD
UGRD Admitted Students	UAD First Language Code	Data is completely replaced nightly. Steward: Admissions Source: derived from PS_SCA_ADM_APP_UCP.SCA_LANG_FIRST
UGRD Admitted Students	UAD First Language Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
UGRD Admitted Students	UAD English Proficiency Requirement	A "Yes" indicates this person needs to meet the English Proficiency Standards. Data is completely replaced nightly. Steward: Admissions Source: derived from PS_ADM_APPL_PROG
UGRD Admitted Students	UAD Foster Care	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_FOSTER_CARE
UGRD Admitted Students	UAD Entry Level Writing Requirement Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_UNIV_REQS.SCA_SUBJA_CD
UGRD Admitted Students	UAD Entry Level Writing Requirement Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
UGRD Admitted Students	UAD First Choice College	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_STU_COLLEGE.SCA_COLLEGE1
UGRD Admitted Students	UAD Summer Orientation Date	Data is completely replaced nightly. Steward: Admissions Source: Derived from PS_SCA_ORIENTATION.COURSE_DATE
UGRD Admitted Students	UAD International Orientation Date	Data is completely replaced nightly. Steward: Admissions Source: Derived from PS_SCA_ORIENTATION.COURSE_DATE
UGRD Admitted Students	UAD Applicant GPA	Data is completely replaced nightly. Steward: Admissions Source: derived from ADM_APPL_CMP.RATING_CMP_VALUE based on logic provided by Undergraduate Admissions
UGRD Admitted Students	UAD Evaluated Grade Point Average	This is displayed here in AIS Student Admissions > Application Evaluation > Application Evaluation > University Requirements Tab. On this tab under "Clearing Information," this is the field "Totals: Grade Point Average." Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_AD_CLEARING.SCA_GPA
UGRD Admitted Students	UAD Home Location	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_PRM_HOM_LOC
UGRD Admitted Students	UAD Home Location Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_HOMLC_TBL.DESCR

Class Name	Object Name	Description
Adm Student Milestones	AMI Effective Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.EFFDT□
Adm Student Milestones	AMI Academic Plan	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.ACAD_PLAN□
Adm Student Milestones	AMI Milestone Number	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.MILESTONE_NBR□
Adm Student Milestones	AMI Milestone Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.MILESTONE□
Adm Student Milestones	AMI Descr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.DESCR
Adm Student Milestones	AMI Formal Descr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.DESCRFORMAL
Adm Student Milestones	AMI Title	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.MILESTONE_TITLE □
Adm Student Milestones	AMI Level Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.MILESTONE_LEVEL
Adm Student Milestones	AMI Level Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_MLSTN_LVL_TBL.DESCR []
Adm Student Milestones	AMI Term Required	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.TERM_REQUIRED Picklists are pre-sorted in descending order.

Class Name	Object Name	Description
Adm Student Milestones	AMI Date Required	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.DATE_REQUIRED□
Adm Student Milestones	AMI Anticipated Term	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.ANTICIPATED_TERM□ Picklists are pre-sorted in descending order.□
Adm Student Milestones	AMI Anticipated Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.ANTICIPATED_DATE □
Adm Student Milestones	AMI Milestone Complete	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.MILESTONE_COMPLETE
Adm Student Milestones	AMI How Completed	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.HOW_COMPLETED []
Adm Student Milestones	AMI How Completed Descr	Data is completely replaced nightly. Steward: Shared Source: PS_XLATITEM.XLATLONGNAME
Adm Student Milestones	AMI Date Completed	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.DATE_COMPLETED
Adm Student Milestones	AMI Transcript Level	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.TRANSCRIPT_LEVEL
Adm Student Milestones	AMI Transcript Level Descr	Data is completely replaced nightly. Steward: Shared Source: PS_XLATITEM.XLATLONGNAME
Adm Student Milestones	AMI Print Milestone Detail	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.PRNT_MLSTN_DETL□
Adm Student Milestones	AMI Print Milestone Detail Descr	Data is completely replaced nightly. Steward: Shared Source: PS_XLATITEM.XLATLONGNAME

Class Name	Object Name	Description
Adm Student Milestones	AMI Attempts Allowed	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.ATTEMPTS_ALLOWED
Adm Student Milestones	AMI Advisor1 ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.ADVISOR1_ID□
Adm Student Milestones	AMI Advisor2 ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.ADVISOR2_ID□
Adm Student Milestones	AMI Valid From	
Adm Student Milestones	AMI Valid To	
Adm Milestone Attempts	AMA Effective Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_MLSTN_ATMPT.EFFDT□
Adm Milestone Attempts	AMA Academic Plan	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_MLSTN_ATMPT.ACAD_PLAN
Adm Milestone Attempts	AMA Milestone Number	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_MLSTN_ATMPT.MILESTONE_NBR□
Adm Milestone Attempts	AMA Attempt Number	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_MLSTN_ATMPT.ATTEMPT_NBR□
Adm Milestone Attempts	AMA Grading Scheme	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_MLSTN_ATMPT.GRADING_SCHEME□
Adm Milestone Attempts	AMA Grading Basis	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_MLSTN_ATMPT.GRADING_BASIS

Class Name	Object Name	Description
Adm Milestone Attempts	AMA Grade Input	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_MLSTN_ATMPT.CRSE_GRADE_INPUT□
Adm Milestone Attempts	AMA Milestone Complete	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_MLSTN_ATMPT.MILESTONE_COMPLETE □
Adm Milestone Attempts	AMA How Attempted	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_MLSTN_ATMPT.HOW_ATTEMPTED
Adm Milestone Attempts	AMA How Attempted Descr	Data is completely replaced nightly. Steward: Shared Source: PS_XLATITEM.XLATLONGNAME
Adm Milestone Attempts	AMA Date Attempted	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_MLSTN_ATMPT.DATE_ATTEMPTED =
Adm Milestone Attempts	AMA Valid From	
Adm Milestone Attempts	AMA Valid To	
UGRD Admitted Last School Attended	UALS Last School Attended Code	Data is completely replaced nightly. Steward: Admissions Source: derived from PS_ADM_APPL_DATA.LAST_SCH_ATTEND
UGRD Admitted Last School Attended	UALS Last School Attended Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL.DESCR
UGRD Admitted Last School Attended	UALS Last School Type Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL_ADM.LS_SCHOOL_TYPE
UGRD Admitted Last School Attended	UALS Last School Type Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_LS_SCHL_TYP_TBL2.DESCR
UGRD Admitted Last School Attended	UALS City	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.CITY
UGRD Admitted Last School Attended	UALS State Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.STATE
UGRD Admitted Last School Attended	UALS State Descr	Data is completely replaced nightly. Steward: Shared Source: PS_STATE_TBL.DESCR
UGRD Admitted Last School Attended	UALS County	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.COUNTY
UGRD Admitted Last School Attended	UALS Postal Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.POSTAL

Class Name	Object Name	Description
UGRD Admissions College	UAC College Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PLAN.ACAD_PLAN
UGRD Admissions College	UAC College Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
UGRD Admissions Plan - All plan types	UAPLNA Plan Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PLAN.ACAD_PLAN
UGRD Admissions Plan - All plan types	UAPLNA Plan Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
UGRD Admissions Plan - All plan types	UAPLNA Advising Cluster Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_SBPLAN.ACAD_SUB_PLAN
UGRD Admissions Plan - All plan types	UAPLNA Advising Cluster Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DESCR
UGRD Admissions Plan - All plan types	UAPLNA Plan Sequence	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PLAN.PLAN_SEQUENCE
UGRD Admissions Plan - All plan types	UAPLNA Plan Type Code	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
UGRD Admissions Plan - All plan types	UAPLNA Plan Type Descr	Data is completely replaced nightly. Steward: Shared Source: PS_XLATITEM.XLATLONGNAME
UGRD Admissions Plan - All plan types	UAPLNA Department Code	For plans owned by two departments, the department codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
UGRD Admissions Plan - All plan types	UAPLNA Department Descr	For plans owned by two departments, the department descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
UGRD Admissions Plan - All plan types	UAPLNA Dept 1 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
UGRD Admissions Plan - All plan types	UAPLNA Dept 2 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
UGRD Admissions Plan - All plan types	UAPLNA Dept 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
UGRD Admissions Plan - All plan types	UAPLNA Dept 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
UGRD Admissions Plan - All plan types	UAPLNA Percent Owned 1	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
UGRD Admissions Plan - All plan types	UAPLNA Percent Owned 2	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED

Class Name	Object Name	Description
UGRD Admissions Plan - All plan types	UAPLNA Division Code	For plans owned by two divisions, the division codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TREENODE
UGRD Admissions Plan - All plan types	UAPLNA Division Descr	For plans owned by two divisions, the division descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
UGRD Admissions Plan - All plan types	UAPLNA Division Code - Advising Cluster	This is a custom attribute, not derived from AIS. Steward: Admissions Source: Hard-coded based on PS_ADM_APPL_SBPLAN
UGRD Admissions Plan - All plan types	UAPLNA Division Descr - Advising Cluster	This is a custom attribute, not derived from AIS. Steward: Admissions Source: Hard-coded based on PS_ADM_APPL_SBPLAN
UGRD Admissions Subplan	UASBP Subplan Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_SBPLAN.ACAD_SUB_PLAN
UGRD Admissions Subplan	UASBP Subplan Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DESCR
UGRD Admissions Subplan	UASBP Subplan Type Code	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.ACAD_SUBPLAN_TYPE
UGRD Admissions Subplan	UASBP Subplan Type Descr	Data is completely replaced nightly. Steward: Shared Source: PS_XLATITEM.XLATLONGNAME
UGRD Admissions Plan(Major)/Subplan - Flattened	UAPLNF Plan 1 Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ADM_APPL_PLAN.ACAD_PLAN
UGRD Admissions Plan(Major)/Subplan - Flattened	UAPLNF Plan 2 Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ADM_APPL_PLAN.ACAD_PLAN
UGRD Admissions Plan(Major)/Subplan - Flattened	UAPLNF Plan 3 Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ADM_APPL_PLAN.ACAD_PLAN
UGRD Admissions Plan(Major)/Subplan - Flattened	UAPLNF Plan 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
UGRD Admissions Plan(Major)/Subplan - Flattened	UAPLNF Plan 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
UGRD Admissions Plan(Major)/Subplan - Flattened	UAPLNF Plan 3 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
UGRD Admissions Plan(Major)/Subplan - Flattened	UAPLNF Plan 1 Degree	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DEGREE

Class Name	Object Name	Description
UGRD Admissions Plan(Major)/Subplan - Flattened	UAPLNF Plan 2 Degree	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DEGREE
UGRD Admissions Plan(Major)/Subplan - Flattened	UAPLNF Plan 3 Degree	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DEGREE
UGRD Admissions Plan(Major)/Subplan - Flattened	UAPLNF Subplan 1 Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ADM_APPL_SBPLAN.ACAD_SUB_PLAN
UGRD Admissions Plan(Major)/Subplan - Flattened	UAPLNF Subplan 2 Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ADM_APPL_SBPLAN.ACAD_SUB_PLAN
UGRD Admissions Plan(Major)/Subplan - Flattened	UAPLNF Subplan 3 Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ADM_APPL_SBPLAN.ACAD_SUB_PLAN
UGRD Admissions Plan(Major)/Subplan - Flattened	UAPLNF Subplan 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DESCR
UGRD Admissions Plan(Major)/Subplan - Flattened	UAPLNF Subplan 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DESCR
UGRD Admissions Plan(Major)/Subplan - Flattened	UAPLNF Subplan 3 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DESCR
UGRD Admissions Plan Owner - Flattened	UAPLNFO Plan 1 Dept Code	For plans owned by two departments, the department codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
UGRD Admissions Plan Owner - Flattened	UAPLNFO Plan 1 Dept Descr	For plans owned by two departments, the department descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
UGRD Admissions Plan Owner - Flattened	UAPLNFO Plan 1 Dept 1 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
UGRD Admissions Plan Owner - Flattened	UAPLNFO Plan 1 Dept 2 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
UGRD Admissions Plan Owner - Flattened	Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
UGRD Admissions Plan Owner - Flattened	UAPLNFO Plan 1 Dept 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
UGRD Admissions Plan Owner - Flattened	UAPLNFO Plan 1 Percent Owned 1	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED

Class Name	Object Name	Description
UGRD Admissions Plan Owner - Flattened	UAPLNFO Plan 1 Percent Owned 2	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
UGRD Admissions Plan Owner - Flattened	UAPLNFO Plan 1 Division Code	For plans owned by two divisions, the division codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TREENODE
UGRD Admissions Plan Owner - Flattened	UAPLNFO Plan 1 Division Descr	For plans owned by two divisions, the division descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
UGRD Admissions Plan Owner - Flattened	UAPLNFO Plan 2 Dept Code	For plans owned by two departments, the department codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
UGRD Admissions Plan Owner - Flattened	UAPLNFO Plan 2 Dept Descr	For plans owned by two departments, the department descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
UGRD Admissions Plan Owner - Flattened	UAPLNFO Plan 2 Dept 1 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
UGRD Admissions Plan Owner - Flattened	UAPLNFO Plan 2 Dept 2 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
UGRD Admissions Plan Owner - Flattened	UAPLNFO Plan 2 Dept 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
UGRD Admissions Plan Owner - Flattened	UAPLNFO Plan 2 Dept 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
UGRD Admissions Plan Owner - Flattened	UAPLNFO Plan 2 Percent Owned 1	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
UGRD Admissions Plan Owner - Flattened	UAPLNFO Plan 2 Percent Owned 2	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
UGRD Admissions Plan Owner - Flattened	UAPLNFO Plan 2 Division Code	For plans owned by two divisions, the division codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TREENODE
UGRD Admissions Plan Owner - Flattened	UAPLNFO Plan 2 Division Descr	For plans owned by two divisions, the division descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
UGRD Admissions Plan Owner - Flattened	UAPLNFO Plan 3 Dept Code	For plans owned by two departments, the department codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG

Class Name	Object Name	Description
UGRD Admissions Plan Owner - Flattened	UAPLNFO Plan 3 Dept Descr	For plans owned by two departments, the department descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
UGRD Admissions Plan Owner - Flattened	UAPLNFO Plan 3 Dept 1 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
UGRD Admissions Plan Owner - Flattened	UAPLNFO Plan 3 Dept 2 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
UGRD Admissions Plan Owner - Flattened	Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
UGRD Admissions Plan Owner - Flattened	UAPLNFO Plan 3 Dept 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
UGRD Admissions Plan Owner - Flattened	UAPLNFO Plan 3 Percent Owned 1	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
UGRD Admissions Plan Owner - Flattened	UAPLNFO Plan 3 Percent Owned 2	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
UGRD Admissions Plan Owner - Flattened	UAPLNFO Plan 3 Division Code	For plans owned by two divisions, the division codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TREENODE
UGRD Admissions Plan Owner - Flattened	UAPLNFO Plan 3 Division Descr	For plans owned by two divisions, the division descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
UGRD Admission Minors - Flattened	UAMIN Minor 1 Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ACAD_PLAN.ACAD_PLAN
UGRD Admission Minors - Flattened	UAMIN Minor 2 Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ACAD_PLAN.ACAD_PLAN
UGRD Admission Minors - Flattened	UAMIN Minor 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
UGRD Admission Minors - Flattened	UAMIN Minor 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
UGRD Admissions Minor Owner	UAMINO Minor 1 Dept Code	For minors owned by two departments, the department codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
UGRD Admissions Minor Owner	UAMINO Minor 1 Dept Descr	For minors owned by two departments, the department descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL

Class Name	Object Name	Description
UGRD Admissions Minor Owner	UAMINO Minor 1 Dept 1 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
UGRD Admissions Minor Owner	UAMINO Minor 1 Dept 2 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
UGRD Admissions Minor Owner	UAMINO Minor 1 Dept 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
UGRD Admissions Minor Owner	UAMINO Minor 1 Dept 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
UGRD Admissions Minor Owner	UAMINO Minor 1 Percent Owned 1	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
UGRD Admissions Minor Owner	UAMINO Minor 1 Percent Owned 2	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
UGRD Admissions Minor Owner	UAMINO Minor 1 Division Code	For minors owned by two divisions, the division codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TREENODE
UGRD Admissions Minor Owner	UAMINO Minor 1 Division Descr	For minors owned by two divisions, the division descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
UGRD Admissions Minor Owner	UAMINO Minor 2 Dept Code	For minors owned by two departments, the department codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
UGRD Admissions Minor Owner	UAMINO Minor 2 Dept Descr	For minors owned by two departments, the department descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
UGRD Admissions Minor Owner	UAMINO Minor 2 Dept 1 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
UGRD Admissions Minor Owner	UAMINO Minor 2 Dept 2 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
UGRD Admissions Minor Owner	UAMINO Minor 2 Dept 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
UGRD Admissions Minor Owner	UAMINO Minor 2 Dept 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
UGRD Admissions Minor Owner	UAMINO Minor 2 Percent Owned 1	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
UGRD Admissions Minor Owner	UAMINO Minor 2 Percent Owned 2	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED

Class Name	Object Name	Description
UGRD Admissions Minor Owner	UAMINO Minor 2 Division Code	For minors owned by two divisions, the division codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TREENODE
UGRD Admissions Minor Owner	UAMINO Minor 2 Division Descr	For minors owned by two divisions, the division descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
UGRD UC GPA	UAG UC Units Attempted	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_UCGPA.SCA_UC_ATTEMPTED
UGRD UC GPA	UAG Units Earned	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_UCGPA.SCA_UC_EARNED
UGRD UC GPA	UAG UC Grade Points	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_UCGPA.SCA_UC_GPTS
GRAD Applicants and Admitted Students	GAD Academic Career	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_APPL_DATA.ACAD_CAREER
GRAD Applicants and Admitted Students	GAD Application Number	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_APPL_DATA.ADM_APPL_NBR
GRAD Applicants and Admitted Students	GAD Admission Data Creation Date	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_APPL_DATA.ADM_CREATION_DT
GRAD Applicants and Admitted Students	GAD External Application Nbr	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_APPL_DATA.EXT_ADM_APPL_NBR
GRAD Admissions Program/Plan	GAPP Academic Career	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PROG.ACAD_CAREER
GRAD Admissions Program/Plan	GAPP Effective Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PROG.EFFDT
GRAD Admissions Program/Plan	GAPP Effective Sequence	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PROG.EFFSEQ
GRAD Admissions Program/Plan	GAPP Current Record	Y indicates the row with the maximum effective date/effective sequence for this Emplid/Academic Career/Student Career Number that is not in the future. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: Derived from PS_ADM_APPL_PROG

Class Name	Object Name	Description
GRAD Admissions Program/Plan	GAPP EOD Record	Y indicates the row with the maximum effective sequence for this Emplid/Academic Career/Student Career Number/Effective Date. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of- date reporting. Steward: Admissions Source: Derived from PS_ADM_APPL_PROG
GRAD Admissions Program	GAPP Academic Program Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PROG.ACAD_PROG
GRAD Admissions Program	GAPP Academic Program Descr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PROG_TBL.DESCR
GRAD Admissions Program	GAPP Program Status Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PROG.PROG_STATUS
GRAD Admissions Program	GAPP Program Status Descr	Data is completely replaced nightly. Steward: Shared Source: PS_XLATITEM.XLATLONGNAME
GRAD Admissions Program	GAPP Program Action Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PROG.PROG_ACTION
GRAD Admissions Program	GAPP Program Action Descr Short	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATSHORTNAME
GRAD Admissions Program	GAPP Program Action Descr Long	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
GRAD Admissions Program	GAPP Action Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PROG.ACTION_DT
GRAD Admissions Program	GAPP Program Reason Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PROG.PROG_REASON
GRAD Admissions Program	GAPP Program Reason Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_PROG_RSN_TBL.DESCR
GRAD Admissions Program	GAPP Admit Term Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PROG.ADMIT_TERM□ Picklists are pre-sorted in descending order.
GRAD Admissions Program	GAPP Admit Term Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.DESCR□ Values are pre-sorted in descending order, picklist displays terms up to one year in advance of today.
GRAD Admissions Program	GAPP Admit Year	Graduate Admissions admit year is Winter, Spring, Summer, Fall. Steward: Admissions Source: Derived from PS_ADM_APPL_PROG.ADMIT_TERM

Class Name	Object Name	Description
GRAD Admissions Program	GAPP Funnel Status	This is a derived value based on current and historcial admission program/plan statuses. Applicants will appear multiple times, once for each funnel status that applies (Ex: APPLIED, ADMITTED, ACCEPTED OFFER). Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: Derived from several fields in PS_ADM_APPL_PROG
GRAD Admissions Plan - All plan types	GAPLNA Plan Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PLAN.ACAD_PLAN
GRAD Admissions Plan - All plan types	GAPLNA Plan Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
GRAD Admissions Plan - All plan types	GAPLNA Department Code	For plans owned by two departments, the department codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
GRAD Admissions Plan - All plan types	GAPLNA Department Descr	For plans owned by two departments, the department descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
GRAD Admissions Plan - All plan types	GAPLNA Dept 1 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
GRAD Admissions Plan - All plan types	GAPLNA Dept 2 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
GRAD Admissions Plan - All plan types	GAPLNA Dept 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
GRAD Admissions Plan - All plan types	GAPLNA Dept 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
GRAD Admissions Plan - All plan types	GAPLNA Division Code	For plans owned by two divisions, the division codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TREENODE
GRAD Admissions Plan - All plan types	GAPLNA Division Descr	For plans owned by two divisions, the division descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
GRAD Admissions Plan - All plan types	GAPLNA Degree Objective Code	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
GRAD Admissions Plan - All plan types	GAPLNA Degree Objective Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_DEGREE_TBL.DESCRFORMAL
GRAD Admissions Plan - All plan types	GAPLNA Degree Objective Level	Data is completely replaced nightly. Steward: Shared Source: PS_XLATITEM.XLATLONGNAME
GRAD Admissions Subplan	GASBP Subplan Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_SBPLAN.ACAD_SUB_PLAN

Class Name	Object Name	Description
GRAD Admissions Subplan	GASBP Subplan Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DESCR
GRAD Admissions Subplan	GASBP Subplan Type Code	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.ACAD_SUBPLAN_TYPE
GRAD Admissions Subplan	GASBP Subplan Type Descr	Data is completely replaced nightly. Steward: Shared Source: PS_XLATITEM.XLATLONGNAME
GRAD Admissions Subplan - Flattened	GAPLNF Subplan 1 Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ADM_APPL_SBPLAN.ACAD_SUB_PLAN
GRAD Admissions Subplan - Flattened	GAPLNF Subplan 2 Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ADM_APPL_SBPLAN.ACAD_SUB_PLAN
GRAD Admissions Subplan - Flattened	GAPLNF Subplan 3 Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ADM_APPL_SBPLAN.ACAD_SUB_PLAN
GRAD Admissions Subplan - Flattened	GAPLNF Subplan 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DESCR □
GRAD Admissions Subplan - Flattened	GAPLNF Subplan 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DESCR □
GRAD Admissions Subplan - Flattened	GAPLNF Subplan 3 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DESCR □
GRAD Recruitment	GRC Recruitment Category Code	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_APPL_RCR_CA.RECRUITMENT_CAT
GRAD Recruitment	GRC Recruitment Category Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_RECRUIT_CAT_TBL.DESCR
GRAD Recruitment	GRC Recruitment Sub- Category	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_APPL_RCR_CA.RECRUIT_SUB_CAT
GRAD Recruitment	GRC Description	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_APPL_RCR_CA.DESCRLONG
GRAD Admit Response	GADR Response Reason Code	Data is completely replaced nightly. Steward: Admissions Source: PS_STDNT_RESPONSE.RESPONSE_REASON
GRAD Admit Response	GADR Response Reason Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_RESP_RSN_TBL.DESCR
GRAD Admit Response	GADR Response Date	Data is completely replaced nightly. Steward: Admissions Source: PS_STDNT_RESPONSE.RESPONSE_DT

Class Name	Object Name	Description
GRAD Admit Response	GADR External Org ID	Data is completely replaced nightly. Steward: Admissions Source: PS_STDNT_RESPONSE.EXT_ORG_ID
GRAD Admit Response	GADR Description	Data is completely replaced nightly. Steward: Admissions Source: PS_STDNT_RESPONSE.DESCR
GRAD External Academic Data	GEAD External Org ID	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_ACAD_DATA.EXT_ORG_ID
GRAD External Academic Data	GEAD From Date	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_ACAD_DATA.FROM_DT
GRAD External Academic Data	GEAD To Date	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_ACAD_DATA.TO_DT
GRAD External Organizations	GEEEO Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL.EFFDT
GRAD External Organizations	GEEEO External Org ID	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL.EXT_ORG_ID
GRAD External Organizations	GEEEO Status as of Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL.EFF_STATUS
GRAD External Organizations	GEEEO External Org Type Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL.EXT_ORG_TYPE
GRAD External Organizations	GEEEO External Org Type Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
GRAD External Organizations	GEEEO Description	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL.DESCR50
GRAD External Organizations	GEEEO Proprietorship Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL.PROPRIETORSHIP
GRAD External Organizations	GEEEO Proprietorship Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
GRAD EE External Org Location	GEEEOL Country	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.COUNTRY
GRAD EE External Org Location	GEEEOL Address Line 1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.ADDRESS1
GRAD EE External Org Location	GEEEOL Address Line 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.ADDRESS2
GRAD EE External Org Location	GEEEOL Address Line 3	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.ADDRESS3
GRAD EE External Org Location	GEEEOL Address Line 4	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.ADDRESS4

Class Name	Object Name	Description
GRAD EE External Org Location	GEEEOL City	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.CITY
GRAD EE External Org Location	GEEEOL Number 1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.NUM1
GRAD EE External Org Location	GEEEOL Number 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.NUM2
GRAD EE External Org Location	GEEEOL Address Field 1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.ADDR_FIELD1
GRAD EE External Org Location	GEEEOL Address Field 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.ADDR_FIELD2
GRAD EE External Org Location	GEEEOL Address Field 3	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.ADDR_FIELD3
GRAD EE External Org Location	GEEEOL County	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.COUNTY
GRAD EE External Org Location	GEEEOL State Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.STATE
GRAD EE External Org Location	GEEEOL State Descr	Data is completely replaced nightly. Steward: Shared Source: PS_STATE_TBL.DESCR
GRAD EE External Org Location	GEEEOL Postal Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.POSTAL
GRAD EE External Orgs Admissions	GEEEOA Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL_ADM.EFFDT
GRAD EE External Orgs Admissions	GEEEOA Status as of Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL_ADM.EFF_STATUS
GRAD EE External Orgs Admissions	GEEEOA School Type Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL_ADM.LS_SCHOOL_TYPE
GRAD EE External Orgs Admissions	GEEEOA School Type Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_LS_SCHL_TYP_TBL.DESCR
GRAD EE External Orgs Admissions	GEEEOA FICE Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL_ADM.FICE_CD
GRAD EE External Orgs Admissions	GEEEOA ATP Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL_ADM.ATP_CD
GRAD EE Service Indicators	GEESI Service Indicator Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCC_SI_ORG.SRVC_IND_CD

Class Name	Object Name	Description
GRAD EE Service Indicators	GEESI Service Indicator Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_SRVC_IND_CD_TBL.DESCR
GRAD EE Service Indicators	GEESI Service Indicator Active Date	Data is completely replaced nightly. Steward: Admissions Source: PS_SCC_SI_ORG.SRVC_IND_ACTIVE_DT
GRAD External Academic Subject	GEAS GPA Type Code	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_ACAD_SUBJ.GPA_TYPE
GRAD External Academic Subject	GEAS GPA Type Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_GPA_TYPE_TBL.DESCR
GRAD External Academic Subject	GEAS External GPA	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_ACAD_SUBJ.EXT_GPA
GRAD External Academic Subject	GEAS Converted 4-Point GPA	If([EAS GPA Type Code]="100P") Then([EAS External GPA]*4/100) Elself([EAS GPA Type Code]="10PT") Then([EAS External GPA]*4/10) Elself([EAS GPA Type Code]="5PT") Then([EAS External GPA]*4/5) Elself([EAS GPA Type Code]="4PT") Then([EAS External GPA]) Else Null
GRAD External Degree	GED External Org ID	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_DEGREE.EXT_ORG_ID
GRAD External Degree	GED External Org Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: Limited to the most recent effective-dated row for the org ID in PS_EXT_ORG_TBL.DESCR50
GRAD External Degree	GED External Org Type Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: Limited to the most recent effective-dated row for the org ID in PS_EXT_ORG_TBL.EXT_ORG_TYPE
GRAD External Degree	GED External Org Type Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
GRAD External Degree	GED ATP Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL_ADM.ATP_CD
GRAD External Degree	GED External Degree Number	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_DEGREE.EXT_DEGREE_NBR
GRAD External Degree	GED Degree Code	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_DEGREE.DEGREE
GRAD External Degree	GED Degree Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_DEGREE_TBL.DESCR
GRAD External Degree	GED External Degree Descr	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_DEGREE.DESCR
GRAD External Degree	GED Degree Date	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_DEGREE.DEGREE_DT
GRAD External Degree	GED Degree Status Code	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_DEGREE.DEGREE_STATUS
GRAD External Degree	GED Degree Status Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME

Class Name	Object Name	Description
GRAD External Degree	GED Field Of Study 1	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_DEGREE.FIELD_OF_STUDY_1
GRAD External Degree	GED Field Of Study 2	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_DEGREE.FIELD_OF_STUDY_2
GRAD External Degree	GED Data Source Code	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_DEGREE.LS_DATA_SOURCE
GRAD External Degree	GED Data Source Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
GRAD External Degree	GED Location Description	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.DESCR
GRAD External Degree	GED Address Line 1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.ADDRESS1
GRAD External Degree	GED Address Line 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.ADDRESS2
GRAD External Degree	GED City	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.CITY
GRAD External Degree	GED County	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.COUNTY
GRAD External Degree	GED State Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.STATE
GRAD External Degree	GED State Descr	Data is completely replaced nightly. Steward: Shared Source: PS_STATE_TBL.DESCR
GRAD External Degree	GED Country	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.COUNTRY
GRAD External Degree	GED Service Indicator Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCC_SI_ORG.SRVC_IND_CD
GRAD External Degree	GED Service Indicator Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_SRVC_IND_CD_TBL.DESCR
GRAD External Degree	GED Service Indicator Active Date	Data is completely replaced nightly. Steward: Admissions Source: PS_SCC_SI_ORG.SRVC_IND_ACTIVE_DT
GRAD Support Offer	GGSO Effective Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Graduate Admissions Source: PS_EARLY_FA_OFFER.EFFDT
GRAD Support Offer	GGSO Effective Sequence	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Graduate Admissions Source: PS_EARLY_FA_OFFER.EFFSEQ

Class Name	Object Name	Description
GRAD Support Offer	GGSO Aid Year	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Graduate Admissions Source: PS_EARLY_FA_OFFER.AID_YEAR Picklists are pre-sorted in descending order.
GRAD Support Offer	GGSO Aid Category Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Graduate Admissions Source: PS_EARLY_FA_CATGS.AID_CATEGORY
GRAD Support Offer	GGSO Aid Category Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions PS_ERLY_FA_CTG_TBL.DESCR
GRAD Support Offer	GGSO Offer Amount	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Graduate Admissions Source: PS_EARLY_FA_CATGS.EARLY_FA_AMOUNT
GRAD Support Offer	GGSO Offer Status	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Graduate Admissions Source: PS_EARLY_FA_CATGS.EARLY_OFFER_STATUS
Application Data	AD Academic Career	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_APPL_DATA.ACAD_CAREER
Application Data	AD Student Career Number	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_APPL_DATA.STDNT_CAR_NBR
Application Data	AD Application Number	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_APPL_DATA.ADM_APPL_NBR
Application Data	AD Level	When admit type is "AFR" or "BAF" then "Frosh", when admit type is "CSO" or "DJR" then "Transfer", else admit type description. Data is completely replaced nightly. Steward: Admissions Source: derived from PS_ADM_APPL_DATA.ADMIT_TYPE
Application Data	AD Admit Type Code	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_APPL_DATA.ADMIT_TYPE
Application Data	AD Admit Type Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ADMIT_TYPE_TBL.DESCR
Application Data	AD Housing Interest Code	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_APPL_DATA.HOUSING_INTEREST
Application Data	AD Housing Interest Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Application Data	AD Region	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_APPL_DATA.REGION
Application Data	AD Admission Data Creation Date	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_APPL_DATA.ADM_CREATION_DT

Class Name	Object Name	Description
Application Data	AD Application Complete	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_APPL_DATA.ADM_APPL_COMPLETE
Application Data	AD Application Completed Date	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_APPL_DATA.ADM_APPL_CMPLT_DT
Application Data	AD Graduation Date	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_APPL_DATA.GRADUATION_DT
Application Data	AD Application Fee Amount	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_APPL_DATA.APPL_FEE_AMT
Application Data	AD External Application Nbr	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_APPL_DATA.EXT_ADM_APPL_NBR
Application Data	AD Application Fee Paid	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_APPL_DATA.ORIGNL_APPL_FEE_PD
Application Data	AD Waive Amount	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_APPL_DATA.WAIVE_AMT
Application Data	AD Application Fee Status	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_APPL_DATA.APPL_FEE_STATUS
Application Data	AD Application Fee Status Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Admissions Program/Plan	APP Academic Career	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PROG.ACAD_CAREER
Admissions Program/Plan	APP Application Program Number	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PROG.APPL_PROG_NBR
Admissions Program/Plan	APP Student Career Number	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PROG.STDNT_CAR_NBR
Admissions Program/Plan	APP Effective Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PROG.EFFDT
Admissions Program/Plan	APP Effective Sequence	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PROG.EFFSEQ

Class Name	Object Name	Description
Admissions Program/Plan	APP Current Record	Y indicates the row with the maximum effective date/effective sequence for this Emplid/Academic Career/Student Career Number that is not in the future. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: Derived from PS_ADM_APPL_PROG
Admissions Program/Plan	APP EOD Record	Y indicates the row with the maximum effective sequence for this Emplid/Academic Career/Student Career Number/Effective Date. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of- date reporting. Steward: Admissions Source: Derived from PS_ADM_APPL_PROG
Admissions Program/Plan	APP Evaluation Status Code	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_APP_CAR_SEQ.EVALUATN_STATUS
Admissions Program/Plan	APP Evaluation Status Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EVAL_STATUS_TBL.DESCR
Admissions Program/Plan	APP Evaluation Date	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_APP_CAR_SEQ.EVALUATION_DT
Admissions Program/Plan	APP Create Program Status Code	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_APP_CAR_SEQ.CREATE_PROG_STATUS
Admissions Program/Plan	APP Create Program Status Descr	Data is completely replaced nightly. Steward: Shared Source: PS_XLATITEM.XLATLONGNAME
Admissions Program/Plan	APP Valid From	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: Derived from PS_ADM_APPL_PROG.EFFDT
Admissions Program/Plan	APP Valid To	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: Derived from PS_ADM_APPL_PROG.EFFDT
Admissions Program	APP Academic Institution	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PROG.INSTITUTION
Admissions Program	APP Academic Program Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PROG.ACAD_PROG
Admissions Program	APP Academic Program Descr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PROG_TBL.DESCR

Class Name	Object Name	Description
Admissions Program	APP UGRD SIRed Date	Custom derived field. If a UGRD applicant has a row with a PROG_STATUS = PM and PROG_ACTION = DEIN for a given admit term and application number then the Effective Date for that row is displayed as the SIRed Date. If an applicant has more than one row that meets the criteria, the maximum effective date is displayed from those rows.
Admissions Program	APP UGRD Status	If Program Status Code = "PM" then "SIRed" else if Program Status Code = "AC" then "Enrolled" else Program Status Description. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: Derived from PS_ADM_APPL_PROG.PROG_STATUS
Admissions Program	APP Program Status Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PROG.PROG_STATUS
Admissions Program	APP Program Status Descr	Data is completely replaced nightly. Steward: Shared Source: PS_XLATITEM.XLATLONGNAME
Admissions Program	APP Program Action Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PROG.PROG_ACTION
Admissions Program	APP Program Action Descr Short	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATSHORTNAME
Admissions Program	APP Program Action Descr Long	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Admissions Program	APP Action Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PROG.ACTION_DT
Admissions Program	APP Program Reason Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PROG.PROG_REASON
Admissions Program	APP Program Reason Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_PROG_RSN_TBL.DESCR
Admissions Program	APP Admit Term Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PROG.ADMIT_TERM Picklists are pre-sorted in descending order.
Admissions Program	APP Admit Term Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.DESCR Values are pre-sorted in descending order, picklist displays terms up to one year in advance of today.
Admissions Program	APP Admit Term Descr Short	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.DESCRSHORT Values are pre-sorted in descending order, picklist displays terms up to one year in advance of today.

Class Name	Object Name	Description
Admissions Program	APP Admit Term Name	Admit Term Name (Fall, Winter, Spring, Summer) derived from ADM_APPL_PROG.ADMIT_TERM.
Admissions Program	APP Admit Year - Summer Leading	The academic year to which the admit term belongs; summer is a leading term (Su, F, W, Sp). In AIS academic year is the four-digit calendar year for the fall term. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TERM_TBL.ACAD_YEAR
Admissions Program	APP Age as of Admit Term Begin Date	Data is completely replaced nightly. Steward: Shared Source: Derived from PS_PERSON.BIRTHDATE
Admissions Program	APP Created By User ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PROG.SCC_ROW_ADD_OPRID
Admissions Program	APP Created By User Name	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC
Admissions Program	APP Created Date/Time	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PROG.SCC_ROW_ADD_DTTM
Admissions Program	APP Updated By User ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PROG.SCC_ROW_UPD_OPRID
Admissions Program	APP Updated By User Name	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC
Admissions Program	APP Updated Date/Time	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PROG.SCC_ROW_UPD_DTTM
Admissions Plan - All plan types	APLNA Plan Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PLAN.ACAD_PLAN
Admissions Plan - All plan types	APLNA Plan Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
Admissions Plan - All plan types	APLNA Advising Cluster Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_SBPLAN.ACAD_SUB_PLAN
Admissions Plan - All plan types	APLNA Advising Cluster Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DESCR
Admissions Plan - All plan types	APLNA Plan Sequence	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PLAN.PLAN_SEQUENCE
Admissions Plan - All plan types	APLNA Plan Type Code	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
Admissions Plan - All plan types	APLNA Plan Type Descr	Data is completely replaced nightly. Steward: Shared Source: PS_XLATITEM.XLATLONGNAME

Class Name	Object Name	Description
Admissions Plan - All plan types	APLNA Department Code	For plans owned by two departments, the department codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Admissions Plan - All plan types	APLNA Department Descr	For plans owned by two departments, the department descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Admissions Plan - All plan types	APLNA Dept 1 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Admissions Plan - All plan types	APLNA Dept 2 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Admissions Plan - All plan types	APLNA Dept 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Admissions Plan - All plan types	APLNA Dept 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Admissions Plan - All plan types	APLNA Percent Owned 1	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
Admissions Plan - All plan types	APLNA Percent Owned 2	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
Admissions Plan - All plan types	APLNA Division Code	For plans owned by two divisions, the division codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TREENODE
Admissions Plan - All plan types	APLNA Division Descr	For plans owned by two divisions, the division descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Admissions Plan - All plan types	APLNA Division Code - Advising Cluster	This is a custom attribute, not derived from AIS. Steward: Admissions Source: Derived from PS_ADM_APPL_SBPLAN and PSTREENODE
Admissions Plan - All plan types	APLNA Division Descr - Advising Cluster	This is a custom attribute, not derived from AIS. Steward: Admissions Source: Derived from PS_ADM_APPL_SBPLAN and PSTREENODE
Admissions Plan - All plan types	APLNA Degree Objective Code	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
Admissions Plan - All plan types	APLNA Degree Objective Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_DEGREE_TBL.DESCRFORMAL
Admissions Plan - All plan types	APLNA CIP Code	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.CIP_CODE
Admissions Plan - All plan types	APLNA Created By User ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PLAN.SCC_ROW_ADD_OPRID
Admissions Plan - All plan types	APLNA Created By User Name	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC

Class Name	Object Name	Description
Admissions Plan - All plan types	APLNA Created By Date/Time	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PLAN.SCC_ROW_ADD_DTTM
Admissions Plan - All plan types	APLNA Updated By User ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PLAN.SCC_ROW_UPD_OPRID
Admissions Plan - All plan types	APLNA Updated By User Name	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC
Admissions Plan - All plan types	APLNA Updated By Date/Time	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PLAN.SCC_ROW_UPD_DTTM
Admissions Subplan	ASBP Subplan Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_SBPLAN.ACAD_SUB_PLAN
Admissions Subplan	ASBP Subplan Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DESCR
Admissions Subplan	ASBP Subplan Type Code	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.ACAD_SUBPLAN_TYPE
Admissions Subplan	ASBP Subplan Type Descr	Data is completely replaced nightly. Steward: Shared Source: PS_XLATITEM.XLATLONGNAME
Admissions Subplan	ASBP Created By User ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_SBPLAN.SCC_ROW_ADD_OPRID
Admissions Subplan	ASBP Created By User Name	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC
Admissions Subplan	ASBP Created By Date/Time	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_SBPLAN.SCC_ROW_ADD_DTTM
Admissions Subplan	ASBP Updated By User ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_SBPLAN.SCC_ROW_UPD_OPRID
Admissions Subplan	ASBP Updated By User Name	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC
Admissions Subplan	ASBP Updated Date/Time	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_SBPLAN.SCC_ROW_UPD_DTTM
Admissions College	ACOL College Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PLAN.ACAD_PLAN
Admissions College	ACOL College Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR

Class Name	Object Name	Description
Admissions College	ACOL Declare Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PLAN.DECLARE_DT
Admissions College	ACOL Plan Sequence	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PLAN.PLAN_SEQUENCE
Admissions College	ACOL Requirement Term	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PLAN.REQ_TERM Picklists are pre-sorted in descending order.
Admissions College	ACOL Created by ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PLAN.SCC_ROW_ADD_OPRID
Admissions College	ACOL Created By Name	Data is completely replaced nightly. Steward: Registrar Source: PSOPRDEFN.OPRDEFNDESC
Admissions College	ACOL Created Date/Time	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PLAN.SCC_ROW_ADD_DTTM
Admissions College	ACOL Updated by ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PLAN.SCC_ROW_UPD_OPRID
Admissions College	ACOL Updated By Name	Data is completely replaced nightly. Steward: Registrar Source: PSOPRDEFN.OPRDEFNDESC
Admissions College	ACOL Updated Date/Time	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_ADM_APPL_PLAN.SCC_ROW_UPD_DTTM
Admissions Plan(Major)/Subplan - Flattened	APLNF Number of Plans	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ADM_APPL_PLAN
Admissions Plan(Major)/Subplan - Flattened	APLNF Plan 1 Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ADM_APPL_PLAN.ACAD_PLAN
Admissions Plan(Major)/Subplan - Flattened	APLNF Plan 2 Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ADM_APPL_PLAN.ACAD_PLAN
Admissions Plan(Major)/Subplan - Flattened	APLNF Plan 3 Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ADM_APPL_PLAN.ACAD_PLAN

Class Name	Object Name	Description
Admissions Plan(Major)/Subplan - Flattened	APLNF Plan 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
Admissions Plan(Major)/Subplan - Flattened	APLNF Plan 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
Admissions Plan(Major)/Subplan - Flattened	APLNF Plan 3 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
Admissions Plan(Major)/Subplan - Flattened	APLNF Plan 1 Transcript Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.TRNSCR_DESCR
Admissions Plan(Major)/Subplan - Flattened	APLNF Plan 2 Transcript Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.TRNSCR_DESCR
Admissions Plan(Major)/Subplan - Flattened	APLNF Plan 3 Transcript Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.TRNSCR_DESCR
Admissions Plan(Major)/Subplan - Flattened	APLNF Plan 1 Diploma Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DIPLOMA_DESCR
Admissions Plan(Major)/Subplan - Flattened	APLNF Plan 2 Diploma Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DIPLOMA_DESCR
Admissions Plan(Major)/Subplan - Flattened	APLNF Plan 3 Diploma Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DIPLOMA_DESCR
Admissions Plan(Major)/Subplan - Flattened	APLNF Plan 1 Degree	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DEGREE
Admissions Plan(Major)/Subplan - Flattened	APLNF Plan 2 Degree	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DEGREE
Admissions Plan(Major)/Subplan - Flattened	APLNF Plan 3 Degree	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DEGREE
Admissions Plan(Major)/Subplan - Flattened	APLNF Subplan 1 Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ADM_APPL_SBPLAN.ACAD_SUB_PLAN
Admissions Plan(Major)/Subplan - Flattened	APLNF Subplan 2 Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ADM_APPL_SBPLAN.ACAD_SUB_PLAN
Admissions Plan(Major)/Subplan - Flattened	APLNF Subplan 3 Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ADM_APPL_SBPLAN.ACAD_SUB_PLAN

Class Name	Object Name	Description
Admissions Plan(Major)/Subplan - Flattened	APLNF Subplan 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DESCR □
Admissions Plan(Major)/Subplan - Flattened	APLNF Subplan 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DESCR □
Admissions Plan(Major)/Subplan - Flattened	APLNF Subplan 3 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DESCR □
Admissions Plan(Major)/Subplan - Flattened	APLNF Subplan 1 Transcript Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.TRNSCR_DESCR □
Admissions Plan(Major)/Subplan - Flattened	APLNF Subplan 2 Transcript Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.TRNSCR_DESCR □
Admissions Plan(Major)/Subplan - Flattened	APLNF Subplan 3 Transcript Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.TRNSCR_DESCR
Admissions Plan(Major)/Subplan - Flattened	APLNF Subplan 1 Diploma Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DIPLOMA_DESCR
Admissions Plan(Major)/Subplan - Flattened	APLNF Subplan 2 Diploma Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DIPLOMA_DESCR
Admissions Plan(Major)/Subplan - Flattened	APLNF Subplan 3 Diploma Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DIPLOMA_DESCR
Admissions Plan Owner - Flattened	APLNFO Plan 1 Dept Code	For plans owned by two departments, the department codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Admissions Plan Owner - Flattened	APLNFO Plan 1 Dept Descr	For plans owned by two departments, the department descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Admissions Plan Owner - Flattened	APLNFO Plan 1 Dept 1 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Admissions Plan Owner - Flattened	APLNFO Plan 1 Dept 2 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Admissions Plan Owner - Flattened	APLNFO Plan 1 Dept 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Admissions Plan Owner - Flattened	APLNFO Plan 1 Dept 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Admissions Plan Owner - Flattened	APLNFO Plan 1 Percent Owned 1	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED

Class Name	Object Name	Description
Admissions Plan Owner - Flattened	APLNFO Plan 1 Percent Owned 2	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
Admissions Plan Owner - Flattened	APLNFO Plan 1 Division Code	For plans owned by two divisions, the division codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TREENODE
Admissions Plan Owner - Flattened	APLNFO Plan 1 Division Descr	For plans owned by two divisions, the division descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Admissions Plan Owner - Flattened	APLNFO Plan 2 Dept Code	For plans owned by two departments, the department codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Admissions Plan Owner - Flattened	APLNFO Plan 2 Dept Descr	For plans owned by two departments, the department descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Admissions Plan Owner - Flattened	APLNFO Plan 2 Dept 1 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Admissions Plan Owner - Flattened	APLNFO Plan 2 Dept 2 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Admissions Plan Owner - Flattened	APLNFO Plan 2 Dept 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Admissions Plan Owner - Flattened	APLNFO Plan 2 Dept 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Admissions Plan Owner - Flattened	APLNFO Plan 2 Percent Owned 1	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
Admissions Plan Owner - Flattened	APLNFO Plan 2 Percent Owned 2	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
Admissions Plan Owner - Flattened	APLNFO Plan 2 Division Code	For plans owned by two divisions, the division codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TREENODE
Admissions Plan Owner - Flattened	APLNFO Plan 2 Division Descr	For plans owned by two divisions, the division descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Admissions Plan Owner - Flattened	APLNFO Plan 3 Dept Code	For plans owned by two departments, the department codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG

Class Name	Object Name	Description
Admissions Plan Owner - Flattened	APLNFO Plan 3 Dept Descr	For plans owned by two departments, the department descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Admissions Plan Owner - Flattened	APLNFO Plan 3 Dept 1 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Admissions Plan Owner - Flattened	APLNFO Plan 3 Dept 2 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Admissions Plan Owner - Flattened	APLNFO Plan 3 Dept 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Admissions Plan Owner - Flattened	APLNFO Plan 3 Dept 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Admissions Plan Owner - Flattened	APLNFO Plan 3 Percent Owned 1	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
Admissions Plan Owner - Flattened	APLNFO Plan 3 Percent Owned 2	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
Admissions Plan Owner - Flattened	APLNFO Plan 3 Division Code	For plans owned by two divisions, the division codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TREENODE
Admissions Plan Owner - Flattened	APLNFO Plan 3 Division Descr	For plans owned by two divisions, the division descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Admission Minors - Flattened	AMIN Number of Minors	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ACAD_PLAN
Admission Minors - Flattened	AMIN Minor 1 Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ACAD_PLAN.ACAD_PLAN
Admission Minors - Flattened	AMIN Minor 2 Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ACAD_PLAN.ACAD_PLAN
Admission Minors - Flattened	AMIN Minor 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
Admission Minors - Flattened	AMIN Minor 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
Admission Minors - Flattened	AMIN Minor 1 Transcript Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.TRNSCR_DESCR
Admission Minors - Flattened	AMIN Minor 2 Transcript Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.TRNSCR_DESCR
Admission Minors - Flattened	AMIN Minor 1 Diploma Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DIPLOMA_DESCR

Class Name	Object Name	Description
Admission Minors - Flattened	AMIN Minor 2 Diploma Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DIPLOMA_DESCR
Admissions Minor Owner	AMINO Minor 1 Dept Code	For minors owned by two departments, the department codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Admissions Minor Owner	AMINO Minor 1 Dept Descr	For minors owned by two departments, the department descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Admissions Minor Owner	AMINO Minor 1 Dept 1 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Admissions Minor Owner	AMINO Minor 1 Dept 2 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Admissions Minor Owner	AMINO Minor 1 Dept 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Admissions Minor Owner	AMINO Minor 1 Dept 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Admissions Minor Owner	AMINO Minor 1 Percent Owned 1	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
Admissions Minor Owner	AMINO Minor 1 Percent Owned 2	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
Admissions Minor Owner	AMINO Minor 1 Division Code	For minors owned by two divisions, the division codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TREENODE
Admissions Minor Owner	AMINO Minor 1 Division Descr	For minors owned by two divisions, the division descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Admissions Minor Owner	AMINO Minor 2 Dept Code	For minors owned by two departments, the department codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Admissions Minor Owner	AMINO Minor 2 Dept Descr	For minors owned by two departments, the department descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Admissions Minor Owner	AMINO Minor 2 Dept 1 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Admissions Minor Owner	AMINO Minor 2 Dept 2 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Admissions Minor Owner	AMINO Minor 2 Dept 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL

Class Name	Object Name	Description
Admissions Minor Owner	AMINO Minor 2 Dept 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Admissions Minor Owner	AMINO Minor 2 Percent Owned 1	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
Admissions Minor Owner	AMINO Minor 2 Percent Owned 2	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
Admissions Minor Owner	AMINO Minor 2 Division Code	For minors owned by two divisions, the division codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TREENODE
Admissions Minor Owner	AMINO Minor 2 Division Descr	For minors owned by two divisions, the division descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Calendar	APP Calendar Date	This calendar date is joined to ADM_APPL_PROG. It falls between the VALID_FROM and VALID_TO dates (which are derived from EFFDT).
Calendar	APP Calendar Month	This calendar date is joined to ADM_APPL_PROG. It falls between the VALID_FROM and VALID_TO dates (which are derived from EFFDT).
Calendar	APP Calendar Year	This calendar date is joined to ADM_APPL_PROG. It falls between the VALID_FROM and VALID_TO dates (which are derived from EFFDT).
Calendar	APP Calendar Day Nbr	This calendar date is joined to ADM_APPL_PROG. It falls between the VALID_FROM and VALID_TO dates (which are derived from EFFDT).
Calendar	APP Weekday	Day of the week for this APP Calendar Date. Derived from ADM_APPL_PROG.EFFDT
Calendar	APP Admit Term Academic Year	4-digit AIS Academic year for the admit term. PS_TERM_TBL.ACAD_YEAR
Admissions Program/Plan Calcs	APP UGRD Previous Program Action	For UGRD career only. Based on effective date and effective sequence, what was the program action on the previous row for this emplid and adm_appl_nbr. Previous rows with PROG_ACTION = 'PLNC' are skipped.
Admissions Program/Plan Calcs	APP UGRD Previous Program Reason	For UGRD career only. Based on effective date and effective sequence, what was the program reason on the previous row for this emplid and adm_appl_nbr. Previous rows with PROG_ACTION = 'PLNC' are skipped.
Admissions Program/Plan Calcs	APP UGRD Previous Program Status	For UGRD career only. Based on effective date and effective sequence, what was the program status on the previous row for this emplid and adm_appl_nbr. Previous rows with PROG_ACTION = 'PLNC' are skipped.
Admissions Program/Plan Calcs	APP UGRD Previous Admit Term	For UGRD career only. Based on effective date and effective sequence, what was the admit term on the previous row for this emplid and adm_appl_nbr. Previous rows with PROG_ACTION = 'PLNC' are skipped.

Class Name	Object Name	Description
Admissions Program/Plan Calcs	APP Defer Flag	For UGRD: If this or any previous row in ADM_APPL_PROG for this EMPLID and ADM_APPL_NBR has PROG_ACTION = 'DEFR' then Y, else N. For GRAD: If this or any previous row in ADM_APPL_PROG for this EMPLID and ADM_APPL_NBR has PROG_REASON = 'GDFR' then Y, else N.
Admissions Program/Plan Calcs	APP Defer Date	For UGRD: The most recent effective date in ADM_APPL_PROG for this EMPLID and ADM_APPL_NBR where PROG_ACTION = 'DEFR'. For GRAD: The first effective date in ADM_APPL_PROG for this EMPLID and ADM_APPL_NBR where PROG_REASON = 'GDFR'.
Admissions Program/Plan Calcs	APP UGRD Admit After Appeal	For UGRD only. When there is a row with PROG_ACTION = 'RECN' this value is set to 'No Decision' and remains that until the next program status change, at which point it will change to Y/N and stay that way unless another RECN row is entered.
Admissions Program/Plan Calcs	APP UGRD Cancel After Appeal	For UGRD only. When there is a row with PROG_ACTION = 'RECN' this value is set to 'No Decision' and remains that until the next program status change, at which point it will change to Y/N and stay that way unless another RECN row is entered.
Admissions Program/Plan Calcs	APP UGRD Admitted From Wait List	For UGRD only. On the first row (based on effective date and effective sequence) for an EMPLID and ADM_APPL_NBR that has a PROG_STATUS = 'AD', look at the previous row where PROG_ACTION <>'PLNC'. If that row has PROG_ACTION = 'DDEF' and PROG_REASON = 'DAPA' this column will have a Y.
Admissions Program/Plan Calcs	APP UGRD Initial Admit Term	For UGRD only. ADMIT_TERM from the first row (based on effective date and effective sequence) for an EMPLID and ADM_APPL_NBR.
Admissions Program/Plan Calcs	APP UGRD First Admit Date	For UGRD only. This is the effective date from the first row (based on effective date and effective sequence) for an EMPLID and ADM_APPL_NBR where PROG_STATUS = 'AD'
Admissions Program/Plan Calcs	APP UGRD First SIR Term	For UGRD only. This is the ADMIT_TERM from the first row (based on effective date and effective sequence) for an EMPLID and ADM_APPL_NBR where PROG_STATUS = 'PM'
Recruitment	RC Recruitment Category Code	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_APPL_RCR_CA.RECRUITMENT_CAT
Recruitment	RC Recruitment Category Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_RECRUIT_CAT_TBL.DESCR
Recruitment	RC Recruitment Sub-Category	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_APPL_RCR_CA.RECRUIT_SUB_CAT
Recruitment	RC Description	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_APPL_RCR_CA.DESCRLONG

Class Name	Object Name	Description
Admit Response	ADR Response Reason Code	Data is completely replaced nightly. Steward: Admissions Source: PS_STDNT_RESPONSE.RESPONSE_REASON
Admit Response	ADR Response Reason Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_RESP_RSN_TBL.DESCR
Admit Response	ADR Response Date	Data is completely replaced nightly. Steward: Admissions Source: PS_STDNT_RESPONSE.RESPONSE_DT
Admit Response	ADR External Org ID	Data is completely replaced nightly. Steward: Admissions Source: PS_STDNT_RESPONSE.EXT_ORG_ID
Admit Response	ADR Description	Data is completely replaced nightly. Steward: Admissions Source: PS_STDNT_RESPONSE.DESCR
External Education	AEE GPA Scale for Self- Reported GPA	
External Education	AEE Self-Reported GPA	
External Education	AEE Converted Self-Reported GPA	
External Academic Data	EAD External Org ID	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_ACAD_DATA.EXT_ORG_ID
External Academic Data	EAD External Career	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_ACAD_DATA.EXT_CAREER
External Academic Data	EAD External Data Number	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_ACAD_DATA.EXT_DATA_NBR
External Academic Data	EAD Data Source	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_ACAD_DATA.LS_DATA_SOURCE
External Academic Data	EAD Transcript Action Code	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_ACAD_DATA.TRANSCRIPT_FLAG
External Academic Data	EAD Transcript Action Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
External Academic Data	EAD Transcript Type Code	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_ACAD_DATA.TRANSCRIPT_TYPE
External Academic Data	EAD Transcript Type Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
External Academic Data	EAD Transcript Status Code	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_ACAD_DATA.TRNSCRPT_STATUS
External Academic Data	EAD Transcript Status Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
External Academic Data	EAD Transcript Date	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_ACAD_DATA.TRANSCRIPT_DT
L		۱

Class Name	Object Name	Description
External Academic Data	EAD Term Year	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_ACAD_DATA.TERM_YEAR Delta Picklists are pre-sorted in descending order.
External Academic Data	EAD Received Date	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_ACAD_DATA.RECEIVED_DT
External Academic Data	EAD Data Medium	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_ACAD_DATA.DATA_MEDIUM
External Academic Data	EAD From Date	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_ACAD_DATA.FROM_DT
External Academic Data	EAD To Date	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_ACAD_DATA.TO_DT
External Academic Data	EAD Created By User ID	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_ACAD_DATA.SCC_ROW_ADD_OPRID
External Academic Data	EAD Created By Name	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC
External Academic Data	EAD Created Date/Time	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_ACAD_DATA.SCC_ROW_ADD_DTTM
External Academic Data	EAD Updated By User ID	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_ACAD_DATA.SCC_ROW_UPD_OPRID
External Academic Data	EAD Updated By Name	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC
External Academic Data	EAD Updated Date/Time	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_ACAD_DATA.SCC_ROW_UPD_DTTM
EAD External Organizations	EEEO Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL.EFFDT
EAD External Organizations	EEEO External Org ID	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL.EXT_ORG_ID
EAD External Organizations	EEEO Status as of Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL.EFF_STATUS
EAD External Organizations	EEEO External Org Type Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL.EXT_ORG_TYPE
EAD External Organizations	EEEO External Org Type Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
EAD External Organizations	EEEO Description	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL.DESCR50
EAD External Organizations	EEEO Contact Number	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL.ORG_CONTACT

EEEO Org Location Number EEEO Proprietorship Code EEEO Proprietorship Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL.ORG_LOCATION Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL.PROPRIETORSHIP Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source:
EEEO Proprietorship Descr	PS_EXT_ORG_TBL.PROPRIETORSHIP Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source:
EEEO Vendor ID	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source:
	PS_EXT_ORG_TBL.VENDOR_ID
	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL.LASTUPDDTTM
	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL.LASTUPOPRID
EEEO Updated by User Name	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC
	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.ORG_LOCATION
	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.EFFDT
	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.EFF_STATUS
	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.DESCR
	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.COUNTRY
	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.ADDRESS1
EEE() Address Line 7	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.ADDRESS2
	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.ADDRESS3
	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.ADDRESS4
EEE() (lity	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.CITY
	EEO Updated Date/Time EEO Updated by User ID EEO Updated by User Name EEOL Location Number EEOL Effective Date EEOL Status as of Effective ate EEOL Description EEOL Country EEOL Address Line 1 EEOL Address Line 2 EEOL Address Line 3 EEOL Address Line 4

Class Name	Object Name	Description
EE External Org Location	EEEOL Number 1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.NUM1
EE External Org Location	EEEOL Number 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.NUM2
EE External Org Location	EEEOL Address Field 1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.ADDR_FIELD1
EE External Org Location	EEEOL Address Field 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.ADDR_FIELD2
EE External Org Location	EEEOL Address Field 3	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.ADDR_FIELD3
EE External Org Location	EEEOL County	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.COUNTY
EE External Org Location	EEEOL State Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.STATE
EE External Org Location	EEEOL State Descr	Data is completely replaced nightly. Steward: Shared Source: PS_STATE_TBL.DESCR
EE External Org Location	EEEOL Postal Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.POSTAL
EE External Org Location	EEEOL URL Address	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.URL_ADDRESS
EE External Org Location	EEEOL Email ID	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.EMAILID
EE External Org Location	EEEOL EDI Address	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.EDI_ADDRESS
EE External Org Location	EEEOL Updated by User ID	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.LASTUPDOPRID
EE External Org Location	EEEOL Update Date/Time	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.LASTUPDDTTM
EE External Org Location	EEEOL Updated by User Name	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC
EE External Orgs Admissions	EEEOA Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL_ADM.EFFDT
EE External Orgs Admissions	EEEOA Status as of Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL_ADM.EFF_STATUS

Class Name	Object Name	Description
EE External Orgs Admissions	EEEOA School Type Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL_ADM.LS_SCHOOL_TYPE
EE External Orgs Admissions	EEEOA School Type Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_LS_SCHL_TYP_TBL.DESCR
EE External Orgs Admissions	EEEOA FICE Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL_ADM.FICE_CD
EE External Orgs Admissions	EEEOA ATP Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL_ADM.ATP_CD
EE External Orgs Admissions	EEEOA Offers Courses	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL_ADM.OFFERS_COURSES
EE External Orgs Admissions	EEEOA School District	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL_ADM.SCHOOL_DISTRICT
EE API	EEAPI Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_UCOP_SCDATA.EFFDT
EE API	EEAPI Score	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: derived from PS_SCA_UCOP_SCDATA.SCA_UCOP_INT
EE Service Indicators	EESI Service Indicator Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCC_SI_ORG.SRVC_IND_CD
EE Service Indicators	EESI Service Indicator Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_SRVC_IND_CD_TBL.DESCR
EE Service Indicators	EESI Service Indicator Active Date	Data is completely replaced nightly. Steward: Admissions Source: PS_SCC_SI_ORG.SRVC_IND_ACTIVE_DT
EE Service Indicators	EESI Service Indicator Reason Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCC_SI_ORG.SRVC_IND_REASON
EE Service Indicators	EESI Service Indicator Reason Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_SRVC_IN_RSN_TBL.DESCR
EE Service Indicators	EESI Service Indicator Active Term	Data is completely replaced nightly. Steward: Admissions Source: PS_SCC_SI_ORG.SRVC_IND_ACT_TERM
EE Service Indicators	EESI Service Indicator End Term	Data is completely replaced nightly. Steward: Admissions Source: PS_SCC_SI_ORG.SCC_SI_END_TERM
EE Service Indicators	EESI Service Indicator Comments	Data is completely replaced nightly. Steward: Admissions Source: PS_SCC_SI_ORG.COMM_COMMENTS
External Academic Subject	EAS GPA Type Code	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_ACAD_SUBJ.GPA_TYPE

Class Name	Object Name	Description
External Academic Subject	EAS GPA Type Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_GPA_TYPE_TBL.DESCR
External Academic Subject	EAS External GPA	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_ACAD_SUBJ.EXT_GPA
External Academic Subject	EAS Converted 4-Point GPA	lf([EAS GPA Type Code]="100P") Then([EAS External GPA]*4/100) Elself([EAS GPA Type Code]="10PT") Then([EAS External GPA]*4/10) Elself([EAS GPA Type Code]="5PT") Then([EAS External GPA]*4/5) Elself([EAS GPA Type Code]="4PT") Then([EAS External GPA]) Else Null
External Academic Summary	EASM External Org ID	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_ACAD_SUM.EXT_ORG_ID
External Academic Summary	EASM External Career	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_ACAD_SUM.EXT_CAREER
External Academic Summary	EASM External Data Number	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_ACAD_SUM.EXT_DATA_NBR
External Academic Summary	EASM Summary Type Code	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_ACAD_SUM.EXT_SUMM_TYPE
External Academic Summary	EASM Summary Type Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_SUMM_TP_TBL.DESCR
External Academic Summary	EASM Term Year	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_ACAD_SUM.TERM_YEAR Picklists are pre-sorted in descending order.
External Academic Summary	EASM External Term Type	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_ACAD_SUM.EXT_TERM_TYPE
External Academic Summary	EASM Unit Type	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_ACAD_SUM.UNT_TYPE
External Academic Summary	EASM Total Units Attempted	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_ACAD_SUM.UNT_ATMP_TOTAL
External Academic Summary	EASM Total Units Completed	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_ACAD_SUM.UNT_COMP_TOTAL
External Academic Summary	EASM GPA Type Code	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_ACAD_SUM.GPA_TYPE
External Academic Summary	EASM GPA Type Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_GPA_TYPE_TBL.DESCR
External Academic Summary	EASM External GPA	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_ACAD_SUM.EXT_GPA
External Degree	ED External Org ID	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_DEGREE.EXT_ORG_ID
External Degree	ED External Org Type Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL.EXT_ORG_TYPE

Class Name	Object Name	Description
External Degree	ED External Org Type Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
External Degree	ED ATP Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL_ADM.ATP_CD
External Degree	ED NCES Code	Grad Admissions uses values for replacement of certain ATP codes when reporting undergraduate school degrees to UCOP. Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL_ADM.SCC_NCES_CD
External Degree	ED External Degree Number	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_DEGREE.EXT_DEGREE_NBR
External Degree	ED Degree Code	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_DEGREE.DEGREE
External Degree	ED Degree Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_DEGREE_TBL.DESCR
External Degree	ED Description	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_DEGREE.DESCR
External Degree	ED Degree Date	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_DEGREE.DEGREE_DT
External Degree	ED Degree Status Code	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_DEGREE.DEGREE_STATUS
External Degree	ED Degree Status Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
External Degree	ED Honors Category Code	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_DEGREE.HONORS_CATEGORY
External Degree	ED Honors Category Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
External Degree	ED Field Of Study 1	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_DEGREE.FIELD_OF_STUDY_1
External Degree	ED Field Of Study 2	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_DEGREE.FIELD_OF_STUDY_2
External Degree	ED External Career Code	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_DEGREE.EXT_CAREER
External Degree	ED External Career Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
External Degree	ED Data Source Code	Data is completely replaced nightly. Steward: Admissions Source: PS_EXT_DEGREE.LS_DATA_SOURCE
External Degree	ED Data Source Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
External Degree	ED Service Indicator Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCC_SI_ORG.SRVC_IND_CD

Class Name	Object Name	Description
External Degree	ED Service Indicator Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_SRVC_IND_CD_TBL.DESCR
External Degree	ED Service Indicator Active Date	Data is completely replaced nightly. Steward: Admissions Source: PS_SCC_SI_ORG.SRVC_IND_ACTIVE_DT
Language	APPL Native Language Code	Data is completely replaced nightly. Steward: Admissions Source: PS_ACCOMPLISHMENTS.ACCOMPLISHMENT
Language	APPL Native Language Descr	Data is completely replaced nightly. Steward: Admissions Source: PS_HCR_LANGUAGE_I.DESCR
Support Offer	GSO Effective Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Graduate Admissions Source: PS_EARLY_FA_OFFER.EFFDT
Support Offer	GSO Effective Sequence	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Graduate Admissions Source: PS_EARLY_FA_OFFER.EFFSEQ
Support Offer	GSO Aid Year	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Graduate Admissions Source: PS_EARLY_FA_OFFER.AID_YEAR Picklists are pre-sorted in descending order.
Support Offer	GSO Offer Total	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Graduate Admissions Source: PS_EARLY_FA_OFFER.EARLY_OFFER_TOTAL
Support Offer	GSO Aid Category Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Graduate Admissions Source: PS_EARLY_FA_CATGS.AID_CATEGORY
Support Offer	GSO Aid Category Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions PS_ERLY_FA_CTG_TBL.DESCR
Support Offer	GSO Offer Amount	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Graduate Admissions Source: PS_EARLY_FA_CATGS.EARLY_FA_AMOUNT
Support Offer	GSO Offer Status	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Graduate Admissions Source: PS_EARLY_FA_CATGS.EARLY_OFFER_STATUS
Applications Suspense	GS Suspense Record Number	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_SUSP_REC_NBR

Class Name	Object Name	Description
Applications Suspense	GS Embark User ID	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_USER_ID
Applications Suspense	GS Embark Form Instance ID	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_FORM_INSTNC_ID
Applications Suspense	GS National ID or SSN- RESTRICTED	AISOPS.R_SCG_GARP_SUSP.NATIONAL_ID
Applications Suspense	GS Date Loaded	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.DATE_LOADED
Applications Suspense	GS Application Deadline	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.
Applications Suspense	GS Payment Method - Embark	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_PAY_METHOD Payment Method: EMBARK ONLY (See PAYMENT_STATUS for Jazzee)
Applications Suspense	GS Payment Status - Jazzee	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_PAYMENT_STATUS Payment Method: JAZZEE ONLY (See PAYMENT_METHOD for Embark)
Applications Suspense	GS Fee Exemption Program	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_QUAL_PGM
Applications Suspense	GS Fee Exemption Institution	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_QUAL_PGM_INST Fee Exemption Institution (EMBARK - LOOK-UP; JAZZEE - FREE FORM)
Applications Suspense	GS Fee Exemption Institution Other	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_QUAL_PGM_INSO Fee Exemption Institution Other (EMBARK ONLY- FREE FORM)

Class Name	Object Name	Description
Applications Suspense	GS Fee Exemption Program Begin Term	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_QUAL_PGM_SEASN
Applications Suspense	GS Fee Exemption Program Begin Year	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_QUAL_PGM_YR
Applications Suspense	GS Fee Exemption Program Adviser	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_SPECPROG_ADVIS
Applications Suspense	GS Fee Exemption Program Adviser's Email	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_SPECPROG_EMAIL
Applications Suspense	GS AKA First Name	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_AKA_FRST_NAME1
Applications Suspense	GS AKA Middle Name1	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_AKA_MID_NAME1
Applications Suspense	GS AKA Last Name1	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_AKA_LAST_NAME1
Applications Suspense	GS Military Status	AISOPS.R_SCG_GARP_SUSP.MILITARY_STATUS
Applications Suspense	GS Gender	AISOPS.R_SCG_GARP_FULL.SCG_GENDER
Applications Suspense	GS Birth Sex	AISOPS.R_SCG_GARP_FULL.SCG_BIRTH_SEX
Applications Suspense	GS Native Lanuage Other	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_LANG_OTH_DESCR
Applications Suspense	GS Tribal Affiliation	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_TRIBALAFF
Applications Suspense	GS Other Ethnicity	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_OTHER_ETH
Applications Suspense	GS Sexual Orientation	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_SEXUAL_ORIENT
Applications Suspense	GS Previously Applied	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.PRIOR_APPL
	L	

Class Name	Object Name	Description
Applications Suspense	GS Program of Previous App	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_PREVAPP_MAJOR
Applications Suspense	GS Term of Previous App	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_PREVAPP_QTR
Applications Suspense	GS Year of Previous App	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_PREVAPP_YEAR
Applications Suspense	GS Previously Registered at UCSC	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_PREVREG
Applications Suspense	GS Self-reported GPA	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_SELFGPA
Applications Suspense	GS Self-reported GPA Scale	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_GPA_SCALE
Applications Suspense	GS Grad Self GPA	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_GRAD_SELFGPA□
Applications Suspense	GS Grad GPA Scale	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_GRAD_GPA_SCALE
Applications Suspense	GS Approved Academic Load - Embark	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.ACAD_LOAD_APPR□ □ Approved Academic Load; EMBARK ONLY; P=Part-time
Applications Suspense	GS Present Occupation or Position	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.
Applications Suspense	GS Planning U.S. Higher Ed Teaching Career	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL. Are you planning to enter a teaching career in an institution of higher ed in the U.S.? (Y/N)

Class Name	Object Name	Description
Applications Suspense	GS Intersted in Fellowshiips and Grants	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.□ □ Do you wish to be considered for UCSC Fellowships and Grants? (Y/N)□
Applications Suspense	GS Interested in TAship	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_TEACHAST Do you wish to be considered for UCSC Teaching Assistantships? (Y/N)
Applications Suspense	GS Interested in RAship	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_RESEARCHAS□ □ Do you wish to be considered for UCSC Research Assistantships? (Y/N)
Applications Suspense	GS Interested in Exclusion from Support Consideration	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.□ □ Do you wish to be excluded from support consideration? (Y/N)□
Applications Suspense	GS List Publications	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_LONG.COMMENTS_LONG List articles, books, or any other materials published, with dates of publication. Provide URLs to publications where possible. (long text)
Applications Suspense	GS List Teaching	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_LONG.COMMENTS_LONG□ □ List name, approximate dates, and location of any institution at which you have taught. (long text)
Applications Suspense	GS Language Proficiency	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_LONG.COMMENTS_LONG□ □ Describe degree of proficiency (reading and speaking) in languages other than your first language. (long text)

Class Name	Object Name	Description
Applications Suspense	GS Research Work	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_LONG.COMMENTS_LONG
Applications Suspense	GS List Fellowships Applied	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_LONG.COMMENTS_LONG □ List any other fellowships or scholarships for which you have applied (such as Ford, NSF, Javits, etc.). (long text)
Applications Suspense	GS List Fellow Awarded	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_LONG.COMMENTS_LONG□ □ List any fellowships or scholarships that you have been awarded for next year. (long text)
Applications Suspense	GS Additional Info	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_LONG.COMMENTS_LONG□ □ Use this page for any additional information that was not captured within your application. (long text)
Applications Suspense	GS DANM Portfolio URL	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_LONG.COMMENTS_LONG
Applications Suspense	GS DANM Qualified to TA in Art	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_DANM_TA_ART□ □ DANM: Are you qualified to TA in Art? (Y/N)
Applications Suspense	GS DANM Qualified to TA in FIDM	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_DANM_TA_FIDM□ □ DANM: Are you qualified to TA in Film and Digital Media? (Y/N)

Class Name	Object Name	Description
Applications Suspense	GS DANM Qualified to TA in HAVC	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_DANM_TA_HAVC□ □ DANM: Are you qualified to TA in History of Art and Visual Culture? (Y/N)
Applications Suspense	GS DANM Qualified to TA in Music	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_DANM_TA_MUSC□ □ DANM: Are you qualified to TA in Music? (Y/N)
Applications Suspense	GS DANM Qualified to TA in Theater Arts	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_DANM_TA_THEA
Applications Suspense	GS EDUCMA List Cult Ling Diversity	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_LONG.COMMENTS_LONG EDUC MA: List applicable coursework or experience that addresses diversity of U.S. K-12 public school students today. (long text)
Applications Suspense	GS EDUCMA Field Experience Location 1	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_FLDEXP_LOC1 D EDUC MA Field Experience Location 1 (free-form)
Applications Suspense	GS EDUCMA Field Experience Hours 1	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_FLDEXP_HRS1
Applications Suspense	GS EDUCMA Field Experience Dates 1	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_FLDEXP_DAT1
Applications Suspense	GS EDUCMA Field Experience Age 1	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_FLDEXP_AGE1
Applications Suspense	GS EDUCMA Field Experience Location 2	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_FLDEXP_LOC2

Class Name	Object Name	Description
Applications Suspense	GS EDUCMA Field Experience Hours 2	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_FLDEXP_HRS2
Applications Suspense	GS EDUCMA Field Experience Dates 2	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_FLDEXP_DAT2
Applications Suspense	GS EDUCMA Field Experience Age 2	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_FLDEXP_AGE2
Applications Suspense	GS EDUCMA Field Experience Location 3	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_FLDEXP_LOC3
Applications Suspense	GS EDUCMA Field Experience Hours 3	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_FLDEXP_HRS3
Applications Suspense	GS EDUCMA Field Experience Dates 3	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_FLDEXP_DAT3
Applications Suspense	GS EDUCMA Field Experience Age 3	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_FLDEXP_AGE3
Applications Suspense	GS EDUCMA Subject Matter Competence Req	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_COLL_SUBJ□ □ EDUC MA SingSub: How will you complete your subject matter competence requirement? (dropdown) EMBARK□
Applications Suspense	GS EDUCMA Single Sub Competence Req	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_EDSUBJ_MAT_REQ EDUC MA SingSub: How will you complete your subject matter competence requirement? (dropdown) JAZZEE
Applications Suspense	GS EDUCMA Single Sub Subject Matter Institution	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_EDSUBJ_MAT_SCH EDUC MA SingSub: Subject Matter Program Institution

Class Name	Object Name	Description
Applications Suspense	GS EDUCMA Single Sub Completion Month - Embark	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_COLLSBJ_MON EDUC MA SingSub: Subject Matter Program Completion Month (EMBARK ONLY)
Applications Suspense	GS EDUCMA Single Sub Completion Day - Embark	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_COLLSBJ_DAY EDUC MA SingSub: Subject Matter Program Completion Day (EMBARK ONLY)
Applications Suspense	GS EDUCMA Single Sub Completion Year - Embark	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_COLLSBJYEAR
Applications Suspense	GS EDUCMA Single Sub Completion Month - Jazzee	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_EDSUBJ_MAT_MON EDUC MA SingSub: Subject Matter Program Completion Month (JAZZEE ONLY)
Applications Suspense	GS EDUCMA Single Sub Completion Day - Jazzee	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_EDSUBJ_MAT_DAY□ □ EDUC MA SingSub: Subject Matter Program Completion Day (JAZZEE ONLY)
Applications Suspense	GS EDUCMA Single Sub Completion Year - Jazzee	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_EDSUBJ_MAT_YR EDUC MA SingSub: Subject Matter Program Completion Year (JAZZEE ONLY)
Applications Suspense	GS EDUC MA Cohort Location	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_COHORT_LOC EDUC MA: Physical location of Science cohort (dropdown: UCSC/Silicon Valley/Either)

Class Name	Object Name	Description
Applications Suspense	GS EDUC PhD K-12 Textbox	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_LONG.COMMENTS_LONG EDUC PHD: What type of K-12 classroom experience do you have? (long text)
Applications Suspense	GS EDUC PhD Literacy	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_PHD_LITERAC
Applications Suspense	GS EDUC PhD Other Language	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_PHD_OT_LANG
Applications Suspense	GS EDUC PhD Language Textbox	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_LONG.COMMENTS_LONG
Applications Suspense	GS EDUC PhD STEM Degree	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_LONG.COMMENTS_LONG
Applications Suspense	GS ENVS Field Experience	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_LONG.COMMENTS_LONG
Applications Suspense	GS FIDM Writing Sample URL	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_LONG.COMMENTS_LONG
Applications Suspense	GS Games Portfolio	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_LONG.COMMENTS_LONG
Applications Suspense	GS Music DMA URL	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_LONG.COMMENTS_LONG
Applications Suspense	GS Music MA URL	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_LONG.COMMENTS_LONG
Applications Suspense	GS Social Doc Project Descr	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_LONG.COMMENTS_LONG

Class Name	Object Name	Description
Applications Suspense	GS Social Doc Writing Sample URL	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_LONG.COMMENTS_LONG
Applications Suspense	GS Faclty Contact 1	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_FACLTY_CNTCT_1□ □
Applications Suspense	GS Faclty Contact 2	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_FACLTY_CNTCT_2□ □
Applications Suspense	GS Faclty Contact 3	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_FACLTY_CNTCT_3□ □
Applications Suspense	GS ED Ssub Baskil	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_SSUB_BASKIL□ □
Applications Suspense	GS EDMA Alt Exam Date	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_EDMA_ALT_EXMDT□
GARP Citizenship and Residency	GSC Current Address State	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.STATE Current Addr State from original app
GARP Citizenship and Residency	GSC Current Address State Other	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_CURR_ADDR_ST_O□ □ Current Addr State Other from original app
GARP Citizenship and Residency	GSC Current Addresss Country	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.COUNTRY□ □ Current Addr Country from original app

Class Name	Object Name	Description
GARP Citizenship and Residency	GSC US Citizen	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_US_CITIZEN□ □ Are you a US Citizen? (Y/N)
GARP Citizenship and Residency	GSC Other Citizen	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_OTHER_CITIZEN□ □ In what country do you hold citizenship? (from dropdown)
GARP Citizenship and Residency	GSC Permanent Resident	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_PERM_RESIDENT□ □ Are you a US Permanent Resident? (Y/N)
GARP Citizenship and Residency	GSC Perm Resid 1 Year	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_PERM_RES_1_YR Was your Perm Res awarded more than 1 year ago? (Y/N)
GARP Citizenship and Residency	GSC Perm Resid Appl	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_PERM_RES_APPL□ □ Have you applied for US Perm Res status? (Y/N)
GARP Citizenship and Residency	GSC US Visa	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_US_VISA Do you hold a US Visa? (Y/N)
GARP Citizenship and Residency	GSC Current Visa Type	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_CURR_VISA_TYPE What is your visa type? (dropdown)
GARP Citizenship and Residency	GSC Maintain Current Visa Type	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_M_CUR_VISATYPE Do you plan to maintain that visa status while at UCSC? (Y/N)

Class Name	Object Name	Description
GARP Citizenship and Residency	GSC Visa Needed	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_VISA_NEEDED What type of visa will you need to attend UCSC? (dropdown) Obsolete beginning F08
GARP Citizenship and Residency	GSC CA Resident	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_SUSP.SCG_CA_RESIDENT□ □ Do you claim to be a resident of California? (Y/N)
GARP Citizenship and Residency	GSC In California 1 Year	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_IN_CA_1_YR□ □ Have you been physically present in CA for 1 year? (Y/N) Changed to 3 years in F14
GARP Citizenship and Residency	GSC Resident State of Drivers License	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_RES_STATE_DR_L□ □ In what state do you have a valid driver's license or ID card? (dropdown)
GARP Citizenship and Residency	GSC Resident State of Taxes	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_RES_STATE_DR_L□ □ In what state did you file resident income taxes last year? (dropdown)
GARP Citizenship and Residency	GSC Resident State of Voter Registry	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_RES_STATE_VO_R In what state are you registered to vote? (dropdown)
GARP Citizenship and Residency	GSC Dependant of CA Resident	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_RES_DEP_CA_RES Il under 24 at time of enrollment, are you dependant on a Calif resident?

Class Name	Object Name	Description
GARP Citizenship and Residency	GSC Dependant of US Citizen	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_RES_DEP_US_CIT If under 24 at time of enrollment, are you dependant on a US Citizen?
GARP Citizenship and Residency	GSC Dependant of 3 Year CA Presence	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_RES_DEPT_IN_CA If under 24 at time of enrollment, has the person you're dependant on been physically present in CA for 3 years?
GARP Citizenship and Residency	GSC Married Resident	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_RES_MARRIED□ □ If under 24 at time of enrollment, are you married?
GARP Citizenship and Residency	GSC Claimed by Parent on CA Resident Income Tax	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_RES_CLAIM_PAR If under 24 at time of enrollment, can you be claimed by a parent on CA resident income taxes?
GARP Citizenship and Residency	GSC Related to Police or Fire Resident	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_RES_POLI_FIRE Are you the spouse, registered domestic partner or child of deceased law enforcement or fire suppression and prevention public employee? (Y/N)
GARP Citizenship and Residency	GSC Resident UC Employee	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_RES_US_EMPLOYE Are you a full-time University of California employee assigned to work outside California or the spouse, registered domestic partner, or dependent child of such an employee? (Y/N)

Class Name	Object Name	Description
GARP Citizenship and Residency	GSC Resident CA Dependant	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_RES_CA_RES_DEP Are you the dependent child of a California resident (applicable when the dependent has not yet lived in California one year)? (Y/N)
GARP Citizenship and Residency	GSC Related to Resident UC Faculty or Acad Senate	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_RES_UC_ACAD_SE Are you the spouse, registered domestic partner or unmarried child of a University of California faculty who is a member of the Academic Senate? (Y/N)
GARP Citizenship and Residency	GSC California High School	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_CA_HIGH_SCH□ □ Are you a graduate of a California high school who attended high school in California for at least 3 years? (Y/N)
GARP Citizenship and Residency	GSC Citizen Comments	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_LONG.COMMENTS_LONG Citizenship and residency exception comments (long text)
GARP Citizenship and Residency	GSC California Residency	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_CA_RESIDENCY□ □ Calculated Residency Determination (I=In; O=Out; S=SLR Req'd)
GARP Diversity App	GSD Father's Occupation	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_FATHER_OCC□ □ Father's Occupation (free-form)
GARP Diversity App	GSD Mother's Occupation	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_MOTHER_OCC□ □ Mother's Occupation (free-form)

Class Name	Object Name	Description
GARP Diversity App	GSD Guardian's Occupation	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_GUARDIAN_OCC□ □ Guardian's Occupation (free-form)
GARP Diversity App	GSD Father's Highest Education Level	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_FATHER_EDU Father's Highest Ed Level (free-form)
GARP Diversity App	GSD Mother's Highest Education Level	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_MOTHER_EDU Mother's Highest Ed Level (free-form)
GARP Diversity App	GSD Guardian's Highest Education Level	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_GUARDIAN_EDU□ □ Guardian's Highest Ed Level (free-form)
GARP Diversity App	GSD Number of Siblings of Age 18+	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_NUMSIB□ □ Number of siblings in your family, age 18 and above (free-form)
GARP Diversity App	GSD Number of Siblings in College	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_NUMSIBCOL□ □ Number of these siblings who have attended college, and/or who are currently attending (free-form)
GARP Diversity App	GSD High School Name	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_HSNAME Name of high school from which you graduated (free-form)

Class Name	Object Name	Description
GARP Diversity App	GSD High School City	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_HSLOC Location of the high school from which you graduated; City (free-form)
GARP Diversity App	GSD High School State	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_HS_STATE□ □ Location of the high school from which you graduated; State (dropdown)
GARP Diversity App	GSD High School State Other	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_HS_ST_OTHER□ □ Location of the high school from which you graduated; State Other (free-form)
GARP Diversity App	GSD High School Size	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_HS_NUM Approximate number of students in your high school (free-form)
GARP Diversity App	GSD High School Nbr of Advanced Placement Courses Avail	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_HS_ADVPLCL□ □ Approximate number of advanced placement classes available at your high school (free-form)
GARP Diversity App	GSD UG Employer 1	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_UG_EMPLOY1 Employer while enrolled as UG (free-form)
GARP Diversity App	GSD Hours UG Employed 1	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_UG_HRS1 Hours employed while UG (free-form)

Class Name	Object Name	Description
GARP Diversity App	GSD UG Employer 2	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_UG_EMPLOY2 Employer while enrolled as UG (free-form)
GARP Diversity App	GSD Hours UG Employed 2	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_UG_HRS2 Hours employed while UG (free-form)
GARP Diversity App	GSD UG Received Fin Aid	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_UGFA Did you receive financial aid as an UG? (Y/N)
GARP Diversity App	GSD UG Fin Aid Type 1	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_UGFA_TYPE1 UG Financial Aid Type (free-form)
GARP Diversity App	GSD UG Nbr of Terms of Fin Aid 1	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_UGFA_TERMS1 Number of UG Fin Aid Terms (free-form)
GARP Diversity App	GSD UG Fin Aid Type 2	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_UGFA_TYPE2□ □ UG Financial Aid Type (free-form)
GARP Diversity App	GSD UG Nbr of Terms of Fin Aid 2	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_UGFA_TERMS2□ □ Number of UG Fin Aid Terms (free-form)
GARP Diversity App	GSD UG Volunteer	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_UG_VOLUNTEER Did you participate in volunteer work as an UG? (Y/N)

Class Name	Object Name	Description
GARP Diversity App	GSD UG Volunteer Activity 1	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_VOL_TYPE1 U Volunteer Activity (free-form)
GARP Diversity App	GSD UG Volunteer Hours for Activity 1	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_VOL_TYPE1_HRS□ □ Volunteer Hours (free-form)
GARP Diversity App	GSD UG Volunteer Activity 2	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_VOL_TYPE2□ □ Volunteer Activity (free-form)
GARP Diversity App	GSD UG Volunteer Hours for Activity 2	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_VOL_TYPE2_HRS Volunteer Hours (free-form)
GARP Diversity App	GSD Obstacles	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_LONG.COMMENTS_LONG Describe any significant societal obstacles that you had to overcome in order to attend college and complete your undergraduate degree. (long text)
GARP Diversity App	GSD Intent to Benefit Society	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_LONG.COMMENTS_LONG If you plan to use the knowledge and skills that you will attain through graduate study to benefit diverse social groups in our society, describe your intentions. (long text)
GARP Research Interest	GSR Research Emphasis	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_RES_EMPHASIS□ □ Free-form Research Emphasis

Class Name	Object Name	Description
GARP Research Interest	GSR Research Interest 1	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_RESARCH_INT_1 Research Interest 1
GARP Research Interest	GSR Research Interest 2	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_RESARCH_INT_2□ □ Research Interest 2
GARP Research Interest	GSR Research Interest 3	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_RESARCH_INT_3□ □ Research Interest 3
GARP Research Interest	GSR Research Interest Other	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_RESARCH_INT_3□ □ Research Interest Other
GARP Research Interest	GSR Anthro PHd Research Interest 1	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_AN_PHD_RESARC1 ANTH Research Interest 1
GARP Research Interest	GSR Bio Info Research Interest 1	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_BINF_RESAREAC1 BMEB Research Interest 1
GARP Research Interest	GSR Bio Info Research Interest 2	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_BINF_RESAREAC2 BMEB Research Interest 2
GARP Research Interest	GSR Bio Info Research Interest 3	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_BINF_RESAREAC3 BMEB Research Interest 3

Class Name	Object Name	Description
GARP Research Interest	GSR Chem Research Interest 1	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_CHEM_RES_CHC1□ □ CHEM Research Interest 1
GARP Research Interest	GSR Chem Research Interest 2	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_CHEM_RES_CHC2□ □ CHEM Research Interest 2
GARP Research Interest	GSR Comp Engr Research Interest 1	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_CE_RES_CHC1□ □ CMPE Research Interest 1
GARP Research Interest	GSR Comp Engr Research Interest 2	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_CE_RES_CHC2□ □ CMPE Research Interest 2
GARP Research Interest	GSR Comp Engr Research Interest 3	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_CE_RES_CHC3□ □ CMPE Research Interest 3
GARP Research Interest	GSR Comp Engr Research Interest Other	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_CE_RES_CHC3□ □ CMPE Research Interest Other
GARP Research Interest	GSR Comp Sci Research Interest 1	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_CS_RES_CHC1□ □ CMPS Research Interest 1
GARP Research Interest	GSR Comp Sci Research Interest 2	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_CS_RES_CHC2 CMPS Research Interest 2

Class Name	Object Name	Description
GARP Research Interest	GSR Comp Sci Research Interest 3	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_CS_RES_CHC3□ □ CMPS Research Interest 3
GARP Research Interest	GSR Comp Sci Research Interest Other	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_CS_RES_CHC_OTH□ □ CMPS Research Interest Other
GARP Research Interest	GSR DANM Research Interest	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_DANM_RESAREAC1□ □ DANM Research Interest 1
GARP Research Interest	GSR DANM Research Interest 2	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_DANM_RESAREAC2□ □ DANM Research Interest 2
GARP Research Interest	GSR Earth Sci Research Interest 1	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_EART_RESARC1 EART Research Interest 1
GARP Research Interest	GSR Earth Sci Research Contact Choice 1	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_EART_RESCNT1□ □ Eart Research Contact Choice1
GARP Research Interest	GSR Earth Sci Research Interest 2	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_EART_RESARC2□ □ EART Research Interest 2
GARP Research Interest	GSR Earth Sci Research Contact Choice 2	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_EART_RESCNT2□ □ Eart Research Contact Choice2

Class Name	Object Name	Description
GARP Research Interest	GSR Earth Sci Research Interest 3	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_EART_RESARC3 EART Research Interest 3
GARP Research Interest	GSR Earth Sci Research Contact Choice 3	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_EART_RESCNT3□ □ Eart Research Contact Choice3
GARP Research Interest	GSR Earth Sci Research Interest Other	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_EART_RESARCOTH□ □ EART Research Interest Other
GARP Research Interest	GSR ECEB Research Interest 1	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_EE_BIO_RESARC1□ □ ECEB Research Interest 1□
GARP Research Interest	GSR ECEB Research Contact Choice 1	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.EE_BIO_RESCNT1 ECEB Research Contact Choice 1
GARP Research Interest	GSR ECEB Research Interest 2	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_EE_BIO_RESARC2 ECEB Research Interest 1
GARP Research Interest	GSR ECEB Research Contact Choice 2	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_EE_BIO_RESCNT2 ECEB Research Contact Choice 1
GARP Research Interest	GSR ECEB Research Interest 3	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_EE_BIO_RESARC3 ECEB Research Interest 3

Class Name	Object Name	Description
GARP Research Interest	GSR ECEB Research Contact Choice 3	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_EE_BIO_RESCNT3□ □ ECEB Research Contact Choice 3
GARP Research Interest	GSR ECEB Research Interest Other	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_EE_BIO_RAC_OTH□ □ ECEB Research Interest Other
GARP Research Interest	GSR Education MA Credential	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_CREDENTIAL
GARP Research Interest	GSR Education PhD Research Interest 1	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_PHD_RESARC1
GARP Research Interest	GSR Education PhD Research Interest 2	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_EDPHD_RESAR_C2
GARP Research Interest	GSR Education PhD Research Interest 3	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_EDPHD_RESAR_C3
GARP Research Interest	GSR EE Research Interest 1	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_EE_RESAREA_CH1
GARP Research Interest	GSR EE Research Interest 2	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_EE_RESAREA_CH2
GARP Research Interest	GSR EE Research Interest 3	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_EE_RESAREA_CH3
GARP Research Interest	GSR EE Research Interest Other	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_EERESAREACCOTH
GARP Research Interest	GSR Envir Studies Research Interest 1	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ENVS_RESAREAC1

Class Name	Object Name	Description
GARP Research Interest	GSR Envir Studies Research Contact Choice 1	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ENVS_RESCNT_C1
GARP Research Interest	GSR Envir Studies Research Interest 2	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ENVS_RESAREAC2
GARP Research Interest	GSR Envir Studies Research Contact Choice 2	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ENVS_RESCNT_C2
GARP Research Interest	GSR Envir Studies Research Interest 3	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ENVS_RESAREAC3
GARP Research Interest	GSR Envir Studies Research Contact Choice 3	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ENVS_RESCNT_C3
GARP Research Interest	GSR Envir Studies Research Interest Other	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ENVS_RESAR_C_O
GARP Research Interest	GSR History Research Interest 1	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_HIST_RESAREA1
GARP Research Interest	GSR Music DMA Research Interest 1	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_DMA_RESAREA1
GARP Research Interest	GSR Music MA Research Interest 1	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_MUSCMA_RESARC1
GARP Research Interest	GSR Ocean Sci Research Interest 1	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_OCEAREAREA_CH1
GARP Research Interest	GSR Ocean Sci Research Interest 2	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_OCEAREAREA_CH2
GARP Research Interest	GSR Ocean Sci Faculty Sponsor	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_OCEAFACSPNSRNM

Class Name	Object Name	Description
GARP Research Interest	GSR PBSE Research Interest 1	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_PBSE_RESAREAC1
GARP Research Interest	GSR Physics Research Interest 1	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_PHYSICSRESARE1
GARP Research Interest	GSR Physics Research Interest 2	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_PHYSICSRESARE2
GARP Research Interest	GSR Physics Research Interest 3	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_PHYSICSRESARE3
GARP Research Interest	GSR Physics Research Interest Other	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_PHYSICS_RAOTHR
GARP Research Interest	GSR Psychology Research Interest 1	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_PSYC_RESAREAC1
GARP Research Interest	GSR Psychology Research Contact Choice 1	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_PSYC_FAC_C1
GARP Research Interest	GSR Psychology Research Interest 2	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_PSYC_RESAREAC2
GARP Research Interest	GSR Psychology Research Contact Choice 2	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_PSYC_FAC_C2
GARP Research Interest	GSR Psychology Research Interest 3	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_PSYC_RESAREAC3
GARP Research Interest	GSR Psychology Research Contact Choice 3	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_PSYC_FAC_C3
GARP Research Interest	GSR SAM Research Interest 1	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_SSM_RESAREACH

Class Name	Object Name	Description
GARP Research Interest	GSR Sci Comm Research Interest 1	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_SCIOCOMM_RES
GARP Research Interest	GSR TIM Research Interest 1	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_TIM_RESAREAC1
GARP Research Interest	GSR TIM Research Interest 2	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_TIM_RESAREAC2
GARP Research Interest	GSR TIM Research Interest 3	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_TIM_RESAREAC3
GARP Research Interest	GSR TIM Research Interest Other	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_TIM_RESAREAOTH
GARP Self-Reported Tests	GST GREYN	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL. Have you taken the GRE General exam? (Y/N)
GARP Self-Reported Tests	GST GRE General Month	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_GENDATE_MO GRE General Month
GARP Self-Reported Tests	GST GRE General Year	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_GENDATE_YR
GARP Self-Reported Tests	GST Self-reported GRE Verbal Score	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.
GARP Self-Reported Tests	GST Self-reported GRE Verbal Percentile	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_GREVERBP
GARP Self-Reported Tests	GST Self-reported GRE Quantitative Score	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_GREQUANT

UCSC Campus Data Warehouse

Class Name	Object Name	Description
GARP Self-Reported Tests	GST Self-reported GRE Quantitative Percentile	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_GREQUANTP
GARP Self-Reported Tests	GST Self-reported GRE Analytical Score	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_GREANAL
GARP Self-Reported Tests	GST Self-reported GRE Analytical Percentile	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_GREANALP
GARP Self-Reported Tests	GST Taken GRE Subject Exam	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_GRESUBYN
GARP Self-Reported Tests	GST Subject Exam Type	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_SUBJCODE
GARP Self-Reported Tests	GST GRE Subject Month	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_SUBJDATE_MO
GARP Self-Reported Tests	GST Subject Year	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_SUBDATE_YR
GARP Self-Reported Tests	GST Self-reported GRE Subject Score	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_SUBJSCORE
GARP Self-Reported Tests	GST Self-reported GRE Subject Percentile	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_SUBJPCT
GARP Self-Reported Tests	GST Taken TOEFL Exam	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_TOEFL_TAKEN
GARP Self-Reported Tests	GST TOEFL Type	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_TOEFL_TYPE
GARP Self-Reported Tests	GST TOEFL Month	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_TOEFLDATE_MO

UCSC Campus Data Warehouse

Class Name	Object Name	Description
GARP Self-Reported Tests	GST TOEFL Year	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_TOEFLDATE_YR
GARP Self-Reported Tests	GST Self-reported TOEFL Score	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_TSCORE
GARP Self-Reported Tests	GST IELTS Month	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_IELTS_MON
GARP Self-Reported Tests	GST IELTS Year	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_IELTS_YEAR
GARP Self-Reported Tests	GST Self- reported IELTS Score	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_IELTS_SCORE
GARP Self-Reported Tests	GST IELTS Test Report Form Number	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_IELTS_TRF
GARP Self-Reported Tests	GST Taken Education MA CBEST Test	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_CBEST_TST_YNC1
GARP Self-Reported Tests	GST Education MA MultSub Basic Skills Intent	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_MULTSUB_B_S EDUC MA MultSub: How do you plan to complete the Basic Skills requirement? (CBEST/CSET Writing)
GARP Self-Reported Tests	GST Education MA Mult Sub CBEST Partial Pass	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_CSET_MULPARPC1
GARP Self-Reported Tests	GST Education MA Single Sub CBEST Partial Pass	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.
GARP Self-Reported Tests	GST Education MA CBEST Test Month	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_CBEST_TSTMO

Class Name	Object Name	Description
GARP Self-Reported Tests	GST Education MA CBEST Test Day	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_CBESTTSTDAY
GARP Self-Reported Tests	GST Education MA CBEST Test Year	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_CBEST_TSTYR
GARP Self-Reported Tests	GST Education MA CBEST Planned Month	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_CBESTPD_MON
GARP Self-Reported Tests	GST Education MA CBEST Planned Day	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_CBESTPD_DAY
GARP Self-Reported Tests	GST Education MA CBEST Planned Year	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_CBESTPD_YR
GARP Self-Reported Tests	GST Education MA Mult Sub CSET Test Month	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_CSET_TST_MO
GARP Self-Reported Tests	GST Education MA Mult Sub CSET Test Day	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_CSET_TSTDAY
GARP Self-Reported Tests	GST Education MA Mult Sub CSET Test Year	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_CSET_TST_YR
GARP Self-Reported Tests	GST Education MA Single Sub CSET Test Month	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_CSET_TSTMO2
GARP Self-Reported Tests	GST Education MA Single Sub CSET Passed	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.
GARP Self-Reported Tests	GST Education MA Single Sub CSET Test Day	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_CSETTSTDAY2
GARP Self-Reported Tests	GST Education MA Single Sub CSET Test Year	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_CSET_TSTYR2

Class Name	Object Name	Description
GARP Self-Reported Tests	GST Education MA CSET Planned Month	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_CSETPLN_MON
GARP Self-Reported Tests	GST Education MA CSET Planned Day	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_CSETPLN_DAY
GARP Self-Reported Tests	GST Education MA CSET Planned Year	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_CSETPLN_YR
GARP Self-Reported Tests	GST Passed CSET Writing	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_PASSCSET_WR
GARP Self-Reported Tests	GST Education MA MultSubj CSET Passed	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_PASSCSET_MU D EDUC MA MultSub: If CSET Writing partial passed, how many subtests passed? (dropdown)
GARP Self-Reported Tests	GST Education MA CSET Writing Month Passed	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_CSETWTS_MON
GARP Self-Reported Tests	GST Education MA CSET Writing Day Passed	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_CSETWTS_DAY
GARP Self-Reported Tests	GST Education MA CSET Writing Year Passed	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_CSETWTS_YR
GARP Self-Reported Tests	GST Education MA CSET Writing Planned Month	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_CSETWPL_MON
GARP Self-Reported Tests	GST Education MA CSET Writing Planned Day	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_CSETWPL_DAY
GARP Self-Reported Tests	GST Education MA CSET Writing Planned Year	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_CSETWPL_YR

Class Name	Object Name	Description
GARP Self-Reported Tests	GST Education MA Passed CSET Lote III Exam	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_CSET_LOTE
GARP Self-Reported Tests	GST Education MA CSET Lote III Test Month	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_EDCSETLOTE3MON
GARP Self-Reported Tests	GST Education MA CSET Lote III Test Day	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_EDCSETLOTE3DAY
GARP Self-Reported Tests	GST Education MA CSET Lote III Test Year	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.
GARP Self-Reported Tests	GST Education MA Passed CSET Lote V Exam	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_EDPASCSETLOTEV
GARP Self-Reported Tests	GST Education MA CSET Lote V Test Month	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_EDCSETLOTEVMON
GARP Self-Reported Tests	GST Education MA CSET Lote V Test Day	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_EDCSETLOTEVDAY
GARP Self-Reported Tests	GST Education MA CSET Lote V Test Year	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_EDCSETLOTEVYR
GARP Self-Reported Tests	GST Education MA BCLAD Test Month	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_BCLAD6TSTMO
GARP Self-Reported Tests	GST Education MA BCLAD Test Day	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_EDBCLAD6TSTDAY
GARP Self-Reported Tests	GST Education MA BCLAD Test Year	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_BCLAD6TSTYR
GARP Self-Reported Tests	GST Education MA MSAT Test Month	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_MSAT_TST_MO

Class Name	Object Name	Description
GARP Self-Reported Tests	GST Education MA MSAT Test Day	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_MSAT_TSTDAY
GARP Self-Reported Tests	GST Education MA MSAT Test Year	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_MSAT_TST_YR
GARP Self-Reported Tests	GST Education MA PRAXIS Test Month	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_PRAXISTSTMO
GARP Self-Reported Tests	GST Education MA PRAXIS Test Day	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_EDPRAXISTSTDAY
GARP Self-Reported Tests	GST Education MA PRAXIS Test Year	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_PRAXISTSTYR
GARP Self-Reported Tests	GST Education MA SSAT Test Month	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_SSAT_TST_MO
GARP Self-Reported Tests	GST Education MA SSAT Test Day	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_SSAT_TSTDAY
GARP Self-Reported Tests	GST Education MA SSAT Test Year	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_SSAT_TST_YR
GARP Self-Reported Tests	GST GMATYN	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_GMATYN
GARP Self-Reported Tests	GST GMAT Date	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_GMATDATE
GARP Self-Reported Tests	GST GMAT Total Score	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_ED_SSAT_TST_YR
GARP Self-Reported Tests	GST GMAT Total Percentile	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_GMATTOTALP

Class Name	Object Name	Description
GARP Self-Reported Tests	GST GMAT Analytical Writing Score	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_GMATAW
GARP Self-Reported Tests	GST GMAT Analytical Writing Percentile	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_GMATAWP
GARP Self-Reported Tests	GST GMAT Integrated Reasoning Score	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_GMATIR
GARP Self-Reported Tests	GST GMAT Integrated Reasoning Percentile	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_GMATIRP
GARP Self-Reported Tests	GST GMAT Verbal Score	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_GMATVERB
GARP Self-Reported Tests	GST GMAT Verbal Percentile	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_GMATVERBP
GARP Self-Reported Tests	GST GMAT Quantitiative Score	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_GMATQUANT
GARP Self-Reported Tests	GST GMAT Quantitiative Percentile	New rows are inserted each night based on date_loaded field in AIS. No updates, no deletes. Steward: Graduate Admissions Source: PS_SCG_GARP_FULL.SCG_GMATQUANTP
Admissions Comments	ADC Admission Comment Code	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_COMMENTS.ADM_COMMENT_CODE
Admissions Comments	ADC Admission Comment Code Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_COMMENT_CDE_TBL.DESCR
Admissions Comments	ADC Admit Term	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_COMMENTS.ADMIT_TERMD Picklists are pre-sorted in descending order.
Admissions Comments	ADC Admission Comment Descr	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_COMMENTS.DESCRLONG
GARP Funding - FOR TESTING	GF Year Apply	Data is fully replaced nightly for each application year. Previous years' data is retained, starting with 2016. Steward: Graduate Division
GARP Funding - FOR TESTING	GF GARP Residency	

Class Name	Object Name	Description
GARP Funding - FOR TESTING	GF GARP Foreign Domestic	
GARP Funding - FOR TESTING	GF GARP Status	
GARP Funding - FOR TESTING	GF Years of Support	
GARP Funding - FOR TESTING	GF Disp Order	
GARP Funding - FOR TESTING	GF Award	
GARP Funding - FOR TESTING	GF Quarters	
GARP Funding - FOR TESTING	GF Amount	
GARP Funding - FOR TESTING	GF Source	
GARP Funding - FOR TESTING	GF Risk Pool	
GARP Funding - FOR TESTING	GF Comments	
GARP Funding - FOR TESTING	GF Fellowship Desc	
GARP Funding - FOR TESTING	GF Locked	
Applicant and Family	AF Postmark Date	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_POSTMARK_DT
Applicant and Family	AF Grad System	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_GRAD_SYSTEM
Applicant and Family	AF Frsh GPA Crse	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_FRSH_GPACRSE
Applicant and Family	AF WIP Date	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_WIP_DT
Applicant and Family	AF Frosh Eligibility Original	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_ELIG_FRSH_O
Applicant and Family	AF Frosh Eligibility Orginal Short Descr	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_FR_ELIG_TBL.DESCR
Applicant and Family	AF Frosh Eligibility Original Long Descr	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_FR_ELIG_TBL.DESCR100
Applicant and Family	AF Home Location	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_PRM_HOM_LOC
Applicant and Family	AF Home Location Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_HOMLC_TBL.DESCR

Class Name	Object Name	Description
Applicant and Family	AF UC Employee	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_UC_EMPL_PRN
Applicant and Family	AF Single Parent Applicant	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SNGL_PRN_APP
Applicant and Family	AF Single Parent Parent	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_SNGL_PRN_PRN
Applicant and Family	AF Income Applicant	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_INCOME_APPL
Applicant and Family	AF Dependents Appl	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_DEP_APPL
Applicant and Family	AF Income Parent	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_INCOME_PRN
Applicant and Family	AF Dependents Prn	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_DEP_PRN
Applicant and Family	AF Education Level Father Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_EDU_LVL_FTHR
Applicant and Family	AF Education Level Father Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Applicant and Family	AF Education Level Mother Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_EDU_LVL_MTHR
Applicant and Family	AF Education Level Mother Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Applicant and Family	AF First Generation	For applicants who have not indicated that they come from single-parent families, if neither parents has an education level of "4-Year College Graduate", "Post-Graduate Study", or "-" the applicant is counted as first-generation. If an applicant has indicated that they come from a single-parent family and education level has only been provided for one parent, if that parent does not have an education level of "4-Year College Graduate", "Post-Graduate Study", or "-" the applicant is counted as first-generation. No other applicants are counted as first-generation. If Data is completely replaced nightly. Steward: Admissions Source: Derived from PS_SCA_ADM_APP_UCP.SCA_SNGL_PRN_APP, DS_SCA_ADM_APP_UC.SCA_EDU_LVL_MTHR, DS_SCA_ADM_APP_UC.SCA_EDU_LVL_FTHR
Applicant and Family	AF Residency for Communication	Undergraduate Applicant Residency based on Service Indicators during admissions process. Data is completely replaced nightly. Steward: Admissions Source: Derived from AISOPS.R_SRVC_IND_DATA.SRVC_IND_CD

Class Name	Object Name	Description
Applicant and Family	AF Mixed Records	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_MIX_REC_IND
Applicant and Family	AF Mixed Records Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Applicant and Family	AF Non-US Work in Grades 6- 8	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_LNG_INST_68
Applicant and Family	AF Non-US Work in Grades 9- 12	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_LNG_INST_912
Applicant and Family	AF Frosh Eligibility	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_ELIG_FRSH
Applicant and Family	AF Frosh Eligibility Short Descr	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_FR_ELIG_TBL.DESCR
Applicant and Family	AF Frosh Eligibility Long Descr	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_FR_ELIG_TBL.DESCR100
Applicant and Family	AF Current Occupation Father Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_FTHR_OCC_CUR
Applicant and Family	AF Current Occupation Father Descr	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_PRNTOCC_TBL.DESCR
Applicant and Family	AF Current Occupation Years Father	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_FTHR_OCC_YRC
Applicant and Family	AF Current Occupation Mother Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_MTHR_OCC_CUR
Applicant and Family	AF Current Occupation Mother Descr	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_PRNTOCC_TBL.DESCR
Applicant and Family	AF Current Occupation Years Mother	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_MTHR_OCC_YRC
Applicant and Family	AF Trns CCC Qtr	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_TRNS_CCC_QTR
Applicant and Family	AF Trns CCC Sem	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_TRNS_CCC_SEM
Applicant and Family	AF Transfer Eligibility Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_ELIG_TRNS
Applicant and Family	AF Transfer Eligibility Descr	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_TR_ELIG_TBL.DESCR
Applicant and Family	AF Term System Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_NON_SEM
Applicant and Family	AF Term System Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME

UCSC Campus Data Warehouse

Class Name	Object Name	Description
Applicant and Family	AF English Comp Transfer Courses Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_ECMP_TRNS
Applicant and Family	AF English Comp Transfer Courses Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Applicant and Family	AF Math Transfer Courses Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_MATH_TRNS
Applicant and Family	AF Math Transfer Courses Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Applicant and Family	AF First Language Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_LANG_FIRST
Applicant and Family	AF First Language Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Applicant and Family	AF Transfer Courses Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_TRNS_CRSES
Applicant and Family	AF Transfer Courses Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Applicant and Family	AF Special Curriculum	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_SPEC_CURR
Applicant and Family	AF Verify Status Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_UCAP_VRFY_STAT
Applicant and Family	AF Verify Status Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Applicant and Family	AF Verify Status Date	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_UCAP_VRFY_DT
Applicant and Family	AF Verify Item Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_UCAP_VRFY_ITM
Applicant and Family	AF Verify Item Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Applicant and Family	AF ELC Student Eligibility	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_UCAP_ELCELIG
Applicant and Family	AF Transfer Course Alert	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_TRNS_CRS_ALERT
Applicant and Family	AF CETAD Identified	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_CETAD_IDNTFED
Applicant and Family	AF CETAD Campus Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_CETAD_CAMPUS
Applicant and Family	AF CETAD Campus Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
A second s		

Class Name	Object Name	Description
Applicant and Family	AF Falsified Application Term	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_FALSFD_AP_TRM
Applicant and Family	AF Falsified Application Year	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_FALSFD_AP_YR
Applicant and Family	AF Falsified Application Campus	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_FALSFD_AP_CMP
Applicant and Family	AF Application Fee Type	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_APP_FEE_TYPE
Applicant and Family	AF Applicant Alert	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_APPLCNT_ALERT
Applicant and Family	AF CSIS-SSID	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_CSIS_SSID
Applicant and Family	AF Applicant in CA Last 3 Years	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_SLR_APPL_CA
Applicant and Family	AF Father is US Citizen	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_SLR_FATHER_US
Applicant and Family	AF Mother is US Citizen	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_SLR_MOTHER_US
Applicant and Family	AF Father in CA Last 3 Years	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_SLR_FATHER_CA
Applicant and Family	AF Mother in CA Last 3 Years	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_SLR_MOTHER_CA
Applicant and Family	AF Foster Care	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_FOSTER_CARE
Applicant and Family	AF AWPE E Designation	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_AWPE_E_DESGNTN
Applicant and Family	AF ACT High Date	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_ACT_HIGH_DT'
Applicant and Family	AF ACT English High	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_ACT_HIGH_ENGL
Applicant and Family	AF ACT Math High	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_ACT_HIGH_MATH

Class Name	Object Name	Description
Applicant and Family	AF ACT Reading High	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_ACT_HIGH_READ
Applicant and Family	AF ACT Science High	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_ACT_HIGH_SCI
Applicant and Family	AF ACT Writing High	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_ACT_HIGH_WRIT
Applicant and Family	AF ACT Total High	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_ACT_HIGH_TOT
Applicant and Family	AF SAT Date High	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_SAT_HIGH_DT
Applicant and Family	AF SAT Read High	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_SAT_HIGH_READ
Applicant and Family	AF SAT Math High	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_SAT_HIGH_MATH
Applicant and Family	AF SAT Writing High	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_SAT_HIGH_WRIT
Applicant and Family	AF SAT Total High	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_SAT_HIGH_TOT
Applicant and Family	AF SAT Subject Date High	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_SBJ_HIGH_DT
Applicant and Family	AF SAT Subject Code High	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_SBJ_HIGH_CD
Applicant and Family	AF SAT Subject Score High	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_SBJ_HIGH_SCO
Applicant and Family	AF SAT Subject 2 Date High	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_SBJ2_HIGH_DT
Applicant and Family	AF SAT Subject 2 Code High	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_SBJ2_HIGH_CD
Applicant and Family	AF SAT Subject 2 Score High	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_SBJ2_HIGH_SCO
Applicant and Family	AF Tribal Member Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_TRIBE_MEMBER
Applicant and Family	AF Tribal Member Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME

Class Name	Object Name	Description
Applicant and Family	AF Tribal Enrollment	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_TRIBAL_ENROLL
Applicant and Family	AF A-G 11 Courses	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_AG_ELEVEN
Applicant and Family	AF A-G 15 Courses	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_AG_FIFTEEN
Applicant and Family	AF ELC Percent (1-9)	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_ELC_PERCENT
Applicant and Family	AF Geometry Requirement Met	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_AU_GEO_REQ_FLG
Applicant and Family	AF Summer Courses Taken	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_AU_TAKEN_SUMR
Applicant and Family	AF ACT Writing Subject High	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_ACT_HIGH_WRSBJ
Applicant and Family	AF ACT Writing Subscore High	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_ACT_HIGH_WRSBS
Applicant and Family	AF ACT English Language Arts High	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_ACT_HIGH_ELA
Applicant and Family	AF SAT16 Essay Analysis Subscore High	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_SAT16_HIGH_EAS
Applicant and Family	AF SAT16 Essay Reading Subscore High	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_SAT16_HIGH_ERS
Applicant and Family	AF SAT16 Essay Writing Subscore High	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_SAT16_HIGH_EWS
Applicant and Family	AF SAT16 Math High	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_SAT16_HIGH_MTH
Applicant and Family	AF SAT16 Reading and Writing High	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_SAT16_HIGH_RWR
Applicant and Family	AF SAT16 Writ Lang Sub High	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_SAT16_HIGH_WLS
Applicant and Family	AF SAT16 Reading Sub High	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_SAT16_HIGH_RDS

UCSC Campus Data Warehouse

Class Name	Object Name	Description
Applicant and Family	AF SAT16 Math Sub High	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_SAT16_HIGH_MTS
Applicant and Family	AF SAT16 Total High	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_SAT16_HIGH_TOT
Applicant and Family	AF Official Test After Graduation	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_AU_OFF_TST_AG
Applicant and Family	AF English Proficiency Requirement	A "Yes" indicates this person needs to meet the English Proficiency Standards. Data is completely replaced nightly. Steward: Admissions Source: derived from PS_ADM_APPL_PROG
Applicant and Family	AF Transfer Pathways Major	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_AU_TR_PATH_MJR
Applicant and Family	AF ELC Only Flag	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_UCP.SCA_AU_ELCONLY_FLG
Last School Attended	LSA Last School Attended Code	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_APPL_DATA.LAST_SCH_ATTEND
Last School Attended	LSA Last School Attended Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL.DESCR
Last School Attended	LSA Last School Type Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL_ADM.LS_SCHOOL_TYPE
Last School Attended	LSA Last School Type Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_LS_SCHL_TYP_TBL2.DESCR
LS Service Indicators	LSSI Service Indicator Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCC_SI_ORG.SRVC_IND_CD
LS Service Indicators	LSSI Service Indicator Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_SRVC_IND_CD_TBL.DESCR
LS Service Indicators	LSSI Service Indicator Reason Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCC_SI_ORG.SRVC_IND_REASON
LS Service Indicators	LSSI Service Indicator Reason Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_SRVC_IN_RSN_TBL.DESCR
LS Service Indicators	LSSI Service Indicator Active Date	Data is completely replaced nightly. Steward: Admissions Source: PS_SCC_SI_ORG.SRVC_IND_ACTIVE_DT
LS Service Indicators	LSSI Service Indicator Active Term	Data is completely replaced nightly. Steward: Admissions Source: PS_SCC_SI_ORG.SRVC_IND_ACT_TERM

Class Name	Object Name	Description
LS Service Indicators	LSSI Service Indicator End Term	Data is completely replaced nightly. Steward: Admissions Source: PS_SCC_SI_ORG.SCC_SI_END_TERM
LS Service Indicators	LSSI Service Indicator Comments	Data is completely replaced nightly. Steward: Admissions Source: PS_SCC_SI_ORG.COMM_COMMENTS
LS External Organizations	LSEO Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL.EFFDT
LS External Organizations	LSEO Status as of Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL.EFF_STATUS
LS External Organizations	LSEO External Org Type Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL.EXT_ORG_TYPE
LS External Organizations	LSEO External Org Type Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
LS External Organizations	LSEO Description	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL.DESCR50
LS External Organizations	LSEO Contact Number	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL.ORG_CONTACT
LS External Organizations	LSEO Org Location Number	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL.ORG_LOCATION
LS External Organizations	LSEO Proprietorship Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL.PROPRIETORSHIP
LS External Organizations	LSEO Proprietorship Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
LS External Organizations	LSEO Vendor ID	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL.VENDOR_ID
LS External Organizations	LSEO Updated Date/Time	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL.LASTUPDDTTM
LS External Organizations	LSEO Updated by User ID	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL.LASTUPOPRID
LS External Organizations	LSEO Updated by User Name	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC
LS External Org Location	LSOL Location Number	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.ORG_LOCATION
LS External Org Location	LSOL Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.EFFDT

UCSC Campus Data Warehouse

Class Name	Object Name	Description
LS External Org Location	LSOL Status as of Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.EFF_STATUS
LS External Org Location	LSOL Description	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.DESCR
LS External Org Location	LSOL Country Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.COUNTRY
LS External Org Location	LSOL Country Descr	Data is completely replaced nightly. Steward: Shared Source: PS_COUNTRY_TBL.DESCR
LS External Org Location	LSOL Address Line 1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.ADDRESS1
LS External Org Location	LSOL Address Line 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.ADDRESS2
LS External Org Location	LSOL Address Line 3	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.ADDRESS3
LS External Org Location	LSOL Address Line 4	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.ADDRESS4
LS External Org Location	LSOL City	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.CITY
LS External Org Location	LSOL Number 1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.NUM1
LS External Org Location	LSOL Number 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.NUM2
LS External Org Location	LSOL Address Field 1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.ADDR_FIELD1
LS External Org Location	LSOL Address Field 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.ADDR_FIELD2
LS External Org Location	LSOL Address Field 3	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.ADDR_FIELD3
LS External Org Location	LSOL County	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.COUNTY
LS External Org Location	LSOL State Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.STATE
LS External Org Location	LSOL State Descr	Data is completely replaced nightly. Steward: Shared Source: PS_STATE_TBL.DESCR

Class Name	Object Name	Description
LS External Org Location	LSOL Postal Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.POSTAL
LS External Org Location	LSOL URL Address	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.URL_ADDRESS
LS External Org Location	LSOL Email ID	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.EMAILID
LS External Org Location	LSOL EDI Address	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.EDI_ADDRESS
LS External Org Location	LSOL Updated by User ID	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.LASTUPDOPRID
LS External Org Location	LSOL Update Date/Time	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.LASTUPDDTTM
LS External Org Location	LSOL Updated by User Name	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC
LS External Orgs Admissions	LSOA Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL_ADM.EFFDT
LS External Orgs Admissions	LSOA Status as of Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL_ADM.EFF_STATUS
LS External Orgs Admissions	LSOA School Type Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL_ADM.LS_SCHOOL_TYPE
LS External Orgs Admissions	LSOA School Type Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_LS_SCHL_TYP_TBL.DESCR
LS External Orgs Admissions	LSOA FICE Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL_ADM.FICE_CD
LS External Orgs Admissions	LSOA ATP Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL_ADM.ATP_CD
LS External Orgs Admissions	LSOA Offers Courses	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL_ADM.OFFERS_COURSES
LS External Orgs Admissions	LSOA School District	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL_ADM.SCHOOL_DISTRICT
LS API	LSAPI Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_UCOP_SCDATA.EFFDT
LS API	LSAPI Score	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_UCOP_SCDATA.SCA_UCOP_INT

Class Name	Object Name	Description
Admission Evaluation	AE Evaluation Code	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_APPL_CMP.EVALUATION_CODE
Admission Evaluation	AE Evaluation Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EVALUATION_TBL.DESCR
Admission Evaluation	AE Evaluation Number	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_APPL_CMP.APPL_EVAL_NBR
Admission Evaluation	AE Rating Component Code	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_APPL_CMP.RATING_CMP
Admission Evaluation	AE Rating Component Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_RTNG_CMPDEF_TBL.DESCR
Admission Evaluation	AE Rating Value - for grouping	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_APPL_CMP.RATING_CMP_VALUE
Admission Evaluation	AE Rating Value	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_APPL_CMP.RATING_CMP_VALUE
Admission Evaluation	AE Applicant GPA	Data is completely replaced nightly. Steward: Admissions Source: derived from ADM_APPL_CMP.RATING_CMP_VALUE based on logic provided by Undergraduate Admissions
Mirror	Sca Xets File Id	
Mirror	Sca Xets Sid Stat	
Mirror	Sca Xets Sid	
Mirror	Adm Appl Nbr	
Mirror	Emplid	
Mirror	Sca Xacad1011 Stat	
Mirror	Sca Xacadcrs9 Stat	
Mirror	Sca Xacadcrsa Stat	
Mirror	Sca Xacadcrsb Stat	
Mirror	Sca Xacadcrsc Stat	
Mirror	Sca Xacadcrsd Stat	
Mirror	Sca Xacadcrsf Stat	
Mirror	Sca Xacadhn12 Stat	
Mirror	Sca Xacadhnrs Stat	
Mirror	Sca Xacad Crses 9a	
Mirror	Sca Xacad Crses 9b	
Mirror	Sca Xacad Crses 9c	
Mirror	Sca Xacad Crses 9d	
Mirror	Sca Xacad Crses 9f	
Mirror	Sca Xacad Crses A	
Mirror	Sca Xacad Crses B	
Mirror	Sca Xacad Crses C	
Mirror	Sca Xacad Crses D	
Mirror	Sca Xacad Crses F	
Mirror	Sca Xacad Hnrs1011	
Mirror	Sca Xacad Hnrs12	

Class Name	Object Name	Description
Mirror	Sca Xacad Honors	
Mirror	Sca Xacad Honors11	
Mirror	Sca Xachm1slf Stat	
Mirror	Sca Xachm2slf Stat	
Mirror	Sca Xach Eslf	
Mirror	Sca Xach Eslf Stat	
Mirror	Sca Xach M1slf	
Mirror	Sca Xach M2slf	
Mirror	Sca Xach Oslf	
Mirror	Sca Xach Oslf Stat	
Mirror	Sca Xact Comp High	
Mirror	Sca Xact Data Year	
Mirror	Sca Xact Sbscrread	
Mirror	Sca Xact Slf	
Mirror	Sca Xact Slf Stat	
Mirror	Sca Xact Sscr Stat	
Mirror	Sca Xact Stat	
Mirror	Sca Xact Subscreng	
Mirror	Sca Xact Subscrmth	
Mirror	Sca Xact Subscrsci	
Mirror	Sca Xact Tstdthigh	
Mirror	Sca Xaddr Prm Cnty	
Mirror	Sca Xadmitbk	
Mirror	Sca Xadmitdv	
Mirror	Sca Xadmitir	
Mirror	Sca Xadmitla	
Mirror	Sca Xadmitrv	
Mirror	Sca Xadmitsb	
Mirror	Sca Xadmitsc	
Mirror	Sca Xadmitsd	
Mirror	Sca Xadmitsir Stat	
Mirror	Sca Xadpmcnty Stat	
Mirror	Sca Xadpmctry Stat	
Mirror	Sca Xadr Prm Cntry	
Mirror	Sca Xadv Stdg	
Mirror	Sca Xadv Stdg Stat	
Mirror	Sca Xafgpa Honcapd	
Mirror	Sca Xafgpa Honcpdl	
Mirror	Sca Xafgpa Stat	
Mirror	Sca Xafgpa Unweitd	
Mirror	Sca Xaltcbkly Stat	
Mirror	Sca Xaltcdavs Stat	
Mirror	Sca Xaltcirvn Stat	
Mirror Mirror	Sca Xaltcla Stat	
	Sca Xaltcrvsd Stat	
Mirror	Sca Xaltcsbra Stat	
Mirror	Sca Xaltosorz Stat	
Mirror	Sca Xaltcsdgo Stat	
Mirror	Sca Xaltmbkly Stat	
Mirror	Sca Xaltmdavs Stat	

Class Name	Object Name	Description
Mirror	Sca Xaltmirvn Stat	
Mirror	Sca Xaltmla Stat	
Mirror	Sca Xaltmrvsd Stat	
Mirror	Sca Xaltmsbra Stat	
Mirror	Sca Xaltmscrz Stat	
Mirror	Sca Xaltmsdgo Stat	
Mirror	Sca Xalt Clg Brkly	
Mirror	Sca Xalt Clg Davis	
Mirror	Sca Xalt Clg Irvne	
Mirror	Sca Xalt Clg La	
Mirror	Sca Xalt Clg Rvrsd	
Mirror	Sca Xalt Clg Sbrba	
Mirror	Sca Xalt Clg Scruz	
Mirror	Sca Xalt Clg Sndgo	
Mirror	Sca Xalt Maj	
Mirror	Sca Xalt Maj Brkly	
Mirror	Sca Xalt Maj Davis	
Mirror	Sca Xalt Maj Irvne	
Mirror	Sca Xalt Maj La	
Mirror	Sca Xalt Maj Rvrsd	
Mirror	Sca Xalt Maj Sbrba	
Mirror	Sca Xalt Maj Sndgo	
Mirror	Sca Xamnt Chkd	
Mirror	Sca Xamt Chkd Stat	
Mirror	Sca Xapenglit Scyr	
Mirror	Sca XapengIngsc Yr	
Mirror	Sca Xappalert Stat	
Mirror	Sca Xappbk	
Mirror	Sca Xappbk Stat	
Mirror	Sca Xappdate1	
Mirror	Sca Xappdate1 Stat	
Mirror	Sca Xappdate2	
Mirror	Sca Xappdate2 Stat	
Mirror	Sca Xappdv	
Mirror	Sca Xappdv Stat	
Mirror Mirror	Sca Xappir	
Mirror	Sca Xappir Stat Sca Xappla	
Mirror	Sca Xappla Stat	
Mirror	Sca Xapplcnt Alert	
Mirror	Sca Xapprv	
Mirror	Sca Xapprvsd Stat	
Mirror	Sca Xappsb	
Mirror	Sca Xappsb Stat	
Mirror	Sca Xappsc	
Mirror	Sca Xappsc Stat	
Mirror	Sca Xappsd	
Mirror	Sca Xappsd Stat	
Mirror	Sca Xap Englit Scr	
Mirror	Sca Xap Enging Scr	
	Coa Aap Enging Coi	

Class Name	Object Name	Description
Mirror	Sca Xap Ib	
Mirror	Sca Xap Ib Stat	
Mirror	Sca Xap Stat	
Mirror	Sca Xap Test Stat	
Mirror	Sca Xap Tst01 Code	
Mirror	Sca Xap Tst01 Date	
Mirror	Sca Xap Tst01 Scor	
Mirror	Sca Xap Tst02 Code	
Mirror	Sca Xap Tst02 Date	
Mirror	Sca Xap Tst02 Scor	
Mirror	Sca Xap Tst03 Code	
Mirror	Sca Xap Tst03 Date	
Mirror	Sca Xap Tst03 Scor	
Mirror	Sca Xap Tst04 Code	
Mirror	Sca Xap Tst04 Date	
Mirror	Sca Xap Tst04 Scor	
Mirror	Sca Xap Tst05 Code	
Mirror	Sca Xap Tst05 Date	
Mirror	Sca Xap Tst05 Scor	
Mirror	Sca Xap Tst06 Code	
Mirror	Sca Xap Tst06 Date	
Mirror	Sca Xap Tst06 Scor	
Mirror	Sca Xap Tst07 Code	
Mirror	Sca Xap Tst07 Date	
Mirror	Sca Xap Tst07 Scor	
Mirror	Sca Xap Tst08 Code	
Mirror	Sca Xap Tst08 Date	
Mirror	Sca Xap Tst08 Scor	
Mirror	Sca Xap Tst09 Code	
Mirror	Sca Xap Tst09 Date	
Mirror	Sca Xap Tst09 Scor	
Mirror	Sca Xap Tst10 Code	
Mirror	Sca Xap Tst10 Date	
Mirror	Sca Xap Tst10 Scor	
Mirror	Sca Xap Tst11 Code	
Mirror	Sca Xap Tst11 Date	
Mirror	Sca Xap Tst11 Scor	
Mirror	Sca Xap Tst12 Code	
Mirror	Sca Xap Tst12 Date	
Mirror	Sca Xap Tst12 Scor	
Mirror	Sca Xbdate	
Mirror	Sca Xbdate Stat	
Mirror	Sca Xbirth Country	
Mirror	Sca Xbrthcity Stat	
Mirror	Sca Xbrthctry Stat	
Mirror	Sca Xbrthplc City	
Mirror	Sca Xbrthplc State	
Mirror	Sca Xbrthste Stat	
Mirror	Sca Xcalcuncpd Gpa	
Mirror	Sca Xcampus Rptd	

Class Name	Object Name	Description
Mirror	Sca Xca Res	
Mirror	Sca Xca Res Stat	
Mirror	Sca Xcbsatii Sc1a2	
Mirror	Sca Xcbsatii Sc1a3	
Mirror	Sca Xcbsatii Sc1a4	
Mirror	Sca Xcbsatii Sc1a5	
Mirror	Sca Xcbsatii Sc1a6	
Mirror	Sca Xcbsatii Sc1 L	
Mirror	Sca Xcbsatii Sc2a2	
Mirror	Sca Xcbsatii Sc2a3	
Mirror	Sca Xcbsatii Sc2a4	
Mirror	Sca Xcbsatii Sc2a5	
Mirror	Sca Xcbsatii Sc2a6	
Mirror	Sca Xcbsatii Sc2 L	
Mirror	Sca Xcbsatii Sc3a2	
Mirror	Sca Xcbsatii Sc3a3	
Mirror	Sca Xcbsatii Sc3a4	
Mirror	Sca Xcbsatii Sc3a5	
Mirror	Sca Xcbsatii Sc3a6	
Mirror	Sca Xcbsatii Sc3 L	
Mirror	Sca Xcbsati Mth A2	
Mirror	Sca Xcbsati Mth A3	
Mirror	Sca Xcbsati Mth A4	
Mirror	Sca Xcbsati Mth A5	
Mirror	Sca Xcbsati Mth A6	
Mirror	Sca Xcbsati Mth Lt	
Mirror	Sca Xcbsati Vbl A2	
Mirror	Sca Xcbsati VbI A3	
Mirror	Sca Xcbsati Vbl A4	
Mirror	Sca Xcbsati Vbl A5	
Mirror	Sca Xcbsati Vbl A6	
Mirror	Sca Xcbsati Vbl Lt	
Mirror	Sca Xcb Data Year	
Mirror	Sca Xcb Status	
Mirror	Sca Xcc Units	
Mirror	Sca Xcc Units Stat	
Mirror	Sca Xcitizenstatus	
Mirror	Sca Xcitylocal	
Mirror	Sca Xcitylocl Stat	
Mirror	Sca Xcityperm	
Mirror	Sca Xcityperm Stat	
Mirror	Sca Xcitzcntrycode	
Mirror	Sca Xcitzctry Stat	
Mirror	Sca Xcitzstat Stat	
Mirror	Sca Xcitz Cntry	
Mirror	Sca Xclcungpa Stat	
Mirror	Sca Xclgbrkly Stat	
Mirror	Sca Xclgdavs Stat	
Mirror	Sca Xclgirvne Stat	
Mirror	Sca Xclgrvrsd Stat	

Class Name	Object Name	Description
Mirror	Sca Xclgsbrba Stat	
Mirror	Sca Xclg La Stat	
Mirror	Sca Xclg Rvrsid	
Mirror	Sca Xclg Sandiego	
Mirror	Sca Xclg Santabrba	
Mirror	Sca Xclg Santacruz	
Mirror	Sca Xclg Scrz Stat	
Mirror	Sca Xcmp Berkly Dt	
Mirror	Sca Xcmp Davis Dt	
Mirror	Sca Xcmp Irvine Dt	
Mirror	Sca Xcmp Losang Dt	
Mirror	Sca Xcmp Rvrsid Dt	
Mirror	Sca Xcmp Sandgo Dt	
Mirror	Sca Xcmp Scruz Dt	
Mirror	Sca Xcmp Stabrb Dt	
Mirror	Sca Xcnslrrls Stat	
Mirror	Sca Xcntrylcl Stat	
Mirror	Sca Xcntrylocal	
Mirror	Sca Xcollege Brkly	
Mirror	Sca Xcollege Davis	
Mirror	Sca Xcollege Irvne	
Mirror	Sca Xcollege La	
Mirror	Sca Xcollunit	
Mirror	Sca Xcollunit Stat	
Mirror	Sca Xcol Gpa Xchck	
Mirror	Sca Xcompinfo Stat	
Mirror	Sca Xcomputd Gpa R	
Mirror	Sca XcounsIr RIs	
Mirror	Sca Xcp Gpa R Stat	
Mirror	Sca Xcsndgo Stat	
Mirror	Sca Xctzcntry Stat	
Mirror	Sca Xc Act Data Yr	
Mirror	Sca Xc Act Tstdthi	
Mirror	Sca Xc Apenlitscyr	
Mirror	Sca Xc ApenIngscyr	
Mirror	Sca Xc Birthdate	
Mirror	Sca Xc Camps La Dt	
Mirror	Sca Xc Cb Data Yr	
Mirror	Sca Xc Cmpbrkly Dt	
Mirror	Sca Xc Cmpdavis Dt	
Mirror	Sca Xc Cmpirvne Dt	
Mirror	Sca Xc Cmprvrsd Dt	
Mirror	Sca Xc Cmpscruz Dt	
Mirror	Sca Xc Cmpsnbrb Dt	
Mirror	Sca Xc Cmpsndgo Dt	
Mirror	Sca Xc Date Rptd	
Mirror	Sca Xc Dt Acknw P	
Mirror	Sca Xc Dt App Rcvd	
Mirror	Sca Xc Dt Mvdto Ca	
Mirror	Sca Xc Dt Postmark	

Class Name	Object Name	Description
Mirror	Sca Xc Falsfdap Yr	
Mirror	Sca Xc Gpaxck Stat	
Mirror	Sca Xc Nok Dt Mvd	
Mirror	Sca Xc Non Citz Dt	
Mirror	Sca Xc PIndactdt	
Mirror	Sca Xc PIndsatidt	
Mirror	Sca Xc Plsatiim1dt	
Mirror	Sca Xc Plsatiim2dt	
Mirror	Sca Xc Plsatiit Dt	
Mirror	Sca Xc Plsatiiwdt	
Mirror	Sca Xc Satiimhitdt	
Mirror	Sca Xc Satiithitdt	
Mirror	Sca Xc Satiiwhitdt	
Mirror	Sca Xc Sati Tstdth	
Mirror	Sca Xc Sch01 Atfrm	
Mirror	Sca Xc Sch01 At To	
Mirror	Sca Xc Sch02 Atfrm	
Mirror	Sca Xc Sch02 At To	
Mirror	Sca Xc Sch03 Atfrm	
Mirror	Sca Xc Sch03 At To	
Mirror	Sca Xc Sch04 Atfrm	
Mirror	Sca Xc Sch04 At To	
Mirror	Sca Xc Sch05 Atfrm	
Mirror	Sca Xc Sch05 At To	
Mirror	Sca Xc Sch06 Atfrm	
Mirror	Sca Xc Sch06 At To	
Mirror	Sca Xc Sch07 Atfrm	
Mirror	Sca Xc Sch07 At To	
Mirror	Sca Xc Sch08 Atfrm	
Mirror	Sca Xc Sch08 At To	
Mirror	Sca Xc Sch09 Atfrm	
Mirror	Sca Xc Sch09 At To	
Mirror	Sca Xc Sch10 Atfrm	
Mirror	Sca Xc Sch10 At To	
Mirror	Sca Xc Status	
Mirror	Sca Xc Toefl Date	
Mirror	Sca Xc Tsdtsatiim1	
Mirror	Sca Xc Tsdtsatiim2	
Mirror	Sca Xc Tstdtsatii3	
Mirror	Sca Xc Tstdtsatiiw	
Mirror	Sca Xc Tst Dt Act	
Mirror	Sca Xc Tst Dt Sati	
Mirror	Sca Xc Year	
Mirror	Sca Xdandf	
Mirror	Sca Xdandf Stat	
Mirror	Sca Xdate Rpted	
Mirror	Sca Xdate Wip	
Mirror	Sca Xdate Wip Stat	
Mirror	Sca Xdepsapplicant	
Mirror	Sca Xdeps Parent	

Class Name	Object Name	Description
Mirror	Sca Xdep App Prev	
Mirror	Sca Xdep Par Prev	
Mirror	Sca Xdisabled 1	
Mirror	Sca Xdisabled 2	
Mirror	Sca Xdisabled 3	
Mirror	Sca Xdisabled 4	
Mirror	Sca Xdisabled 5	
Mirror	Sca Xdisabled 6	
Mirror	Sca Xdisabled 7	
Mirror	Sca Xdisabled 8	
Mirror	Sca Xdisabled Stat	
Mirror	Sca Xdtmvd Ca Stat	
Mirror	Sca Xdt Ack Prod	
Mirror	Sca Xdt Mved To Ca	
Mirror	Sca Xedlvfthr Stat	
Mirror	Sca Xedlvmthr Stat	
Mirror	Sca Xed Lvl Father	
Mirror	Sca Xed Lvl Mother	
Mirror	Sca Xelccdsrp Stat	
Mirror	Sca Xelcmgntsch Cd	
Mirror	Sca Xelcmgntsch Nm	
Mirror	Sca Xelcstufnl Gpa	
Mirror	Sca Xelcstu Dis Id	
Mirror	Sca Xelcstu Grd Dt	
Mirror	Sca Xelcstu Sch Cd	
Mirror	Sca Xelc Cd Slfrpt	
Mirror	Sca Xelc Status	
Mirror	Sca Xelc Studnt Id	
Mirror	Sca Xelc Stu Elig	
Mirror	Sca Xelig	
Mirror	Sca Xemail Address	
Mirror	Sca Xemail Stat	
Mirror	Sca Xengcmp Trncrs	
Mirror	Sca Xentclass Stat	
Mirror	Sca Xent Class Lvl	
Mirror	Sca Xeop Aap Stat	
Mirror	Sca Xeop Interest	
Mirror	Sca Xestgpaad	
Mirror	Sca Xestgpaad Stat	
Mirror	Sca Xestgpafr	
Mirror	Sca Xestgpafr Stat	
Mirror	Sca Xethnic	
Mirror	Sca Xethnic Stat	
Mirror	Sca Xeval Review	
Mirror	Sca Xeval Rev Stat	
Mirror	Sca Xfalse Ap Stat	
Mirror	Sca Xfalsfd Ap Cmp	
Mirror	Sca Xfalsfd Ap Trm	
Mirror	Sca Xfalsfd Ap Yr	
Mirror	Sca Xfathr Occ Cur	

Class Name	Object Name	Description
Mirror	Sca Xfeesowed Stat	
Mirror	Sca Xfees Owed	
Mirror	Sca Xfinadtyp Stat	
Mirror	Sca Xfinaidtyp	
Mirror	Sca Xformappapd On	
Mirror	Sca Xformername	
Mirror	Sca Xformrnam Stat	
Mirror	Sca Xfridxsum Stat	
Mirror	Sca Xfrosh Score	
Mirror	Sca Xfrsh Gpa Crse	
Mirror	Sca Xfr Gpa C Stat	
Mirror	Sca Xfr Index Sum	
Mirror	Sca Xfr Score Stat	
Mirror	Sca Xfthroccyrscur	
Mirror	Sca Xfthroccyrsprv	
Mirror	Sca Xfthr Occ Prev	
Mirror	Sca Xfthr Occ Stat	
Mirror	Sca Xg912crsc Stat	
Mirror	Sca Xg912crse Stat	
Mirror	Sca Xgpaactual	
Mirror	Sca Xgpafrcmp Calc	
Mirror	Sca Xgpafrcmp Stat	
Mirror	Sca Xgpatrcmp Calc	
Mirror	Sca Xgpatrcmp Stat	
Mirror	Sca Xgpa Xcheck	
Mirror	Sca Xgpa Xchk Stat	
Mirror	Sca Xgrading Sys	
Mirror	Sca Xgrd78crs Stat	
Mirror	Sca Xgrd9 12 Crs C	
Mirror	Sca Xgrdngsys Stat	
Mirror	Sca Xgrd 7 8 Crs C	
Mirror	Sca Xgrd 7 8 Crs E	
Mirror	Sca Xgrd 9 12crs E	
Mirror	Sca Xhomeloc	
Mirror	Sca Xhomeloc Stat	
Mirror	Sca Xhonc10en Stat	
Mirror	Sca Xhoncht 10 Eng	
Mirror	Sca Xhontpg10 Stat	
Mirror	Sca Xhontpg11 Stat	
Mirror	Sca Xhontpg12 Stat	
Mirror	Sca Xhontypca Stat	
Mirror	Sca Xhontypcb Stat	
Mirror	Sca Xhontypcc Stat	
Mirror Mirror	Sca Xhontypcd Stat Sca Xhontypce Stat	
Mirror	Sca Xhontypce Stat	
Mirror	Sca Xhontypcf Stat	
Mirror	Sca Xhontypcg Stat	
Mirror	Sca Xhontypcrsa Ap	
Mirror	Sca Xhontypersa Cl	

Class Name	Object Name	Description
Mirror	Sca Xhontypcrsa Ib	
Mirror	Sca Xhontypcrsb Ap	
Mirror	Sca Xhontypcrsb Cl	
Mirror	Sca Xhontypcrsb HI	
Mirror	Sca Xhontypcrsb lb	
Mirror	Sca Xhontypcrsc Ap	
Mirror	Sca Xhontypcrsc Cl	
Mirror	Sca Xhontypcrsc HI	
Mirror	Sca Xhontypcrsc Ib	
Mirror	Sca Xhontypcrsd Ap	
Mirror	Sca Xhontypcrsd Cl	
Mirror	Sca Xhontypcrsd HI	
Mirror	Sca Xhontypcrsd Ib	
Mirror	Sca Xhontypcrse Ap	
Mirror	Sca Xhontypcrse Cl	
Mirror	Sca Xhontypcrse HI	
Mirror	Sca Xhontypcrse Ib	
Mirror	Sca Xhontypcrsf Ap	
Mirror	Sca Xhontypcrsf Cl	
Mirror	Sca Xhontypcrsf Hl	
Mirror	Sca Xhontypcrsf Ib	
Mirror	Sca Xhontypcrsg Ap	
Mirror	Sca Xhontypcrsg Cl	
Mirror	Sca Xhontypcrsg Hl	
Mirror	Sca Xhontypcrsg Ib	
Mirror	Sca Xhontypgr10 Ap	
Mirror	Sca Xhontypgr10 Cl	
Mirror	Sca Xhontypgr10 HI	
Mirror	Sca Xhontypgr10 lb	
Mirror	Sca Xhontypgr11 Ap	
Mirror	Sca Xhontypgr11 Cl	
Mirror	Sca Xhontypgr11 HI	
Mirror	Sca Xhontypgr11 Ib	
Mirror	Sca Xhontypgr12 Ap	
Mirror	Sca Xhontypgr12 Cl	
Mirror	Sca Xhontypgr12 HI	
Mirror	Sca Xhontypgr12 lb	
Mirror	Sca Xhontyptc Stat	
Mirror	Sca Xhontyptoct Ap	
Mirror	Sca Xhontyptoct Cl	
Mirror	Sca Xhontyptoct HI	
Mirror	Sca Xhontyptoct Ib	
Mirror	Sca Xhousing Type	
Mirror	Sca Xhous Typ Stat	
Mirror	Sca Xhselm Algsem1	
Mirror	Sca Xhselm Algsem2	
Mirror	Sca Xhsothmth Sem1	
Mirror	Sca Xhsothmth Sem2	
Mirror	Sca Xhsyr2alg Sem1	
Mirror	Sca Xhsyr2alg Sem2	

Class Name	Object Name	Description
Mirror	Sca Xhs English	
Mirror	Sca Xhs Geom Sem1	
Mirror	Sca Xhs Geom Sem2	
Mirror	Sca Xib Diploma	
Mirror	Sca Xib Status	
Mirror	Sca Xib Tst01 Code	
Mirror	Sca Xib Tst01 Date	
Mirror	Sca Xib Tst01 Scor	
Mirror	Sca Xib Tst02 Code	
Mirror	Sca Xib Tst02 Date	
Mirror	Sca Xib Tst02 Scor	
Mirror	Sca Xib Tst03 Code	
Mirror	Sca Xib Tst03 Date	
Mirror	Sca Xib Tst03 Scor	
Mirror	Sca Xib Tst04 Code	
Mirror	Sca Xib Tst04 Date	
Mirror	Sca Xib Tst04 Scor	
Mirror	Sca Xidapprev Stat	
Mirror	Sca Xidparprv Stat	
Mirror	Sca Xigetc	
Mirror	Sca Xigetc Stat	
Mirror	Sca Xincdepap Stat	
Mirror	Sca Xincdepar Stat	
Mirror	Sca Xincome Parent	
Mirror	Sca Xinc Applicant	
Mirror	Sca Xinc App Prev	
Mirror	Sca Xinc Par Prev	
Mirror	Sca Xinforls	
Mirror	Sca Xinforls Stat	
Mirror	Sca Xintl Zipcurr	
Mirror	Sca Xintl Zipperm	
Mirror	Sca Xin Zipcr Stat	
Mirror	Sca Xin Ziprm Stat	
Mirror	Sca Xlanginstr 6 8	
Mirror	Sca Xlanginst Stat	
Mirror	Sca Xlang First	
Mirror	Sca Xlast Sch Attd	
Mirror	Sca XIngfirst Stat	
Mirror	Sca XInginstr 9 12	
Mirror	Sca XIstschtp Stat	
Mirror	Sca Xltr Rcpt Stat	
Mirror	Sca Xltr Recipient	
Mirror	Sca Xmaj	
Mirror	Sca Xmajbrkly Stat	
Mirror	Sca Xmajdavis Stat	
Mirror	Sca Xmajirvne Stat	
Mirror	Sca Xmajla Stat	
Mirror	Sca Xmajrvsd Stat	
Mirror	Sca Xmajsbrba Stat	
Mirror	Sca Xmajsndgo Stat	

Class Name	Object Name	Description
Mirror	Sca Xmaj Berkly	
Mirror	Sca Xmaj Davis	
Mirror	Sca Xmaj Irvine	
Mirror	Sca Xmaj La	
Mirror	Sca Xmaj Rvrsid	
Mirror	Sca Xmaj Santabrba	
Mirror	Sca Xmaj San Diego	
Mirror	Sca Xmaj Stat	
Mirror	Sca Xmath Trns Crs	
Mirror	Sca Xmthr Occ Curr	
Mirror	Sca Xmthr Occ Prev	
Mirror	Sca Xmthr Occ Stat	
Mirror	Sca Xmthr Ocyrscur	
Mirror	Sca Xmthr Ocyrsprv	
Mirror	Sca Xmxdrcind Stat	
Mirror	Sca Xmxd Recs Ind	
Mirror	Sca Xname	
Mirror	Sca Xname Stat	
Mirror	Sca Xncitstat Stat	
Mirror	Sca Xnkdtmvca Stat	
Mirror	Sca Xnok Dt Moved	
Mirror	Sca Xnok Res St	
Mirror	Sca Xnok Res Stat	
Mirror	Sca Xnoncit	
Mirror	Sca Xnonctzdt Stat	
Mirror	Sca Xnon Citz Date	
Mirror	Sca Xnon Semstr	
Mirror	Sca Xnon Sem Stat	
Mirror	Sca Xoddlramt Stat	
Mirror	Sca Xodd DIr Amt	
Mirror	Sca Xorig Elig Fr	
Mirror	Sca Xparent Uc Emp	
Mirror	Sca Xparucemp Stat	
Mirror	Sca Xparucgrd Stat	
Mirror	Sca Xpar Uc Grad	
Mirror	Sca Xphonelcl Stat	
Mirror	Sca Xphonelocal	
Mirror	Sca Xphoneperm	
Mirror	Sca Xphonperm Stat	
Mirror	Sca Xpland Act Dt	
Mirror	Sca Xpland Sati Dt	
Mirror	Sca XpIndsatiim1dt	
Mirror	Sca XpIndsatiim2dt	
Mirror	Sca XpIndsatiit Dt	
Mirror	Sca XpIndsatiiw Dt	
Mirror	Sca XpInd Tst Stat	
Mirror	Sca Xpmrescntry Cd	
Mirror	Sca Xprcntryc Stat	
Mirror	Sca Xprevaptm Stat	
Mirror	Sca Xprevapyr Stat	

Class Name	Object Name	Description
Mirror	Sca Xprevious Appl	
Mirror	Sca Xprev App Stat	
Mirror	Sca Xprev App Term	
Mirror	Sca Xprev App Year	
Mirror	Sca Xprev Ap Cmp	
Mirror	Sca Xprjsat2ma Scr	
Mirror	Sca Xprjsat2 Ma Cd	
Mirror	Sca Xprm Res Cntry	
Mirror	Sca Xprscntry Stat	
Mirror	Sca Xprvapcmp Stat	
Mirror	Sca Xpsat23cd Stat	
Mirror	Sca Xpsat23sc Stat	
Mirror	Sca Xpsat2mac Stat	
Mirror	Sca Xpsat2mas Stat	
Mirror	Sca Xpsat2scr Stat	
Mirror	Sca Xpsat2wr Score	
Mirror	Sca Xpsat2 3rd Cde	
Mirror	Sca Xpsat2 3rd Scr	
Mirror	Sca Xrepeated D	
Mirror	Sca Xrepeated F	
Mirror	Sca Xrpeatd D Stat	
Mirror	Sca Xrpeatd F Stat	
Mirror	Sca Xsatii3hitstcd	
Mirror	Sca Xsatii3hitstdt	
Mirror	Sca Xsatii3hs Stat	
Mirror	Sca Xsatii3rd High	
Mirror	Sca Xsatiihi Sr Cd	
Mirror	Sca Xsatiimathhigh	
Mirror	Sca Xsatiimhitstdt	
Mirror	Sca Xsatiimht Stat	
Mirror	Sca Xsatiimthhityp	
Mirror	Sca Xsatiiwhitstdt	
Mirror	Sca Xsatiiwrithigh	
Mirror	Sca Xsatisrvb Stat	
Mirror	Sca Xsati Testdthi	
Mirror	Sca Xsati Tot High	
Mirror	Sca Xsat Math	
Mirror	Sca Xsat Mslf	
Mirror	Sca Xsat Mslf Stat	
Mirror	Sca Xsat Vrbl	
Mirror	Sca Xsat Vslf	
Mirror	Sca Xsch01atd Stat	
Mirror	Sca Xsch01 Attfrom	
Mirror	Sca Xsch01 Att To	
Mirror	Sca Xsch02atd Stat	
Mirror	Sca Xsch02 Attfrom	
Mirror	Sca Xsch02 Att To	
Mirror	Sca Xsch03atd Stat	
Mirror	Sca Xsch03 Attfrom	
Mirror	Sca Xsch03 Att To	

Class Name	Object Name	Description
Mirror	Sca Xsch04atd Stat	
Mirror	Sca Xsch04 Attfrom	
Mirror	Sca Xsch04 Att To	
Mirror	Sca Xsch05atd Stat	
Mirror	Sca Xsch05 Attfrom	
Mirror	Sca Xsch05 Att To	
Mirror	Sca Xsch06atd Stat	
Mirror	Sca Xsch06 Attfrom	
Mirror	Sca Xsch06 Att To	
Mirror	Sca Xsch07atd Stat	
Mirror	Sca Xsch07 Attfrom	
Mirror	Sca Xsch07 Att To	
Mirror	Sca Xsch08atd Stat	
Mirror	Sca Xsch08 Attfrom	
Mirror	Sca Xsch08 Att To	
Mirror	Sca Xsch09atd Stat	
Mirror	Sca Xsch09 Attfrom	
Mirror	Sca Xsch09 Att To	
Mirror	Sca Xsch10atd Stat	
Mirror	Sca Xsch10 Attfrom	
Mirror	Sca Xsch10 Att To	
Mirror	Sca Xschlcde Xchek	
Mirror	Sca Xschlcdxc Stat	
Mirror	Sca Xschol01 Attd	
Mirror	Sca Xschol02 Attd	
Mirror	Sca Xschol03 Attd	
Mirror	Sca Xschol04 Attd	
Mirror	Sca Xschol05 Attd	
Mirror	Sca Xschol06 Attd	
Mirror	Sca Xschol07 Attd	
Mirror	Sca Xschol08 Attd	
Mirror	Sca Xschol09 Attd	
Mirror	Sca Xschol10 Attd	
Mirror	Sca Xschol Code1	
Mirror	Sca Xschol Code10	
Mirror	Sca Xschol Code11	
Mirror Mirror	Sca Xschol Code12 Sca Xschol Code13	
Mirror	Sca Xschol Code14	
Mirror	Sca Xschol Code15	
Mirror	Sca Xschol Code16	
Mirror	Sca Xschol Code17	
Mirror	Sca Xschol Code18	
Mirror	Sca Xschol Code19	
Mirror	Sca Xschol Code2	
Mirror	Sca Xschol Code20	
Mirror	Sca Xschol Code3	
Mirror	Sca Xschol Code3	
Mirror	Sca Xschol Code5	
Mirror	Sca Xschol Code6	

Class Name	Object Name	Description
Mirror	Sca Xschol Code7	
Mirror	Sca Xschol Code8	
Mirror	Sca Xschol Code9	
Mirror	Sca Xschol Fwd	
Mirror	Sca Xschol Inforls	
Mirror	Sca Xschol Int	
Mirror	Sca Xschol Stat	
Mirror	Sca Xscore Release	
Mirror	Sca Xscor RIs Stat	
Mirror	Sca Xsc Hard Copy	
Mirror	Sca Xsemcrs11 Stat	
Mirror	Sca Xsemcrs78 Stat	
Mirror	Sca Xsemcrses Stat	
Mirror	Sca Xsemcrsfall 12	
Mirror	Sca Xsemcrs 9 Stat	
Mirror	Sca Xsemcrs Spg 12	
Mirror	Sca Xsemcsf12 Stat	
Mirror	Sca Xsemcsg12 Stat	
Mirror	Sca Xsem Courses	
Mirror	Sca Xsem Crs9 12 T	
Mirror	Sca Xsem Crses 7 8	
Mirror	Sca Xsem Crses 9	
Mirror	Sca Xsem Crses Tot	
Mirror	Sca Xsem Crsfall09	
Mirror	Sca Xsem Crsfall10	
Mirror	Sca Xsem Crsfall11	
Mirror	Sca Xsem Crsspr09	
Mirror	Sca Xsem Crsspr10	
Mirror	Sca Xsem Crsspr11	
Mirror	Sca Xsem Crs 11	
Mirror	Sca Xsem Crs Stat	
Mirror	Sca Xserviceprogs	
Mirror	Sca Xsex	
Mirror	Sca Xsex Stat	
Mirror	Sca Xsgle Par App	
Mirror	Sca Xsgle Par Par	
Mirror	Sca Xsgle Par Stat	
Mirror	Sca Xsig Present	
Mirror	Sca Xsig Pres Stat Sca Xsirbk	
Mirror		
Mirror Mirror	Sca Xsirdv Sca Xsirir	
Mirror Mirror	Sca Xsirla	
Mirror	Sca Xsirrv	
	Sca Xsirsb	
Mirror	Sca Xsirsc	
Mirror	Sca Xsirsd	
Mirror	Sca Xsmcrstot Stat	
Mirror	Sca Xsndgocol Pref	
Mirror	Sca Xsndgocpr Stat	

Class Name	Object Name	Description
Mirror	Sca Xspccurlm Stat	
Mirror	Sca Xspec CurricIm	
Mirror	Sca Xsrvcprog Stat	
Mirror	Sca Xssn Release	
Mirror	Sca Xssn Rlse Stat	
Mirror	Sca Xssn Stat	
Mirror	Sca Xstatelcl Stat	
Mirror	Sca Xstatelocal	
Mirror	Sca Xstateperm	
Mirror	Sca Xstateprm Stat	
Mirror	Sca Xstreetlocal	
Mirror	Sca Xstreetperm	
Mirror	Sca Xstrlocal Stat	
Mirror	Sca Xstrperm Stat	
Mirror	Sca Xstudorg Rls	
Mirror	Sca Xstuorrls Stat	
Mirror	Sca Xsuba Yrsin Us	
Mirror	Sca Xsubja Ne Lang	
Mirror	Sca Xsubja Yrs Sch	
Mirror	Sca Xsubjecta	
Mirror	Sca Xsubjecta Stat	
Mirror	Sca Xsubject Esc	
Mirror	Sca Xterm	
Mirror	Sca Xterm2	
Mirror	Sca Xterm Status	
Mirror	Sca Xtest Dt Act	
Mirror	Sca Xtest Dt Sati	
Mirror	Sca Xtest Dt Stat	
Mirror	Sca Xtfbreak	
Mirror	Sca Xtfbreak Stat	
Mirror	Sca Xtoeflsdt Stat	
Mirror	Sca Xtoefl Date	
Mirror	Sca Xtoefl Score	
Mirror	Sca Xtoefl Scrcmpd	
Mirror	Sca Xtoefl Sc Stat	
Mirror	Sca Xtotcrs A	
Mirror	Sca Xtotcrs A Stat	
Mirror	Sca Xtotcrs B	
Mirror	Sca Xtotcrs B Stat	
Mirror	Sca Xtotcrs C	
Mirror	Sca Xtotcrs C Stat	
Mirror	Sca Xtotcrs D	
Mirror	Sca Xtotcrs D Stat	
Mirror	Sca Xtotcrs E	
Mirror	Sca Xtotcrs E Stat	
Mirror	Sca Xtotcrs F	
Mirror	Sca Xtotcrs F Stat	
Mirror	Sca Xtotcrs G	
Mirror	Sca Xtotcrs G Stat	
Mirror	Sca Xtqsmucmp Stat	

Class Name	Object Name	Description
Mirror	Sca Xtransfr Crses	
Mirror	Sca Xtrans Hs Math	
Mirror	Sca Xtrcsemun Stat	
Mirror	Sca Xtrnadprg Stat	
Mirror	Sca Xtrnhsmth Stat	
Mirror	Sca Xtrnsact1 Code	
Mirror	Sca Xtrnsact2 Code	
Mirror	Sca Xtrnsact3 Code	
Mirror	Sca Xtrnsact4 Code	
Mirror	Sca Xtrnscccsemunt	
Mirror	Sca Xtrns Adm Prgs	
Mirror	Sca Xtrns Crs Stat	
Mirror	Sca Xtrn Sem Units	
Mirror	Sca Xtrqu Cmp Stat	
Mirror	Sca Xtrsemunt Stat	
Mirror	Sca Xtrslfrpt Stat	
Mirror	Sca Xtrsu Cmp Calc	
Mirror	Sca Xtrunscmp Calc	
Mirror	Sca Xtsdtsatiimth1	
Mirror	Sca Xtsdtsatiimth2	
Mirror	Sca Xtsdt Satiiwrt	
Mirror	Sca Xtsdt Satii 3	
Mirror	Sca Xveteran	
Mirror	Sca Xveteran Stat	
Mirror	Sca Xvisatyap Stat	
Mirror	Sca Xvisatypap Pln	
Mirror	Sca Xvisatypc Stat	
Mirror	Sca Xvisatyp Cur	
Mirror	Sca Xyear	
Mirror	Sca Xziplocal	
Mirror	Sca Xziplocal Stat	
Mirror	Sca Xzipperm	
Mirror	Sca Xzipperm Stat	
Mirror	Sca Xadmitme	
Mirror	Sca Xappme	
Mirror	Sca Xappme Stat	
Mirror	Sca Xdapref	
Mirror	Sca Xsirme	
Mirror	Sca Xveritemcd	
Mirror	Sca Xverstatcd	
Mirror	Sca Xverstatdt	
Mirror	Sca Xvritemcd Stat	
Mirror	Sca Xvrstatcd Stat	
Mirror	Sca Xvrstatdt Stat	
Mirror	Sca Xapfeetyp Stat	
Mirror	Sca Xapp Fee Type	
Mirror	Sca Xca Res Time	
Mirror	Sca Xcarestme Stat	
Mirror	Sca Xcetad Campus	
Mirror	Sca Xcetad Id Stat	

Class Name	Object Name	Description
Mirror	Sca Xcetad Idntfed	
Mirror	Sca Xcetadcmp Stat	
Mirror	Sca Xlast Sch Ca	
Mirror	Sca Xlstschca Stat	
Mirror	Sca Xnok Ca Res	
Mirror	Sca Xnokcares Stat	
Mirror	Sca Xtoefl Tst Typ	
Mirror	Sca Xtoefltyp Stat	
Mirror	Sca Xtrcralrt Stat	
Mirror	Sca Xtrctgqtr Stat	
Mirror	Sca Xtrctgsem Stat	
Mirror	Sca Xtrctqtru Stat	
Mirror	Sca Xtrctsemu Stat	
Mirror	Sca Xtrn Ct Gp Qtr	
Mirror	Sca Xtrn Ct Gp Sem	
Mirror	Sca Xtrnfr Gpa Ct	
Mirror	Sca Xtrngpact Stat	
Mirror	Sca Xtrns Crs Alrt	
Mirror	Sca Xtrns Ct Qtr U	
Mirror	Sca Xtrns Ct Sem U	
Mirror	Sca Xlsatesy Sbscr	
Mirror	Sca XIsatmc Sbscor	
Mirror	Sca XIsatwrit Scor	
Mirror	Sca XItstsat Email	
Mirror	Sca Xnsatesy Admn2	
Mirror	Sca Xnsatesy Admn3	
Mirror	Sca Xnsatesy Admn4	
Mirror	Sca Xnsatesy Admn5	
Mirror	Sca Xnsatesy Admn6	
Mirror	Sca Xnsatesy Latst	
Mirror	Sca Xactdscwrt Scr	
Mirror	Sca Xactengwritscr	
Mirror	Sca Xactnatl Norms	
Mirror	Sca Xactwrit Sbscr	
Mirror	Sca Xlsat Testdt	
Mirror	Sca XIsatcrrd Scor	
Mirror	Sca XIsatst 3tc1	
Mirror	Sca Xlsatst 3sc1 Sca Xlsatst 3tc2	
Mirror		
Mirror	Sca Xlsatst 3sc2	
Mirror	Sca Xlsatst 3tc3	
Mirror	Sca Xlsatst 3sc3	
Mirror	Sca Xcompinfonewst	
Mirror Mirror	Sca Xindexscor Tot Sca Xact High Dt	
Mirror	Sca Xact High Engl	
Mirror	Sca Xact High Math	
Mirror Mirror	Sca Xact High Read	
	Sca Xact High Sci Sca Xact High Writ	
Mirror	Sca Aact righ writ	

Class Name	Object Name	Description
Mirror	Sca Xact High Tot	
Mirror	Sca Xsat High Dt	
Mirror	Sca Xsat High Read	
Mirror	Sca Xsat High Math	
Mirror	Sca Xsat High Writ	
Mirror	Sca Xsat High Tot	
Mirror	Sca Xsbj High Dt	
Mirror	Sca Xsbj High Cd	
Mirror	Sca Xsbj High Sco	
Mirror	Sca Xsbj2 High Dt	
Mirror	Sca Xsbj2 High Cd	
Mirror	Sca Xsbj2 High Sco	
Mirror	Sca Xactslf Wr St	
Mirror	Sca Xactslf Wr	
Mirror	Sca Xsatrs Dt St	
Mirror	Sca Xsatrs Dt	
Mirror	Sca Xsatrs Rd St	
Mirror	Sca Xsatrs Rd	
Mirror	Sca Xsatrs Mt St	
Mirror	Sca Xsatrs Mt	
Mirror	Sca Xsatrs Wr St	
Mirror	Sca Xsatrs Wr	
Mirror	Sca Xsatrs Tot St	
Mirror	Sca Xsatrs Tot	
Mirror	Sca Xsats Uh Dt St	
Mirror	Sca Xsats Uh Dt	
Mirror	Sca Xsats Uh St	
Mirror	Sca Xsats Uh	
Mirror	Sca Xsats Wh Dt St	
Mirror	Sca Xsats Wh Dt	
Mirror	Sca Xsats Wh St	
Mirror	Sca Xsats Wh	
Mirror	Sca Xsats Eh Dt St	
Mirror	Sca Xsats Eh Dt	
Mirror	Sca Xsats Eh St	
Mirror	Sca Xsats Eh	
Mirror	Sca Xsats Lt Dt St	
Mirror	Sca Xsats Lt Dt	
Mirror	Sca Xsats Lt St	
Mirror	Sca Xsats Lt	
Mirror	Sca Xsats M2 Dt St	
Mirror	Sca Xsats M2 Dt	
Mirror	Sca Xsats M2 St	
Mirror	Sca Xsats M2	
Mirror	Sca Xsats Be Dt St	
Mirror	Sca Xsats Be Dt	
Mirror	Sca Xsats Be St	
Mirror	Sca Xsats Be	
Mirror	Sca Xsats Bm Dt St	
Mirror	Sca Xsats Bm Dt	

Class Name	Object Name	Description
Mirror	Sca Xsats Bm St	
Mirror	Sca Xsats Bm	
Mirror	Sca Xsats Cm Dt St	
Mirror	Sca Xsats Cm Dt	
Mirror	Sca Xsats Cm St	
Mirror	Sca Xsats Cm	
Mirror	Sca Xsats Py Dt St	
Mirror	Sca Xsats Py Dt	
Mirror	Sca Xsats Py St	
Mirror	Sca Xsats Py	
Mirror	Sca Xsats Lg Dt S1	
Mirror	Sca Xsats Lg Dt1	
Mirror	Sca Xsats Lg Cd S1	
Mirror	Sca Xsats Lg Cd1	
Mirror	Sca Xsats Lg St1	
Mirror	Sca Xsats Lg1	
Mirror	Sca Xsats Lg Dt S2	
Mirror	Sca Xsats Lg Dt2	
Mirror	Sca Xsats Lg Cd S2	
Mirror	Sca Xsats Lg Cd2	
Mirror	Sca Xsats Lg St2	
Mirror	Sca Xsats Lg2	
Mirror	Sca Xsats Lg Dt S3	
Mirror	Sca Xsats Lg Dt3	
Mirror	Sca Xsats Lg Cd S3	
Mirror	Sca Xsats Lg Cd3	
Mirror	Sca Xsats Lg St3	
Mirror	Sca Xsats Lg3	
Mirror	Sca Xsatrp Dt St	
Mirror	Sca Xsatrp Dt	
Mirror	Sca Xsatrpsb Dt S1	
Mirror	Sca Xsatrpsb Dt1	
Mirror	Sca Xsatrpsb Cd S1	
Mirror	Sca Xsatrpsb Cd1	
Mirror	Sca Xsatrpsb Dt S2	
Mirror	Sca Xsatrpsb Dt2	
Mirror	Sca Xsatrpsb Cd S2	
Mirror	Sca Xsatrpsb Cd2	
Mirror	Sca Xsatrpsb Dt S3	
Mirror	Sca Xsatrpsb Dt3	
Mirror	Sca Xsatrpsb Cd S3	
Mirror	Sca Xsatrpsb Cd3	
Mirror	Sca Xcetad Data St	
Mirror	Sca Xcetad Gpa Slf	
Mirror	Sca Xcetad Qtr Unt	
Mirror	Sca Xcetad Eng Crs	
Mirror	Sca Xcetad Mat Crs	
Mirror	Sca Xcetad Oth Crs	
Mirror	Sca Xcetad Wip Sbm	
Mirror	Sca Xcetad Reviewd	

Class Name	Object Name	Description
Mirror	Sca Xcetad Rsn Cd	
Mirror	Sca Xcetad Rvw Dt	
Mirror	Sca Xcetad Rvw By	
Mirror B	Sca Xets File Id	
Mirror B	Sca Xets Sid	
Mirror B	Sca Batch Nbr	
Mirror B	Sca Xconv Data St	
Mirror B	Sca Xconv Honor 10	
Mirror B	Sca Xconv Honor 11	
Mirror B	Sca Xconv Honor 12	
Mirror B	Sca Xcnv Totcrs Ag	
Mirror B	Sca Xcnv Semcrstot	
Mirror B	Sca Xap Ts Cd Ovr1	
Mirror B	Sca Xap Ts Dt Ovr1	
Mirror B	Sca Xap Ts Sc Ovr1	
Mirror B	Sca Xap Ts Cd Ovr2	
Mirror B	Sca Xap Ts Dt Ovr2	
Mirror B	Sca Xap Ts Sc Ovr2	
Mirror B	Sca Xap Ts Cd Ovr3	
Mirror B	Sca Xap Ts Dt Ovr3	
Mirror B	Sca Xap Ts Sc Ovr3	
Mirror B	Sca Xap Ts Cd Ovr4	
Mirror B	Sca Xap Ts Dt Ovr4	
Mirror B	Sca Xap Ts Sc Ovr4	
Mirror B	Sca Xap Ts Cd Ovr5	
Mirror B	Sca Xap Ts Dt Ovr5	
Mirror B	Sca Xap Ts Sc Ovr5	
Mirror B	Sca Xap Ts Cd Ovr6	
Mirror B	Sca Xap Ts Dt Ovr6	
Mirror B	Sca Xap Ts Sc Ovr6	
Mirror B	Sca Xib Ts Cd Ovr1	
Mirror B	Sca Xib Ts Dt Ovr1	
Mirror B	Sca Xib Ts Sc Ovr1	
Mirror B	Sca Xib Ts Cd Ovr2	
Mirror B	Sca Xib Ts Dt Ovr2	
Mirror B	Sca Xib Ts Sc Ovr2	
Mirror B	Sca Xib Ts Cd Ovr3	
Mirror B	Sca Xib Ts Dt Ovr3	
Mirror B	Sca Xib Ts Sc Ovr3	
Mirror B	Sca Xib Ts Cd Ovr4	
Mirror B	Sca Xib Ts Dt Ovr4	
Mirror B	Sca Xib Ts Sc Ovr4	
Mirror B	Sca Xib Ts Cd Ovr5	
Mirror B	Sca Xib Ts Dt Ovr5	
Mirror B	Sca Xib Ts Sc Ovr5	
Mirror B	Sca Xib Ts Cd Ovr6	
Mirror B	Sca Xib Ts Dt Ovr6	
Mirror B	Sca Xib Ts Sc Ovr6	
Mirror B	Sca Xib Ts Cd Ovr7	
Mirror B	Sca Xib Ts Dt Ovr7	

Class Name	Object Name	Description
Mirror B	Sca Xib Ts Sc Ovr7	
Mirror B	Sca Xib Ts Cd Ovr8	
Mirror B	Sca Xib Ts Dt Ovr8	
Mirror B	Sca Xib Ts Sc Ovr8	
Mirror B	Sca Xsat Ssr Sc St	
Mirror B	Sca Xsat Ssr Hi Sc	
Mirror B	Sca Xsat Ssr Cd St	
Mirror B	Sca Xsat Ssr Code	
Mirror B	Sca Xsat Ssr Dt St	
Mirror B	Sca Xsat Ssr Date	
Mirror B	Sca Xsat 2sr Sc St	
Mirror B	Sca Xsat 2sr Hi Sc	
Mirror B	Sca Xsat 2sr Cd St	
Mirror B	Sca Xsat 2sr Code	
Mirror B	Sca Xsat 2sr Dt St	
Mirror B	Sca Xsat 2sr Date	
Mirror B	Sca Xwr Sbsc High	
Mirror B	Sca Xuc Core Sc St	
Mirror B	Sca Xuc Core Score	
Mirror B	Sca Xuc Scr Tot St	
Mirror B	Sca Xuc Scr Total	
Mirror B	Sca Xmili Serv St	
Mirror B	Sca Xmili Service	
Mirror B	Sca Xcsis Ssid St	
Mirror B	Sca Xcsis Ssid	
Mirror B	Sca Xslr Data St	
Mirror B	Sca Xslr Father Us	
Mirror B	Sca Xslr Mother Us	
Mirror B	Sca Xslr Appl Ca	
Mirror B	Sca Xslr Father Ca	
Mirror B	Sca Xslr Mother Ca	
Mirror B	Sca Xfost Care Sts	
Mirror B	Sca Xfoster Care	
Mirror B	Sca Xib Tst Lvl1	
Mirror B	Sca Xib Tst Lvl2	
Mirror B	Sca Xib Tst Lvl3	
Mirror B	Sca Xib Tst Lvl4	
Mirror B	Sca Xib Ts Lv Ovr1	
Mirror B	Sca Xib Ts Lv Ovr2	
Mirror B	Sca Xib Ts Lv Ovr3	
Mirror B	Sca Xib Ts Lv Ovr4	
Mirror B	Sca Xib Ts Lv Ovr5	
Mirror B	Sca Xib Ts Lv Ovr6	
Mirror B	Sca Xib Ts Lv Ovr7	
Mirror B	Sca Xib Ts Lv Ovr8	
Mirror B	Sca Xcurrintlphone	
Mirror B	Sca Xpermintlphone	
Mirror B	Sca Xstreetlocal2	
Mirror B	Sca Xstreetperm2	
Mirror B	Sca Xwandi	

Class Name	Object Name	Description
Mirror B	Sca Xrolloverkey	
Mirror B	Sca Xethnicitystat	
Mirror B	Sca Xethaframer	
Mirror B	Sca Xethamindaknat	
Mirror B	Sca Xethasianind	
Mirror B	Sca Xethbangladesh	
Mirror B	Sca Xethcambodian	
Mirror B	Sca Xethchinese	
Mirror B	Sca Xethfijian	
Mirror B	Sca Xethfilipino	
Mirror B	Sca Xethguamanian	
Mirror B	Sca Xethhawaiian	
Mirror B	Sca Xethhmong	
Mirror B	Sca Xethindonesian	
Mirror B	Sca Xethjapanese	
Mirror B	Sca Xethkorean	
Mirror B	Sca Xethloatian	
Mirror B	Sca Xethmalaysian	
Mirror B	Sca Xethmexicanchi	
Mirror B	Sca Xethother	
Mirror B	Sca Xethotherasian	
Mirror B	Sca Xethothpacisla	
Mirror B	Sca Xethothspanlat	
Mirror B	Sca Xethpakistani	
Mirror B	Sca Xethsamoan	
Mirror B	Sca Xethsrilankan	
Mirror B	Sca Xethtaiwanes	
Mirror B	Sca Xeththai	
Mirror B	Sca Xethtongan	
Mirror B	Sca Xethvietnamese	
Mirror B	Sca Xethwhitecauca	
Mirror B	Sca Xethafrican	
Mirror B	Sca Xethcaribbean	
Mirror B	Sca Xethcuban	
Mirror B	Sca Xethlatinamer	
Mirror B	Sca Xethmideastern	
Mirror B	Sca Xethnorafrican	
Mirror B	Sca Xethothblack	
Mirror B	Sca Xethothwhite	
Mirror B	Sca Xethpuertorica	
Mirror B	Sca Xethhierstat	
Mirror B	Sca Xethhierarchy	
Mirror B	Sca Xipedsstatus	
Mirror B	Sca Xipedsethhisp	
Mirror B	Sca Xipedsafr	
Mirror B	Sca Xipedsethami	
Mirror B	Sca Xipedsethasian	
Mirror B	Sca Xipedsethpac	
Mirror B	Sca Xipedsethwhite	
Mirror B	Sca Xcoppaconstat	

Class Name	Object Name	Description
Mirror B	Sca Xcoppaconsent	
Mirror B	Sca Xact Test Dt1	
Mirror B	Sca Xact Eng1	
Mirror B	Sca Xact Math1	
Mirror B	Sca Xact Read1	
Mirror B	Sca Xact Science1	
Mirror B	Sca Xact Writing1	
Mirror B	Sca Xact Comp1	
Mirror B	Sca Xact Test Dt2	
Mirror B	Sca Xact Eng2	
Mirror B	Sca Xact Math2	
Mirror B	Sca Xact Read2	
Mirror B	Sca Xact Science2	
Mirror B	Sca Xact Writing2	
Mirror B	Sca Xact Comp2	
Mirror B	Sca Xact Test Dt3	
Mirror B	Sca Xact Eng3	
Mirror B	Sca Xact Math3	
Mirror B	Sca Xact Read3	
Mirror B	Sca Xact Science3	
Mirror B	Sca Xact Writing3	
Mirror B	Sca Xact Comp3	
Mirror B	Sca Xact Test Dt4	
Mirror B	Sca Xact Eng4	
Mirror B	Sca Xact Math4	
Mirror B	Sca Xact Read4	
Mirror B	Sca Xact Science4	
Mirror B	Sca Xact Writing4	
Mirror B	Sca Xact Comp4	
Mirror B	Sca Xact Test Dt5	
Mirror B	Sca Xact Eng5	
Mirror B	Sca Xact Math5	
Mirror B	Sca Xact Read5	
Mirror B	Sca Xact Science5	
Mirror B	Sca Xact Writing5	
Mirror B	Sca Xact Comp5	
Mirror B	Sca Xact Test Dt6	
Mirror B	Sca Xact Eng6	
Mirror B	Sca Xact Math6	
Mirror B	Sca Xact Read6	
Mirror B	Sca Xact Science6	
Mirror B	Sca Xact Writing6	
Mirror B	Sca Xact Comp6	
Mirror B	Sca Xtribe Mem St	
Mirror B	Sca Xtribe Member	
Mirror B	Sca Xtribal Enr St	
Mirror B	Sca Xtribal Enroll	
Mirror B	Sca Xind Outr St	
Mirror B	Sca Xind Outreach	
Mirror B	Sca Xag Eleven Sts	

Class Name	Object Name	Description
Mirror B	Sca Xag Eleven	
Mirror B	Sca Xag Fifteen St	
Mirror B	Sca Xag Fifteen	
Mirror B	Sca Xelc Pct Sts	
Mirror B	Sca Xelc Percent	
Ugrad Comprehensive Review	CR Criterion 8 Score	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_COMP_REVIEW.SCA_CRIT_8_SCORE
Ugrad Comprehensive Review	CR Criterion 9 Score	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_COMP_REVIEW.SCA_CRIT_9_SCORE
Ugrad Comprehensive Review	CR Criterion 10 Score	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_COMP_REVIEW.SCA_CRIT_10_SCORE
Ugrad Comprehensive Review	CR Criterion 11 Score	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_COMP_REVIEW.SCA_CRIT_11_SCORE
Ugrad Comprehensive Review	CR Criterion 13 Score	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_COMP_REVIEW.SCA_CRIT_13_SCORE
Ugrad Comprehensive Review	CR Total Reader Score	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_COMP_REVIEW.SCA_CRIT_TOT_SCORE
Ugrad Comprehensive Review	CR Total Read Score is Zero	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_COMP_REVIEW.SCA_CRIT_TOT_ZERO
Ugrad Comprehensive Review	CR Other Score Total	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_COMP_REVIEW.SCA_RATING_CMP_VAL
Ugrad Comprehensive Review	CR Comprehensive Review Score	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_COMP_REVIEW.SCA_COMP_RVW_TOTAL
Ugrad Comprehensive Review	CR Evaluator ID	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_COMP_REVIEW.EVALUATOR_ID
Ugrad Comprehensive Review	CR Evaluator Name	Data is completely replaced nightly. Steward: Shared Source: PS_NAMES.NAME where name type is 'PRI'
Ugrad Comprehensive Review	CR Evaluation Date	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_COMP_REVIEW.EVALUTION_DT
Ugrad Comprehensive Review	CR Responsible ID	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_COMP_REVIEW.RESPONSIBLE_ID
Ugrad Comprehensive Review	CR Responsible Name	Data is completely replaced nightly. Steward: Shared Source: PS_NAMES.NAME where name type is 'PRI'
Evaluation Committee Rating	ECR Committee ID	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_EVAL_COM.COMMITTEE_ID

Class Name	Object Name	Description
Evaluation Committee Rating	ECR Evaluation Status Code	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_EVAL_COM.EVALUATN_STATUS
Evaluation Committee Rating	ECR Evaluation Status Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EVAL_STATUS_TBL.DESCR
Evaluation Committee Rating	ECR Evaluation Date	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_EVAL_COM.EVALUATION_DT
Evaluation Committee Rating	ECR Overall Rating	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_EVAL_COM.OVERALL_RATING
Evaluation Committee Rating	ECR Comments	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_EVAL_COM.COMMENTS
Other UC Applied	OUCA UC Campus Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_CMP.SCA_CAMPUS
Other UC Applied	OUCA UC Campus Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Other UC Applied	OUCA Application Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_CMP.SCA_APP_STAT
Other UC Applied	OUCA Application Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Other UC Applied	OUCA Admit Status Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_CMP.SCA_ADMIT_STAT
Other UC Applied	OUCA Admit Status Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Other UC Applied	OUCA SIR Response Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_CMP.SCA_SIR_RSPNSE
Other UC Applied	OUCA SIR Response Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Other UC Applied	OUCA AU Waitlist Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_CMP.SCA_AU_WAITLIST_CD
Other UC Applied	OUCA AU Waitlist Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Extracurricular Activity	EXA Extracurricular Activity	Data is completely replaced nightly. Steward: Admissions Source: PS_EXTRACUR_ACTVTY.EXTRA_ACTIVITY
Extracurricular Activity	EXA Description	Data is completely replaced nightly. Steward: Admissions Source: PS_EXTRACUR_ACTVTY.DESCR
Extracurricular Activity	EXA Long Description	Data is completely replaced nightly. Steward: Admissions Source: PS_EXTRACUR_ACTVTY.DESCRLONG
Admissions Interests	AIN Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ADM_INTERESTS.EFFDT

Class Name	Object Name	Description
Admissions Interests	AIN Description	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ADM_INTERESTS.DESCR
Holistic Review	HR Admit Term	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_HOL_REV_HDR.ADMIT_TERMD Picklists are pre-sorted in descending order.
Holistic Review	HR External Application Number	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_HOL_REV_HDR.EXT_ADM_APPL_NBR
Holistic Review	HR UC Average Score	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_HOL_REV_HDR.SCA_OTHER_UC_AVG
Holistic Review	HR Student Success Indicator - for grouping	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_HOL_REV_HDR.SCA_PREDICTED_GPA
Holistic Review	HR Student Success Indicator	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_HOL_REV_HDR.SCA_PREDICTED_GPA□ Default aggregation: average
Holistic Review	HR Demonstrated Success in English	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_HOL_REV_HDR.SCA_PREP_WRIT_FLAG
Holistic Review	HR Demonstrated Success in Math	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_HOL_REV_HDR.SCA_PREP_MATH_FLAG
Holistic Review	HR Demonstrated Success A- G Subjects	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_HOL_REV_HDR.SCA_AG_SUBJ_FLAG
Holistic Review	HR Potential Broad Campus Impact	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_HOL_REV_HDR.SCA_CAMP_IMP_FLAG
Holistic Review	HR Eligible in the Local Context	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_HOL_REV_HDR.SCA_ELC_ELIG_FLAG
Holistic Review	HR First-generation Student	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_HOL_REV_HDR.SCA_FIRST_GEN_FLAG
Holistic Review	HR Low Performing High School	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_HOL_REV_HDR.SCA_LOW_PERF_FLAG
Holistic Review	HR Comment	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_HOL_REV_HDR.SCA_ADM_COMMENT
Holistic Review	HR Deny Flag	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_HOL_REV_HDR.SCA_DENY_FLAG
Holistic Review	HR Student Requested A by E	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_HOL_REV_HDR.SCA_AXE_STD_FLAG

Class Name	Object Name	Description
Holistic Review	HR Reader Requested A by E	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_HOL_REV_HDR.SCA_AXE_RDR_FLAG
Full Detail	HRFU Campus Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_HOL_REV_DTL.SCA_CETAD_CAMPUS
Full Detail	HRFU Campus Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Full Detail	HRFU UC Score	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_HOL_REV_DTL.SCA_OTHER_UC_SCORE
Full Detail	HRFU UC Score - as measure	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_HOL_REV_DTL.SCA_OTHER_UC_SCORE
Full Detail	HRFU Date Loaded	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_HOL_REV_DTL.DATE_LOADED
Flattened Detail	HRFL Santa Cruz Read 1 Score	Data is completely replaced nightly. Steward: Admissions Source: Derived from PS_SCA_HOL_REV_DTL.SCA_OTHER_UC_SCORE
Flattened Detail	HRFL Santa Cruz Read 2 Score	Data is completely replaced nightly. Steward: Admissions Source: Derived from PS_SCA_HOL_REV_DTL.SCA_OTHER_UC_SCORE
Flattened Detail	HRFL Santa Cruz Read 3 Score	Data is completely replaced nightly. Steward: Admissions Source: Derived from PS_SCA_HOL_REV_DTL.SCA_OTHER_UC_SCORE
Flattened Detail	HRFL Berkeley Score	Data is completely replaced nightly. Steward: Admissions Source: Derived from PS_SCA_HOL_REV_DTL.SCA_OTHER_UC_SCORE
Flattened Detail	HRFL Santa Cruz Score	Data is completely replaced nightly. Steward: Admissions Source: Derived from PS_SCA_HOL_REV_DTL.SCA_OTHER_UC_SCORE
Flattened Detail	HRFL Los Angeles Score	Data is completely replaced nightly. Steward: Admissions Source: Derived from PS_SCA_HOL_REV_DTL.SCA_OTHER_UC_SCORE
Flattened Detail	HRFL Santa Cruz Read 1 Score - as measure	Data is completely replaced nightly. Steward: Admissions Source: Derived from PS_SCA_HOL_REV_DTL.SCA_OTHER_UC_SCORE
Flattened Detail	HRFL Santa Cruz Read 2 Score - as measure	Data is completely replaced nightly. Steward: Admissions Source: Derived from PS_SCA_HOL_REV_DTL.SCA_OTHER_UC_SCORE
Flattened Detail	HRFL Santa Cruz Read 3 Score - as measure	Data is completely replaced nightly. Steward: Admissions Source: Derived from PS_SCA_HOL_REV_DTL.SCA_OTHER_UC_SCORE
Flattened Detail	HRFL Berkeley Score - as measure	Data is completely replaced nightly. Steward: Admissions Source: Derived from PS_SCA_HOL_REV_DTL.SCA_OTHER_UC_SCORE
Flattened Detail	HRFL Santa Cruz Score - as measure	Data is completely replaced nightly. Steward: Admissions Source: Derived from PS_SCA_HOL_REV_DTL.SCA_OTHER_UC_SCORE

Class Name	Object Name	Description
Flattened Detail	HRFL Los Angeles Score - as measure	Data is completely replaced nightly. Steward: Admissions Source: Derived from PS_SCA_HOL_REV_DTL.SCA_OTHER_UC_SCORE
CETAD - Shared Review	CSR Identified Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_CTD.SCA_CETAD_IDNTFED
CETAD - Shared Review	CSR Identified Descr	Data is completely replaced nightly and is limited to the current record. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
CETAD - Shared Review	CSR Campus Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_CTD.SCA_CETAD_CAMPUS
CETAD - Shared Review	CSR Campus Descr	Data is completely replaced nightly and is limited to the current record. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
CETAD - Shared Review	CSR Evaluated Self Reported GPA	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_CTD.SCA_CETAD_GPA_SLF
CETAD - Shared Review	CSR Evaluated Quarter Units	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_CTD.SCA_CETAD_QTR_UNT
CETAD - Shared Review	CSR Evaluated English Transfer Course:	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_CTD.SCA_CETAD_ENG_CRS
CETAD - Shared Review	CSR Evaluated English Transfer Course Descr	Data is completely replaced nightly and is limited to the current record. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
CETAD - Shared Review	CSR Evaluated Math Transfer Course:	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_CTD.SCA_CETAD_MAT_CRS
CETAD - Shared Review	CSR Evaluated Math Transfer Course Descr	Data is completely replaced nightly and is limited to the current record. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
CETAD - Shared Review	SCR Evaluated Other Transfer Course:	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_CTD.SCA_CETAD_OTH_CRS
CETAD - Shared Review	SCR Evaluated Other Transfer Course Descr	Data is completely replaced nightly and is limited to the current record. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
CETAD - Shared Review	CSR WIP Submitted	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_CTD.SCA_CETAD_WIP_SBM
CETAD - Shared Review	CSR Reviewed	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_CTD.SCA_CETAD_REVIEWD
CETAD - Shared Review	CSR Reason Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_CTD.SCA_CETAD_RSN_CD

Class Name	Object Name	Description
CETAD - Shared Review	CSR Reason Descr	Data is completely replaced nightly and is limited to the current record. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
CETAD - Shared Review	CSR Review Date	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_CTD.SCA_CETAD_RVW_DT
CETAD - Shared Review	CSR Reviewed By	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_CTD.SCA_CETAD_RVW_BY
CETAD - Shared Review	CSR UCSC Review Date	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ADM_APP_CTD.SCA_CETAD_SC_RV_DT
Basis of Admission	AB Basis of Admission Code	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_BASIS_ADMIT.BASIS_ADMIT_CODE
Basis of Admission	AB Description	Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_BASIS_ADMIT.DESCR254
Accept SIR Wizard	UAW Progress	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ACCEPT_ADM.SCA_ADM_PROGRESS
Accept SIR Wizard	UAW Non-Resident	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ACCEPT_ADM.SCA_ACCEPT_NON_RES
Accept SIR Wizard	UAW Question 1	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ACCEPT_ADM.SCA_ACCEPT_RES_1
Accept SIR Wizard	UAW Question 2	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ACCEPT_ADM.SCA_ACCEPT_RES_2
Accept SIR Wizard	UAW Question 3	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ACCEPT_ADM.SCA_ACCEPT_RES_3
Accept SIR Wizard	UAW Question 4	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ACCEPT_ADM.SCA_ACCEPT_RES_4
Accept SIR Wizard	UAW Question 5	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ACCEPT_ADM.SCA_ACCEPT_RES_5
Accept SIR Wizard	UAW Question 6	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ACCEPT_ADM.SCA_ACCEPT_RES_6
Accept SIR Wizard	UAW Advance Housing Fee	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ACCEPT_ADM.SCA_HOUSING_OWED
Accept SIR Wizard	UAW Statement of Intent to Register	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ACCEPT_ADM.SCA_REG_OWED
Accept SIR Wizard	UAW Housing Interest Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ACCEPT_ADM.HOUSING_INTEREST
Accept SIR Wizard	UAW Housing Interest Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
	L	

Class Name	Object Name	Description
College Preferences	CP No Preference	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_STU_COLLEGE.SCA_NO_PREF
College Preferences	CP College Preference 1	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_STU_COLLEGE.SCA_COLLEGE1
College Preferences	CP College Preference 2	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_STU_COLLEGE.SCA_COLLEGE2
College Preferences	CP College Preference 3	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_STU_COLLEGE.SCA_COLLEGE3
College Preferences	CP College Preference 4	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_STU_COLLEGE.SCA_COLLEGE4
College Preferences	CP College Preference 5	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_STU_COLLEGE.SCA_COLLEGE5
College Preferences	CP Scholars Program	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_STU_COLLEGE.SCA_ENROL_HNRS
Electronic Transcripts	ETR File Name	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ET_FILES.SCA_ET_FILENAME
Electronic Transcripts	ETR Date Sent	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ET_FILES.SCA_ET_SENT_DT
Electronic Transcripts	ETR External Org ID	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ET_FILES.EXT_ORG_ID
Electronic Transcripts	ETR School Name	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ET_FILES.SCA_EXT_ORG_DESCR
Electronic Transcripts	ETR ATP Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ET_FILES.ATP_CD
Electronic Transcripts	ETR Trans Type Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ET_FILES.SCA_ET_TRANS_TYPE
Electronic Transcripts	ETR Trans Type Descr	Data is completely replaced nightly. Steward: Shared Source: PS_XLATITEM.XLATLONGNAME
Electronic Transcripts	ETR ET Appl ID	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ET_FILES.SCA_ET_APPL_ID
Electronic Transcripts	ETR Reviewed	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ET_FILES.SCA_REVIEW_FLG
Electronic Transcripts	ETR Reviewed by	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ET_FILES.SCA_REVIEW_OPRID
Electronic Transcripts	ETR Reviewer Name	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC
L	I	

Class Name	Object Name	Description
Electronic Transcripts	ETR Review Date	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ET_FILES.SCA_REVIEW_DT
Electronic Transcripts	ETR Evaluated (Y/N value)	Data is completely replaced nightly. Steward: Shared Source: PS_SCA_ET_FILES.SCA_ET_EVAL_FLG
Electronic Transcripts	ETR Evaluator ID	Data is completely replaced nightly. Steward: Shared Source: PS_SCA_ET_FILES.SCA_EVAL_OPRID
Electronic Transcripts	ETR Grad Date Issue	Data is completely replaced nightly. Steward: Shared Source: PS_SCA_ET_FILES.SCA_GRAD_DT_FLG
Electronic Transcripts	ETR Grad Date Issue Descr	Data is completely replaced nightly. Steward: Shared Source: PS_SCA_ET_FILES.SCA_GRAD_DT_DESCR
Electronic Transcripts	ETR Bad Grade Issue	Data is completely replaced nightly. Steward: Shared Source: PS_SCA_ET_FILES.SCA_BAD_GRADE_FLG
Electronic Transcripts	ETR Bad Grade Issue Descr	Data is completely replaced nightly. Steward: Shared Source: PS_SCA_ET_FILES.SCA_BAD_GRADE_DESCR
Electronic Transcripts	ETR Not Final	Data is completely replaced nightly. Steward: Shared Source: AISOPS.R_SCA_ET_FILES.SCA_NOT_FINAL_FLG
Electronic Transcripts	ETR Not Final Descr	Data is completely replaced nightly. Steward: Shared Source: AISOPS.R_SCA_ET_FILES.SCA_NOT_FINAL_DESCR
Electronic Transcripts	ETR Unreported College	Data is completely replaced nightly. Steward: Shared Source: PS_SCA_ET_FILES.SCA_UNRPT_COLL_FLG
Electronic Transcripts	ETR Unreported College Descr	Data is completely replaced nightly. Steward: Shared Source: PS_SCA_ET_FILES.SCA_UNRPT_COLL_DESCR
Electronic Transcripts	ETR C1 Satisfied	Data is completely replaced nightly. Steward: Shared Source: PS_SCA_ET_FILES.SCA_C1_SAT_FLG
Electronic Transcripts	ETR C1 Satisfied Descr	Data is completely replaced nightly. Steward: Shared Source: PS_SCA_ET_FILES.SCA_C1_SAT_DESCR
Electronic Transcripts	ETR Other	Data is completely replaced nightly. Steward: Shared Source: PS_SCA_ET_FILES.SCA_OTHERL_FLG
Electronic Transcripts	ETR Other Descr	Data is completely replaced nightly. Steward: Shared Source: PS_SCA_ET_FILES.SCA_OTHERL_DESCR
Clearing	UCL External Org ID	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_AD_CLEARING.EXT_ORG_ID
Clearing	UCL External Org Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL.DESCR
Clearing	UCL Quarter Units Attempted	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_AD_CLEARING.SCA_QTR_UNITS_ATT
Clearing	UCL Grade Points	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_AD_CLEARING.SCA_GRADE_POINTS
Clearing	UCL Quarter Units Completed	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_AD_CLEARING.SCA_QTR_UNITS_COMP
Clearing	UCL Pass/Credit	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_AD_CLEARING.SCA_PASS_CREDIT

Class Name	Object Name	Description
Clearing	UCL Total Units	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_AD_CLEARING.SCA_TOTAL_UNITS
Clearing	UCL Total Quarter Units Attempted	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_AD_CLEARING.SCA_TQTR_UNITS_ATT
Clearing	UCL Total Quarter Units Completed	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_AD_CLEARING.SCA_TQTR_UNITS_COM
Clearing	UCL Total Grade Points	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_AD_CLEARING.SCA_TGRADE_POINTS
Clearing	UCL Evaluated Grade Point Average	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_AD_CLEARING.SCA_GPA
Clearing	UCL Total Transfer Units	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_AD_CLEARING.SCA_TOT_XFER_UNITS
Clearing	UCL Evaluation Status Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_AD_CLEARING.EVALUATN_STATUS
Clearing	UCL Evaluation Status Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EVAL_STATUS_TBL.DESCR
Clearing	UCL Evaluation Date	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_AD_CLEARING.EVALUATION_DT
University Requirements	UR Entry Level Writing Requirement Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_UNIV_REQS.SCA_SUBJA_CD
University Requirements	UR Entry Level Writing Requirement Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
University Requirements	UR American History Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_UNIV_REQS.SCA_AM_HIST_CD
University Requirements	UR American History Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
University Requirements	UR American Institutions Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_UNIV_REQS.SCA_AM_INST_CD
University Requirements	UR American Institutions Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Adm Transfer Course Detail	ATCD Articulation Term	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.ARTICULATION_TERM□ Picklists are pre-sorted in descending order.
Adm Transfer Course Detail	ATCD Transfer Model Number	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.MODEL_NBR

Class Name	Object Name	Description
Adm Transfer Course Detail	ATCD Transfer Equivalency Group	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.TRNSFR_EQVLNCY_GRP
Adm Transfer Course Detail	ATCD Transfer Equivalency Sequence	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.TRNSFR_EQVLNCY_SEQ
Adm Transfer Course Detail	ATCD Transfer Status Code	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.TRNSFR_STAT
Adm Transfer Course Detail	ATCD Transfer Status Descr	Data is completely replaced nightly. Steward: Shared Source: PS_XLATITEM.XLATLONGNAME
Adm Transfer Course Detail	ATCD External Org ID	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_SCHL.EXT_ORG_ID
Adm Transfer Course Detail	ATCD External Org Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_EXT_ORG_TBL.DESCR
Adm Transfer Course Detail	ATCD Equivalency Rule	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.TRNSFR_EQVLNCY
Adm Transfer Course Detail	ATCD Equivalency Component	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.TRNSFR_EQVLNCY_CMP
Adm Transfer Course Detail	ATCD External Course Number	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.EXT_COURSE_NBR
Adm Transfer Course Detail	ATCD Term Year	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: If PS_TRNS_CRSE_SCH.TRNSFR_SRC_TYPE = 'M' Then PS_TRNS_CRSE_DTL.TERM_YEAR, else if PS_TRNS_CRSE_SCH.TRNSFR_SRC_TYPE='E' Then PS_EXT_COURSE.TERM_YEAR Picklists are pre-sorted in descending order.
Adm Transfer Course Detail	ATCD External Term	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: If PS_TRNS_CRSE_SCH.TRNSFR_SRC_TYPE = 'M' Then PS_TRNS_CRSE_DTL.EXT_TERM, else if PS_TRNS_CRSE_SCH.TRNSFR_SRC_TYPE='E' Then PS_EXT_COURSE.EXT_TERM
Adm Transfer Course Detail	ATCD School Subject	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.SCHOOL_SUBJECT
Adm Transfer Course Detail	ATCD School Course Nbr	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.SCHOOL_CRSE_NBR
Adm Transfer Course Detail	ATCD Descr	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.DESCR

Class Name	Object Name	Description
Adm Transfer Course Detail	ATCD School Subject (External)	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_EXT_COURSE.SCHOOL_SUBJECT
Adm Transfer Course Detail	ATCD School Crse Nbr (External)	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_EXT_COURSE.SCHOOL_CRSE_NBR
Adm Transfer Course Detail	ATCD Units Taken (External)	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.SSR_UNT_TAKEN_EXT
Adm Transfer Course Detail	ATCD Units Taken (External) - for summing	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.SSR_UNT_TAKEN_EXT
Adm Transfer Course Detail	ATCD Grade Input	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.CRSE_GRADE_INPUT
Adm Transfer Course Detail	ATCD Official Grade	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.CRSE_GRADE_OFF
Adm Transfer Course Detail	ATCD Course ID	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.CRSE_ID
Adm Transfer Course Detail	ATCD Course Subject	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SUBJECT
Adm Transfer Course Detail	ATCD Course Catalog Nbr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.CATALOG_NBR
Adm Transfer Course Detail	ATCD Catalog Nbr Prompt	This is the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_CRSE_OFFER.CATALOG_NBR
Adm Transfer Course Detail	ATCD Catalog Nbr Sort	This is the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_CRSE_OFFER.CATALOG_NBR
Adm Transfer Course Detail	ATCD Subject Catalog Nbr	This uses the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as- of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SUBJECT, PS_CRSE_OFFER.CATALOG_NBR

Class Name	Object Name	Description
Adm Transfer Course Detail	ATCD Subject Catalog Nbr Sort	This uses the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SUBJECT, PS_CRSE_OFFER.CATALOG_NBR
Adm Transfer Course Detail	ATCD Units Transferred	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.UNT_TRNSFR
Adm Transfer Course Detail	ATCD Units Transferred - for summing	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.UNT_TRNSFR
Adm Transfer Course Detail	ATCD Grade Points per Unit	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.GRD_PTS_PER_UNIT
Adm Transfer Course Detail	ATCD Grade Points per Unit - for summing	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.GRD_PTS_PER_UNIT
Adm Transfer Course Detail	ATCD Earn Credit	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.EARN_CREDIT
Adm Transfer Course Detail	ATCD Include in GPA	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.INCLUDE_IN_GPA
Adm Transfer Course Detail	ATCD Units Attempted	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.UNITS_ATTEMPTED
Adm Transfer Course Detail	ATCD Requirement Designation	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.RQMNT_DESIGNTN
Adm Transfer Course Detail	ATCD General Education Code	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCR
Adm Transfer Course Detail	ATCD General Education Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCRFORMAL
Adm Transfer Course Detail	ATCD Freeze Rec Flag	Data is completely replaced nightly. Steward: Registrar Source: PS_TRNS_CRSE_DTL.FREEZE_REC_FL
Adm Transfer Course School	ATCS Credit Source Type	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_SCH.TRNSFR_SRC_TYPE
Adm Transfer Course School	ATCS External Org ID	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_SCH.EXT_ORG_ID
Adm Transfer Course School	ATCS External Org Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_EXT_ORG_TBL.DESCR
Adm Transfer Course School	ATCS School Type	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_SCH.LS_SCHOOL_TYPE

Class Name	Object Name	Description
Adm Transfer Course School	ATCS School Type Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_LS_SCHL_TYP_TBL.DESCR
Adm Transfer Course School	ATCS Data Source	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_SCH.LS_DATA_SOURCE
Adm Transfer Course School	ATCS Source Institution	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_SCH.SRC_ORG_NAME
Adm Transfer Course School	ATCS Model Status Code	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_SCH.MODEL_STATUS
Adm Transfer Course School	ATCS Model Status Descr	Data is completely replaced nightly. Steward: Shared Source: PS_XLATITEM.XLATLONGNAME
Adm Transfer Course School	ATCS Units Taken	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_SCH.UNT_TAKEN
Adm Transfer Course School	ATCS Units Taken - for summing	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_SCH.UNT_TAKEN
Adm Transfer Course School	ATCS Units Transferred	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_SCH.UNT_TRNSFR
Adm Transfer Course School	ATCS Units Transferred - for summing	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_SCH.UNT_TRNSFR
Adm Transfer Course School	ATCS Service Indicator Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCC_SI_ORG.SRVC_IND_CD
Adm Transfer Course School	ATCS Service Indicator Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_SRVC_IND_CD_TBL.DESCR
Adm Transfer Course School	ATCS Service Indicator Active Date	Data is completely replaced nightly. Steward: Admissions Source: PS_SCC_SI_ORG.SRVC_IND_ACTIVE_DT
Adm Transfer Course School	ATCS Service Indicator Reason Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCC_SI_ORG.SRVC_IND_REASON
Adm Transfer Course School	ATCS Service Indicator Reason Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_SRVC_IN_RSN_TBL.DESCR
Adm Transfer Course School	ATCS Service Indicator Active Term	Data is completely replaced nightly. Steward: Admissions Source: PS_SCC_SI_ORG.SRVC_IND_ACT_TERM
Adm Transfer Course School	ATCS Service Indicator End Term	Data is completely replaced nightly. Steward: Admissions Source: PS_SCC_SI_ORG.SCC_SI_END_TERM
Adm Transfer Course School	ATCS Service Indicator Comments	Data is completely replaced nightly. Steward: Admissions Source: PS_SCC_SI_ORG.COMM_COMMENTS

Object Name	Description
ATCT Model Status Code	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_TERM.MODEL_STATUS
ATCT Model Status Descr	Data is completely replaced nightly. Steward: Shared Source: PS_XLATITEM.XLATLONGNAME
ATCT Units Taken	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_TERM.UNT_TAKEN
ATCT Units Taken - for summing	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_TERM.UNT_TAKEN
ATCT Units Transferred	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_TERM.UNT_TRNSFR
ATCT Units Transferred - for summing	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_TERM.UNT_TRNSFR
ATCT Posted Date	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_TERM.POST_DT
ATCT Posted by ID	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_TERM.OPRID
ATCT Posted by Name	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC
ATO Articulation Term	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_OTHR_DTL.ARTICULATION_TERM□ Picklists are pre-sorted in descending order.
ATO Transfer Model Number	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_OTHR_DTL.MODEL_NBR
ATO Transfer Equivalency Group	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_OTHR_DTL.TRNSFR_EQVLNCY_GRP
ATO Transfer Equivalency Sequence	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_OTHR_DTL.TRNSFR_EQVLNCY_SEQ
ATO Descr	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_OTHR_DTL.DESCR
ATO Long Descr	Data is completely replaced nightly. \ Steward: Undergraduate Admissions Source: PS_TRNS_OTHR_DTL.DESCR254A
ATO Evaluation Date	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_OTHR_DTL.EVALUATION_DT
ATO Transfer Status	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_OTHR_DTL.TRNSFR_STAT
	ATCT Model Status Code ATCT Model Status Descr ATCT Units Taken ATCT Units Taken - for summing ATCT Units Transferred ATCT Units Transferred - for summing ATCT Posted Date ATCT Posted by ID ATCT Posted by Name ATCT Posted by Name ATO Articulation Term ATO Transfer Model Number ATO Transfer Equivalency Group ATO Transfer Equivalency Sequence ATO Descr ATO Long Descr ATO Evaluation Date

Class Name	Object Name	Description
Adm Transfer Other Detail	ATO Course ID	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_OTHR_DTL.CRSE_ID
Adm Transfer Other Detail	ATO Course Subject	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SUBJECT
Adm Transfer Other Detail	ATO Course Catalog Nbr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.CATALOG_NBR
Adm Transfer Other Detail	ATO Catalog Nbr Prompt	This is the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_CRSE_OFFER.CATALOG_NBR
Adm Transfer Other Detail	ATO Catalog Nbr Sort	This is the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_CRSE_OFFER.CATALOG_NBR
Adm Transfer Other Detail	ATO Subject Catalog Nbr	This uses the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as- of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SUBJECT, PS_CRSE_OFFER.CATALOG_NBR
Adm Transfer Other Detail	ATO Subject Catalog Nbr Sort	This uses the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SUBJECT, PS_CRSE_OFFER.CATALOG_NBR
Adm Transfer Other Detail	ATO Grade Points per Unit	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_OTHR_DTL.GRD_PTS_PER_UNIT
Adm Transfer Other Detail	ATO Grade Points per Unit - for summing	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_OTHR_DTL.GRD_PTS_PER_UNIT
Adm Transfer Other Detail	ATO Requirement Designation	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_OTHR_DTL.RQMNT_DESIGNTN
Adm Transfer Other Detail	ATO General Education Code	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCR
Adm Transfer Other Detail	ATO General Education Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCRFORMAL

Class Name	Object Name	Description
Adm Transfer Test Detail	ATT Articulation Term	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.ARTICULATION_TERM□ Picklists are pre-sorted in descending order.
Adm Transfer Test Detail	ATT Transfer Model Number	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.MODEL_NBR
Adm Transfer Test Detail	ATT Transfer Equivalency Group	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.TRNSFR_EQVLNCY_GRP
Adm Transfer Test Detail	ATT Transfer Equivalency Sequence	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.TRNSFR_EQVLNCY_SEQ
Adm Transfer Test Detail	ATT Transfer Status Code	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.TRNSFR_STAT
Adm Transfer Test Detail	ATT Transfer Status Descr	Data is completely replaced nightly. Steward: Shared Source: PS_XLATITEM.XLATLONGNAME
Adm Transfer Test Detail	ATT Test Equivalency Rule	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.TST_EQVLNCY
Adm Transfer Test Detail	ATT Equivalency Component	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.TRNSFR_EQVLNCY_CMP
Adm Transfer Test Detail	ATT Test ID	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.TEST_ID
Adm Transfer Test Detail	ATT Test Component	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.TEST_COMPONENT
Adm Transfer Test Detail	ATT Descr	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.DESCR
Adm Transfer Test Detail	ATT Test Date	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.TEST_DT
Adm Transfer Test Detail	ATT Data Source	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.LS_DATA_SOURCE
Adm Transfer Test Detail	ATT Score	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.SCORE
Adm Transfer Test Detail	ATT Percentile	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.PERCENTILE
Adm Transfer Test Detail	ATT Course ID	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.CRSE_ID

Class Name	Object Name	Description
Adm Transfer Test Detail	ATT Course Subject	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SUBJECT
Adm Transfer Test Detail	ATT Course Catalog Nbr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.CATALOG_NBR
Adm Transfer Test Detail	ATT Catalog Nbr Prompt	This is the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_CRSE_OFFER.CATALOG_NBR
Adm Transfer Test Detail	ATT Catalog Nbr Sort	This is the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_CRSE_OFFER.CATALOG_NBR
Adm Transfer Test Detail	ATT Subject Catalog Nbr	This uses the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as- of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SUBJECT, PS_CRSE_OFFER.CATALOG_NBR
Adm Transfer Test Detail	ATT Subject Catalog Nbr Sort	This uses the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SUBJECT, PS_CRSE_OFFER.CATALOG_NBR
Adm Transfer Test Detail	ATT Course Offering Number	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.CRSE_OFFER_NBR
Adm Transfer Test Detail	ATT Units Transferred	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.UNT_TRNSFR
Adm Transfer Test Detail	ATT Units Transferred - for summing	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.UNT_TRNSFR
Adm Transfer Test Detail	ATT Grading Basis	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.GRADING_BASIS
Adm Transfer Test Detail	ATT Requirement Designation	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.RQMNT_DESIGNTN
Adm Transfer Test Detail	ATT General Education Code	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCR

Class Name	Object Name	Description
Adm Transfer Test Detail	ATT General Education Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCRFORMAL
Adm Transfer Test Term	ATTT Articulation Term	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_TERM.ARTICULATION_TERM□ Picklists are pre-sorted in descending order.
Adm Transfer Test Term	ATTT Model Status	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_TERM.MODEL_STATUS
Adm Transfer Test Term	ATTT Model Status Descr	Data is completely replaced nightly. Steward: Shared Source: PS_XLATITEM.XLATLONGNAME
Adm Transfer Test Term	ATTT Units Transferred	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_TERM.UNT_TRNSFR
Adm Transfer Test Term	ATTT Units Transferred - for summing	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_TERM.UNT_TRNSFR
Adm Transfer Test Term	ATTT Post Date	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_TERM.POST_DT
Transfer Rule	TRL Institution	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_TRNSFR_RULE.INSTITUTION
Transfer Rule	TRL Transfer Source ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_TRNSFR_RULE.TRNSFR_SRC_ID
Transfer Rule	TRL Transfer Equivalency	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_TRNSFR_RULE.TRNSFR_EQVLNCY
Transfer Rule	TRL Effective Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_TRNSFR_RULE.EFFDT
Transfer Rule	TRL Effective Status	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_TRNSFR_RULE.EFF_STATUS
Transfer Rule	TRL Description	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_TRNSFR_RULE.DESCR
Transfer Rule	TRL Valid From	
Transfer Rule	TRL Valid To	
Ext Transfer Equivalency	ETE Institution	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_EXT_TRNSFR_EQ.INSTITUTION

Class Name	Object Name	Description
Ext Transfer Equivalency	ETE Academic Program	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_EXT_TRNSFR_EQ.ACAD_PROG
Ext Transfer Equivalency	ETE Academic Plan	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_EXT_TRNSFR_EQ.ACAD_PLAN
Ext Transfer Equivalency	ETE Transfer Source ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_EXT_TRNSFR_EQ.TRNSFR_SRC_ID
Ext Transfer Equivalency	ETE Effective Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_EXT_TRNSFR_EQ.EFFDT
Ext Transfer Equivalency	ETE Effective Status	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_EXT_TRNSFR_EQ.EFF_STATUS
Ext Transfer Equivalency	ETE Description	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_EXT_TRNSFR_EQ.DESCR
Ext Transfer Equivalency	ETE Def Rule Source Type	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_EXT_TRNSFR_EQ.DEF_RULE_SRC_TYPE
Ext Transfer Equivalency	ETE Def Rule Source ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_EXT_TRNSFR_EQ.DEF_RULE_SRC_ID
Ext Transfer Equivalency	ETE Course Transfer Equivalency	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_EXT_TRNSFR_EQ.CRS_TRNSFR_EQVLNCY
Ext Transfer Equivalency	ETE Ovr Rule Source Type	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_EXT_TRNSFR_EQ.OVR_RULE_SRC_TYPE
Ext Transfer Equivalency	ETE Ovr Rule Source ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_EXT_TRNSFR_EQ.OVR_RULE_SRC_ID
Ext Transfer Equivalency	ETE Crs Ovrrd Equivalency	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_EXT_TRNSFR_EQ.CRS_OVRRD_EQVLNCY

Class Name	Object Name	Description
Ext Transfer Equivalency	ETE Agr Rule Source Type	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_EXT_TRNSFR_EQ.AGR_RULE_SRC_TYPE
Ext Transfer Equivalency	ETE Agr Rule Source ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_EXT_TRNSFR_EQ.AGR_RULE_SRC_ID
Ext Transfer Equivalency	ETE Crs Agreement Equivalency	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_EXT_TRNSFR_EQ.CRS_AGRMNT_EQVLNCY
Ext Transfer Equivalency	ETE Grading Scheme	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_EXT_TRNSFR_EQ.GRADING_SCHEME
Ext Transfer Equivalency	ETE Grading Basis	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_EXT_TRNSFR_EQ.GRADING_BASIS
Ext Transfer Equivalency	ETE Grade Transfer	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_EXT_TRNSFR_EQ.GRADE_TRANSFER
Ext Transfer Equivalency	ETE Transfer Hs Fl	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_EXT_TRNSFR_EQ.TRNSFR_HS_FL
Ext Transfer Equivalency	ETE Valid From	
Ext Transfer Equivalency	ETE Valid To	
Transfer From	TF Institution	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_TRNSFR_FROM.INSTITUTION
Transfer From	TF Transfer Source ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_TRNSFR_FROM.TRNSFR_SRC_ID
Transfer From	TF Comp Subject Area	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_TRNSFR_FROM.COMP_SUBJECT_AREA
Transfer From	TF Effective Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_TRNSFR_FROM.EFFDT
Transfer From	TF Transfer Equivalency Cmp	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_TRNSFR_FROM.TRNSFR_EQVLNCY_CMP

Class Name	Object Name	Description
Transfer From	TF Transfer Cmp Seq	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_TRNSFR_FROM.TRNSFR_CMP_SEQ
Transfer From	TF Wildcard Ind	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_TRNSFR_FROM.WILDCARD_IND
Transfer From	TF School Subject Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_TRNSFR_FROM.SCHOOL_SUBJECT
Transfer From	TF School Subject Descr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_SCHOOL_SUBJ_TBL.DESCR
Transfer From	TF School Course Nbr Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_TRNSFR_FROM.SCHOOL_CRSE_NBR
Transfer From	TF School Course Nbr Descr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_SCHOOL_CRSE_TBL.DESCR
Transfer From	TF Course ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_TRNSFR_FROM.CRSE_ID
Transfer From	TF Course Offer Nbr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_TRNSFR_FROM.CRSE_OFFER_NBR
Transfer From	TF Units Minimum	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_TRNSFR_FROM.UNITS_MINIMUM
Transfer From	TF Units Maximum	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_TRNSFR_FROM.UNITS_MAXIMUM
Transfer From	TF Grade Points Min	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_TRNSFR_FROM.GRADE_PTS_MIN
Transfer From	TF Grade Points Max	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_TRNSFR_FROM.GRADE_PTS_MAX

Class Name	Object Name	Description
Transfer From	TF Max Age	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_TRNSFR_FROM.SSR_MAX_AGE
Transfer From	TF Begin Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_TRNSFR_FROM.BEGIN_DT
Transfer From	TF End Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_TRNSFR_FROM.END_DT
Transfer From	TF Transfer Grade FI	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_TRNSFR_FROM.TRNSFR_GRADE_FL
Transfer From	TF Valid From	
Transfer From	TF Valid To	
Transfer To	TTO Institution	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_TRNSFR_TO.INSTITUTION
Transfer To	TTO Transfer Source ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_TRNSFR_TO.TRNSFR_SRC_ID
Transfer To	TTO Comp Subject Area	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_TRNSFR_TO.COMP_SUBJECT_AREA
Transfer To	TTO Effective Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_TRNSFR_TO.EFFDT
Transfer To	TTO Transfer Equivalency Cmp	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_TRNSFR_TO.TRNSFR_EQVLNCY_CMP
Transfer To	TTO Course ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_TRNSFR_TO.CRSE_ID
Transfer To	TTO Course Descr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.DESCR
Transfer To	TTO Course Offer Nbr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_TRNSFR_TO.CRSE_OFFER_NBR
Transfer To	TTO Subject	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SUBJECT

Class Name	Object Name	Description
Transfer To	TTO Catalog Nbr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.CATALOG_NBR
Transfer To	TTP Unit Taken	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_TRNSFR_TO.UNT_TAKEN
Transfer To	TTO Ssr Tr Def Grd Typ Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_TRNSFR_TO.SSR_TR_DEF_GRD_TYP
Transfer To	TTO Ssr Tr Def Grd Type Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Transfer To	TTO Ssr Tr Def Grd Seq	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Admissions Source: PS_TRNSFR_TO.SSR_TR_DEF_GRD_SEQ
Transfer To	TTO Valid From	
Transfer To	TTO Valid To	
UC GPA	UCG UC Units Attempted	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_UCGPA.SCA_UC_ATTEMPTED
UC GPA	UCG Units Earned	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_UCGPA.SCA_UC_EARNED
UC GPA	UCG UC Grade Points	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_UCGPA.SCA_UC_GPTS
Orientation Students	OR Not Attending	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.SCA_NOT_ATTENDING
Orientation Students	OR Not Scheduling At This Time	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.SCA_NOT_SCHED
Orientation Students	OR International Flag	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.SCA_INTL_FLG
Orientation Students	OR Not International Checkbox	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.SCA_NOT_INTL_CHKBX
Orientation Students	OR Disabled	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.DISABLED
Orientation Students	OR Disability Descr	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.SCA_DISA_DESCR
Orientation Students	OR Special Dietary	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.SCA_DIETARY
Orientation Students	OR Dietary Description	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.SCA_DIET_DESCR

Class Name	Object Name	Description
Orientation Students	OR Language Interpreter	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.SCA_LANG_INTERPRET
Orientation Students	OR Language Description	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.SCA_LANG_DESCR
Orientation Students	OR Course Date	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.COURSE_DATE
Orientation Students	OR Late Registration	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.SCA_LATE_REG_APRVD
Orientation Students	OR Late Registration Approve Date	d Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.SCA_LATE_R_APRV_DT
Orientation Students	OR Waived Fee: Student	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.SCA_WAIVED_FEE
Orientation Students	OR Waived Student Amount	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.SCA_WAIVED_AMT
Orientation Students	OR Waived Fee Date	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.SCA_WAIVED_FEE_DT
Orientation Students	OR Waived Fee: Family Member	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.SCA_WAIVED_FEE_FM
Orientation Students	OR Waived Family Member Amount	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.SCA_WAIVED_AMT_FM
Orientation Students	OR Confirmation Received Date	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.CONFIRM_RCVD_DT
Orientation Students	OR Walk on	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.SCA_WALKON
Orientation Students	OR Cancel	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.CANCEL
Orientation Students	OR Deduction Cancel Date	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.CANCEL_DATE
Orientation Students	OR Paid Flag	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.PAID_FLAG
Orientation Students	OR Not Paid - Summer	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.SCA_SUMR_NOT_PAID
Orientation Students	OR Not Paid - International	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.SCA_INTL_NOT_PAID
Orientation Students	OR Orientation Total	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.SCA_ORIENT_TOTAL
Orientation Students	OR Payment Method	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.SCA_PYMNT_METHOD
Orientation Students	OR Adjustment	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.ADJ_COST

Class Name	Object Name	Description
Orientation Students	OR Last Updated User ID	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.LASTUPDOPRID
Orientation Students	OR Last Updated User Name	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC
Orientation Students	OR Cancel by Admissions	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.SCA_ADM_CANCEL
Orientation Students	OR Processing Fee	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.SCA_PROC_FEE
Orientation Students	OR Refunded	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.SCA_REFUNDED
Orientation Students	OR Refunded Amount	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.SCA_REFUNDED_AMT
Orientation Students	OR Reverse Charge	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.SCA_REVERSE_CHRG
Orientation Students	OR Reverse Charge Amount	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.SCA_REVERSE_AMT
Orientation Students	OR Withdrawn	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.SCA_WITHDRAWN
Orientation Students	OR Original Session Date	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.SCA_ORIG_OR_SES_DT
Orientation Students	OR Current Session Date	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.SCA_CURR_OR_SES_DT
Orientation Students	OR Did Not Attend	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.SCA_DID_NOT_ATTEND
Orientation Students	OR Reviewed	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.SCA_REVIEW_FLG
Orientation Students	OR Confirmation	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.SCA_CONFIRM_FLG
Orientation Students	OR Overnight Form Completed	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.SCA_OVNT_FORM_CMPL
Orientation Students	OR AWPE Receipt Received	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.SCA_AWPE_RCPT_RCVD
Orientation Students	OR Airport Pick-up	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.SCA_AIRPORT_PICKUP
Orientation Students	OR Comments	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIENTATION.COMMENTS

Class Name	Object Name	Description
Orientation Guests - Full	OGFU First Name	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIEN_GUEST.FIRST_NAME
Orientation Guests - Full	OGFU Last Name	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIEN_GUEST.LAST_NAME
Orientation Guests - Full	OGFU Relationship Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIEN_GUEST.SCA_RELATIONSHIP
Orientation Guests - Full	OGFU Relationship Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Orientation Guests - Full	OGFU Session Attended	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIEN_GUEST.SCA_ATTEND_FLG
Orientation Guests - Full	OGFU International Flg	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIEN_GUEST.SCA_INTL_FLG
Orientation Guests - Full	OGFU Translator Needed	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIEN_GUEST.SCA_TRANSLATOR_FLG
Orientation Guests - Full	OGFU Translator Language	Data is completely replaced nightly. Steward: Admissions Source: PS_SCA_ORIEN_GUEST.SCA_TRANSLTR_LANG
Orientation Guests - Flat	OGFL International Flg	Data is completely replaced nightly. Steward: Admissions Source: Derived from PS_SCA_ORIEN_GUEST
Orientation Guests - Flat	OGFL Number of Guests	Data is completely replaced nightly. Steward: Admissions Source: Derived from PS_SCA_ORIEN_GUEST
Orientation Guests - Flat	OGFL Guest 1 First Name	Data is completely replaced nightly. Steward: Admissions Source: Derived from PS_SCA_ORIEN_GUEST.FIRST_NAME
Orientation Guests - Flat	OGFL Guest 1 Last Name	Data is completely replaced nightly. Steward: Admissions Source: Derived from PS_SCA_ORIEN_GUEST.LAST_NAME
Orientation Guests - Flat	OGFL Guest 1 Relationship Code	Data is completely replaced nightly. Steward: Admissions Source: Derived from PS_SCA_ORIEN_GUEST.RELATIONSHIP
Orientation Guests - Flat	OGFL Guest 1 Relationship Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Orientation Guests - Flat	OGFL Guest 1 Session Attended	Data is completely replaced nightly. Steward: Admissions Source: Derived from PS_SCA_ORIEN_GUEST.SCA_ATTEND_FLG
Orientation Guests - Flat	OGFL Guest 1 Translator Flag	Data is completely replaced nightly. Steward: Admissions Source: Derived from PS_SCA_ORIEN_GUEST.SCA_TRANSLATOR_FLG
Orientation Guests - Flat	OGFL Guest 1 Translator Language	Data is completely replaced nightly. Steward: Admissions Source: Derived from PS_SCA_ORIEN_GUEST.SCA_TRANSLTR_LANG
Orientation Guests - Flat	OGFL Guest 2 First Name	Data is completely replaced nightly. Steward: Admissions Source: Derived from PS_SCA_ORIEN_GUEST.FIRST_NAME

Class Name	Object Name	Description
Orientation Guests - Flat	OGFL Guest 2 Last Name	Data is completely replaced nightly. Steward: Admissions Source: Derived from PS_SCA_ORIEN_GUEST.LAST_NAME
Orientation Guests - Flat	OGFL Guest 2 Relationship Code	Data is completely replaced nightly. Steward: Admissions Source: Derived from PS_SCA_ORIEN_GUEST.RELATIONSHIP
Orientation Guests - Flat	OGFL Guest 2 Relationship Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Orientation Guests - Flat	OGFL Guest 2 Session Attended	Data is completely replaced nightly. Steward: Admissions Source: Derived from PS_SCA_ORIEN_GUEST.SCA_ATTEND_FLG
Orientation Guests - Flat	OGFL Guest 2 Translator Flag	Data is completely replaced nightly. Steward: Admissions Source: Derived from PS_SCA_ORIEN_GUEST.SCA_TRANSLATOR_FLG
Orientation Guests - Flat	OGFL Guest 2 Translator Language	Data is completely replaced nightly. Steward: Admissions Source: Derived from PS_SCA_ORIEN_GUEST.SCA_TRANSLTR_LANG
Orientation Guests - Flat	OGFL Guest 3 First Name	Data is completely replaced nightly. Steward: Admissions Source: Derived from PS_SCA_ORIEN_GUEST.FIRST_NAME
Orientation Guests - Flat	OGFL Guest 3 Last Name	Data is completely replaced nightly. Steward: Admissions Source: Derived from PS_SCA_ORIEN_GUEST.LAST_NAME
Orientation Guests - Flat	OGFL Guest 3 Relationship Code	Data is completely replaced nightly. Steward: Admissions Source: Derived from PS_SCA_ORIEN_GUEST.RELATIONSHIP
Orientation Guests - Flat	OGFL Guest 3 Relationship Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Orientation Guests - Flat	OGFL Guest 3 Session Attended	Data is completely replaced nightly. Steward: Admissions Source: Derived from PS_SCA_ORIEN_GUEST.SCA_ATTEND_FLG
Orientation Guests - Flat	OGFL Guest 3 Translator Flag	Data is completely replaced nightly. Steward: Admissions Source: Derived from PS_SCA_ORIEN_GUEST.SCA_TRANSLATOR_FLG
Orientation Guests - Flat	OGFL Guest 3 Translator Language	Data is completely replaced nightly. Steward: Admissions Source: Derived from PS_SCA_ORIEN_GUEST.SCA_TRANSLTR_LANG
For Alumni Assn	ALUM Action Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.ACTION_DT
For Alumni Assn	ALUM Updated UserID	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.UPDATED_USERID
For Alumni Assn	ALUM Updated User Name	Data is completely replaced nightly. Steward: Registrar Source: PSOPRDEFN.OPRDEFNDESC
For Alumni Assn	ALUM Opt Out	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_ALUM_OPT_OUT

Class Name	Object Name	Description
For Alumni Assn	ALUM Relationship Parent 1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_RELATION_P1
For Alumni Assn	ALUM Relationship Parent 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_RELATION_P2
For Alumni Assn	ALUM Relationship (Other) Parent 1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_REL_OTH_P1
For Alumni Assn	ALUM Relationship (Other) Parent 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_REL_OTH_P2
For Alumni Assn	ALUM Title Parent 1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_TITLE_P1
For Alumni Assn	ALUM Title Parent 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_TITLE_P2
For Alumni Assn	ALUM First Name Parent 1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_FNAME_P1
For Alumni Assn	ALUM First Name Parent 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_FNAME_P2
For Alumni Assn	ALUM Middle Name Parent 1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_MNAME_P1
For Alumni Assn	ALUM Middle Name Parent 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_MNAME_P2
For Alumni Assn	ALUM Last Name Parent 1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_LNAME_P1
For Alumni Assn	ALUM Last Name Parent 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_LNAME_P2
For Alumni Assn	ALUM Suffix Parent 1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_SUFFIX_P1
For Alumni Assn	ALUM Suffix Parent 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_SUFFIX_P2
For Alumni Assn	ALUM Birth Name Parent 1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_BNAME_P1
For Alumni Assn	ALUM Birth Name Parent 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_BNAME_P2

Class Name	Object Name	Description
For Alumni Assn	ALUM First Name Sibling 1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_FNAME_S1
For Alumni Assn	ALUM First Name Sibling 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_FNAME_S2
For Alumni Assn	ALUM First Name Sibling 3	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_FNAME_S3
For Alumni Assn	ALUM Middle Name Sibling 1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_MNAME_S1
For Alumni Assn	ALUM Middle Name Sibling 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_MNAME_S2
For Alumni Assn	ALUM Middle Name Sibling 3	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_MNAME_S3
For Alumni Assn	ALUM Last Name Sibling 1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_LNAME_S1
For Alumni Assn	ALUM Last Name Sibling 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_LNAME_S2
For Alumni Assn	ALUM Last Name Sibling 3	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_LNAME_S3
For Alumni Assn	ALUM Preferred Address Parent 1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_PREF_ADDR_P1
For Alumni Assn	ALUM Preferred Address Parent 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_PREF_ADDR_P2
For Alumni Assn	ALUM Company Parent 1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_COMPANY_P1
For Alumni Assn	ALUM Company Parent 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_COMPANY_P2
For Alumni Assn	ALUM Job Title Parent 1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_JOB_TITLE_P1
For Alumni Assn	ALUM Job Title Parent 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_JOB_TITLE_P2
For Alumni Assn	ALUM Job Description Parent	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_JOB_DESC_P1

Class Name	Object Name	Description
For Alumni Assn	ALUM Job Description Parent 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_JOB_DESC_P2
For Alumni Assn	ALUM Business Street Parent 1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_BUS_STREET_P1
For Alumni Assn	ALUM Business Street Parent 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_BUS_STREET_P2
For Alumni Assn	ALUM Business City Parent 1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_BUS_CITY_P1
For Alumni Assn	ALUM Business City Parent 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_BUS_CITY_P2
For Alumni Assn	ALUM Business State Parent 1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_BUS_STATE_P1
For Alumni Assn	ALUM Business State Parent 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_BUS_STATE_P2
For Alumni Assn	ALUM Business Zip Parent 1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_BUS_ZIP_P1
For Alumni Assn	ALUM Business Zip Parent 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_BUS_ZIP_P2
For Alumni Assn	ALUM Business Country Parent 1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_BUS_COUNTRY_P1
For Alumni Assn	ALUM Business Country Parent 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_BUS_COUNTRY_P2
For Alumni Assn	ALUM Business Phone Parent	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_BUS_PHONE_P1
For Alumni Assn	ALUM Business Phone Parent 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_BUS_PHONE_P2
For Alumni Assn	ALUM Graduation Year Sibling	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_GRADYR_S1
For Alumni Assn	ALUM Graduation Year Sibling 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_GRADYR_S2
For Alumni Assn	ALUM Graduation Year Sibling 3	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_GRADYR_S3

Class Name	Object Name	Description
For Alumni Assn	ALUM Home Street Parent 1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_HM_STREET_P1
For Alumni Assn	ALUM Home Street Parent 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_HM_STREET_P2
For Alumni Assn	ALUM Home City Parent 1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_HM_CITY_P1
For Alumni Assn	ALUM Home City Parent 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_HM_CITY_P2
For Alumni Assn	ALUM Home State Parent 1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_HM_STATE_P1
For Alumni Assn	ALUM Home State Parent 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_HM_STATE_P2
For Alumni Assn	ALUM Home Zip Parent 1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_HM_ZIP_P1
For Alumni Assn	ALUM Home Zip Parent 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_HM_ZIP_P2
For Alumni Assn	ALUM Home Country Parent 1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_HM_COUNTRY_P1
For Alumni Assn	ALUM Home Country Parent 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_HM_COUNTRY_P2
For Alumni Assn	ALUM Home Phone Parent 1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_HM_PHONE_P1
For Alumni Assn	ALUM Home Phone Parent 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_HM_PHONE_P2
For Alumni Assn	ALUM Home Email Parent 1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_HM_EMAIL_P1
For Alumni Assn	ALUM Home Email Parent 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_HM_EMAIL_P2
For Alumni Assn	ALUM Language at Home Parent 1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_HM_LANG_P1
For Alumni Assn	ALUM Language at Home Parent 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_HM_LANG_P2

Class Name	Object Name	Description
For Alumni Assn	ALUM UCSC Alumni Parent 1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_UCSC_ALUM_P1
For Alumni Assn	ALUM UCSC Alumni Parent 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_UCSC_ALUM_P2
For Alumni Assn	ALUM Other College Parent 1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_OTH_COLLEGE_P1
For Alumni Assn	ALUM Other College Parent 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_SCA_ALUMNI_INFO.SCA_OTH_COLLEGE_P2
Communications	CM Admin Function	Data is completely replaced nightly. Steward: Registrar Source: PS_COMMUNICATION.ADMIN_FUNCTION
Communications	CM Sequence Number	Data is completely replaced nightly. Steward: Registrar Source: PS_COMMUNICATION.SEQ_3C
Communications	CM Date/Time	Data is completely replaced nightly. Steward: Registrar Source: PS_COMMUNICATION.COMM_DTTM
Communications	CM Category Code	Data is completely replaced nightly. Steward: Registrar Source: PS_COMMUNICATION.COMM_CATEGORY
Communications	CM Category Descr	Data is completely replaced nightly. Steward: Shared Source:PS_COMM_CATG_TBL.DESCR
Communications	CM Context Code	Data is completely replaced nightly. Steward: Registrar Source:PS_COMMUNICATION.COMM_CONTEXT
Communications	CM Context Descr	Data is completely replaced nightly. Steward: Shared Source: PS_COMM_CTXT_TBL.DESCR
Communications	CM Method Code	Data is completely replaced nightly. Steward: Registrar Source: PS_COMMUNICATION.COMM_METHOD
Communications	CM Method Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM where FIELDNAME= 'COMM_METHOD'
Communications	CM Department Code	Data is completely replaced nightly. Steward: Registrar Source: PS_COMMUNICATION.DEPTID
Communications	CM Communication ID	Data is completely replaced nightly. Steward: Registrar Source: PS_COMMUNICATION.COMM_ID
Communications	CM Communication Name	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC
Communications	CM Date	Data is completely replaced nightly. Steward: Registrar Source: PS_COMMUNICATION.COMM_DT
Communications	CM Completed	Data is completely replaced nightly. Steward: Registrar Source: PS_COMMUNICATION.COMPLETED_COMM
Communications	CM Completed ID	Data is completely replaced nightly. Steward: Registrar Source: PS_COMMUNICATION.COMPLETED_ID
Communications	CM Completed Name	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC
Communications	CM Completed Date	Data is completely replaced nightly. Steward: Registrar Source: PS_COMMUNICATION.COMPLETED_DT
Communications	CM Direction Code	Data is completely replaced nightly. Steward: Registrar Source: PS_COMMUNICATION.COMM_DIRECTION

Communications Communications	CM Direction Descr	Data is completely replaced nightly. Steward: Registrar Source: PSXLATITEM.XLATLONGNAME
Communications		
	CM Letter Code	Data is completely replaced nightly. Steward: Registrar Source: PS_COMMUNICATION.SCC_LETTER_CD
Communications	CM Letter Code Descr	
Communications	CM Comments	Data is completely replaced nightly. Steward: Registrar Source: PS_COMMUNICATION.COMM_COMMENTS
Communications	CM Variable Data Sequence Number	Data is completely replaced nightly. Steward: Registrar Source: PS_COMMUNICATION.VAR_DATA_SEQ
Communications	CM Var Data Academic Career SPRG	Data is completely replaced nightly. Steward: Registrar Source: PS_VAR_DATA_SPRG.ACAD_CAREER
Communications	CM Var Data Student Career Nbr SPRG	Data is completely replaced nightly. Steward: Registrar Source: PS_VAR_DATA_SPRG.STDNT_CAR_NBR
Communications	CM Var Data Academic Career STRM	Data is completely replaced nightly. Steward: Registrar Source: PS_VAR_DATA_STRM.ACAD_CAREER
Communications	CM Var Data Term Code STRM	Data is completely replaced nightly. Steward: Registrar Source: PS_VAR_DATA_STRM.STRM
Communications	CM Var Data Academic Career ADMA	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_VAR_DATA_ADMA.ACAD_CAREER
Communications	CM Var Data Student Career Nbr ADMA	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_VAR_DATA_ADMA.STDNT_CAR_NBR
Communications	CM Var Data Admission Appl Nbr ADMA	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_VAR_DATA_ADMA.ADM_APPL_NBR
Communications	CM Var Data Academic Career ADMP	Data is completely replaced nightly. Steward: Graduate Admissions Source: PS_VAR_DATA_ADMP.ACAD_CAREER
Communications	CM Var Data Student Career Nbr ADMP	Data is completely replaced nightly. Steward: Graduate Admissions Source: PS_VAR_DATA_ADMP.STDNT_CAR_NBR
Communications	CM Var Data Admissions Appl Nbr ADMP	Data is completely replaced nightly. Steward: Graduate Admissions Source: PS_VAR_DATA_ADMP.ADM_APPL_NBR
Communications	CM Var Data Application Program Nbr ADMP	Data is completely replaced nightly. Steward: Graduate Admissions Source: PS_VAR_DATA_ADMP.APPL_PROG_NBR
Communications	CM Var Data Aid Year FINA	Data is completely replaced nightly. Steward: Financial Aid Source: PS_VAR_DATA_FINA.AID_YEAR
Comments	CT Admin Function	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_COMMENT.ADMIN_FUNCTION
Comments	CT Sequence Number	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_COMMENT.SEQ_3C
Comments	CT Date/Time	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_COMMENT.COMMENT_DTTM
Comments	CT Category Code	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_COMMENT.CMNT_CATEGORY

Class Name	Object Name	Description
Comments	CT Category Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_CMNT_CATG_TBL.DESCR
Comments	CT Department Code	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_COMMENT.DEPTID
Comments	CT Comment ID	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_COMMENT.CMNT_ID
Comments	CT Comment Name	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC
Comments	CT Comment	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_COMMENT.COMMENTS
Comments	CT Date	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_COMMENT.COMMENT_DT
Comments	CT Variable Data Sequence Number	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_COMMENT.VAR_DATA_SEQ
Comments	CT Var Data Academic Career SPRG	Data is completely replaced nightly. Steward: Registrar Source: PS_VAR_DATA_SPRG.ACAD_CAREER
Comments	CT Var Data Student Career Nbr SPRG	Data is completely replaced nightly. Steward: Registrar Source: PS_VAR_DATA_SPRG.STDNT_CAR_NBR
Comments	CT Var Data Academic Career STRM	Data is completely replaced nightly. Steward: Registrar Source: PS_VAR_DATA_STRM.ACAD_CAREER
Comments	CT Var Data Term Code STRM	Data is completely replaced nightly. Steward: Registrar Source: PS_VAR_DATA_STRM.STRM
Comments	CT Var Data Academic Career ADMA	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_VAR_DATA_ADMA.ACAD_CAREER
Comments	CT Var Data Student Career Nbr ADMA	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_VAR_DATA_ADMA.STDNT_CAR_NBR
Comments	CT Var Data Admission Appl Nbr ADMA	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_VAR_DATA_ADMA.ADM_APPL_NBR
Comments	CT Var Data Academic Career ADMP	Data is completely replaced nightly. Steward: Graduate Admissions Source: PS_VAR_DATA_ADMP.ACAD_CAREER
Comments	CT Var Data Student Career Nbr ADMP	Data is completely replaced nightly. Steward: Graduate Admissions Source: PS_VAR_DATA_ADMP.STDNT_CAR_NBR
Comments	CT Var Data Admissions Appl Nbr ADMP	Data is completely replaced nightly. Steward: Graduate Admissions Source: PS_VAR_DATA_ADMP.ADM_APPL_NBR
Comments	CT Var Data Application Program Nbr ADMP	Data is completely replaced nightly. Steward: Graduate Admissions Source: PS_VAR_DATA_ADMP.APPL_PROG_NBR
Comments	CT Var Data Aid Year FINA	Data is completely replaced nightly. Steward: Financial Aid Source: PS_VAR_DATA_FINA.AID_YEAR
Checklists	CK Admin Function	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_CHECKLST.ADMIN_FUNCTION
Checklists	CK Checklist Sequence Number	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_CHECKLST.SEQ_3C

Class Name	Object Name	Description
Checklists	CK Checklist Date/Time	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_CHECKLST.CHECKLIST_DTTM
Checklists	CK Checklist Code	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_CHECKLST.CHECKLIST_CD
Checklists	CK Checklist Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_CS_CHKLST_TBL.DESCR
Checklists	CK Checklist Status Code	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_CHECKLST.CHECKLIST_STATUS
Checklists	CK Checklist Status Descr	Data is completely replaced nightly. Steward: Registrar Source: PSXLATITEM.XLATLONGNAME
Checklists	CK Checklist Status Date	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_CHECKLST.STATUS_DT
Checklists	CK Checklist Due Date	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_CHECKLST.DUE_DT
Checklists	CK Checklist Department Code	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_CHECKLST.DEPTID
Checklists	CK Checklist Responsible ID	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_CHECKLST.RESPONSIBLE_ID
Checklists	CK Checklist Responsible Name	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC
Checklists	CK Checklist Variable Data Sequence Nbr	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_CHECKLST.VAR_DATA_SEQ
Checklists	CK Checklist Comments	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_CHECKLST.COMM_COMMENTS
Checklists	CK Item Sequence Number	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_CHK_ITEM.CHECKLIST_SEQ
Checklists	CK Item Code	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_CHK_ITEM.CHKLST_ITEM_CD
Checklists	CK Item Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_SCC_CKLSITM_TBL.DESCR
Checklists	CK Item Comment	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_SCC_CKLSITM_TBL.DESCRLONG
Checklists	CK Item Status Code	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_CHK_ITEM.ITEM_STATUS
Checklists	CK Item Status Descr	Data is completely replaced nightly. Steward: Registrar Source: PSXLATITEM.XLATLONGNAME
Checklists	CK Item Status Date	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_CHK_ITEM.STATUS_DT
Checklists	CK Item Due Date	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_CHK_ITEM.DUE_DT
Checklists	CK Item Responsible ID	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_CHK_ITEM.RESPONSIBLE_ID
Checklists	CK Item Responsible Name	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC
Checklists	CK Item Association ID	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_CHK_ITEM.ASSOC_ID

Object Name	Description
CK Item Association Name	Data is completely replaced nightly. Steward: Registrar Source: PS_PERSON_CHK_ITEM.NAME
CK Var Data Academic Career SPRG	Data is completely replaced nightly. Steward: Registrar Source: PS_VAR_DATA_SPRG.ACAD_CAREER
CK Var Data Student Career Nbr SPRG	Data is completely replaced nightly. Steward: Registrar Source: PS_VAR_DATA_SPRG.STDNT_CAR_NBR
CK Var Data Academic Career STRM	Data is completely replaced nightly. Steward: Registrar Source: PS_VAR_DATA_STRM.ACAD_CAREER
CK Var Data Term Code STRM	Data is completely replaced nightly. Steward: Registrar Source: PS_VAR_DATA_STRM.STRM
CK Var Data Academic Career ADMA	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_VAR_DATA_ADMA.ACAD_CAREER
CK Var Data Student Career Nbr ADMA	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_VAR_DATA_ADMA.STDNT_CAR_NBR
CK Var Data Admission Appl Nbr ADMA	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_VAR_DATA_ADMA.ADM_APPL_NBR
CK Var Data Academic Career ADMP	Data is completely replaced nightly. Steward: Graduate Admissions Source: PS_VAR_DATA_ADMP.ACAD_CAREER
CK Var Data Student Career Nbr ADMP	Data is completely replaced nightly. Steward: Graduate Admissions Source: PS_VAR_DATA_ADMP.STDNT_CAR_NBR
CK Var Data Admissions Appl Nbr ADMP	Data is completely replaced nightly. Steward: Graduate Admissions Source: PS_VAR_DATA_ADMP.ADM_APPL_NBR
CK Var Data Application Program Nbr ADMP	Data is completely replaced nightly. Steward: Graduate Admissions Source: PS_VAR_DATA_ADMP.APPL_PROG_NBR
CK Var Data Aid Year FINA	Data is completely replaced nightly. Steward: Financial Aid Source: PS_VAR_DATA_FINA.AID_YEAR
SI Date/Time	Data is completely replaced nightly. Steward: Shared Source: PS_SRVC_IND_DATA.SRVC_IND_DTTM
SI User ID	Data is completely replaced nightly. Steward: Shared Source: PS_SRVC_IND_DATA.OPRID
SI User Name	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC
SI Service Indicator Code	Data is completely replaced nightly. Steward: Shared Source: PS_SRVC_IND_DATA.SRVC_IND_CD
SI Service Indicator Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_SRVC_IND_CD_TBL.DESCR
SI Reason Code	Data is completely replaced nightly. Steward: Shared Source: PS_SRVC_IND_DATA.SRVC_IND_REASON
SI Reason Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_SRVC_IN_RSN_TBL.DESCR
	CK Item Association Name CK Var Data Academic Career SPRG CK Var Data Student Career Nbr SPRG CK Var Data Academic Career STRM CK Var Data Term Code STRM CK Var Data Academic Career ADMA CK Var Data Academic Career ADMA CK Var Data At Academic Career Nbr ADMA CK Var Data Admission Appl Nbr ADMA CK Var Data Academic Career ADMP CK Var Data Admission Appl Nbr ADMA CK Var Data Admissions Appl Nbr ADMP CK Var Data Admissions Appl Nbr ADMP CK Var Data Application Program Nbr ADMP CK Var Data Aid Year FINA SI Date/Time SI User ID SI User ID SI Service Indicator Code SI Service Indicator Descr SI Reason Code

Class Name	Object Name	Description
Service Indicators	SI Active Term	Data is completely replaced nightly. Steward: Shared Source: PS_SRVC_IND_DATA.SRVC_IND_ACT_TERM Picklists are pre-sorted in descending order.
Service Indicators	SI Active Date	Data is completely replaced nightly. Steward: Shared Source: PS_SRVC_IND_DATA.SRVC_IND_ACTIVE_DT
Service Indicators	SI End Term	Data is completely replaced nightly. Steward: Shared Source: PS_SRVC_IND_DATA.SCC_SI_END_TERM Picklists are pre-sorted in descending order.
Service Indicators	SI End Date	Data is completely replaced nightly. Steward: Shared Source: PS_SRVC_IND_DATA.SCC_SI_END_DT
Service Indicators	SI Positive Service Indicator	Data is completely replaced nightly. Steward: Shared Source: PS_SRVC_IND_DATA.POS_SRVC_INDICATOR
Service Indicators	SI Reference	Data is completely replaced nightly. Steward: Shared Source: PS_SRVC_IND_DATA.SRVC_IND_REFRNCE
Service Indicators	SI Department ID	Data is completely replaced nightly. Steward: Shared Source: PS_SRVC_IND_DATA.DEPTID
Service Indicators	SI Contact Name	Data is completely replaced nightly. Steward: Shared Source: PS_SRVC_IND_DATA.CONTACT
Service Indicators	SI Contact ID	Data is completely replaced nightly. Steward: Shared Source: PS_SRVC_IND_DATA.CONTACT_ID
Service Indicators	SI Amount	Data is completely replaced nightly. Steward: Shared Source: PS_SRVC_IND_DATA.CONTACT_ID
Service Indicators	SI Placed by Name	Data is completely replaced nightly. Steward: Shared Source: PS_SRVC_IND_DATA.PLACED_PERSON
Service Indicators	SI Placed by ID	Data is completely replaced nightly. Steward: Shared Source: PS_SRVC_IND_DATA.PLACED_PERSON_ID
Service Indicators	SI Service Impact Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_SRVC_IMPACT_TBL.SERVICE_IMPACT
Service Indicators	SI Service Impact Term Category Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_SERVICE_IMPACT.TERM_CATEGORY
Service Indicators	SI Service Impact Long Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_SERVICE_IMPACT.DESCRLONG (CLOB)
Service Indicators	SI Positive Service Impact	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_SRVC_IMPACT_TBL.POS_SRVC_IMPACT
Service Indicators	SI Service Impact Short Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_SRVC_IMPACT_TBL.DESCR
Student Groups - Current	SGC Student Group	Is currently in this student group with "Active" status. Steward: Shared Source: Derived from PS_STDNT_GRPS_HIST.STDNT_GROUP
Student Groups - Current	SGC Student Group Descr	Data is completely replaced nightly. Steward: Shared Source: PS_STDNT_GROUP_TBL.DESCR
Student Groups - Current	SGC Is Bridge	Has any status (active or inactive) in the Bridge student group (ABRG). Steward: Undergraduate Admissions Source: Derived from PS_STDNT_GRPS_HIST

Object Name	Description
SGC Is EOP	Has any status (active or inactive) in the EOP student group (AEOP). Steward: Undergraduate Admissions Source: Derived from PS_STDNT_GRPS_HIST
SG Student Group Code	Data is completely replaced nightly. Steward: Shared Source: PS_STDNT_GROUP_TBL.STDNT_GROUP
SG Student Group Descr	Data is completely replaced nightly. Steward: Shared Source: PS_STDNT_GROUP_TBL.DESCR
SG Derived Term	Terms a student is considered "Active" in the student group. The existence of a term here does not mean that the person was a student in that term, just that their status in the student group as of that term was "Active." Data is completely replaced nightly. Steward: Shared Source: Derived by comparing PS_STDNT_GRPS_HIST.EFFDT and PS_STDNT_GRPS_HIST.EFF_STATUS with term dates. Picklists are pre-sorted in descending order.
SG Comments	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward:Shared Source: PS_STDNT_GRPS_HIST_BY_TERM.COMMENTS □
SG Valid From	
SG Valid To	
FA Student Permission (Waiver)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_WAIV_FORM.WAIVER_FORM
FA National ID - RESTRICTED	SSN value from PS_PERS_NID. This is only loaded for PS_PERS_NID.NATIONAL_ID_TYPE = 'PR'.
APP Aid Category Code - use with Admissions Program/Plan	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Graduate Admissions Source: PS_EARLY_FA_CATGS.AID_CATEGORY Imited to UGRD career only
RL Relationship Number	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_RELATIONSHIPS.RELATIONSHIP_NBR
RL Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_RELATIONSHIPS.EFFDT
RL Effective Status	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_RELATIONSHIPS.EFF_STATUS
RL Relationship Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_RELATIONSHIPS.PEOPLE_RELATION
RL Relationship Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
RL Related Person Name	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_RELATIONSHIPS.NAME
	SGC Is EOP SG Student Group Code SG Student Group Descr SG Derived Term SG Comments SG Valid From SG Valid To FA Student Permission (Waiver) FA National ID - RESTRICTED APP Aid Category Code - use with Admissions Program/Plan RL Relationship Number RL Effective Date RL Relationship Code RL Relationship Descr

Class Name	Object Name	Description
Current Relationships	RL Related Person EmplID	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_RELATIONSHIPS.EMPLID_RELATED
Current Relationships	RL Reciprocal Relationship Number	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_RELATIONSHIPS.RELATION_NBR_RCP
NSLDS	NX Emplid	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.EMPLID
NSLDS	NX Effective Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.EFFDT
NSLDS	NX Effective Sequence	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.EFFSEQ
NSLDS	NX Valid From	
NSLDS	NX Valid To	
NSLDS Aggregates	NA NSLDS Transaction Nbr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.NSLDS_UPDT_TXN
NSLDS Aggregates	NA NSLDS Transaction Source	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.NSLDS_UPDT_SOURCE
NSLDS Aggregates	NA Transaction Process Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.PROCESS_DT
NSLDS Aggregates	NA NSLDS Aggregate Subsidized	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.NSLDS_AGGR_SUBSDZD
NSLDS Aggregates	NA Subzidized Pending Disbursement	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.PENDING_AGGR_SUB
NSLDS Aggregates	NA NSLDS Aggregate Unsubsidized	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.NSLDS_AGGR_UNSUB
NSLDS Aggregates	NA Unsubsidized Pending Disbursement	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.PENDING_AGGR_UNSUB
L		

Class Name	Object Name	Description
NSLDS Aggregates	NA NSLDS Aggregage Combined	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.NSLDS_AGGR_COMB
NSLDS Aggregates	NA Combined Pending Disbursement	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.PENDING_AGGR_COMB
NSLDS Aggregates	NA NSLDS Aggregate Consolidated	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.NSLDS_AGGR_CNSLDTD
NSLDS Aggregates	NA Total Aggregate Subsidized	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.AGGR_SUBSDZD_TOTAL
NSLDS Aggregates	NA Aggregate Unsubsidized Total	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.AGGR_UNSUB_TOTAL
NSLDS Aggregates	NA Aggregate Combined Total	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.AGGR_COMB_TOTAL
NSLDS Aggregates	NA Aggregate Consolidated Total	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.AGGR_CONSL_TOTAL
NSLDS Aggregates	NA NSLDS Aggregate Perkins	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.NSLDS_AGGR_PERKINS
NSLDS Aggregates	NA NSLDS Perkins YTD	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.NSLDS_YTD_PERKINS
NSLDS Aggregates	NA NSLDS Active Bankruptcy	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.NSLDS_ACTV_NKDRPTC
NSLDS Aggregates	NA NSLDS Satisfactory Repayment	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.NSLDS_SATIS_RPYMNT
NSLDS Aggregates	NA NSLDS Default Reported	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.NSLDS_DFLT_LOAN

Class Name	Object Name	Description
NSLDS Aggregates	NA Discharged Reported	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.NSLDS_DISCHRGD_LOAN
NSLDS Aggregates	NA NSLDS Default Ln Chg	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.NSLDS_DFLT_CHG
NSLDS Aggregates	NA NSLDS Discharged Ln Chg	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.NSLDS_DSCHRGD_CHG
NSLDS Aggregates	NA NSLDS Satisfactory Replayment Chg	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.NSLDS_RPYMNT_CHG
NSLDS Aggregates	NA NSLDS Active Bankruptcy Chg	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.NSLDS_BNKRPTCY_CHG
NSLDS Aggregates	NA NSLDS Overpayment Chg	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.NSLDS_OVRPYMNT_CHG
NSLDS Aggregates	NA NSLDS Aggr Loan Chg	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.NSLDS_AGGR_LN_CHG
NSLDS Aggregates	NA NSLDS Perkins Chg	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.NSLDS_PERKINS_CHG
NSLDS Aggregates	NA NSLDS Pell Payment Chg	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.NSLDS_PELL_PAY_CHG
NSLDS Aggregates	NA NSLDS Additional Pell	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.NSLDS_ADDTNL_PELL
NSLDS Aggregates	NA NSLDS Additional Loans	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.NSLDS_ADDTNL_LOAN
NSLDS Aggregates	NA ISIR Source Year	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.NSLDS_ISIR_YEAR

Class Name	Object Name	Description
NSLDS Aggregates	NA DL Staff Master-Prom Note Flag	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.NSLDS_DL_MPN_FLAG
NSLDS Aggregates	NA Pell Change Flag	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.PELL_CHNG
NSLDS Aggregates	NA Loan Change Flag	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.NSLDS_LOAN_CHNG
NSLDS Aggregates	NA Aggregate Change Flag	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.NSLDS_AGGR_CHNG
NSLDS Aggregates	NA DL Plus Master-Prom Note Flag	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.NSLDS_PLUS_MPN_FLG
NSLDS Aggregates	NA NSLDS Sub Limit Exceeded	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.NSLDS_SUB_EXCEEDED
NSLDS Aggregates	NA NSLDS Combo Limit Exceeded	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.NSLDS_CMB_EXCEEDED
NSLDS Aggregates	NA ISIR Sub Limit Flag	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.ISIR_SUB_LIMIT_FLG
NSLDS Aggregates	NA ISIR Combo Limit Flg	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.ISIR_CMB_LIMIT_FLG
NSLDS Aggregates	NA NSLDS Aggr Cons Unallocated	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.NSLDS_AG_CON_U_OPB
NSLDS Aggregates	NA PLUS Outstanding Balance	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.NSLDS_AGGR_PLUS
NSLDS Aggregates	NA NSLDS Constd Total Unallocated	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.NSLDS_AG_CON_U_TOT

Class Name	Object Name	Description
NSLDS Aggregates	NA PLUS Total	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.NSLDS_PLUS_TOTAL
NSLDS Aggregates	NS ACG Payment Change	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_ACG_PAY_CHG
NSLDS Aggregates	NA NSLDS NSG Change	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_NSG_CHG
NSLDS Aggregates	NA Additional ACG	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_ADDTNL_ACG
NSLDS Aggregates	NA Additional NSG	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_ADDTNL_NSG
NSLDS Aggregates	NA DL GradPlus MPN Flag	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_GPLUS_MPNFLG
NSLDS Aggregates	NA Fraud Flag	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_FRAUD_FLG
NSLDS Aggregates	NA Grad PLUS Outstanding Balance	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_AGGR_GPLUS
NSLDS Aggregates	NA Grad PLUS Total	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_GPLUS_TOTAL
NSLDS Aggregates	NA NSLDS Fraud Loan Chg	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_NSLDS_FRDLN_CH
NSLDS Aggregates	NA NSLDS UG Sub Loan Limit	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_NSLDS_UGSUB_LN
NSLDS Aggregates	NA NSLDS UG Combo Loan Limit	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_NSLDS_UGCMB_LN

Class Name	Object Name	Description
NSLDS Aggregates	NA TEACH Grand Loan Conversion Flag	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_TCH_LN_CNV_FLG
NSLDS Aggregates	NA TEACH Grant to Loan Chg	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_TCH_LNCNV_CHG
NSLDS Aggregates	NA TEACH Grant Change Flag	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_TCH_GRNT_CHG
NSLDS Aggregates	NA Additional TEACH Grant	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_TCH_ADD_GRANT
NSLDS Aggregates	NA TEACH UG Disbursement Amount	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_TCH_UGRD_AMT
NSLDS Aggregates	NA TEACH Graduate Disburse Amount	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_TCH_GRAD_AMT
NSLDS Aggregates	NA TEACH UGRD Percent Elig Used	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_TCH_UG_PCTUSD
NSLDS Aggregates	NA TEACH UGRD Remaining Amt	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_TCH_UG_RM_AMT
NSLDS Aggregates	NA TEACH GRAD Percent Elig Used	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_TCH_GRD_PCTUSD
NSLDS Aggregates	NA TEACH GRAD Remaining Amt	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_TCH_GRD_RM_AMT
NSLDS Aggregates	NA NSLDS TEACH Grant Aggr Chg	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_TCH_AGGR_GR_CH
NSLDS Aggregates	NA NSLDS TEACH Loan Aggr Chg	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_TCH_AGGR_LN_CH

Class Name	Object Name	Description
NSLDS Aggregates	NA UG Principal Balance	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_UG_AGR_SUB_OPB
NSLDS Aggregates	NA UG Aggregate Unsubsidized	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_UG_AGR_USUB_OP
NSLDS Aggregates	NA UG Aggregate Combined	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_UG_AGR_CMB_OPB
NSLDS Aggregates	NA UG Aggregate Consolidated	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_UG_AGR_CNSL_OP
NSLDS Aggregates	NA UG Subsidized Pending Disbursement	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_UG_AGR_SUB_PND
NSLDS Aggregates	NA UG Unsubsidized Pending Disbursement	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_UG_AGR_USUB_PN
NSLDS Aggregates	NA UG Combined Pending Disbursement	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_UG_AGR_CMB_PND
NSLDS Aggregates	NA UG Total Aggregate Subsidized	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_UG_AGGR_SUB
NSLDS Aggregates	NA UG Aggregate Unsubsidized Total	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_UG_AGGR_USUB
NSLDS Aggregates	NA UG Aggregate Combined Total	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_UG_AGGR_CMB
NSLDS Aggregates	NA UG Aggregate Consolidated Total	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_UG_AGGR_CNSL
NSLDS Aggregates	NA UG Award Year	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_UG_AWARD_YR

Class Name	Object Name	Description
NSLDS Aggregates	NA UG Dependency Indicator	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_UG_DEP_IND
NSLDS Aggregates	NA GRAD Principal Balance	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.
NSLDS Aggregates	NA GRAD Aggregate Unsubsidized	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_GR_AGR_USUB_OP
NSLDS Aggregates	NA GRAD Aggregate Combined	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_GR_AGR_CMB_OPB
NSLDS Aggregates	NA GRAD Aggregate Consolidated	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_GR_AGR_CNSL_OP
NSLDS Aggregates	NA GRAD Subsidized pending Disbursement	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_GR_AGR_SUB_PND
NSLDS Aggregates	NA GRAD Unsubsidized Pending Disbursement	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_GR_AGR_USUB_PN
NSLDS Aggregates	NA GRAD Combined Pending Disbursement	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_GR_AGR_CMB_PND
NSLDS Aggregates	NA GRAD Total Aggregate Subsidized	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_GR_AGGR_SUB
NSLDS Aggregates	NA GRAD Aggregate Unsubsidized Total	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_GR_AGGR_USUB
NSLDS Aggregates	NA GRAD Aggregate Combined Total	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_GR_AGGR_CMB
NSLDS Aggregates	NA GRAD Aggregate Consolidated Total	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_GR_AGGR_CNSL

Class Name	Object Name	Description
NSLDS Aggregates	NA GRAD Award Yr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_GR_AWARD_YR
NSLDS Aggregates	NA GRAD Dependency Indicator	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_GR_DEP_IND
NSLDS Aggregates	NA Lifetime Eligibility Used	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_LIFETIME_ELIG
NSLDS Aggregates	NA NSLDS Pell Lifetime Limit	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_NSLDS_PELL_LMT
NSLDS Aggregates	NA Unusual Enrollment Patter Flag	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.SFA_NSLDS_ENRL_PTN
NSLDS Aggregates	NA NSLDS Alert Seq	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_FAT_AGGR.NSLDS_ALERT_SEQ
NSLDS Overpayment	NO NSLDS Overpayment Seq	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_OVRPYMNT.NSLDS_OVRPYM_SEQ
NSLDS Overpayment	NO NSLDS Overpayment Type	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_OVRPYMNT.NSLDS_OVRPYM_TYPE
NSLDS Overpayment	NO NSLDS Overpayment Indc	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_OVRPYMNT.NSLDS_OVRPYM_INDC
NSLDS Overpayment	NO Aid Year	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_OVRPYMNT.AID_YEAR
NSLDS Overpayment	NO NSLDS Contact	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_OVRPYMNT.NSLDS_CONTACT
NSLDS Pell	NP NSLDS Pell Seq	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_PELL.NSLDS_PELL_SEQ

Class Name	Object Name	Description
NSLDS Pell	NP NSLDS Pell Paid to Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_PELL.NSLDS_PELL_PD2DT
NSLDS Pell	NP NSLDS Pell Sched Amt	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_PELL.NSLDS_PELL_SCHDAMT
NSLDS Pell	NP NSLDS Pell Percent Used	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_PELL.NSLDS_PELL_PRCNT
NSLDS Pell	NP NSLDS Pell School Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_PELL.NSLDS_PELL_SCHL_CD
NSLDS Pell	NP NSLDS Pell Txn Nbr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_PELL.NSLDS_PELL_TXN_NBR
NSLDS Pell	NP NSLDS Pell Last Updated	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_PELL.NSLDS_PELL_UPDT
NSLDS Pell	NP Aid Year	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_PELL.AID_YEAR
NSLDS Pell	NP NSLDS Pell EFC	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_PELL.NSLDS_PELLEFC
NSLDS Pell	NP NSLDS Pell Verif Flag	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_PELL.NSLDS_PELL_VER_FLG
NSLDS Pell	NP NSLDS Pell Award Amt	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_PELL.NSLDS_PELL_AWD_AMT
NSLDS Pell	NP Pell Change Flag	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_PELL.NSLDS_PELL_CHNG
NSLDS Pell	NA Date Posted to COD	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_PELL.NSLDS_PELL_POSTED

Class Name	Object Name	Description
NSLDS Pell	NA Pell Payment Period Limit	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_PELL.SFA_PELL_PYPRD_LMT
NSLDS Pell	NP Additional Elig Indicator	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_PELL.SFA_NSLDS_ADD_IND
NSLDS Pell	NP Post 9/11 Dependent	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_PELL.SFA_DECSD_VET_IND
NSLDS Pell	NP First Time Pell Indicator	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_NSLDS_PELL.SFA_FIRST_PELL_IND
FA Account SF	FASF Emplid	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ACCOUNT_SF.EMPLID
FA Account SF	FASF Account Number	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ACCOUNT_SF.ACCOUNT_NBR
FA Account SF	FASF Account Term	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ACCOUNT_SF.ACCOUNT_TERM□ Picklists are pre-sorted in descending order.
FA Account SF	FASF Account Type SF	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ACCOUNT_SF.ACCOUNT_TYPE_SF
FA Account SF	FASF Open Date	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ACCOUNT_SF.OPEN_DT
FA Account SF	FASF Account Balance	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ACCOUNT_SF.ACCOUNT_BALANCE
FA Account SF	FASF Academic Year	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ACCOUNT_SF.ACAD_YEAR Picklists are pre-sorted in descending order.
FA Account SF	FASF Created by ID	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ACCOUNT_SF.SCC_ROW_ADD_OPRID
FA Account SF	FASF Created by Name	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC
FA Account SF	FASF Created Date/Time	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ACCOUNT_SF.SCC_ROW_ADD_DTTM
FA Account SF	FASF Updated by ID	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ACCOUNT_SF.SCC_ROW_UPD_OPRID
FA Account SF	FASF Updated by Name	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC
	*	

Class Name	Object Name	Description
FA Account SF	FASF Updated Date/Time	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ACCOUNT_SF.SCC_ROW_UPD_DTTM
Student Aid Attributes	SAA Aid Year	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.AID_YEAR Picklists are pre-sorted in descending order.
Student Aid Attributes	SAA Processing Status Code	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.PROCESSING_STATUS
Student Aid Attributes	SAA Processing Status Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Student Aid Attributes	SAA ED Verificaton Status Code	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.VERIFICATION_STATUS
Student Aid Attributes	SAA ED Verification Status Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Student Aid Attributes	SAA Review Status Code	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.SFA_REVIEW_STATUS
Student Aid Attributes	SAA Review Status Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Student Aid Attributes	SAA Scholarship Status Code	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.SCHOLARSHIP_STATUS
Student Aid Attributes	SAA Scholarship Status Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Student Aid Attributes	SAA Aid Packaging Method	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.PACKAGING_METHOD
Student Aid Attributes	SAA Packaging Plan ID	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.PKG_PLAN_ID
Student Aid Attributes	SAA Satisfactory Academic Progress Code	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.SAT_ACADEMIC_PRG

Class Name	Object Name	Description
Student Aid Attributes	SAA Satisfactory Academic Progress Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Student Aid Attributes	SAA Counselor	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.COUNSELOR
Student Aid Attributes	SAA Inst Verification Status	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.QA_VERF_SELECT
Student Aid Attributes	SAA Aid Application Status Code	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.AID_APP_STATUS
Student Aid Attributes	SAA Aid Application Status Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Student Aid Attributes	SAA ED Verification Status Cd Code	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.VERIF_STATUS_CODE
Student Aid Attributes	SAA ED Verification Status Cd Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Student Aid Attributes	SAA Pell Processing Status	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.PELL_PROCESS_FIELD
Student Aid Attributes	SAA Pell Effective Date	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.PELL_EFFDT
Student Aid Attributes	SAA Pell Effective Sequence	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.PELL_EFFSEQ
Student Aid Attributes	SAA Pell Transaction Number	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.PELL_TRANS_NBR
Student Aid Attributes	SAA Use Secondary EFC	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.USE_SECONDARY_EFC
Student Aid Attributes	SAA Academic Career	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.ACAD_CAREER

Class Name	Object Name	Description
Student Aid Attributes	SAA Parent Credit Worthiness	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.PAR_CREDIT_WORTHY
Student Aid Attributes	SAA Title IV Fund Eligibility	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.TITLEIV_ELIG
Student Aid Attributes	SAA Selective Service Match	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.SS_MATCH
Student Aid Attributes	SAA Selective Service Registration	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.SS_REGISTRATION
Student Aid Attributes	SAA INS Match	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.INS_MATCH
Student Aid Attributes	SAA SSN Match	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.SSN_MATCH
Student Aid Attributes	SAA Veteran Status Match	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.VA_MATCH
Student Aid Attributes	SAA NSLDS Loan Default	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.NSLDS_LOAN_DEFAULT
Student Aid Attributes	SAA SSA Citizenship Indicator	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.SSA_CITIZENSHIP_IND
Student Aid Attributes	SAA NSLDS Match	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.NSLDS_MATCH
Student Aid Attributes	SAA Drug Offense Conviction	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.DRUG_OFFENSE_CONV
Student Aid Attributes	SAA Loan Entrance Interview Status	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.LN_INTERVW_STATUS

Class Name	Object Name	Description
Student Aid Attributes	SAA Loan Exit Interview Status	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.LN_EXIT_INTER_STAT
Student Aid Attributes	SAA SSN Match Override	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.SSN_MATCH_OVRD
Student Aid Attributes	SSA SSA Citizen Override	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.SSA_CITIZEN_OVRD
Student Aid Attributes	SAA INS Match Override	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.INS_MATCH_OVRD
Student Aid Attributes	SAA VA Match Override	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.VA_MATCH_OVRD
Student Aid Attributes	SAA SS Match Override	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.SS_MATCH_OVRD
Student Aid Attributes	SAA SS Register Override	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.SS_REGISTER_OVRD
Student Aid Attributes	SAA NSLDS Override	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.NSLDS_OVRD
Student Aid Attributes	SAA Prisoner Override	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.PRISONER_OVRD
Student Aid Attributes	SAA Drug Offense Override	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.DRUG_OFFENSE_OVRD
Student Aid Attributes	SAA Sec INS Match	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.ISIR_SEC_INS_MATCH
Student Aid Attributes	SAA Last Updated	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.PKG_LASTUPDDTM

Class Name	Object Name	Description
Student Aid Attributes	SAA Self Service Awarding Access	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.FA_SS_AWD_SECURITY
Student Aid Attributes	SAA Self Service Inquiry Access	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.FA_SS_INQ_SECURITY
Student Aid Attributes	SAA Father's SSN Match	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.FATHER_SSN_MATCH
Student Aid Attributes	SAA Mother's SSN Match	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.MOTHER_SSN_MATCH
Student Aid Attributes	SAA Parents SSN Match Override	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.PAR_SSN_MATCH_OVRD
Student Aid Attributes	SAA Aggregate Source	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.SFA_AGGR_SOURCE
Student Aid Attributes	SAA Aggregate Source Used	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.SFA_AGGR_SRC_USED
Student Aid Attributes	SAA Dependency Status	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.SFA_PKG_DEP_STAT
Student Aid Attributes	SAA Repackaging Plan ID	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.SFA_RPKG_PLAN_ID
Student Aid Attributes	SAA External Award Access	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.SFA_EASS_ACCESS
Student Aid Attributes	SAA PreProfessional Coursework	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.SFA_PP_CRSEWRK_SW
Student Aid Attributes	SAA Dept of Defense Match	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.SFA_DOD_MATCH

Class Name	Object Name	Description
Student Aid Attributes	SAA DOD Match Override	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.SFA_DOD_MATCH_OVRD
Student Aid Attributes	SAA Special Circumstances	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.SFA_SPL_CIRCUM_FLG
Student Aid Attributes	SAA Shopping Sheet Group	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.SFA_SS_GROUP
Student Aid Attributes	SAA LPG Ind	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Financial Aid Source: PS_STDNT_AID_ATRBT.SFA_LPG_IND Column added to AIS in release 1504.
Student Aid Attributes	SAA Valid From	
Student Aid Attributes	SAA Valid To	
Student Restricted Aid	SRA Aid Year	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_RSTRC_AID.AID_YEAR Picklists are pre-sorted in descending order.
Student Restricted Aid	SRA Restricted Aid ID	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_RSTRC_AID.RESTRICTED_AID_ID
Student Restricted Aid	SRA Restricted Aid Descr	Data is completely replaced nightly. Steward: Financial Aid Source: PS_RSTRC_AID.DESCR
Student Restricted Aid	SRA Restricted Aid Type	Data is completely replaced nightly. Steward: Financial Aid Source: PS_RSTRC_AID.RESTRICTED_AID_TYP
Student Restricted Aid	SRA Final Decision	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_RSTRC_AID.FINAL_DECISION
Student Restricted Aid	SRA Decision Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_RSTRC_AID.DECISION_DATE
Student Restricted Aid	SRA Application Method	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_RSTRC_AID.APP_METHOD
Student Restricted Aid	SRA Renewable	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_RSTRC_AID.RENEWABLE
Student Restricted Aid	SRA Status Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_RSTRC_AID.STATUS_DT
Scf Aud Apstat	AAS Aid Year	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_AUD_APSTAT.AID_YEAR Picklists are pre-sorted in descending order.
Scf Aud Apstat	AAS Run Date/Time	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_AUD_APSTAT.RUNDTTM
Scf Aud Apstat	AAS Old Aid App Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_AUD_APSTAT.SCF_OLD_AID_APSTAT
Scf Aud Apstat	AAS Aid Application Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_AUD_APSTAT.AID_APP_STATUS

Class Name	Object Name	Description
Scf Aud Apstat	AAS Process Name	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_AUD_APSTAT.PRCSNAME
Scf Aud Apstat	AAS User ID	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_AUD_APSTAT.OPRID
Scf Aud Apstat	AAS User Name	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC
Student Term Budget	STB Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_TERM_BDGT.EFFDT
Student Term Budget	STB Effective Sequence	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_TERM_BDGT.EFFSEQ
Student Term Budget	STB Budget Group Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_TERM_BDGT.BUDGET_GROUP_CODE
Student Term Budget	STB Budget Group Descr	Data is completely replaced nightly. Steward: Financial Aid Source: PS_BUDGET_GRP_TBL.DESCR
Student Term Budget	STB Short Description	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_TERM_BDGT.DESCRSHORT
Student Term Budget	STB User ID	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_TERM_BDGT.OPRID
Student Term Budget	STB Term Unit Type	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_TERM_BDGT.TERM_TYPE
Student Term Budget	STB Primary Academic Program	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_TERM_BDGT.ACAD_PROG_PRIMARY
Student Term Budget	STB Form Of Study	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_TERM_BDGT.FORM_OF_STUDY
Student Term Budget	STB Residency	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_TERM_BDGT.RESIDENCY
Student Term Budget	STB Fin Aid Federal Residency	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_TERM_BDGT.FIN_AID_FED_RES
Student Term Budget	STB Fin Aid State Residency	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_TERM_BDGT.FIN_AID_ST_RES
Student Term Budget	STB Fin Aid State Residency Exception	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_TERM_BDGT.FIN_AID_ST_EXCPT
Student Term Budget	STB State of Residence	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_TERM_BDGT.STATE_RESIDENCE
Student Term Budget	STB Application Statue Residence	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_TERM_BDGT.APP_STATE_RESIDENC

Class Name	Object Name	Description
Student Term Budget	STB Projected Housing Type	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_TERM_BDGT.HOUSING_TYPE
Student Term Budget	STB Fed Term COA	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_TERM_BDGT.FED_TERM_COA
Student Term Budget	STB Pell Term COA	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_TERM_BDGT.PELL_TERM_COA
Student Term Budget	STB Less Than Half Time Pell COA	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_TERM_BDGT.SFA_PELTRM_COA_LHT
Student Budget Item	SBI Aid Year	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_BUDGET_IT.AID_YEAR□ Picklists are pre-sorted in descending order.
Student Budget Item	SBI Academic Career	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_BUDGET_IT.ACAD_CAREER
Student Budget Item	SBI Term	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_BUDGET_IT.STRM□ Picklists are pre-sorted in descending order.
Student Budget Item	SBI Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_BUDGET_IT.EFFDT
Student Budget Item	SBI Effective Sequence	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_BUDGET_IT.EFFSEQ
Student Budget Item	SBI Budget Item Category Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_BUDGET_IT.BGT_ITEM_CATEGORY
Student Budget Item	SBI Budget Item Category Descr	Data is completely replaced nightly. Steward: Financial Aid Source: PS_BUDGET_CATG_TBL.DESCR
Student Budget Item	SBI Pell Category	Data is completely replaced nightly. Steward: Financial Aid Source: PS_BUDGET_CATG_TBL.PELL_CATEGORY
Student Budget Item	SBI Budget Item Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_BUDGET_IT.BUDGET_ITEM_CD
Student Budget Item	SBI Budget Item Descr	Data is completely replaced nightly. Steward: Financial Aid Source: PS_BUDGET_ITEM_TBL.DESCR
Student Budget Item	SBI Budget Item Amount	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_BUDGET_IT.BUDGET_ITEM_AMOUNT
Student Budget Item	SBI Budget Item Amount - for summing	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_BUDGET_IT.BUDGET_ITEM_AMOUNT
Student Budget Item	SBI User ID	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_BUDGET_IT.OPRID

Class Name	Object Name	Description
Student Budget Item	SBI Pell Amount	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_BUDGET_IT.PELL_ITEM_AMOUNT
Student Budget Item	SBI Pell Less Half Annual Amount	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_BUDGET_IT.SFA_PELITMAMT_LHT
Budget Item Table	BIT Budget Item Descr	Data is completely replaced nightly. Steward: Financial Aid Source: PS_BUDGET_ITEM_TBL.DESCR
Budget Item Table	BIT Budget Item Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_BUDGET_ITEM_TBL.BUDGET_ITEM_AMOUNT
Budget Item Table	BIT Pell Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_BUDGET_ITEM_TBL.PELL_ITEM_AMOUNT
Budget Item Table	BIT Budget Multiplier	Data is completely replaced nightly. Steward: Financial Aid Source: PS_BUDGET_ITEM_TBL.BUDG_MULTIPLIER
Budget Item Table	BIT Multiplier Field	Data is completely replaced nightly. Steward: Financial Aid Source: PS_BUDGET_ITEM_TBL.BUDG_MULT_FIELD
Budget Item Table	BIT Pell Less Half Annual Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_BUDGET_ITEM_TBL.SFA_PELITMAMT_LHT
Data Verification	DV Sequence Number	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_PERS_REASON.SEQ_3C
Data Verification	DV Checklist Item Reason Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_PERS_REASON.SCF_REASON_CD
Data Verification	DV Checklist Item Reason Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_REASON_TBL.DESCR50
Data Verification	DV Checklist Item Reason Long Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_REASON_TBL.DESCR254
Data Verification	DV Application Type Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_REASON_TBL.SCF_APP_TYPE
Data Verification	DV Application Type Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Data Verification	DV Checklist Item Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_PERS_REASON.CHKLST_ITEM_CD
Data Verification	DV Checklist Item Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_SCC_CKLSITM_TBL.DESCR
Data Verification Other	DVO Aid Year	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_DATAVER_OTR.AID_YEAR Picklists are pre-sorted in descending order.
Data Verification Other	DVO Student Data Keyed	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_DATAVER_OTR.SCF_STDNT_KEYED

Class Name	Object Name	Description
Data Verification Other	DVO Number in Family at UCSC	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_DATAVER_OTR.SCF_NUM_IN_COLLEGE
Data Verification Other	DVO DOB of Child/Spouse 1 in College - RESTRICTED	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_DATAVER_OTR.SCF_DOB_CHILD1 WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.
Data Verification Other	DVO DOB of Child/Spouse 2 in College - RESTRICTED	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_DATAVER_OTR.SCF_DOB_CHILD2□ □ WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.
Data Verification Other	DVO DOB of Child/Spouse 3 in College - RESTRICTED	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_DATAVER_OTR.SCF_DOB_CHILD3□ □ WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.
Data Verification Other	DVO Number in Family at UCSC Par	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_DATAVER_OTR.SCF_NUM_COLL_PAR
Data Verification Other	DVO DOB of Sibling 1 in College - RESTRICTED	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_DATAVER_OTR.SCF_DOB_SIBL1 □ WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.
Data Verification Other	DVO DOB of Sibling 2 in College - RESTRICTED	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_DATAVER_OTR.SCF_DOB_SIBL2□ □ WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.
Data Verification Other	DVO DOB of Sibling 3 in College - RESTRICTED	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_DATAVER_OTR.SCF_DOB_SIBL3□ □ WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.
Data Verification Other	DVO Checklist Item Reason Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_DATAVER_OTR.SCF_REASON_CD
Data Verification Other	DVO Checklist Item Reason Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_REASON_TBL.DESCR50
Data Verification Other	DVO Checklist Item Reason Long Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_REASON_TBL.DESCR254
Data Verification Other	DVO Application Type Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_REASON_TBL.SCF_APP_TYPE

Class Name	Object Name	Description
Simple-Complex Reason	SC Aid Year	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_SMC_REASON.AID_YEAR Picklists are pre-sorted in descending order.
Simple-Complex Reason	SC Checklist Item Reason Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_SMC_REASON.SCF_REASON_CD
Simple-Complex Reason	SC Checklist Item Reason Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_REASON_TBL.DESCR50
Simple-Complex Reason	SC Checklist Item Reason Long Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_REASON_TBL.DESCR254
Simple-Complex Reason	SC Application Type Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_REASON_TBL.SCF_APP_TYPE
Student FA Messages	FM Emplid	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_FA_MSGS.EMPLID
Student FA Messages	FM Aid Year	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_FA_MSGS.AID_YEAR
Student FA Messages	FM Term Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_FA_MSGS.STRM
Student FA Messages	FM Edit Message Type	Data is completely replaced nightly. Steward: Financial Aid Source: FA_EDIT_MSG_TBL.EDIT_MSG_TYPE
Student FA Messages	FM Edit Message Code	Data is completely replaced nightly. Steward: Financial Aid Source: FA_EDIT_MSG_TBL.EDIT_MSG_CD
Student FA Messages	FM Short Description	Data is completely replaced nightly. Steward: Financial Aid Source: FA_EDIT_MSG_TBL.DESCRSHORT
Student FA Messages	FM Description	Data is completely replaced nightly. Steward: Financial Aid Source: FA_EDIT_MSG_TBL.DESCR
Student FA Messages	FM Comments	Data is completely replaced nightly. Steward: Financial Aid Source: FA_EDIT_MSG_TBL.COMMENTS
Student FA Messages	FA Message Datetime	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_FA_MSGS.FA_MSG_DTTIME
Student FA Messages	FM Message Action	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_FA_MSGS.FA_MSG_ACTION
Student FA Messages	FM Edit Process	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_FA_MSGS.EDIT_PROCESS
Student FA Messages	FM Completed Dt	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_FA_MSGS.COMPLETED_DT
Student FA Messages	FM Operator ID	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_FA_MSGS.OPRID
Student Awards	SAW Aid Year	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.AID_YEAR Picklists are pre-sorted in descending order.
Student Awards	SAW Item Type	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.ITEM_TYPE
Student Awards	SAW Academic Career	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.ACAD_CAREER
Student Awards	SAW Disbursement Plan	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.DISBURSEMENT_PLAN

Class Name	Object Name	Description
Student Awards	SAW Disbursement Plan Descr	Data is completely replaced nightly. Steward: Financial Aid Source: PS_DISB_PLAN_TBL.DESCR
Student Awards	SAW Split Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.SPLIT_CODE
Student Awards	SAW Split Code Description	Data is completely replaced nightly. Steward: Financial Aid Source: PS_DISB_SPLIT_CD.DESCR
Student Awards	SAW Award Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.AWARD_STATUS
Student Awards	SAW Award Message Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.AWARD_MSG_CD
Student Awards	SAW Award Message Description	Data is completely replaced nightly. Steward: Financial Aid Source: PS_AWD_MESSAGE_TBL.DESCRLONG
Student Awards	SAW Offer Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.OFFER_AMOUNT
Student Awards	SAW Offer Amount - for grouping	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.OFFER_AMOUNT
Student Awards	SAW Accept Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.ACCEPT_AMOUNT
Student Awards	SAW Accept Amount - for grouping	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.ACCEPT_AMOUNT
Student Awards	SAW Disbursed Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.DISBURSED_AMOUNT
Student Awards	SAW Disbursed Amount - for grouping	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.DISBURSED_AMOUNT
Student Awards	SAW Authorized Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.AUTHORIZED_AMOUNT
Student Awards	SAW Authorized Amount - for grouping	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.AUTHORIZED_AMOUNT
Student Awards	SAW Highest Offer	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.HIGHEST_OFFER_AMT
Student Awards	SAW Highest Offer - for grouping	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.HIGHEST_OFFER_AMT
Student Awards	SAW Highest Accepted Amt	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.HIGHEST_ACCEPT_AMT
Student Awards	SAW Highest Accepted Amt - for grouping	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.HIGHEST_ACCEPT_AMT
Student Awards	SAW Net Award Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.NET_AWARD_AMT
Student Awards	SAW Net Award Amount - for grouping	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.NET_AWARD_AMT
Student Awards	SAW Cancel/Decline Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.CANCEL_DECLINE_AMT

Class Name	Object Name	Description
Student Awards	SAW Cancel/Decline Amount - for grouping	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.CANCEL_DECLINE_AMT
Student Awards	SAW Offer Activity	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.OFFER_ACTIVITY_IND
Student Awards	SAW Fin Aid Type	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.FIN_AID_TYPE
Student Awards	SAW Scheduled Award	Data is completely replaced nightly. Steward: Financial Aid Source: PS STDNT AWARDS.SCHEDULE AWARD
Student Awards	SAW Scheduled Award2	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.SCHEDULE_AWARD
Student Awards	SAW Total Loan Orig Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.LOAN_TOT_ORIG
Student Awards	SAW Total Loan Orig Amount - for grouping	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.LOAN_TOT_ORIG
Student Awards	SAW Total Loan Disbursements	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.LOAN_TOT_DISB
Student Awards	SAW Total Loan Disbursements - for grouping	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.LOAN_TOT_DISB
Student Awards	SAW Lock Award	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.LOCK_AWARD_FLAG
Student Awards	SAW Charge Priority List	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.CHARGE_PRIORITY
Student Awards	SAW Package Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.PKG_STATUS_CD
Student Awards	SAW Accept Loan Fee	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.ACCEPT_LOAN_FEE
Student Awards	SAW Offer Loan Fee	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.OFFER_LOAN_FEE
Student Awards	SAW Net Offer Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.NET_OFFER_AMT
Student Awards	SAW Award Period	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.AWARD_PERIOD
Student Awards	SAW Packaging Plan ID	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.PKG_PLAN_ID
Student Awards	SAW Sequence Number	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.PKG_SEQ_NBR
Student Awards	SAW Professional Judgement	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.FA_PROF_JUDGEMENT
Student Awards	SAW Custom Loan Fee	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.CUSTOM_LOAN_FEE
Student Awards	SAW Application Data Used	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.PKG_APP_DATA_USED
Student Awards	SAW Need Override Lock	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.OVERRIDE_NEED

Class Name	Object Name	Description
Student Awards	SAW Override Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.OVERRIDE_FL
Student Awards	SAW Destination Loan Fee	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.LN_DEST_FEE_PRCNT
Student Awards	SAW Offer Rebate Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.OFFER_REBATE_AMT
Student Awards	SAW Accept Rebate Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.ACCEPT_REBATE_AMT
Student Awards	SAW Dependency Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.SFA_PKG_DEP_STAT
Student Awards	SAW Aggregate Source Used	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.SFA_AGGR_SRC_USED
Student Awards	SAW Loan Certification	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.SFA_EA_LOAN_CERT
Student Awards	SAW Repackaging Plan ID	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.SFA_RPKG_PLAN_ID
Student Awards	SAW External Award	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWARDS.SFA_EA_INDICATOR
Loan Origination Detail	LOD Loan Type Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_DTL.LOAN_TYPE
Loan Origination Detail	LOD Loan Application Seq Number	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_DTL.LN_APPL_SEQ
Loan Origination Detail	LOD Item Type	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_DTL.ITEM_TYPE
Loan Origination Detail	LOD Loan Application ID	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_DTL.LN_APPL_ID
Loan Origination Detail	LOD Disbursement Plan	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_DTL.DISBURSEMENT_PLAN
Loan Origination Detail	LOD Split Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_DTL.SPLIT_CODE
Loan Origination Detail	LOD Loan Interest Attribute Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_DTL.LOAN_INTEREST_ATTR
Loan Origination Detail	LOD Loan Interest Attribute Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Loan Origination Detail	LOD Borrower Requested Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_DTL.LN_BORRQSTD_DTL
Loan Origination Detail	LOD Loan Certified Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_DTL.LN_AMT_CERTIFIED
Loan Origination Detail	LOD Anticipated Loan Fee Total	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_DTL.LN_ANTIC_FEE_TOT
Loan Origination Detail	LOD Anticipated Loan Rebate	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_DTL.LN_ANTIC_REBAT

Class Name	Object Name	Description
Loan Origination Detail	LOD Anticipated Loan Net Total	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_DTL.LN_ANTIC_NET_TOT
Loan Origination Detail	LOD Remaining Loan Eligibility	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_DTL.LN_REMAIN_ELGBLTY
Loan Origination Detail	LOD Total Approved Loan Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_DTL.LN_AMT_APPROVED
Loan Origination Detail	LOD Accept Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_DTL.ACCEPT_AMOUNT
Loan Origination Detail	LOD Offer Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_DTL.OFFER_AMOUNT
Loan Origination Detail	LOD Loan Fee Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_DTL.LN_FEE_AMT
Loan Origination Detail	LOD Loan Rebate Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_DTL.LN_REBATE_AMT
Loan Origination Detail	LOD CL Loan Type Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_DTL.CL_TYPE_CODE
Loan Origination Detail	LOD Loan Sequence Number	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_DTL.CL_SEQ_NUM
Loan Origination Detail	LOD Transmitted Offer Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_DTL.LN_TRNS_OFFER_AMT
Loan Origination Detail	LOD Transmitted Accept Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_DTL.LN_TRNS_ACCEPT_AMT
Loan Origination Detail	LOD Transmitted Certified Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_DTL.LN_TRNS_CERT_AMT
Loan Origination Detail	LOD Transmitted Borrower Requested	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_DTL.LN_TRNS_BQSTD_DTL
Loan Origination Detail	LOD Loan Process Status Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_DTL.LOAN_PROC_STAT
Loan Origination Detail	LOD Loan Process Status Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Loan Origination Detail	LOD Loan Orig Trans Stat Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_DTL.LN_ORIG_TRANS
Loan Origination Detail	LOD Loan Orig Trans Stat Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Loan Origination Detail	LOD Loan Guar Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_DTL.LN_GUAR_DT
Loan Origination Detail	LOD E-Signature Source Type Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_DTL.SFA_CL_ESIGN_TYPE
Loan Origination	LO Loan Type Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LOAN_TYPE
Loan Origination	LO Loan Application Seq Nbr	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_APPL_SEQ
Loan Origination	LO Borrower EmpIID	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.BORR_EMPLID

Class Name	Object Name	Description
Loan Origination	LO NSLDS Loan Year	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.NSLDS_LOAN_YEAR
Loan Origination	LO Direct Lending Year	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.DIR_LND_YR
Loan Origination	LO Academic Level	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.ACADEMIC_LEVEL
Loan Origination	LO Loan Destination Nbr	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_DEST_NBR
Loan Origination	LO Lender ID	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LEND_UNQ_ID
Loan Origination	LO Guarantor ID	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.GUAR_UNQ_ID
Loan Origination	LO Loan EFT Authorization	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_EFT_AUTHRZTN
Loan Origination	LO Request Loan Deferment	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_REQ_DEFRMNT
Loan Origination	LO Capitalize Interest Cd	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.CAPTLZ_INTRST
Loan Origination	LO Borrower Requested Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_AMT_BORRQSTD
Loan Origination	LO PNote Borr Requested Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_PNT_BORRQSTD
Loan Origination	LO Total Certified Loan Amt	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_TOTAL_CERT
Loan Origination	LO Loan Certification Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_CERT_DT
Loan Origination	LO Loan Credit Eligibility	Data is completely replaced nightly. Steward: Financial Aid Source: PS LOAN ORIGNATN.LOAN CREDIT CHK
Loan Origination	LO Loan Credit Override	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LOAN_CRDT_OVRID
Loan Origination	LO Loan Credit Decision Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LOAN_CRDT_DT
Loan Origination	LO Academic Load	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.ACADEMIC_LOAD
Loan Origination	LO Program Completion Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS LOAN ORIGNATN.LN PRGCMPLT DT
Loan Origination	LO Expected Graduation Term	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.EXP_GRAD_TERM□ Picklists are pre-sorted in descending order.
Loan Origination	LO Loan Period Start	Data is completely replaced nightly. Steward: Financial Aid Source: PS LOAN ORIGNATN.LN PERIOD START
Loan Origination	LO Loan Period End	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_PERIOD_END
Loan Origination	LO Override Loan Period	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_PERIOD_OVRD
Loan Origination	LO Update Loan Demographic	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_UPDT_DMGRPHC
Loan Origination	LO Manual Origination Ind	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_ORIG_MANUAL

Class Name	Object Name	Description
Loan Origination	LO Loan Refund Indicator	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_REFUND_INDC
Loan Origination	LO Borr Default / Owes Refund	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_BORR_DFLT_RFND
Loan Origination	LO Stdnt Default / Owes Refund	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_STDNT_DFLT_RFND
Loan Origination	LO Social Security Number - RESTRICTED	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.SSN WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.
Loan Origination	LO Borrower SSN - RESTRICTED	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.BORR_SSN□ □ WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.
Loan Origination	LO Driver's License Number - RESTRICTED	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.DRIVERS_LIC_NBR□ □ WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.
Loan Origination	LO Borrower Drivers License State	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.BORR_DRIVER_LIC_ST
Loan Origination	LO Date of Birth - RESTRICTED	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.BIRTHDATE WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.
Loan Origination	LO Borrower Date of Birth - RESTRICTED	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.BORR_BIRTHDATE WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.
Loan Origination	LO Visa/Permit Number	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.VISA_WRKPMT_NBR
Loan Origination	LO Borrower Visa/Permit Nbr	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.BORR_VISA_WKPT_NBR
Loan Origination	LO Citizenship Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.CITIZENSHIP_STATUS
Loan Origination	LO Borrower Citizenship Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.BORR_CTZNSHP_STAT
Loan Origination	LO Loan Print Option	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_PRINT_OPTN

Class Name	Object Name	Description
Loan Origination	LO DL Disclosure Print	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.DL_DISC_PRT_IND
Loan Origination	LO Depend Stat (Fed)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.FED_DEPEND_STAT
Loan Origination	LO Loan Dest Processing Level	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_DEST_PROC_LVL
Loan Origination	LO Direct Lending Booked Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_BOOK_STAT
Loan Origination	LO DL Book Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_BOOK_DT
Loan Origination	LO Additional Unsub Eligibility	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.DL_ADD_USUB_SW
Loan Origination	LO HEAL Eligible	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.DL_HEAL_LN_SW
Loan Origination	LO CommonLine Loan Version	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_VERSION
Loan Origination	LO Loan Report Form ID	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_RPT_FORM_ID
Loan Origination	LO Promissory Note Print Seq	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.PNOTE_PRINT_SEQ
Loan Origination	LO Loan MPN Sequence	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_MPN_SEQ
Loan Origination	LO Phone	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.PHONE
Loan Origination	LO Override Phone Number	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_PHONE_OVRD
Loan Origination	LO Transmitted Loan Period Start	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_TRNS_PER_ST
Loan Origination	LO Transmitted Loan Period End	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_TRNS_PER_END
Loan Origination	LO Transmitted Depend Stat (Fed)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_TRNS_DEP_STAT
Loan Origination	LO Transmitted HEAL Eligible	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_TRNS_HEAL_SW
Loan Origination	LO Trans Additional Unsub Eligibility	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_TRNS_USUB_SW
Loan Origination	LO Trans Direct Lending Year	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_TRNS_DIR_YR
Loan Origination	LO Trans NSLDS Loan Year	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_TRNS_NSLDS_YEAR
Loan Origination	LO Transmitted Prg Complete Dt	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_TRNS_PRGCMPLT
Loan Origination	LO Ack Borr Citizenship Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_TRNS_BORR_CIT
Loan Origination	LO Ack Borr Default / Owes Refund	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_TRNS_BORR_DFLT

Class Name	Object Name	Description
Loan Origination	LO Acknowledged Borrower DOB	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_TRNS_BORR_DOB
Loan Origination	LO Acknowledged Borrower SSN	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_TRNS_BORR_SSN
Loan Origination	LO Ack Borr Visa/Permit Number	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_TRNS_BORR_VISA
Loan Origination	LO Ack Driver's License Number	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_TRNS_DRIVER_LIC
Loan Origination	LO Ack Borr Drivers License State	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_TRNS_DRIVER_ST
Loan Origination	LO Ack Student Citizenship Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_TRNS_STU_CIT
Loan Origination	LO Ack Stdnt Default / Owes Ref	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_TRNS_STU_DFLT
Loan Origination	LO Acknowledged Student DOB	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_TRNS_STU_DOB
Loan Origination	LO Acknowledged Student SSN	Data is completely replaced nightly. Steward: Financial Aid Source: PS LOAN ORIGNATN.LN TRNS STU SSN
Loan Origination	LO Ack Student Visa/Permit Number	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_TRNS_STU_VISA
Loan Origination	LO Trans Loan Print Option	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_TRNS_PRNT_OPTN
Loan Origination	LO Ack DL Disclosure Print Ind	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_TRNS_DISC_PRT
Loan Origination	LO Ack DL Orig Fee Percentage	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_TRNS_DL_FEE
Loan Origination	LO Ack Academic Year Start Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_TRNS_ACAD_ST
Loan Origination	LO Ack Academic Year End Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_TRNS_ACAD_END
Loan Origination	LO Trans Phone	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_TRNS_PHONE
Loan Origination	LO Actual Interest Rate	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.CL_ACT_INT_RATE
Loan Origination	LO MPN Confirmation code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.CL_MPN_CONFIRM_CD
Loan Origination	LO Borrower MPN Confirmation Ind	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.CL_BORR_CONFIRM_IN
Loan Origination	LO DL Origination Fee %	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.DL_ORIG_FEE

Class Name	Object Name	Description
Loan Origination	LO Academic Year Start Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.ACAD_YEAR_START
Loan Origination	LO Academic Year End Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.ACAD_YEAR_END
Loan Origination	LO Loan Orig Ack Pnote Stat	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_ORIG_PNOTE_STAT
Loan Origination	LO DL Pnote Unique ID	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.DL_PNOTE_ID
Loan Origination	LO Override Academic Year Start	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_ACAD_ST_OVRD
Loan Origination	LO Override Academic Year End	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_ACAD_END_OVRD
Loan Origination	LO Override Dependency Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_FED_DEP_ST_OVRD
Loan Origination	LO Override Borrower Citizenship	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_BORR_CIT_ST_OVR
Loan Origination	LO Override Borrower Alien Reg	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_BORR_VISA_OVRD
Loan Origination	LO Override Borrower Birth Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_BORR_DOB_OVRD
Loan Origination	LO Override Borrower SSN - RESTRICTED	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_BORR_SSN_OVRD WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.
Loan Origination	LO Loan Endorser Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.LN_ENDORS_AMT
Loan Origination	LO DL Pnote Expire Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.SFA_COD_MPN_EXPIRE
Loan Origination	LO PreProfessional Coursework	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.SFA_PP_CRSEWRK_SW
Loan Origination	LO Trans PreProfessional Coursework	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.SFA_TRNS_PP_CRS_SW
Loan Origination	LO Override Student Citizenship	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.SFA_LN_STU_CIT_OVR
Loan Origination	LO Ability To Benefit Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.SFA_ATB_CD
Loan Origination	LO Transmitted ATB Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.SFA_TRNS_ATB_CD

Class Name	Object Name	Description
Loan Origination	LO Prog Length Mn	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.SFA_PROG_LENGTH_MN
Loan Origination	LO Prog Length Wk	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.SFA_PROG_LENGTH_WK
Loan Origination	LO Prog Length Yr	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.SFA_PROG_LENGTH_YR
Loan Origination	LO Wk Prog Acadyr	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.SFA_WK_PROG_ACADYR
Loan Origination	LO Spec Prog Flg	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.SFA_SPEC_PROG_FLG
Loan Origination	LO Cod Cred Lvl	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.SFA_COD_CRED_LVL
Loan Origination	LO Trns Progln Mn	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.SFA_TRNS_PROGLN_MN
Loan Origination	LO Trns Progln Wk	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.SFA_TRNS_PROGLN_WK
Loan Origination	LO Trns Wkprgacyr	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.SFA_TRNS_WKPRGACYR
Loan Origination	LO Trns Spprg Flg	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.SFA_TRNS_SPPRG_FLG
Loan Origination	LO Trns Cod Crdlv	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.SFA_TRNS_COD_CRDLV
Loan Origination	LO Progln Mn Ovrd	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.SFA_PROGLN_MN_OVRD
Loan Origination	LO Progln Wk Ovrd	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.SFA_PROGLN_WK_OVRD
Loan Origination	LO Progln Yr Ovrd	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.SFA_PROGLN_YR_OVRD
Loan Origination	LO Wkprgacyr Ovrd	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.SFA_WRPRGACYR_OVRD
Loan Origination	LO Spec Prog Ovrd	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.SFA_SPEC_PROG_OVRD

		Description
Loan Origination	LO Cod Crdlv Ovrd	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.SFA_COD_CRDLV_OVRD
Loan Origination	LO Original Credit Decision	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.SFA_DL_CRD_DEC_ORG
Loan Origination	LO Credit Action Choice	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.SFA_DL_CRD_ACTN_CH
Loan Origination	LO Credit Appeal Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.SFA_DL_APPEAL_STAT
Loan Origination	LO Credit Balance Option	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.SFA_DL_CRD_BAL_OPT
Loan Origination	LO Credit Decision Expiration Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.SFA_DL_CRD_EXP_DT
Loan Origination	LO Credit Action Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.SFA_DL_CRDT_ACTNST
Loan Origination	LO Reconsideration Eligible	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.SFA_DL_RECONS_ELG
Loan Origination	LO PLUS Counseling Completed	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.SFA_DL_PLUS_CNSLCP
Loan Origination	LO PLUS Counseling Complete Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.SFA_DL_PLUS_CNSLDT
Loan Origination	LO Counseling Exception	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.SFA_DL_PLUS_CNSLEX
Loan Origination	LO Credit Requirements Met	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.SFA_DL_CREDIT_REQ
Loan Origination	LO Endorser Approved	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.SFA_DL_ENDORS_APPR
Loan Origination	LO Counseling Expiration Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.SFA_DL_PLUS_EXPDT
Loan Origination	LO Credit Decision Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIGNATN.SFA_DL_CRD_DEC_ST
Loan Edit Error	LEE Loan Type Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_EDIT_ERROR.LOAN_TYPE
Loan Edit Error	LEE Loan Application Seq Nbr	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_EDIT_ERROR.LN_APPL_SEQ

Class Name	Object Name	Description
Loan Edit Error	LEE Item Type	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_EDIT_ERROR.ITEM_TYPE
Loan Edit Error	LEE Loan Application ID	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_EDIT_ERROR.LN_APPL_ID
Loan Edit Error	LEE Equation Name	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_EDIT_ERROR.EQUATION_NAME
Loan Edit Error	LEE Description	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_EDIT_ERROR.DESCR50
Loan Origination Action	LOA Loan Type Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_ACTN.LOAN_TYPE
Loan Origination Action	LOA Loan Application Seq Nbr	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_ACTN.LN_APPL_SEQ
Loan Origination Action	LOA Item Type	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_ACTN.ITEM_TYPE
Loan Origination Action	LOA Loan Orig Action Seq	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_ACTN.LN_ORIG_ACTN_SEQ
Loan Origination Action	LOA Loan Action Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_ACTN.LN_ACTION_CD
Loan Origination Action	LOA Loan Action Date/Time	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_ACTN.LN_ACTION_DT
Loan Origination Action	LOA Transfer Batch	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_ACTN.TRNSFR_BATCH
Loan Origination Action	LOA Loan Action Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_ACTN.LN_ACTION_STATUS
Loan Origination Action	LOA Loan Action Status Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_ACTN.LN_ACTNSTAT_DT
Loan Origination Action	LOA User ID	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_ACTN.OPRID
Loan Origination Action	LOA Process Instance	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_ACTN.PROCESS_INSTANCE
Loan Origination Action	LOA Recipient Name	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_ACTN.CL_RECIP_NAME
Loan Origination Action	LOA CommonLine Recipient	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_ACTN.CL_RECIP_ID_V3
Loan Origination Action	LOA Application/Loan Phase Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_ACTN.CL_PHASE_CD
Loan Origination Action	LOA Document ID	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_ACTN.SFA_CR_DOCUMENT_ID
Loan Origination Message	LOM Loan Type Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_MSG.LOAN_TYPE
Loan Origination Message	LOM Loan Application Seq Nbr	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_MSG.LN_APPL_SEQ
Loan Origination Message	LOM Item Type	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_MSG.ITEM_TYPE
	1	

Class Name	Object Name	Description
Loan Origination Message	LOM Loan Orig Action Seq	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_MSG.LN_ORIG_ACTN_SEQ
Loan Origination Message	LOM Loan Orig Message Seq	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_MSG.LNORIG_MSG_SEQ
Loan Origination Message	LOM Message Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_ORIG_MSG.LN_ACTION_MSG
Loan Disbursement	LD Loan Type Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.LOAN_TYPE
Loan Disbursement	LD Loan Type Descr	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LN_TYPE_TBL.DESCR
Loan Disbursement	LD Loan Application Seq Nbr	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.LN_APPL_SEQ
Loan Disbursement	LD Item Type Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.ITEM_TYPE
Loan Disbursement	LD Item Type Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_ITEM_TYPE_TBL.DESCR
Loan Disbursement	LD Disbursement ID	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.DISBURSEMENT_ID
Loan Disbursement	LD Accept Balance	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.ACCEPT_BALANCE
Loan Disbursement	LD Loan Disbursement Amt	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.LN_DISB_AMT
Loan Disbursement	LD Net Loan Disbursement	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.LN_DISB_AMT_NET
Loan Disbursement	LD Loan Fee Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.LN_FEE_AMT
Loan Disbursement	LD Loan Rebate Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.LN_REBATE_AMT
Loan Disbursement	LD Loan Request Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.LOAN_DISB_DATE
Loan Disbursement	LD Percent Of Award	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.PERCENT_OF_AWARD
Loan Disbursement	LD Offer Balance	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.OFFER_BALANCE
Loan Disbursement	LD Net Disb Balance	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.NET_DISB_BALANCE
Loan Disbursement	LD Loan Check Received Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.LN_CHECK_RECV_DT
Loan Disbursement	LD Loan Check Stat Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.LN_CHECK_STAT_DT
Loan Disbursement	LD Anticipated Disbursement Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.LN_ANTIC_DATE
Loan Disbursement	LD Override Disbursement Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.LN_DISB_DT_OVRD
Loan Disbursement	LD Anticipated Gross Disbursement	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.LN_ANTIC_GROSS
Loan Disbursement	LD Anticipated Net Disbursement	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.LN_ANTIC_NET

Class Name	Object Name	Description
Loan Disbursement	LD Anticipated Disbursement Fees	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.LN_ANTIC_FEES
Loan Disbursement	LD Anticipated Ln Rebate	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.LN_ANTIC_REBATE
Loan Disbursement	LD Loan Payment Indicator	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.LOAN_PAID_IND
Loan Disbursement	LD Loan Paid Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.LOAN_PAID_DT
Loan Disbursement	LD LOC Actual Disb ID	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.LN_EXT_ACT_ID
Loan Disbursement	LD LOC Anticipated Disb ID	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.LN_EXT_ANT_ID
Loan Disbursement	LD Loan Disb Trans Stat	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.LN_DISB_TRANS
Loan Disbursement	LD Transmitted Accept Balance	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.LN_TRNS_ACCEPT_BAL
Loan Disbursement	LD Transmitted Offer Balance	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.LN_TRNS_OFFER_BAL
Loan Disbursement	LD Transmitted Net Disb Balance	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.LN_TRNS_NET_BAL
Loan Disbursement	LD Acknowledged Disb Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.LN_TRNS_DISB_AMT
Loan Disbursement	LD Acknowledged Disb Net Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.LN_TRNS_DISB_NET
Loan Disbursement	LD Acknowledged Antic Gross Disb	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.LN_TRNS_ANT_GR
Loan Disbursement	LD Acknowledged Antic Net Disb	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.LN_TRNS_ANT_NET
Loan Disbursement	LD Acknowledged Disb Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.LN_TRNS_ANT_DT
Loan Disbursement	LD Ack Disb Hold/Release Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.LN_TRNS_HOLD_REL
Loan Disbursement	LD Disb Hold/Release Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.LN_HOLD_REL_STAT
Loan Disbursement	LD Direct Disb to Borrower	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.SFA_CL_DIRECT_DISB
Loan Disbursement	LD CIP Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.CIP_CODE
Loan Disbursement	LD Paypr Strt Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.SFA_PAYPR_STRTR_DT
Loan Disbursement	LD SULA Load	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.SFA_SULA_LOAD
Loan Disbursement	LD Trns CIP Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.SFA_TRNS_CIP_CODE
Loan Disbursement	LD Trns Paypr Strt Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.SFA_TRNS_PAYPERSDT

Class Name	Object Name	Description
Loan Disbursement	LD Trns SULA Load	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISBMNT.SFA_TRNS_SULA_LOAD
Loan Disbursement Action	LDA Loan Type Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISB_ACTION.LOAN_TYPE
Loan Disbursement Action	LDA Loan Application Seq Nbr	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISB_ACTION.LN_APPL_SEQ
Loan Disbursement Action	LDA Item Type	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISB_ACTION.ITEM_TYPE
Loan Disbursement Action	LDA Disbursement ID	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISB_ACTION.DISBURSEMENT_ID
Loan Disbursement Action	LDA Loan Disb Sequence Nbr	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISB_ACTION.LN_DISB_SEQ_NBR
Loan Disbursement Action	LDA Loan Action Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISB_ACTION.LN_ACTION_CD
Loan Disbursement Action	LDA Loan Action Date/Time	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISB_ACTION.LN_ACTION_DT
Loan Disbursement Action	LDA Transfer Batch	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISB_ACTION.TRNSFR_BATCH
Loan Disbursement Action	LDA Loan Disb Action Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISB_ACTION.LN_DISBACTN_AMT
Loan Disbursement Action	LDA Loan Disb Action Net	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISB_ACTION.LN_DISBACTN_NET
Loan Disbursement Action	LDA Loan Disb Action Fee	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISB_ACTION.LN_DISBACTN_FEE
Loan Disbursement Action	LDA Disb Action Rebate	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISB_ACTION.LN_DISBACTN_REBATE
Loan Disbursement Action	LDA User Identifier Create	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISB_ACTION.USER_ID_CREATE
Loan Disbursement Action	LDA Loan Disbursement Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISB_ACTION.DISB_ID_STATUS
Loan Disbursement Action	LDA Loan Action Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISB_ACTION.LN_ACTION_STATUS
Loan Disbursement Action	LDA Loan Action Status Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISB_ACTION.LN_ACTNSTAT_DT
Loan Disbursement Action	LDA DL Disbursement Seq Number	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISB_ACTION.DL_DISB_SEQ
Loan Disbursement Action	LDA Loan Disb Sequence Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISB_ACTION.LN_DISB_SEQ_STAT
Loan Disbursement Action	LDA Loan ID Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISB_ACTION.LOAN_ID_STAT

Class Name	Object Name	Description
Loan Disbursement Action	LDA Svcr Actual Orig Fee	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISB_ACTION.DISB_FEE_ORIG_SVCR
Loan Disbursement Action	LDA Svcr Actual Guar Fee	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISB_ACTION.DISB_FEE_GUAR_SVCR
Loan Disbursement Action	LDA Svcr Actual Adjstd Disb	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISB_ACTION.DISB_ADJ_SVCR
Loan Disbursement Action	LDA Reconciliation Status Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISB_ACTION.RECON_STATUS_DT
Loan Disbursement Action	LDA Direct Lending Booked Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISB_ACTION.LN_BOOK_STAT
Loan Disbursement Action	LDA Srvcr Total Loan Net	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISB_ACTION.LN_TOTAL_NET_SVCR
Loan Disbursement Action	LDA DL Actual Disb Count	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISB_ACTION.DL_ACT_DISB_NBR
Loan Disbursement Action	LDA Loan Check Number	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISB_ACTION.LN_CHECK_NBR
Loan Disbursement Action	LDA Loan Check Received Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISB_ACTION.LN_CHECK_RECV_DT
Loan Disbursement Action	LDA User ID	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISB_ACTION.OPRID
Loan Disbursement Action	LDA Process Instance	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISB_ACTION.PROCESS_INSTANCE
Loan Disbursement Action	LDA Document ID	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISB_ACTION.SFA_CR_DOCUMENT_ID
Loan Disbursement Action	LDA CIP Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISB_ACTION.CIP_CODE
Loan Disbursement Action	LDA Paypr Strt Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISB_ACTION.SFA_CR_DOCUMENT_ID
Loan Disbursement Action	LDA SULA Load	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISB_ACTION.SFA_SULA_LOAD
Loan Disbursement Message	LDM Loan Type Cd	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISB_MSG.LOAN_TYPE
Loan Disbursement Message	LDM Item Type	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISB_MSG.ITEM_TYPE
Loan Disbursement Message	LDM Disbursement ID	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISB_MSG.DISBURSEMENT_ID
Loan Disbursement Message	LDM Loan Disb Sequence Nbr	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISB_MSG.LN_DISB_SEQ_NBR
Loan Disbursement Message	LDM Message Sequence	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISB_MSG.LNDISB_MSG_SEQ

Class Name	Object Name	Description
Loan Disbursement Message	LDM Message Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LOAN_DISB_MSG.LN_ACTION_MSG
Loan Type Table	LTT Loan Type Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LN_TYPE_TBL.LOAN_TYPE
Loan Type Table	LTT Description	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LN_TYPE_TBL.DESCR
Loan Type Table	LTT Loan Program Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LN_TYPE_TBL.LOAN_PROGRAM
Loan Type Table	LTT Loan Program Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Loan Type Table	LTT Loan Category Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LN_TYPE_TBL.LOAN_CATEGORY
Loan Type Table	LTT Loan Category Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Loan Type Table	LTT Loan Fee Rate	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LN_TYPE_TBL.LOAN_FEE_RT
Loan Type Table	LTT Loan References Required	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LN_TYPE_TBL.LOAN_REF_RQRD
Loan Type Table	LTT Nbr Loan References Required	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LN_TYPE_TBL.LOAN_NBR_REF_RQRD
Loan Type Table	LTT Loan Cosigner Required	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LN_TYPE_TBL.LOAN_COSIGN_RQRD
Loan Type Table	LTT Credit Check Required	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LN_TYPE_TBL.LOAN_CREDIT_RQRD
Loan Type Table	LTT CL Loan Type Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LN_TYPE_TBL.CL_TYPE_CODE
Loan Type Table	LTT Alternative Loan Type Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LN_TYPE_TBL.CL_ALT_LN_TYPE_CD
Loan Type Table	LTT Checklist Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LN_TYPE_TBL.CHECKLIST_CD
Loan Type Table	LTT Checklist Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_CS_CHKLST_TBL.DESCR
Loan Type Table	LTT DL Disbursement Option	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LN_TYPE_TBL.LN_DL_DISB_SW
Loan Type Table	LTT DL Transmit Disb Option	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LN_TYPE_TBL.LN_DL_TRNS_DISB_SW
Loan Type Table	LTT Use Direct Loan Version	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LN_TYPE_TBL.DL_VER_TYPE_USE
Loan Type Table	LTT Max Nmb of Disbursements	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LN_TYPE_TBL.LN_MAX_NBR_DISBS
Loan Type Table	LTT Minimum Amount to Originate	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LN_TYPE_TBL.LN_MIN_LOAN_AMT
Loan Type Table	LTT Graduate PLUS Indicator	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LN_TYPE_TBL.SFA_LN_GRAD_PLUS
Loan Type Table	LTT Additional Unsub Eligibility	Data is completely replaced nightly. Steward: Financial Aid Source: PS_LN_TYPE_TBL.SFA_ADDL_USUB_IND

Class Name	Object Name	Description
Perkins MPN	PM MPN Sequence	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SFA_PERK_MPN.SFA_MPN_SEQ
Perkins MPN	PM MPN Created Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SFA_PERK_MPN.SFA_MPN_CREATE_DT
Perkins MPN	PM Aid Year	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SFA_PERK_MPN.AID_YEAR Picklists are pre-sorted in descending order.
Perkins MPN	PM Signature Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SFA_PERK_MPN.SFA_MPN_SIGN_DT
Student Award Disbursement	SAD Aid Year	Data for highest two aid years in AIS is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWRD_DISB.AID_YEAR Picklists are pre-sorted in descending order.
Student Award Disbursement	SAD Term	Data for highest two aid years in AIS is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWRD_DISB.STRM Picklists are pre-sorted in descending order.
Student Award Disbursement	SAD Item Type Code	Data for highest two aid years in AIS is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWRD_DISB.ITEM_TYPE
Student Award Disbursement	SAD Item Type Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_ITEM_TYPE_TBL.DESCR
Student Award Disbursement	SAD Academic Career	Data for highest two aid years in AIS is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWRD_DISB.ACAD_CAREER
Student Award Disbursement	SAD Disbursement ID	Data for highest two aid years in AIS is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWRD_DISB.DISBURSEMENT_ID
Student Award Disbursement	SAD Offer Balance	Data for highest two aid years in AIS is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWRD_DISB.OFFER_BALANCE
Student Award Disbursement	SAD Accept Balance	Data for highest two aid years in AIS is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWRD_DISB.ACCEPT_BALANCE
Student Award Disbursement	SAD Authorized Balance	Data for highest two aid years in AIS is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWRD_DISB.AUTHORIZED_BALANCE
Student Award Disbursement	SAD Disbursed Balance	Data for highest two aid years in AIS is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWRD_DISB.DISBURSED_BALANCE
Student Award Disbursement	SAD Net Disb Balance	Data for highest two aid years in AIS is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWRD_DISB.NET_DISB_BALANCE
Student Award Disbursement	SAD Aggregate Area	Data for highest two aid years in AIS is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWRD_DISB.AGGREGATE_AREA
Student Award Disbursement	SAD Aggregate Level	Data for highest two aid years in AIS is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWRD_DISB.AGGREGATE_LEVEL

	Date for high act two sid wares in AIC is completely replaced nightly. If Counsel, Signatic Aid, II, Counsel
	Data for highest two aid years in AIS is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWRD_DISB.CPS_SCHOOL_CODE
	Data for highest two aid years in AIS is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWRD_DISB.OFFER_BAL_LN_FEE
SAD Accept Balance Loan Fee	Data for highest two aid years in AIS is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWRD_DISB.ACCEPT_BAL_LN_FEE
	Data for highest two aid years in AIS is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWRD_DISB.OFFER_BAL_REBATE
SAD Accept Balance Rebate	Data for highest two aid years in AIS is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWRD_DISB.ACCEPT_BAL_REBATE
SAD Aggregate Balance	Data for highest two aid years in AIS is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWRD_DISB.SFA_AGGR_BALANCE
SDA Aid Year	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_DISB_AWD.AID_YEAR□ Picklists are pre-sorted in descending order.
	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_DISB_AWD.STRM□ Picklists are pre-sorted in descending order.
SDA Item Type Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_DISB_AWD.ITEM_TYPE
SDA Item Type Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_ITEM_TYPE_TBL.DESCR
SDA Academic Career	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_DISB_AWD.ACAD_CAREER
SDA Disbursement ID	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_DISB_AWD.DISBURSEMENT_ID
	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_DISB_AWD.DISBURSEMENT_PLAN
SDA Offer Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_DISB_AWD.OFFER_AMOUNT
	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_DISB_AWD.ACCEPT_AMOUNT
	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_DISB_AWD.AUTHORIZED_AMOUNT
SDA Disbursed Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_DISB_AWD.DISBURSED_AMOUNT
	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_DISB_MSG.AID_YEAR□ Picklists are pre-sorted in descending order.
	SAD Offer Balance Loan Fee SAD Accept Balance Loan Fee SAD Offer Balance Rebate SAD Accept Balance Rebate SAD Accept Balance Rebate SAD Aggregate Balance SDA Aid Year SDA Term SDA Term SDA Item Type Code SDA Item Type Descr SDA Item Type Descr SDA Academic Career SDA Academic Career SDA Disbursement ID SDA Disbursement Plan SDA Offer Amount SDA Accept Amount SDA Authorized Amount

Object Name	Description
SDM Term	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_DISB_MSG.STRM□ Picklists are pre-sorted in descending order.
SDM Item Type Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_DISB_MSG.ITEM_TYPE
SDM Item Type Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_ITEM_TYPE_TBL.DESCR
SDM Academic Career	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_DISB_MSG.ACAD_CAREER
SDM Disbursement ID	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_DISB_MSG.DISBURSEMENT_ID
SDM Message Set Nbr	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_DISB_MSG.MESSAGE_SET_NBR
SDM Message Nbr	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_DISB_MSG.MESSAGE_NBR
SDM Run Date/Time	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_DISB_MSG.RUNDTTM
SDM Compare Indicator	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_DISB_MSG.COMP_IND
SDM Disbursement Rule Value	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_DISB_MSG.RULE_VALUE
SDM Student's Value	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_DISB_MSG.STDNT_VALUE
AWA Aid Year	Data for highest two aid years in AIS, most recent record. ∥ Steward: Financial Aid ∥ Source: PS_STDNT_AWRD_ACTV.AID_YEAR□ Picklists are pre-sorted in descending order.
AWA Item Type Code	Data for highest two aid years in AIS, most recent record. Steward: Financial Aid Source: PS_STDNT_AWRD_ACTV.ITEM_TYPE
AWA Item Type Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_ITEM_TYPE_TBL.DESCR
AWA Academic Career	Data for highest two aid years in AIS, most recent record. Steward: Financial Aid Source: PS_STDNT_AWRD_ACTV.ACAD_CAREER
AWA Date	Data for highest two aid years in AIS, most recent record. Date is truncated to display midnight instead of actual timestamps, so the object can be used in date range parameters Steward: Financial Aid Source: PS_STDNT_AWRD_ACTV.ACTION_DTTM
AWA Date and Time	Data for highest two aid years in AIS, most recent record. Date is truncated to remove timestamps Steward: Financial Aid Source: PS_STDNT_AWRD_ACTV.ACTION_DTTM
AWA Disbursement Plan	Data for highest two aid years in AIS, most recent record. Steward: Financial Aid Source: PS_STDNT_AWRD_ACTV.DISBURSEMENT_PLAN
	SDM Term SDM Item Type Code SDM Item Type Descr SDM Academic Career SDM Disbursement ID SDM Message Set Nbr SDM Run Date/Time SDM Orbibursement Rule Value SDM Disbursement Rule Value SDM Academic Sold Compare Indicator SDM Student's Value AWA Aid Year AWA Item Type Code AWA Item Type Descr AWA Date AWA Date

Class Name	Object Name	Description
Student Award Activity	AWA Split Code	Data for highest two aid years in AIS, most recent record. Steward: Financial Aid Source: PS_STDNT_AWRD_ACTV.SPLIT_CODE
Student Award Activity	AWA Disbursement ID	Data for highest two aid years in AIS, most recent record. Steward: Financial Aid Source: PS_STDNT_AWRD_ACTV.DISBURSEMENT_ID
Student Award Activity	AWA User ID	Data for highest two aid years in AIS, most recent record. Steward: Financial Aid Source: PS_STDNT_AWRD_ACTV.OPRID
Student Award Activity	AWA User Name	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC
Student Award Activity	AWA Disb ID Action Code	Data for highest two aid years in AIS, most recent record. Steward: Financial Aid Source: PS_STDNT_AWRD_ACTV.AWARD_DISB_ACTION
Student Award Activity	AWA Disb ID Action Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Student Award Activity	AWA Offer Amount	Data for highest two aid years in AIS, most recent record. Steward: Financial Aid Source: PS_STDNT_AWRD_ACTV.OFFER_AMOUNT
Student Award Activity	AWA Accept Amount	Data for highest two aid years in AIS, most recent record. Steward: Financial Aid Source: PS_STDNT_AWRD_ACTV.ACCEPT_AMOUNT
Student Award Activity	AWA Authorized Amount	Data for highest two aid years in AIS, most recent record. Steward: Financial Aid Source: PS_STDNT_AWRD_ACTV.AUTHORIZED_AMOUNT
Student Award Activity	AWA Disbursed Amount	Data for highest two aid years in AIS, most recent record. Steward: Financial Aid Source: PS_STDNT_AWRD_ACTV.DISB_AMOUNT
Student Award Activity	AWA Adjustment Reason	Data for highest two aid years in AIS, most recent record. Steward: Financial Aid Source: PS_STDNT_AWRD_ACTV.ADJUST_REASON_CD
Student Award Activity	AWA Adjust Amount	Data for highest two aid years in AIS, most recent record. Steward: Financial Aid Source: PS_STDNT_AWRD_ACTV.ADJUST_AMOUNT
Student Award Activity	AWA Loan Adjust Reason	Data for highest two aid years in AIS, most recent record. Steward: Financial Aid Source: PS_STDNT_AWRD_ACTV.LOAN_ADJUST_CD
Student Award Activity	AWA Disbursed Total	Data for highest two aid years in AIS, most recent record. Steward: Financial Aid Source: PS_STDNT_AWRD_ACTV.DISB_TO_DATE
Student Award Activity	AWA Authorized Total	Data for highest two aid years in AIS, most recent record. Steward: Financial Aid Source: PS_STDNT_AWRD_ACTV.AUTH_TO_DATE
Student Award Activity	AWA Application Data Used Code	Data for highest two aid years in AIS, most recent record. Steward: Financial Aid Source: PS_STDNT_AWRD_ACTV.PKG_APP_DATA_USED
Student Award Activity	AWA Application Data Used Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PSXLATITEM.XLATLONGNAME

Class Name	Object Name	Description
FA Item SF	FISF ID	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.COMMON_ID
FA Item SF	FISF ID Type	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.SA_ID_TYPE
FA Item SF	FISF Item Nbr	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.ITEM_NBR
FA Item SF	FISF Emplid	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.EMPLID
FA Item SF	FISF Account Number	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.ACCOUNT_NBR
FA Item SF	FISF Account Term	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.ACCOUNT_TERM□ Picklists are pre-sorted in descending order.
FA Item SF	FISF Academic Year	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.ACAD_YEAR Picklists are pre-sorted in descending order.
FA Item SF	FISF Item Type	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.ITEM_TYPE
FA Item SF	FISF Item Amount	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.ITEM_AMT
FA Item SF	FISF Applied Amount	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.APPLIED_AMT
FA Item SF	FISF Reference Number	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.REF1_DESCR
FA Item SF	FISF Item Balance	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.ITEM_BALANCE
FA Item SF	FISF Payment ID Number	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.PAYMENT_ID_NBR
FA Item SF	FISF Item Term	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.ITEM_TERM_ Picklists are pre-sorted in descending order.
FA Item SF	FISF Refund Number	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.REFUND_NBR
FA Item SF	FISF External Org ID	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.EXT_ORG_ID
FA Item SF	FISF Refund ID	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.REFUND_EMPLID
FA Item SF	FISF Contract Number	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.CONTRACT_NUM
FA Item SF	FISF Receipt Number	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.RECEIPT_NBR
FA Item SF	FISF Account Type	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.ACCOUNT_TYPE_SF
FA Item SF	FISF Item Type Code	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.ITEM_TYPE_CD

Class Name	Object Name	Description
FA Item SF	FISF Contract EmpIID	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.CONTRACT_EMPLID
FA Item SF	FISF Charge Priority List	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.CHARGE_PRIORITY
FA Item SF	FISF Course ID	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.CRSE_ID
FA Item SF	FISF Waiver Code	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.WAIVER_CODE
FA Item SF	FISF Priority	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.PRIORITY
FA Item SF	FISF Payment Priority Flag	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.PRIORITY_PMT_FLG
FA Item SF	FISF Billing Date	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.BILLING_DT
FA Item SF	FISF Due Date	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.DUE_DT
FA Item SF	FISF Calendar Year	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.CALENDAR_YEAR Picklists are pre-sorted in descending order.
FA Item SF	FISF Service Indicator Date/Time	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.SRVC_IND_DTTM
FA Item SF	FISF Original Item Amount	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.ORIGNL_ITEM_AMT
FA Item SF	FISF Item Effective Date	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.ITEM_EFFECTIVE_DT
FA Item SF	FISF Aid Year - Not In Join	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.AID_YEAR Picklists are pre-sorted in descending order.
FA Item SF	FISF Disbursement Date	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.DISBURSEMENT_DATE
FA Item SF	FISF Original Effective Date	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.ORIG_EFF_DT
FA Item SF	FISF Deposit ID	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.SF_DEPOSIT_ID
FA Item SF	FISF Last Activity Date	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.LAST_ACTIVITY_DATE
FA Item SF	FISF Total Billed Amount	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.SSF_BILLED_AMOUNT

Class Name	Object Name	Description
FA Item SF	FISF Created by ID	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.SCC_ROW_ADD_OPRID
FA Item SF	FISF Created by Date/Time	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.SCC_ROW_ADD_DTTM
FA Item SF	FISF Updated by ID	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.SCC_ROW_UPD_OPRID
FA Item SF	FISF Updated Date/Time	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.SCC_ROW_UPD_DTTM
FA Item Type Table	FITT Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_ITEM_TYPE_TBL.EFFDT
FA Item Type Table	FITT Status as of Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_ITEM_TYPE_TBL.EFF_STATUS
FA Item Type Table	FITT Description	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_ITEM_TYPE_TBL.DESCR
FA Item Type Table	FITT Maximum Transaction Amount	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_ITEM_TYPE_TBL.MAXIMUM_AMT
FA Item Type Table	FITT Item Type Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_ITEM_TYPE_TBL.ITEM_TYPE_CD
FA Item Type Table	FITT Item Type Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
FA Item Type Table	FITT Charge Priority List	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_ITEM_TYPE_TBL.CHARGE_PRIORITY
FA Item Type Table	FITT Days to Encumber	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_ITEM_TYPE_TBL.ENCUMBRANCE_DAYS
FA Item Type Table	FITT Keyword1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_ITEM_TYPE_TBL.KEYWORD1
FA Item Type Table	FITT Keyword2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_ITEM_TYPE_TBL.KEYWORD2
FA Item Type Table	FITT Keyword3	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_ITEM_TYPE_TBL.KEYWORD3
FA Item Type Table	FITT Refundable Indicator	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_ITEM_TYPE_TBL.REFUNDABLE_IND

Class Name	Object Name	Description
FA Item Type Table	FITT GL Interface Required	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_ITEM_TYPE_TBL.GL_INTERFACE_REQ
FA Item Type Table	FITT Default Amount	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_ITEM_TYPE_TBL.DEFAULT_AMT
FA Item Type Table	FITT Pick up Receivable from Charge	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_ITEM_TYPE_TBL.RECVABLE_FROM_CHRG
FA Item Type Table	FITT Priority	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_ITEM_TYPE_TBL.PRIORITY
FA Item Type Table	FITT Payment Priority Flag	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_ITEM_TYPE_TBL.PRIORITY_PMT_FLG
FA Item Type Table	FITT Match Charge Write-Offs	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_ITEM_TYPE_TBL.MATCH_WRITEOFF
FA Item Type Table	FITT Payment Overall Priority	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_ITEM_TYPE_TBL.PAY_PRIORITY_ID
FA GL Interface	FGI Item Type	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_GL_INTERFACE.ITEM_TYPE
FA GL Interface	FGI Term	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_GL_INTERFACE.STRM Picklists are pre-sorted in descending order.
FA GL Interface	FGI Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_GL_INTERFACE.EFFDT
FA GL Interface	FGI GL Interface Timing	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_GL_INTERFACE.GL_INT_TIMING
FA GL Interface	FGI Debit Credit Indicator	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_GL_INTERFACE.DB_CR_IND
FA GL Interface	FGI Account Type Sequence Nbr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_GL_INTERFACE.ACCT_TYPE_SEQ
FA GL Interface	FGI Account	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_GL_INTERFACE.ACCOUNT
FA GL Interface	FGI Department	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_GL_INTERFACE.DEPTID
FA GL Interface	FGI Project/Grant	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_GL_INTERFACE.PROJECT_ID

Class Name	Object Name	Description
FA GL Interface	FGI Fund Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_GL_INTERFACE.FUND_CODE
FA GL Interface	FGI Dynamic Organization	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_GL_INTERFACE.DYNAMIC_ORG
Item Type FA	ITF Item Type	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.ITEM_TYPE
Item Type FA	ITF Aid Year - Not In Join	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.AID_YEAR Picklists are pre-sorted in descending order.
Item Type FA	ITF Effective Date - Item Type	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.EFFDT
Item Type FA	ITF Status as of Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.EFF_STATUS
Item Type FA	ITF Description	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.DESCR
Item Type FA	ITF Short Description	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.DESCRSHORT
Item Type FA	ITF Source	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.FA_SOURCE
Item Type FA	ITF Source Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: derived from PS_ITEM_TYPE_FA.FA_SOURCE
Item Type FA	ITF Federal ID	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.FEDERAL_ID
Item Type FA	ITF Loan Program	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.LOAN_PROGRAM
Item Type FA	ITF Print Letter Option	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.PRINT_LTR_OPTION
Item Type FA	ITF FAN Print Specification	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.FAN_PRINT_SPECS
Item Type FA	ITF Fin Aid Type	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.FIN_AID_TYPE
Item Type FA	ITF Fin Aid Type Descriptions	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: derived from PS_ITEM_TYPE_FA.FIN_AID_TYPE

Class Name	Object Name	Description
Item Type FA	ITF Fed/Inst Affected	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.FED_OR_INST
Item Type FA	ITF Need Based	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.NEED_BASED
Item Type FA	ITF Meet/Need Cost	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.MEET_NEED_COST
Item Type FA	ITF Disbursement Method	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.DISBURSE_METHOD
Item Type FA	ITF Aggregate Area	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.AGGREGATE_AREA
Item Type FA	ITF Rounding Option	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.FA_ROUND_OPTION
Item Type FA	ITF Award Remainder Rule	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.REMAINDER_RULE
Item Type FA	ITF Fee Remainder Rule	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.FEE_REMAINDER_RULE
Item Type FA	ITF Truncate Fees	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.TRUNCATE_FEE
Item Type FA	ITF Loan Interest Attribute	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.LOAN_INTEREST_ATTR
Item Type FA	ITF Pass Anticipated Aid	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.PASS_ANTICIP_AID
Item Type FA	ITF Anticip Aid Expiration Days	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.ANTCP_AID_EXP_DAYS
Item Type FA	ITF Auto Package	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.PACKAGING_FEED
Item Type FA	ITF Equity Award	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.EQUITY_AWARD
Item Type FA	ITF Institution Reporting Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.REPORT_CODE
Item Type FA	ITF Award Message	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.AWARD_MSG_CD

Class Name	Object Name	Description
Item Type FA	ITF Signature Required	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.SIGNATURE_RELEASE
Item Type FA	ITF Auto Cancel Item Type	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.AUTO_CANCEL_TYPE
Item Type FA	ITF Manual Authorization	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.MANUAL_AUTH_IND
Item Type FA	ITF Selection Criteria	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.SELECTION_CRITERIA
Item Type FA	ITF Packaging Methodology	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.METHODOLOGY
Item Type FA	ITF Self Help Award	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.SELF_HELP_AWARD
Item Type FA	ITF Lock Award	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.LOCK_AWARD_FLAG
Item Type FA	ITF Award Period	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.AWARD_PERIOD
Item Type FA	ITF Package Only Once	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.ONE_INSTANCE_ITEM
Item Type FA	ITF Even split across valid terms	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.MISSING_TERM_SPLIT
Item Type FA	ITF Disbursement Protection	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.DISB_PROTECTION
Item Type FA	ITF Include in Transcript	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.INCLUDE_IN_TSCRPT
Item Type FA	ITF Accept	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.FA_SS_ACCEPT
Item Type FA	ITF Decline	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.FA_SS_DECLINE
Item Type FA	ITF Reduce	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.FA_SS_REDUX
Item Type FA	ITF MPN Required	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.SFA_MPN_REQUIRED

Class Name	Object Name	Description
Item Type FA	ITF Academic Level	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.SFA_ASG_ACAD_LEVEL
Item Type FA	ITF Additional Pell Eligibility	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.SFA_ADDL_PELL_ELIG
Item Type FA	ITF Long Description	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYPE_FA.DESCRLONG
Item Type FA	ITF Loan Fee	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYP_FA_FEE.LN_FEE_NAME
Item Type FA	ITF Fee Description	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ITEM_TYP_FA_FEE.DESCR
FA Item Type Fiscal	FITF Item Type	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_TYP_FISCL.ITEM_TYPE
FA Item Type Fiscal	FITF Aid Year - Not In Join	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_TYP_FISCL.AID_YEAR Picklists are pre-sorted in descending order.
FA Item Type Fiscal	FITF Budgeted Offer	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_TYP_FISCL.MAX_OFR_BUDGT
FA Item Type Fiscal	FITF Offered Gross	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_TYP_FISCL.OFR_GROSS
FA Item Type Fiscal	FITF Offered Reductions	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_TYP_FISCL.OFR_REDUCTN
FA Item Type Fiscal	FITF Offered Net	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_TYP_FISCL.OFR_NET
FA Item Type Fiscal	FITF Offered Available	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_TYP_FISCL.OFR_AVAILABLE
FA Item Type Fiscal	FITF Offered Net Count	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_TYP_FISCL.OFFERED_NET_COUNT
FA Item Type Fiscal	FITF Budgeted Accept	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_TYP_FISCL.MAX_ACC_BUDGT
FA Item Type Fiscal	FITF Accepted Gross	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_TYP_FISCL.ACC_GROSS
FA Item Type Fiscal	FITF Accepted Reductions	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_TYP_FISCL.ACC_REDUCTN

Class Name	Object Name	Description
FA Item Type Fiscal	FITF Accepted Net	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_TYP_FISCL.ACC_NET
FA Item Type Fiscal	FITF Accepted Available	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_TYP_FISCL.ACC_AVAILABLE
FA Item Type Fiscal	FITF Accepted Net Count	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_TYP_FISCL.ACCEPTED_NET_COUNT
FA Item Type Fiscal	FITF Declined Amount	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_TYP_FISCL.DECLINED_AMTS
FA Item Type Fiscal	FITF Declined Count	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_TYP_FISCL.DECLINED_COUNT
FA Item Type Fiscal	FITF Cancelled Amount	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_TYP_FISCL.CANCELLED_AMTS
FA Item Type Fiscal	FITF Cancelled Count	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_TYP_FISCL.CANCELLED_COUNT
FA Item Type Fiscal	FITF Budgeted Disbursements	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_TYP_FISCL.MAX_DSB_BUDGT
FA Item Type Fiscal	FITF Paid	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_TYP_FISCL.NET_DSB_PAID
FA Item Type Fiscal	FITF Potential Payments	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_TYP_FISCL.POTENTIAL_DSB
FA Item Type Fiscal	FITF Highest Accept Sum	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_TYP_FISCL.HIGHEST_ACC_SUM
FA Item Type Fiscal	FITF Highest Offer Sum	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_TYP_FISCL.HIGHEST_OFR_SUM
FA Disb Rule Item	DRI Aid Year	
FA Disb Rule Item	DRI Acad Career	
FA Disb Rule Item	DRI Item Type	
FA Disb Rule Item	DRI Effdt	
FA Disb Rule Item	DRI Eff Status	
FA Disb Rule Item	DRI Must Meet Satisfacatory Progress Ind	
FA Disb Rule Item	DRI Verification Complete Ind	
FA Disb Rule Item	DRI Package Complete Ind	
FA Disb Rule Item	DRI Honor Disbursement Hold Ind	
FA Disb Rule Item	DRI Hold If Withdrawn Ind	
FA Disb Rule Item	DRI Official Fed EFC Ind	
FA Disb Rule Item	DRI Min GPA On FA Term	

Class Name	Object Name	Description
FA Disb Rule Item	DRI Units Minimum	
FA Disb Rule Item	DRI Hold Disb Fed Overaward	
TA DISD Rule Item	Ind	
FA Disb Rule Item	DRI Awd Career Match Term	
TA DISD Rule Item	Career Ind	
FA Disb Rule Item	DRI NSLDS Loan Year Match	
TA DISD Rule Rem	Ind	
FA Disb Rule Item	DRI Authorize To Fee	
	Assessment Ind	
FA Disb Rule Item	DRI Hold If No Enrollment	
FA Disb Rule Item	DRI Post Disb Reduction	
	Control	
FA Disb Rule Item	DRI Post Disb Reduction Ctrl -	Not really a date. AIS column is stored as text.
	Census Date	
FA Disb Rule Item	DRI Loan Entrance Interview	
	Req	
FA Disb Rule Item	DRI Stop After Census	
FA Disb Rule Item	DRI ASF Pell Grant Awarded	
Cal Grant Detail	CG Emplid	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.EMPLID
Cal Grant Detail	CG Aid Year	Data is completely replaced nightly. Steward: Financial Aid Source: 4 digit year derived from last two digits of PS_SCF_CALGR_DTL.ACAD_YEAR
Cal Grant Detail	CG Acad Year	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.ACAD_YEAR
Cal Grant Detail	CG Process Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.PROCESS_DATE
Cal Grant Detail	CG SSN - RESTRICTED	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SSN1
Cal Grant Detail	CG Grant ID Number	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_GRANT_ID_NBR
Cal Grant Detail	CG Load Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_LOAD_STATUS
Cal Grant Detail	CG Suspended Reason	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_SUSP_REASON
Cal Grant Detail	CG ID Override	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.ID_OVERRIDE
Cal Grant Detail	CG School Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.CPS_SCHOOL_CODE
Cal Grant Detail	CG Tran Cd	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_TRAN_CD
Cal Grant Detail	CG Sec Ind	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_SEC_IND
Cal Grant Detail	CG SSN Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_SSN_FLAG
Cal Grant Detail	CG Last Name	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.LAST_NAME
Cal Grant Detail	CG First Name	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_FIRST_NAME

Class Name	Object Name	Description
Cal Grant Detail	CG Middle Initial	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_MIDDLE_INIT
Cal Grant Detail	CG Birthdate	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.BIRTHDATE
Cal Grant Detail	CG Program Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_PRG_CD
Cal Grant Detail	CG Program Code Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_PRG_FLAG
Cal Grant Detail	CG Dependency Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_DEPNDNCY_STAT
Cal Grant Detail	CG New-Renew Indicator	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_RENEW_IND
Cal Grant Detail	CG El Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_EL_CD
Cal Grant Detail	CG El Code Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_EL_FLAG
Cal Grant Detail	CG Housing Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_HOUSING_CD
Cal Grant Detail	CG CSAC Budget Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_CSAC_BDGT_AMT
Cal Grant Detail	CG EFC Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_EFC
Cal Grant Detail	CG Need	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_NEED
Cal Grant Detail	CG Adjusted Need	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_ADJ_NEED
Cal Grant Detail	CG Remaining Eligibility	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_REMAIN_ELIG
Cal Grant Detail	CG Forecasted AY Eligibility	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_FRCS_AY_ELIG
Cal Grant Detail	CG Annual Award Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_ANNL_AWD_AMT
Cal Grant Detail	CG Annual Tuition/Fee Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_ANNL_TUT_AMT
Cal Grant Detail	CG Annual Access Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_ANNL_ACS_AMT
Cal Grant Detail	CG Fall Total Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_FALL_TOT_AMT
Cal Grant Detail	CG Fall Tuition/Fee amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_FALL_TUT_AMT
Cal Grant Detail	CG Fall Access Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_FALL_ACS_AMT

Class Name	Object Name	Description
Cal Grant Detail	CG Fall Adjusted Tuition/Fee Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_FALL_A_TUT_AMT
Cal Grant Detail	CG Fall Adjusted Access Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_FALL_A_ACS_AMT
Cal Grant Detail	CG Fall Tuition/Fee Adjusted Reason	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_FALL_A_TUT_RSN
Cal Grant Detail	CG Fall Access Adjusted Reason	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_FALL_A_ACS_RSN
Cal Grant Detail	CG Fall Total Amount Pay Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_FALL_TOT_PSTAT
Cal Grant Detail	CG Fall Tuition/Fee Pay Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_FALL_TUT_PSTAT
Cal Grant Detail	CG Fall Access Pay Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_FALL_ACS_PSTAT
Cal Grant Detail	CG Fall Books & Supplies Pay Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_FALL_BOK_PSTAT
Cal Grant Detail	CG Winter Total Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_WINT_TOT_AMT
Cal Grant Detail	CG Winter Tuition/Fee Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_WINT_TUT_AMT
Cal Grant Detail	CG Winter Access Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_WINT_ACS_AMT
Cal Grant Detail	CG Winter Adjusted Tuition/Fee Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_WINT_A_TUT_AMT
Cal Grant Detail	CG Winter Adjusted Access Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_WINT_A_ACS_AMT
Cal Grant Detail	CG Winter Tuition/Fee Adjusted Reason	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_WINT_A_TUT_RSN
Cal Grant Detail	CG Winter Access Adjusted Reason	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_WINT_A_ACS_RSN
Cal Grant Detail	CG Winter Total Amount Pay Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_WINT_TOT_PSTAT
Cal Grant Detail	CG Winter Tuition/Fee Pay Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_WINT_TUT_PSTAT

Class Name	Object Name	Description
Cal Grant Detail	CG Winter Access Pay Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_WINT_ACS_PSTAT
Cal Grant Detail	CG Winter Books & Supplies Pay Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_WINT_BOK_PSTAT
Cal Grant Detail	CG Spring Total Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_SPRG_TOT_AMT
Cal Grant Detail	CG Spring Tuition/Fee Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_SPRG_TUT_AMT
Cal Grant Detail	CG Spring Access Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_SPRG_ACS_AMT
Cal Grant Detail	CG Spring Adjusted Tuition/Fee Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_SPRG_A_TUT_AMT
Cal Grant Detail	CG Spring Adjusted Access Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_SPRG_A_ACS_AMT
Cal Grant Detail	CG Spring Tuition/Fee Adjusted Reason	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_SPRG_A_TUT_RSN
Cal Grant Detail	CG Spring Access Adjusted Reason	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_SPRG_A_ACS_RSN
Cal Grant Detail	CG Spring Total Amount Pay Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_REMAIN_ELIG
Cal Grant Detail	CG Spring Tuition/Fee Pay Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_REMAIN_ELIG
Cal Grant Detail	CG Spring Access Pay Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_SPRG_ACS_PSTAT
Cal Grant Detail	CG Spring Books & Supplies Pay Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_SPRG_BOK_PSTAT
Cal Grant Detail	CG Summer Total Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_SUMM_TOT_AMT
Cal Grant Detail	CG Summer Tuition/Fee Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_SUMM_TUT_AMT
Cal Grant Detail	CG Summer Access Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_SUMM_ACS_AMT
Cal Grant Detail	CG Summer Adjusted Tuition/Fee Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_SUMM_A_TUT_AMT

Class Name	Object Name	Description
Cal Grant Detail	CG Summer Adjusted Access Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_SUMM_A_ACS_AMT
Cal Grant Detail	CG Summer Tuition/Fee Adjusted Reason	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_SUMM_A_TUT_RSN
Cal Grant Detail	CG Summer Access Adjusted Reason	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_SUMM_A_ACS_RSN
Cal Grant Detail	CG Summer Total Pay Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_SUMM_TOT_PSTAT
Cal Grant Detail	CG Summer Tuition/Fee Pay Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_SUMM_TUT_PSTAT
Cal Grant Detail	CG Summer Access Pay Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_SUMM_ACS_PSTAT
Cal Grant Detail	CG Summer Books & Supplies Pay Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_SUMM_BOK_PSTAT
Cal Grant Detail	CG GRAW Reson Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_GRAW_RSN_CD
Cal Grant Detail	CG Loan Default Status Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_LOAN_DFLT_FLAG
Cal Grant Detail	CG CSAC ID	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_CSAC_ID
Cal Grant Detail	CG GPA Score Awarded	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_GPA_AWARDED
Cal Grant Detail	CG GPA Type	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_GPA_TYPE
Cal Grant Detail	CG ISIR Transaction Number Awarded	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_ISIR_TRAN_NUM
Cal Grant Detail	CG Simplified Needs Met Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_SMPL_NEEDS
Cal Grant Detail	CG Auto Zero EFC Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_AUTO_ZERO_EFC
Cal Grant Detail	CG ABC Program Status Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_ABC_PROG_STAT
Cal Grant Detail	CG ISIR Tran Num Most Recent	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_ISIR_TRN_RCNT
Cal Grant Detail	CG Income/Assets Limits Year	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_INC_ASTS_LM_Y

Class Name	Object Name	Description
Cal Grant Detail	CG Dream Appl Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CALGR_DTL.SCF_DREAM_APP_FLG
Cal Grant Proc	CGP Emplid	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CAL_GR_PROC.
Cal Grant Proc	CGP Aid Year	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CAL_GR_PROC.AID_YEAR
Cal Grant Proc	CGP Cal Grant Eligibility Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CAL_GR_PROC.SCF_CAL_IELIG_ACAD
Cal Grant Proc	CGP Call Grant Ineligibility Code Summ	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CAL_GR_PROC.SCF_CAL_IELIG_SUMM
Cal Grant Proc	CGP G21 Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CAL_GR_PROC.SCF_G21_STATUS
Cal Grant Proc	CGP G21 Sent By	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CAL_GR_PROC.SCF_G21_SENT_BY
Cal Grant Proc	CGP Operator ID	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CAL_GR_PROC.OPRID
Cal Grant Proc	CGP Date Supplier Data Sent	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CAL_GR_PROC.SENT_DT
Cal Grant Proc	CGP Fall Total Adjusted Reason	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CAL_GR_PROC.
Cal Grant Proc	CGP Winter Total Adjusted Reason	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CAL_GR_PROC.SCF_WINT_A_TOT_RSN
Cal Grant Proc	CGP Spring Total Adjusted Reason	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CAL_GR_PROC.SCF_SPRG_A_TOT_RSN
Cal Grant Proc	CGP Remaining Eligility <100%	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CAL_GR_PROC.SCF_REM_ELIG_RPT
Cal Grant Proc	CGP Remaining Eligibility for 2004	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CAL_GR_PROC.SCF_REMAIN_ELIG_04
Cal Grant Proc	CGP Program Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CAL_GR_PROC.SCF_PRG_CD
Cal Grant Proc	CGP Process Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CAL_GR_PROC.PROCESS_DT
Cal Grant Proc	CGP School Change Needed	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_CAL_GR_PROC.SCF_SCHOOL_CHG
Student Award Period	AWP Aid Year	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWD_PER.AID_YEAR Picklists are pre-sorted in descending order.
Student Award Period	AWP Award Period	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWD_PER.AWARD_PERIOD

Class Name	Object Name	Description
Student Award Period	AWP Federal EFC	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWD_PER.FED_EFC
Student Award Period	AWP Official/Unofficial Indicator	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWD_PER.EFC_STATUS
Student Award Period	AWP N/B Aid (Fed)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWD_PER.FED_NEED_BASE_AID
Student Award Period	AWP N/B Aid (Inst))	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWD_PER.INST_NEED_BASE_AID
Student Award Period	AWP Fed Year COA	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWD_PER.FED_YEAR_COA
Student Award Period	AWP Inst Year COA	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWD_PER.INST_YEAR_COA
Student Award Period	AWP Pell Year COA	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWD_PER.PELL_YEAR_COA
Student Award Period	AWP Fed Need	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWD_PER.FED_NEED
Student Award Period	AWP Inst Need	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWD_PER.INST_NEED
Student Award Period	AWP Unmet Need (Fed)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWD_PER.FED_UNMET_NEED
Student Award Period	AWP Overaward (Fed)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWD_PER.FED_OVRAWD_AMT
Student Award Period	AWP Unmet Need (Inst)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWD_PER.INST_UNMET_NEED
Student Award Period	AWP Overaward (Inst)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWD_PER.INST_OVRAWD_AMT
Student Award Period	AWP Parents Contribution - Federal	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWD_PER.FED_PARENT_CONTRB
Student Award Period	AWP Student Contribution - Federal	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWD_PER.FED_STDNT_CONTRB
Student Award Period	AWP Base Number of Weeks	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWD_PER.BASE_WEEKS
Student Award Period	AWP Number of Weeks Enrolled	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWD_PER.WEEKS_ENROLLED
Student Award Period	AWP Weekly EFC Parent Contribution	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWD_PER.WEEKLY_PC
Student Award Period	AWP Weekly EFC Student Contribution	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWD_PER.WEEKLY_SC
Student Award Period	AWP Prorated EFC	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWD_PER.PRORATED_EFC
Student Award Period	AWP Special Need/Cost Aid (Fed)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWD_PER.FED_SPECIAL_AID
Student Award Period	AWP Special Need/Cost Aid (Inst)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWD_PER.INST_SPECIAL_AID
Student Award Period	AWP Total Aid (Fed)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWD_PER.FED_TOTAL_AID

Class Name	Object Name	Description
Student Award Period	AWP Total Aid (Inst)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWD_PER.INST_TOTAL_AID
Student Award Period	AWP Unmet COA (Fed)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWD_PER.FED_UNMET_COA
Student Award Period	AWP Unmet COA (Inst)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWD_PER.INST_UNMET_COA
Student Award Period	AWP COA Overaward (Fed)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWD_PER.FED_OVRAWD_COA
Student Award Period	AWP COA Overaward (Inst)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWD_PER.INST_OVRAWD_COA
Student Award Period	AWP Educational Resources	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWD_PER.VET_ED_BENEFIT
Student Award Period	AWP Print as Other Resource	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWD_PER.VET_ED_FAN_PRINT
Student Award Period	AWP Prorated Parent Contribution	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWD_PER.PRORATED_PAR_CNTRB
Student Award Period	AWP Prorated Student Contribution	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWD_PER.PRORATED_STU_CNTRB
Student Award Period	AWP Budget Duration	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWD_PER.BDGT_DURATION_FED
Student Award Period	AWP Fan Ltr Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWD_PER.FANLTR_STATUS
Student Award Period	AWP Calculated Student Contribution	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWD_PER.ISIR_CALC_SC
Student Award Period	AWP Calculated Parent Contribution	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWD_PER.ISIR_CALC_PC
Student Award Period	AWP Calculated Family Contribution	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWD_PER.ISIR_CALC_EFC
Student Award Period	AWP Less Than Half Time Pell COA	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AWD_PER.SFA_PELLYR_COA_LHT
Student Award Period-Audit	AWPA Aid Year	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Only top three Aid Years exist at any given time. Steward: Financial Aid Source: PS_STDNT_AWD_PER.AID_YEAR Picklists are pre-sorted in descending order.
Student Award Period-Audit	AWPA Award Period	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Only top three Aid Years exist at any given time. Steward: Financial Aid Source: PS_STDNT_AWD_PER.AWARD_PERIOD
Student Award Period-Audit	AWPA Federal EFC	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Only top three Aid Years exist at any given time. Steward: Financial Aid Source: PS_STDNT_AWD_PER.FED_EFC

Class Name	Object Name	Description
Student Award Period-Audit	AWPA Official/Unofficial Indicator	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Only top three Aid Years exist at any given time. Steward: Financial Aid Source: PS_STDNT_AWD_PER.EFC_STATUS
Student Award Period-Audit	AWPA N/B Aid (Fed)	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Only top three Aid Years exist at any given time. Steward: Financial Aid Source: PS_STDNT_AWD_PER.FED_NEED_BASE_AID
Student Award Period-Audit	AWPA N/B Aid (Inst))	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Only top three Aid Years exist at any given time. Steward: Financial Aid Source: PS_STDNT_AWD_PER.INST_NEED_BASE_AID
Student Award Period-Audit	AWPA Fed Year COA	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Only top three Aid Years exist at any given time. Steward: Financial Aid Source: PS_STDNT_AWD_PER.FED_YEAR_COA
Student Award Period-Audit	AWPA Inst Year COA	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Only top three Aid Years exist at any given time. Steward: Financial Aid Source: PS_STDNT_AWD_PER.INST_YEAR_COA
Student Award Period-Audit	AWPA Pell Year COA	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Only top three Aid Years exist at any given time. Steward: Financial Aid Source: PS_STDNT_AWD_PER.PELL_YEAR_COA
Student Award Period-Audit	AWPA Fed Need	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Only top three Aid Years exist at any given time. Steward: Financial Aid Source: PS_STDNT_AWD_PER.FED_NEED
Student Award Period-Audit	AWPA Inst Need	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Only top three Aid Years exist at any given time. Steward: Financial Aid Source: PS_STDNT_AWD_PER.INST_NEED
Student Award Period-Audit	AWPA Unmet Need (Fed)	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Only top three Aid Years exist at any given time. Steward: Financial Aid Source: PS_STDNT_AWD_PER.FED_UNMET_NEED
Student Award Period-Audit	AWPA Overaward (Fed)	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Only top three Aid Years exist at any given time. Steward: Financial Aid Source: PS_STDNT_AWD_PER.FED_OVRAWD_AMT

Class Name	Object Name	Description
Student Award Period-Audit	AWPA Unmet Need (Inst)	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Only top three Aid Years exist at any given time. Steward: Financial Aid Source: PS_STDNT_AWD_PER.INST_UNMET_NEED
Student Award Period-Audit	AWPA Overaward (Inst)	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Only top three Aid Years exist at any given time. Steward: Financial Aid Source: PS_STDNT_AWD_PER.INST_OVRAWD_AMT
Student Award Period-Audit	AWPA Parents Contribution - Federal	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Only top three Aid Years exist at any given time. Steward: Financial Aid Source: PS_STDNT_AWD_PER.FED_PARENT_CONTRB
Student Award Period-Audit	AWPA Student Contribution - Federal	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Only top three Aid Years exist at any given time. Steward: Financial Aid Source: PS_STDNT_AWD_PER.FED_STDNT_CONTRB
Student Award Period-Audit	AWPA Base Number of Weeks	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Only top three Aid Years exist at any given time. Steward: Financial Aid Source: PS_STDNT_AWD_PER.BASE_WEEKS
Student Award Period-Audit	AWPA Number of Weeks Enrolled	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Only top three Aid Years exist at any given time. Steward: Financial Aid Source: PS_STDNT_AWD_PER.WEEKS_ENROLLED
Student Award Period-Audit	AWPA Weekly EFC Parent Contribution	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Only top three Aid Years exist at any given time. Steward: Financial Aid Source: PS_STDNT_AWD_PER.WEEKLY_PC
Student Award Period-Audit	AWPA Weekly EFC Student Contribution	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Only top three Aid Years exist at any given time. Steward: Financial Aid Source: PS_STDNT_AWD_PER.WEEKLY_SC
Student Award Period-Audit	AWPA Prorated EFC	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Only top three Aid Years exist at any given time. Steward: Financial Aid Source: PS_STDNT_AWD_PER.PRORATED_EFC
Student Award Period-Audit	AWPA Special Need/Cost Aid (Fed)	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Only top three Aid Years exist at any given time. Steward: Financial Aid Source: PS_STDNT_AWD_PER.FED_SPECIAL_AID

Class Name	Object Name	Description
Student Award Period-Audit	AWPA Special Need/Cost Aid (Inst)	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Only top three Aid Years exist at any given time. Steward: Financial Aid Source: PS_STDNT_AWD_PER.INST_SPECIAL_AID
Student Award Period-Audit	AWPA Total Aid (Fed)	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Only top three Aid Years exist at any given time. Steward: Financial Aid Source: PS_STDNT_AWD_PER.FED_TOTAL_AID
Student Award Period-Audit	AWPA Total Aid (Inst)	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Only top three Aid Years exist at any given time. Steward: Financial Aid Source: PS_STDNT_AWD_PER.INST_TOTAL_AID
Student Award Period-Audit	AWPA Unmet COA (Fed)	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Only top three Aid Years exist at any given time. Steward: Financial Aid Source: PS_STDNT_AWD_PER.FED_UNMET_COA
Student Award Period-Audit	AWPA Unmet COA (Inst)	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Only top three Aid Years exist at any given time. Steward: Financial Aid Source: PS_STDNT_AWD_PER.INST_UNMET_COA
Student Award Period-Audit	AWPA COA Overaward (Fed)	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Only top three Aid Years exist at any given time. Steward: Financial Aid Source: PS_STDNT_AWD_PER.FED_OVRAWD_COA
Student Award Period-Audit	AWPA COA Overaward (Inst)	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Only top three Aid Years exist at any given time. Steward: Financial Aid Source: PS_STDNT_AWD_PER.INST_OVRAWD_COA
Student Award Period-Audit	AWPA Educational Resources	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Only top three Aid Years exist at any given time. Steward: Financial Aid Source: PS_STDNT_AWD_PER.VET_ED_BENEFIT
Student Award Period-Audit	AWPA Print as Other Resource	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Only top three Aid Years exist at any given time. Steward: Financial Aid Source: PS_STDNT_AWD_PER.VET_ED_FAN_PRINT
Student Award Period-Audit	AWPA Prorated Parent Contribution	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Only top three Aid Years exist at any given time. Steward: Financial Aid Source: PS_STDNT_AWD_PER.PRORATED_PAR_CNTRB

Class Name	Object Name	Description
Student Award Period-Audit	AWPA Prorated Student Contribution	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Only top three Aid Years exist at any given time. Steward: Financial Aid Source: PS_STDNT_AWD_PER.PRORATED_STU_CNTRB
Student Award Period-Audit	AWPA Budget Duration	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Only top three Aid Years exist at any given time. Steward: Financial Aid Source: PS_STDNT_AWD_PER.BDGT_DURATION_FED
Student Award Period-Audit	AWPA Fan Ltr Status	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Only top three Aid Years exist at any given time. Steward: Financial Aid Source: PS_STDNT_AWD_PER.FANLTR_STATUS
Student Award Period-Audit	AWPA Calculated Student Contribution	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Only top three Aid Years exist at any given time. Steward: Financial Aid Source: PS_STDNT_AWD_PER.ISIR_CALC_SC
Student Award Period-Audit	AWPA Calculated Parent Contribution	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Only top three Aid Years exist at any given time. Steward: Financial Aid Source: PS_STDNT_AWD_PER.ISIR_CALC_PC
Student Award Period-Audit	AWPA Calculated Family Contribution	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Only top three Aid Years exist at any given time. Steward: Financial Aid Source: PS_STDNT_AWD_PER.ISIR_CALC_EFC
Student Award Period-Audit	AWPA Less Than Half Time Pell COA	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Only top three Aid Years exist at any given time. Steward: Financial Aid Source: PS_STDNT_AWD_PER.SFA_PELLYR_COA_LHT
Student Award Period-Audit	AWPA Current Record	Most recent non future dated record. Y or N
Student Award Period-Audit	AWPA Valid From	
Student Award Period-Audit	AWPA Valid To	
Student Aggregate Life	SAL Aggregate Area	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AGGR_LIFE.AGGREGATE_DATA
Student Aggregate Life	SAL Aid Year	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AGGR_LIFE.AID_YEAR Picklists are pre-sorted in descending order.
Student Aggregate Life	SAL Total Undergrad	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AGGR_LIFE.UNDRGRAD_TOTAL
Student Aggregate Life	SAL Total Graduate	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AGGR_LIFE.GRADUATE_TOTAL

Class Name	Object Name	Description
Student Aggregate Life	SAL Total Terms	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AGGR_LIFE.TOTAL_TERMS
Student Aggregate Life	SAL NSLDS Aggregate Total	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AGGR_LIFE.SFA_NSLDS_AGGR_AMT
Student Aggregate Life	SAL Override	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AGGR_LIFE.OVERRIDE
Student Aggregate Life	SAL Override by ID	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AGGR_LIFE.LASTUPDOPRID
Student Aggregate Life	SAL Override Date/Time	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AGGR_LIFE.SFA_NSLDS_UPDDTTM
Student Aggregate Life	SAL NSLDS Push Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AGGR_LIFE.SFA_NSLDS_PUSH_DT
Student Aggregate Life	SAL Override Graduate	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AGGR_LIFE.SFA_GRAD_OVERRIDE
Student Aggregate Life	SAL Percent Scheduled Used	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AGGR_LIFE.SFA_PRCNT_USED_RPT
Student Aggregate Life	SAL Total Percent Scheduled Used	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AGGR_LIFE.SFA_PRCNT_USED_TOT
Student Aggregate Life	SAL Override Percent Used	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AGGR_LIFE.SFA_PRCNT_OVERRIDE
Student Aggregate School	SAS Aggregate Area	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AGGR_SCHL.AGGREGATE_AREA
Student Aggregate School	SAS Aid Year	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AGGR_SCHL.AID_YEAR Picklists are pre-sorted in descending order.
Student Aggregate School	SAS Aggregate Level	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AGGR_SCHL.AGGREGATE_LEVEL
Student Aggregate School	SAS School Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AGGR_SCHL.CPS_SCHOOL_CODE
Student Aggregate School	SAS Aggregate Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AGGR_SCHL.AGGREGATE_STATUS
Student Aggregate School	SAS Expected Award	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AGGR_SCHL.EXPECTED_AWARD
Student Aggregate School	SAS Actual Award	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AGGR_SCHL.ACTUAL_AWARD
Student Aggregate School	SAS Scheduled Award	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AGGR_SCHL.SCHEDULED_AWARD

Class Name	Object Name	Description
Student Aggregate School	SAS Terms for Level	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AGGR_SCHL.TERM_COUNT
Student Aggregate School	SAS Academic Year	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AGGR_SCHL.ACAD_YEAR Picklists are pre-sorted in descending order.
Student Aggregate School	SAS Currency Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_AGGR_SCHL.CURRENCY_CD
Student Packaging Variables	PV Aid Year	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_PKG_VAR.AID_YEAR Picklists are pre-sorted in descending order.
Student Packaging Variables	PV Academic Career	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_PKG_VAR.ACAD_CAREER
Student Packaging Variables	PV User Variable Character #1	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_PKG_VAR.VARIABLE_CHAR1
Student Packaging Variables	PV User Variable Character #2	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_PKG_VAR.VARIABLE_CHAR2
Student Packaging Variables	PV User Variable Character #3	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_PKG_VAR.VARIABLE_CHAR3
Student Packaging Variables	PV User Variable Character #4	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_PKG_VAR.VARIABLE_CHAR4
Student Packaging Variables	PV User Variable Character #5	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_PKG_VAR.VARIABLE_CHAR5
Student Packaging Variables	PV User Variable Character #6	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_PKG_VAR.VARIABLE_CHAR6
Student Packaging Variables	PV User Variable Character #7	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_PKG_VAR.VARIABLE_CHAR7
Student Packaging Variables	PV User Variable Character #8	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_PKG_VAR.VARIABLE_CHAR8
Student Packaging Variables	PV User Variable Character #9	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_PKG_VAR.VARIABLE_CHAR9
Student Packaging Variables	PV User Variable Character #10	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_PKG_VAR.VARIABLE_CHAR10
Student Packaging Variables	PV User Variable Y/N Flag #1	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_PKG_VAR.VARIABLE_FLAG1
Student Packaging Variables	PV User Variable Y/N Flag #2	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_PKG_VAR.VARIABLE_FLAG2
Student Packaging Variables	PV User Variable Y/N Flag #3	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_PKG_VAR.VARIABLE_FLAG3
Student Packaging Variables	PV User Variable Y/N Flag #4	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_PKG_VAR.VARIABLE_FLAG4
Student Packaging Variables	PV User Variable Y/N Flag #5	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_PKG_VAR.VARIABLE_FLAG5
Student Packaging Variables	PV User Variable Y/N Flag #6	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_PKG_VAR.VARIABLE_FLAG6
Student Packaging Variables	PV User Variable Y/N Flag #7	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_PKG_VAR.VARIABLE_FLAG7
Student Packaging Variables	PV User Variable Y/N Flag #8	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_PKG_VAR.VARIABLE_FLAG8
Student Packaging Variables	PV User Variable Y/N Flag #9	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_PKG_VAR.VARIABLE_FLAG9

Class Name	Object Name	Description
Student Packaging Variables	PV User Variable Y/N Flag #10	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_PKG_VAR.VARIABLE_FLAG10
Student Packaging Variables	PV User Variable Numeric #1	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_PKG_VAR.VARIABLE_NUM1
Student Packaging Variables	PV User Variable Numeric #2	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_PKG_VAR.VARIABLE_NUM2
Student Packaging Variables	PV User Variable Numeric #3	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_PKG_VAR.VARIABLE_NUM3
Student Packaging Variables	PV User Variable Numeric #4	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_PKG_VAR.VARIABLE_NUM4
Student Packaging Variables	PV User Variable Numeric #5	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_PKG_VAR.VARIABLE_NUM5
Student Packaging Variables	PV User Variable Numeric #6	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_PKG_VAR.VARIABLE_NUM6
Student Packaging Variables	PV User Variable Numeric #7	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_PKG_VAR.VARIABLE_NUM7
Student Packaging Variables	PV User Variable Numeric #8	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_PKG_VAR.VARIABLE_NUM8
Student Packaging Variables	PV Rating Component #1	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_PKG_VAR.RATING_CMP1
Student Packaging Variables	PV Rating Component #2	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_PKG_VAR.RATING_CMP2
Student Packaging Variables	PV Rating Component #3	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_PKG_VAR.RATING_CMP3
Student Packaging Variables	PV Rating Value #1	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_PKG_VAR.RATING_CMP_VALUE1
Student Packaging Variables	PV Rating Value #2	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_PKG_VAR.RATING_CMP_VALUE2
Student Packaging Variables	PV Rating Value #3	Data is completely replaced nightly. Steward: Financial Aid Source: PS_STDNT_PKG_VAR.RATING_CMP_VALUE3
FA Term	FT Term	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.STRM□ Picklists are pre-sorted in descending order.
FA Term	FT Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.EFFDT
FA Term	FT Effective Sequence	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.EFFSEQ
FA Term	FT Status as of Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.EFF_STATUS
FA Term	FT Aid Year	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.AID_YEAR Picklists are pre-sorted in descending order.

Class Name	Object Name	Description
FA Term	FT Budget Required	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.BUDGET_REQUIRED
FA Term	FT Withdraw/Cancel	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.WITHDRAW_CODE
FA Term	FT Withdraw/Cancel Reason	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.WITHDRAW_REASON
FA Term	FT Withdraw/Cancel Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.WITHDRAW_DATE
FA Term	FT Academic Career	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.ACAD_CAREER
FA Term	FT Approved Academic Load	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.ACAD_LOAD_APPR
FA Term	FT Academic Load	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.ACADEMIC_LOAD
FA Term	FT Academic Load Calculated	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.ACADEMIC_LOAD_CL
FA Term	FT Academic Level - Projected	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.ACAD_LEVEL_PROJ
FA Term	FT Academic Level - Proj Calculated	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.ACAD_LEVEL_PROJ_CL
FA Term	FT Academic Level - Term Start	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.ACAD_LEVEL_BOT
FA Term	FT Academic Level Term Start - Calculated	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.ACAD_LEVEL_BOT_CL
FA Term	FT Academic Level - Term End	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.ACAD_LEVEL_EOT
FA Term	FT Academic Level Term End - Calculated	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.ACAD_LEVEL_EOT_CL
FA Term	FT Eligible to Enroll	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.ELIG_TO_ENROLL
FA Term	FT Form Of Study	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.FORM_OF_STUDY

Class Name	Object Name	Description
FA Term	FT Units Taken FA	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.UNT_TAKEN_FA
FA Term	FT Units Taken FA - Calculated	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.UNT_TAKEN_FA_CL
FA Term	FT Units Passed FA	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.UNT_PASSD_FA
FA Term	FT Units Passed FA - Calculated	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.UNT_PASSD_FA_CL
FA Term	FT Total Units Taken FA	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.TOT_TAKEN_FA
FA Term	FT Total Units Taken FA - Calculated	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.TOT_TAKEN_FA_CL
FA Term	FT Total Units Passed FA	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.TOT_PASSD_FA
FA Term	FT Total Units Passed FA - Calculated	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.TOT_PASSD_FA_CL
FA Term	FT Total Term Units FA	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.TOT_TERM_UNT_FA
FA Term	FT Financial Aid Load	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.FA_LOAD
FA Term	FT Financial Aid Load - Calculated	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.FA_LOAD_CL
FA Term	FT NSLDS Loan Year	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.NSLDS_LOAN_YEAR
FA Term	FT NSLDS Loan Year - Calculated	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.NSLDS_LOAN_YEAR_CL
FA Term	FT Override NSLDS Loan Year	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.OVRD_NSLDS_LOAN_YR
FA Term	FT Direct Lending Year	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.DIR_LND_YR
FA Term	FT Academic Standing	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.ACAD_STANDING

Class Name	Object Name	Description
FA Term	FT Academic Standing - Calculated	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.ACAD_STANDING_CL
FA Term	FT Study Agreement	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.STUDY_AGREEMENT
FA Term	FT Admit Term	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.ADMIT_TERM Picklists are pre-sorted in descending order.
FA Term	FT Weeks of Instruction	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.WEEKS_OF_INSTRUCT
FA Term	FT Number of Weeks	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.FA_NUMBER_OF_WEEKS
FA Term	FT Census Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.CENSUS_DT
FA Term	FT Direct Lending Year - Calculated	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.DIR_LND_YR_CL
FA Term	FT Override Direct Lending Year	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_STDNT_FA_TERM.OVRD_DIR_LND_YR
ISIR	IX Emplid	
ISIR	IX Aid Year	
ISIR	IX Effective Date	
ISIR	IX Effective Sequence	
ISIR	IX Valid From	
ISIR	IX Valid To	
ISIR Control	IC Transaction Number	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.ISIR_TXN_NBR
ISIR Control	IC Original SSN - RESTRICTED	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.ORIG_SSN
ISIR Control	IC Name Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.NAME_CD
ISIR Control	IC Last Name - SSN Change Flag	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.LAST_NAME_SSN_CHNG WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.

Class Name	Object Name	Description
ISIR Control	IC Selective Service Match	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.SS_MATCH
ISIR Control	IC Selective Service Registration	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.SS_REGISTRATION
ISIR Control	IC INS Match	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.INS_MATCH
ISIR Control	IC SSN Match	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.SSN_MATCH
ISIR Control	IC Date Application Received	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.DT_APP_RECEIVED
ISIR Control	IC Federal Pell Eligibility	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.PELL_ELIGIBILITY
ISIR Control	IC Unique Nbr Assigned to Student	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.ASSIGNED_PIN
ISIR Control	IC Indicates When 'C' Printed SAR	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.SAR_C_FLAG
ISIR Control	IC Verification Selection Ind	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.VERF_SELECTION_IND
ISIR Control	IC System Generated Indicator	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.SYSTEM_GENERATED
ISIR Control	IC Transaction Receipt Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.TRANS_RECEIPT_DT
ISIR Control	IC Transaction Process Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.TRANS_PROCESS_DT

Class Name	Object Name	Description
ISIR Control	IC Reprocess Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.CPS_REPROCESS_CD
ISIR Control	IC CPS Batch Number	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.BATCH_NUMBER
ISIR Control	IC Electronic Institution Ind	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.ELEC_INSTITUT_IND
ISIR Control	IC Correction Applied	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.CORRECTION_APPLIED
ISIR Control	IC FAA Institution Number	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.FAA_INSTITUT_NUM
ISIR Control	IC INS Verification Number	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.INS_VERF_NUM
ISIR Control	IC Send ISAR to Student	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.SEND_ISAR_SW
ISIR Control	IC Final Review	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.FINAL_REVIEW_SW
ISIR Control	IC Dependency Override Indicator	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.DEPNDNCY_OVERRIDE
ISIR Control	IC Application Status	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.APPLICATION_STAT
ISIR Control	IC Application Status Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.APP_STAT_DT
ISIR Control	IC Official/Unofficial Indicator	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.EFC_STATUS

Class Name	Object Name	Description
ISIR Control	IC User ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.OPRID
ISIR Control	IC Adjusted EFC Calc Requested	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.ADJ_EFC_CALC_REQ
ISIR Control	IC Send Assumptions/Overrides	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.ASSUMPTION_OVRRIDE
ISIR Control	IC Correction Status	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.CORRECTION_STATUS
ISIR Control	IC Correction Status Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.CORR_STAT_DT
ISIR Control	IC Correct Name Flag	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.CORR_NAME
ISIR Control	IC Correct Address Flag	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.CORR_ADDRESS
ISIR Control	IC Correct SSN Flag	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.CORR_SSN
ISIR Control	IC Correct Date of Birth Flag	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.CORR_DOB
ISIR Control	IC Correct Phone Flag	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.CORR_PHONE
ISIR Control	IC Correct Citizenship Status Flag	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.CORR_CIT_STATUS
ISIR Control	IC Correct Alien Reg Number	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.CORR_ALIEN_REG_NUM

Class Name	Object Name	Description
ISIR Control	IC Institution Process Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.INST_PROCESS_DT
ISIR Control	IC SSA Citizenship Indicator	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.SSA_CITIZENSHP_IND
ISIR Control	IC Include Verify Fields	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.SEND_VERIFY_FIELDS
ISIR Control	IC NSLDS Transaction Number	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.NSLDS_TXN_NBR
ISIR Control	IC ETI Destination Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.ETI_DEST_CD
ISIR Control	IC Simplified Need Test	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.SIMP_NEED_TEST
ISIR Control	IC Compute Batch Number	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.COMPUTE_BTCH_NO
ISIR Control	IC Veterans Status Match Flag	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.VA_MATCH
ISIR Control	IC Process Instance	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.PROCESS_INSTANCE
ISIR Control	IC Process Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.PROCESS_DT
ISIR Control	IC CPS Appl Source Site Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.APP_SOURCE
ISIR Control	IC Transaction Data Source	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.TRANS_SOURCE

Class Name	Object Name	Description
ISIR Control	IC Address Type	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.ADDRESS_TYPE
ISIR Control	IC Override Address Type	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.OVRD_ADDR_TYPE
ISIR Control	IC Preparers SSN - RESTRICTED	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.PREP_SSN U WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.
ISIR Control	IC Preparers Signature	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.PREP_SIGNATURE
ISIR Control	IC Preparers EIN	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.PREP_EIN
ISIR Control	IC Correction Source	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.ISIR_CORR_SRC
ISIR Control	IC EFC Change Flag	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.ISIR_EFC_CHANGE
ISIR Control	IC Sec INS Match Flag	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.ISIR_SEC_INS_MATCH
ISIR Control	IC Duplicate SSN Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.ISIR_DUP_SSN_CD
ISIR Control	IC Original ISIR	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.ISIR_ORIG_IND
ISIR Control	IC Verification Tracking Flag	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.VERIF_TRK_FLG

Class Name	Object Name	Description
ISIR Control	IC Display FM EFC Override Values	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.EFC_OVRD_DSPLAY_FM
ISIR Control	IC CPS Pushed ISIR Flag	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.ISIR_CPS_PUSHED
ISIR Control	IC ISIR C Flag Changed	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.ISIR_SAR_C_CHNG
ISIR Control	IC Father's SSN Match	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.FATHER_SSN_MATCH
ISIR Control	IC Mother's SSN Match	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.MOTHER_SSN_MATCH
ISIR Control	IC Verification Select Change Flag	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.SFA_VF_SEL_CHG_FLG
ISIR Control	IC Rejected Status Change Flag	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.SFA_REJ_ST_CHG_FLG
ISIR Control	IC Override Email Type	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.ISIR_OVRD_E_TYPE
ISIR Control	IC Override Phone Type	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.ISIR_OVRD_P_TYPE
ISIR Control	IC Phone Type	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.PHONE_TYPE
ISIR Control	IC Email Type	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.E_ADDR_TYPE
ISIR Control	IC Special Circumstances Flag	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.SFA_SPL_CIRCUM_FLG

Class Name	Object Name	Description
ISIR Control	IC Dept of Defence Match	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.SFA_DOD_MATCH
ISIR Control	IC DOD Parent Date of Death	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.SFA_DOD_PARENT
ISIR Control	IC Student IRS Request	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.SFA_STU_IRS_REQUST
ISIR Control	IC Parent IRS Request	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.SFA_PAR_IRS_REQUST
ISIR Control	IC High School Flag	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.SFA_HIGH_SCHL_FLAG
ISIR Control	IC Student IRS AGI Data	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.SFA_STU_IRS_AGI
ISIR Control	IC Student IRS FIT Data	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.SFA_STU_IRS_FIT
ISIR Control	IC Parent IRS AGI Data	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.SFA_PAR_IRS_AGI
ISIR Control	IC Parent IRS FIT Data	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_CONTROL.SFA_PAR_IRS_FIT
ISIR Correction Fields	ICF Emplid	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_CORR_FLDS.EMPLID
ISIR Correction Fields	ICF Aid Year	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_CORR_FLDS.AID_YEAR Picklists are pre-sorted in descending order.
ISIR Correction Fields	ICF CPS Batch Number	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_CORR_FLDS.BATCH_NUMBER
ISIR Correction Fields	ICF ISIR Field Number	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_CORR_FLDS.ISIR_FIELD_NUM
ISIR Correction Fields	ICF Previous Field Value	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_CORR_FLDS.OLD_VALUE
ISIR Correction Fields	ICF Submitted Value	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_CORR_FLDS.NEW_VALUE

Class Name	Object Name	Description
ISIR Correction Fields	ICF User ID	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_CORR_FLDS.OPRID
ISIR Correction Fields	ICF Batch Action Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_CORR_FLDS.BATCH_ACTION
ISIR Correction Fields	ICF Error Message	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_CORR_FLDS.FIELD_ERROR
ISIR Comments	ICM Comment Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_ISIR_COMMENTS.COMMENT_CODE
ISIR Comments	ICM DB Match Use	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_COMMT_TBL.SFA_DB_MATCH_USE
ISIR Comments	ICM Severity Level	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_COMMT_TBL.SEVERITY_LVL
ISIR Comments	ICM Description	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_COMMT_TBL.DESCRLONG
ISIR 00 1 EC	I1 EC Transaction ID	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.ECTRANSID
ISIR 00 1 EC	I1 EC Queue Instance	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.ECQUEUEINSTANCE
ISIR 00 1 EC	I1 Sequence Number	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.ISIR_SEQ_NO
ISIR 00 1 EC	I1 Load Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.ISIR_LOAD_STATUS
ISIR 00 1 EC	I1 Load Action	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.ISIR_LOAD_ACTION
ISIR 00 1 EC	I1 Student's Admit Level	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.ADMIT_LVL
ISIR 00 1 EC	I1 Original SSN - RESTRICTED	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.ORIG_SSN□ □ WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.
ISIR 00 1 EC	I1 Name Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.NAME_CD
ISIR 00 1 EC	I1 Transaction Number	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_TRANS_NBR
ISIR 00 1 EC	I1 EmplID	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.EMPLID
ISIR 00 1 EC	I1 School Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.CPS_SCHOOL_CODE
ISIR 00 1 EC	I1 Batch Yr	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_BATCH_YR
ISIR 00 1 EC	I1 Last Name-SSN Change Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.LAST_NAME_SSN_CHNG
ISIR 00 1 EC	I1 Social Security Number - RESTRICTED	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SSN□ □ WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.

Class Name	Object Name	Description
ISIR 00 1 EC	I1 Last Name	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_STD_LAST_NAME
ISIR 00 1 EC	I1 Student's First Name	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_STD_FIRST_NM02
ISIR 00 1 EC	I1 Student's Middle Initial	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_STU_MI
ISIR 00 1 EC	I1 Permanent Mailing Address	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_PERM_ADDR02
ISIR 00 1 EC	I1 City	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_CITY
ISIR 00 1 EC	I1 State	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_STATE
ISIR 00 1 EC	I1 Zip	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_ZIP
ISIR 00 1 EC	I1 Date of Birth	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.BIRTHDATE
ISIR 00 1 EC	I1 Permanent Phone Number	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_PERM_PHONE
ISIR 00 1 EC	I1 Driver's License Number - RESTRICTED	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.DRIVERS_LICENSE_NO
	RESTRICTED	WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.
ISIR 00 1 EC	I1 Driver's License State Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_DL_STATE
ISIR 00 1 EC	I1 Citizenship Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.CITIZENSHIP_STATUS
ISIR 00 1 EC	I1 Alien Registration Number	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_STU_ALIEN_REG
ISIR 00 1 EC	I1 Marital Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.MARITAL_STAT
ISIR 00 1 EC	I1 Marital Status Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_MAR_STAT_DT
ISIR 00 1 EC	I1 Father's Highest Grade Level	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.FATHER_GRADE_LVL
ISIR 00 1 EC	I1 Mother's Highest Grade Level	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.MOTHER_GRADE_LVL
ISIR 00 1 EC	I1 State of Legal Residence	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_STATE_RES
ISIR 00 1 EC	I1 Legal Residence Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.LEGAL_RES_DT
ISIR 00 1 EC	I1 Are You Male	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_MALE
ISIR 00 1 EC	I1 Permit Sel Serv to Enroll	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SEL_SERV_REGISTER
ISIR 00 1 EC	I1 Degree/Certificate	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.DEGREE_CERTIF
ISIR 00 1 EC	I1 Grade Level	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_GRADE_LVL

Class Name	Object Name	Description
ISIR 00 1 EC	I1 HS Diploma or GED Received	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.HS_GED_RCVD
ISIR 00 1 EC	I1 Received First Bachelor Degree	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.FIRST_BACH_DEGREE
ISIR 00 1 EC	I1 Interested In Student Loans	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.INTERESTED_IN_SL
ISIR 00 1 EC	I1 Interested in Work-Study	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.INTERESTED_IN_WS
ISIR 00 1 EC	I1 VA Ben Number of Months	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.NUM_MONTH_VET_BEN
ISIR 00 1 EC	I1 Monthly Veterans Benefits	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_MTHLY_VET_BEN
ISIR 00 1 EC	I1 Student Tax Form	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.TAX_FORM_STU
ISIR 00 1 EC	I1 Student Tax Form Filed	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.TAX_FORM_FILED
ISIR 00 1 EC	I1 Eligible for 1040A or EZ	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_ELIG_1040A_EZ
ISIR 00 1 EC	I1 Student AGI	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_STU_AGI
ISIR 00 1 EC	I1 Student Income Tax Paid	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_STU_TAX_PAID
ISIR 00 1 EC	I1 Student Number of Exemptions	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_STU_NBR_EXEMP
ISIR 00 1 EC	I1 Student Income from Work	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_STU_WORK_INC
ISIR 00 1 EC	I1 Spouse Income from Work	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_SPS_WORK_INC
ISIR 00 1 EC	I1 Student's Total from WK A	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_STU_WK_A
ISIR 00 1 EC	I1 Student's Total from WK B	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_STU_WK_B
ISIR 00 1 EC	I1 Student Cash and Savings	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_STU_CASH
ISIR 00 1 EC	I1 Student's Investment Net Worth	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_STU_INVEST
ISIR 00 1 EC	I1 Student's Business Net Worth	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_STU_BUS_WORTH
ISIR 00 1 EC	I1 Graduate Student	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.GRADUATE_STUDENT
ISIR 00 1 EC	I1 Student Married	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.MARRIED
ISIR 00 1 EC	I1 Orphan or Ward of the Court	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.ORPHAN
ISIR 00 1 EC	I1 Veteran	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.VETERAN
ISIR 00 1 EC	I1 Dependents Other Than Spouse	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.DEPENDENTS
ISIR 00 1 EC	I1 Student Family Members	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_STU_FAM_MEM

Class Name	Object Name	Description
ISIR 00 1 EC	I1 Student Number in College	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_STU_MEM_COLL
ISIR 00 1 EC	I1 Parent Tax Form	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.TAX_FORM_PAR
ISIR 00 1 EC	I1 Parent Tax Form Filed	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.TAX_FORM_FILED_PAR
ISIR 00 1 EC	I1 Parent Eligible for 1040A or EZ	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_ELIG_1050A_PAR
ISIR 00 1 EC	I1 Parent AGI	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_PAR_AGI
ISIR 00 1 EC	I1 Parent Income Tax Paid	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_PAR_TAX_PAID
ISIR 00 1 EC	I1 Parent Number of Exemptions	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_PAR_NBR_EXEMP
ISIR 00 1 EC	I1 Father Income from Work	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_FATH_WORK_INC
ISIR 00 1 EC	11 Mother Income from Work	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_MOM_WORK_INC
ISIR 00 1 EC	I1 Parent Total from WK A	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_PAR_WK_A
ISIR 00 1 EC	I1 Parent Total from WK B	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_PAR_WK_B
ISIR 00 1 EC	I1 Parent Cash and Savings	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_PAR_CASH
ISIR 00 1 EC	I1 Parent Investment Net Worth	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_PAR_INVEST
ISIR 00 1 EC	I1 Parent Business Net Worth	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_PAR_BUS_WORTH
ISIR 00 1 EC	I1 Parent Marital Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.MARITAL_STAT_PAR
ISIR 00 1 EC	I1 Parent Family Members	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_PAR_FAM_MEM
ISIR 00 1 EC	I1 Parent Number in College	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_PAR_MEM_COLL
ISIR 00 1 EC	I1 Parent State of Legal Residence	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_PAR_STATE_RES
ISIR 00 1 EC	I1 Parent Legal Residence Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_PAR_RES_DT
ISIR 00 1 EC	I1 Student's 1st Choice School	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SCHOOL_CHOICE_1
ISIR 00 1 EC	I1 Student's Housing Code Col 1	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.HOUSING_CODE_1
ISIR 00 1 EC	I1 Student's 2nd Choice School	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SCHOOL_CHOICE_2
ISIR 00 1 EC	I1 Student's Housing Code Col 2	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.HOUSING_CODE_2
ISIR 00 1 EC	I1 Student's 3rd Choice School	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SCHOOL_CHOICE_3
ISIR 00 1 EC	I1 Student's Housing Code Col 3	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.HOUSING_CODE_3
		A

Class Name	Object Name	Description
ISIR 00 1 EC	I1 Student's 4th Choice School	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SCHOOL_CHOICE_4
ISIR 00 1 EC	I1 Student's Housing Code Col 4	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.HOUSING_CODE_4
ISIR 00 1 EC	I1 Student's 5th Choice School	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SCHOOL_CHOICE_5
ISIR 00 1 EC	I1 Student's Housing Code Col 5	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.HOUSING_CODE_5
ISIR 00 1 EC	I1 Student's 6th Choice School	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SCHOOL_CHOICE_6
ISIR 00 1 EC	I1 Student's Housing Code Col 6	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.HOUSING_CODE_6
ISIR 00 1 EC	I1 Date Application Completed	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.DT_APP_COMPLETED
ISIR 00 1 EC	I1 FAFSA Signed by	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_APP_SIGNED_BY
ISIR 00 1 EC	I1 Preparer's SSN - RESTRICTED	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_PREP_SSN□ □ WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.
ISIR 00 1 EC	I1 Preparer's EIN - RESTRICTED	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_PREP_EIN□ □ WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.
ISIR 00 1 EC	I1 Preparer's Signature	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_PREP_SIGNATURE
ISIR 00 1 EC	I1 Dependency Override	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.DEPENDENCY_OVERIDE
ISIR 00 1 EC	I1 FAA Institution Number	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.FAA_INSTITUT_NUM
ISIR 00 1 EC	I1 Adjusted EFC Calc Requested	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.ADJ_EFC_CALC_REQ
ISIR 00 1 EC	I1 Data Release Number	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_DRN
ISIR 00 1 EC	I1 Transaction Receipt Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.TRANS_RECEIPT_DT
ISIR 00 1 EC	I1 CPS Batch Number	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.BATCH_NUMBER
ISIR 00 1 EC	I1 Process Instance	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.PROCESS_INSTANCE
ISIR 00 1 EC	I1 Suspend Reason	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SUSPEND_REASON
ISIR 00 1 EC	I1 Error Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.ERROR_CODE
ISIR 00 1 EC	I1 Max Search Match Level	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.MAX_MATCH_LEVEL
ISIR 00 1 EC	I1 ID Override	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.ID_OVERRIDE
		л

Class Name	Object Name	Description
ISIR 00 1 EC	I1 Process Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.PROCESS_DT
ISIR 00 1 EC	I1 Alternate Effective Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.ALT_EFFDT
ISIR 00 1 EC	I1 Legal Res Before 01-01- XXXX	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_RES_PRIOR
ISIR 00 1 EC	I1 Drug Offense Conviction	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.DRUG_OFFENSE_CONV
ISIR 00 1 EC	I1 Born Before 01-01-XXXX	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_BORN_PRIOR
ISIR 00 1 EC	I1 Father's SSN - RESTRICTED	Data is completely replaced nightly. ∥ Steward: Financial Aid ∥ Source: PS_ISIR_00_1_EC.FATHER_SSN□ □ WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.
ISIR 00 1 EC	I1 Father's Last Name	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.FATHER_LAST_NAME
ISIR 00 1 EC	I1 Mother's SSN - RESTRICTED	Data is completely replaced nightly. ∥ Steward: Financial Aid ∥ Source: PS_ISIR_00_1_EC.MOTHER_SSN□ □ WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.
ISIR 00 1 EC	I1 Mother's Last Name	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.MOTHER_LAST_NAME
ISIR 00 1 EC	I1 Parent Legal Res Before 01- 01-XXXX	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_PAR_RES_PRI
ISIR 00 1 EC	I1 Student's Total from WK C	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_STU_WK_C
ISIR 00 1 EC	I1 Have Children You Support	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.CHILDREN
ISIR 00 1 EC	I1 Parents' Marital Status Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_PAR_MAR_ST_DT
ISIR 00 1 EC	I1 EFC Status Message	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.EFC_STATUS_MSG
ISIR 00 1 EC	I1 Father's First Name Initial	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.FATHER_1ST_NM_INIT
ISIR 00 1 EC	I1 Father's Date of Birth - RESTRICTED	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.FATHER_DOB WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.
ISIR 00 1 EC	I1 Mother's First Name Initial	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.MOTHER_1ST_NM_INIT
ISIR 00 1 EC	I1 Mother's Date of Birth - RESTRICTED	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.MOTHER_DOB WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.
ISIR 00 1 EC	I1 Enrollment Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.ISIR_STU_ENRL_STAT

Class Name	Object Name	Description
ISIR 00 1 EC	I1 Parent's Email Address	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_PAR_EMAIL
ISIR 00 1 EC	I1 Active Duty in U.S. Military	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_ACTIVE_DUTY
ISIR 00 1 EC	I1 Receives SSI Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_SSI_INCOME
ISIR 00 1 EC	I1 Receives Food Stamps	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_FOOD_STAMPS
ISIR 00 1 EC	I1 Participates in Sch Lunch Prog	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_SCHL_LUNCH_PRG
ISIR 00 1 EC	I1 TANF Recipient	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_TANF_BENEFITS
ISIR 00 1 EC	I1 WIC Benefits Recipient	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_WIC_BENEFITS
ISIR 00 1 EC	I1 Parent Receives SSI Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_SSI_INCOME
ISIR 00 1 EC	I1 Parent Receives Food Stamps	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_FOOD_STAMP
ISIR 00 1 EC	I1 Parent School Lunch Program	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_LUNCH_BEN
ISIR 00 1 EC	I1 Parent TANF Recipient	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_TANF_BEN
ISIR 00 1 EC	I1 Parent WIC Benefits	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_WIC_BEN
ISIR 00 1 EC	I1 Work Study or Student Loans	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_INTRSTD_IN_WSL
ISIR 00 1 EC	I1 Are You Male or Female	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_STDNT_GENDER
ISIR 00 1 EC	I1 HS Diploma or Equivalent	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_HS_DIP_EQUIV
ISIR 00 1 EC	I1 Student's 7th Choice School	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_SCHL_CHOICE_7
ISIR 00 1 EC	I1 Student's Housing Code Col 7	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_HOUSING_CODE7
ISIR 00 1 EC	I1 Student's 8th Choice School	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_SCHL_CHOICE_8
ISIR 00 1 EC	I1 Student's Housing Code Col 8	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_HOUSING_CODE8
ISIR 00 1 EC	I1 Student's 9th Choice School	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_SCHL_CHOICE_9
ISIR 00 1 EC	I1 Student's Housing Code Col 9	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_HOUSING_CODE9
ISIR 00 1 EC	I1 Student's 10th Choice School	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_SCHL_CHOICE_10
ISIR 00 1 EC		Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_HOUSING_CODE10
ISIR 00 1 EC	I1 Teacher Coursework	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_TCH_COURSE_WRK
ISIR 00 1 EC	I1 Emancipated Minor	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_EMANCIPT_MINOR

Class Name	Object Name	Description
ISIR 00 1 EC	I1 Legal Guardianship	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_LEGAL_GUARDIAN
ISIR 00 1 EC	I1 Youth determined by SDL	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_YOUTH_LIASON
ISIR 00 1 EC	I1 Youth determined by HUD	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_YOUTH_HUD
ISIR 00 1 EC	I1 At Risk of Homelessness	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_RISK_HOMELESS
ISIR 00 1 EC	I1 Student Dislocated Worker	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_STU_DISLOC_WRK
ISIR 00 1 EC	I1 Student's Educational Credits	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_STU_EDU_CREDIT
ISIR 00 1 EC	I1 Student Child Support Paid	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_STU_SUP_PAID
ISIR 00 1 EC	I1 Student Need-Based Employment	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_STU_NEED_EMPL
ISIR 00 1 EC	I1 Student Grant/Scholarship Aid	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_STU_GRANT_AID
ISIR 00 1 EC	I1 Student Combat Pay	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_STU_COMBAT_PAY
ISIR 00 1 EC	I1 Student Pension Payments	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_STU_PEN_PAY
ISIR 00 1 EC	I1 Student IRA Payments	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_STU_IRA_PAY
ISIR 00 1 EC	I1 Student Child Support Received	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_STU_SUP_RECV
ISIR 00 1 EC	I1 Student Interest Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_STU_INT_INCOME
ISIR 00 1 EC	I1 Student IRA Distributions	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_STU_IRA_DIST
ISIR 00 1 EC	I1 Student Untaxed Pensions	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_STU_UNTAX_PEN
ISIR 00 1 EC	I1 Students Mil/Clergy Allowance	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_STU_MIL_ALLOW
ISIR 00 1 EC	I1 Student Vet Non-Edu Benefits	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_STU_VET_ED_BEN
ISIR 00 1 EC	I1 Student Other Untaxed Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_STU_UNTAX_INC
ISIR 00 1 EC	I1 Other Non-Reported Money	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_STU_NREP_MONEY
ISIR 00 1 EC	I1 Parent Dislocated Worker	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_DISLOC_WRK
ISIR 00 1 EC	I1 Parents Educational Credits	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_EDU_CREDIT
ISIR 00 1 EC	I1 Parents Child Support Paid	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_SUP_PAID
ISIR 00 1 EC	I1 Parents Need-Based Employment	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_NEED_EMPL
ISIR 00 1 EC	I1 Parents Grant/Scholarship Aid	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_GRANT_AID

ISIR 00 1 EC		
		Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_COMBAT_PAY
ISIR 00 1 EC	arents Pension Payments	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_PEN_PAY
	-	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_IRA_PAY
ISIR UU TEU	eived	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_SUP_RECV
ISIR 00 1 EC I1 Pa		Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_INT_INCOME
ISIR 00 1 EC	arents IRA Distributions	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_IRA_DIST
ISIR 00 1 EC		Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_UNTAX_PEN
	arents Mil/Clergy wance	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_MIL_ALLOW
ISIR 00 1 EC I1 Pa Bene		Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_VET_ED_BEN
ISIR 00 1 EC	arents Other Untaxed	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_UNTAX_INC
ISIR 00 1 EC	eceiving Veterans Benefits	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_RECV_VET_BEN
ISIR 00 1 EC	ype of Veterans Benefits	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_VET_BEN_TYPE
ISIR 00 1 EC I1 St		Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_STU_COOP_EARN
ISIR 00 1 EC		Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_COOP_EARN
ISIR 00 1 EC I1 Hi		Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_HIGH_SCHL_NAME
ISIR 00 1 EC I1 Hi		Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_HIGH_SCHL_CITY
ISIR 00 1 EC I1 Hi		Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_HIGH_SCHL_STAT
ISIR 00 1 EC I1 Hi		Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_HIGH_SCHL_CODE
ISIR 00 1 EC	sset intesnoid Exceeded	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_STU_ASSET_THRS
		Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_ASSET_THRS
ISIR 00 2 EC I2 EC	C Transaction ID	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.ECTRANSID
ISIR 00 2 EC I2 EC	C Queue Instance	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.ECQUEUEINSTANCE
ISIR 00 2 EC I2 Se	equence Number	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.ISIR_SEQ_NO

Class Name	Object Name	Description
ISIR 00 2 EC	I2 Original SSN - RESTRICTED	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.ORIG_SSN□ □ WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.
ISIR 00 2 EC	I2 Name Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.NAME_CD
ISIR 00 2 EC	I2 Transaction Number	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_TRANS_NBR
ISIR 00 2 EC	I2 ETI Destination Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ETI_DEST_CODE
ISIR 00 2 EC	I2 Student First/Last Name	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.REJ_OVR_STDNT_NAME
ISIR 00 2 EC	I2 Large Family Size	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.REJ_OVR_BIG_FAMILY
ISIR 00 2 EC	I2 Assumption Override 1	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASSUM_OVER_1
ISIR 00 2 EC	I2 Assumption Override 2	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASSUM_OVER_2
ISIR 00 2 EC	I2 Assumption Override 3	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASSUM_OVER_3
ISIR 00 2 EC	I2 Assumption Override 4	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASSUM_OVER_4
ISIR 00 2 EC	I2 Assumption Override 5	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASSUM_OVER_5
ISIR 00 2 EC	I2 Assumption Override 6	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASSUM_OVER_6
ISIR 00 2 EC	I2 Application Receipt Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.APP_RECV_DT_O
ISIR 00 2 EC	I2 History Correction Applied	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_HIST_CORR_APP
ISIR 00 2 EC	I2 System Generated Indicator	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SYSTEM_GENERATED
ISIR 00 2 EC	I2 Graduate Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_GRAD_FLAG
ISIR 00 2 EC	I2 Auto Zero EFC	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.AUTO_ZERO_EFC
ISIR 00 2 EC	I2 Indicates When 'C' Printed SAR	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SAR_C_FLAG
ISIR 00 2 EC	I2 Simplified Need Test	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SIMPLE_NEEDTST
ISIR 00 2 EC	I2 Dependency Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.DEPNDNCY_STAT
ISIR 00 2 EC	I2 Reject Reason Codes	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_REJECT_CODES
ISIR 00 2 EC	I2 Selective Service Match	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SS_MATCH
ISIR 00 2 EC	I2 Selective Service Registration	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SS_REGISTRATION

Class Name	Object Name	Description
ISIR 00 2 EC	I2 INS Match	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.INS_MATCH
ISIR 00 2 EC	I2 Ins Verif Num	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_INS_VERIF_NUM
ISIR 00 2 EC	I2 SSN Match	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SSN_MATCH
ISIR 00 2 EC	I2 SSA Citizenship Indicator	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SSA_CITIZENSHP_IND
ISIR 00 2 EC	I2 NSLDS Match	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.NSLDS_MATCH
ISIR 00 2 EC	I2 Veteran Status Match Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.VA_MATCH
ISIR 00 2 EC	I2 Transaction Process Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.TRANS_PROCESS_DT
ISIR 00 2 EC	I2 Compute Batch Number	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_COMP_BTCH_NBR
ISIR 00 2 EC	I2 Corrections	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_CORRECTIONS
ISIR 00 2 EC	I2 Highlights	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_HIGHLIGHT
ISIR 00 2 EC	I2 Primary EFC	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_PRIMARY_EFC
ISIR 00 2 EC	I2 Secondary EFC	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SECONDARY_EFC
ISIR 00 2 EC	I2 Formula Type	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.FORMULA_TYPE
ISIR 00 2 EC	I2 Formula Type Sec	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.FORMULA_TYPE_SEC
ISIR 00 2 EC	I2 Primary Alternate Month 1	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.PRM_ALT_MONTH_1
ISIR 00 2 EC	I2 Primary Alternate Month 2	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.PRM_ALT_MONTH_2
ISIR 00 2 EC	I2 Primary Alternate Month 3	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.PRM_ALT_MONTH_3
ISIR 00 2 EC	I2 Primary Alternate Month 4	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.PRM_ALT_MONTH_4
ISIR 00 2 EC	I2 Primary Alternate Month 5	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.PRM_ALT_MONTH_5
ISIR 00 2 EC	I2 Primary Alternate Month 6	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.PRM_ALT_MONTH_6
ISIR 00 2 EC	I2 Primary Alternate Month 7	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.PRM_ALT_MONTH_7
ISIR 00 2 EC	I2 Primary Alternate Month 8	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.PRM_ALT_MONTH_8
ISIR 00 2 EC	I2 Primary Alternate Month 10	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.PRM_ALT_MONTH_10
ISIR 00 2 EC	I2 Primary Alternate Month 11	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.PRM_ALT_MONTH_11
ISIR 00 2 EC	I2 Primary Alternate Month 12	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.PRM_ALT_MONTH_12

Class Name	Object Name	Description
ISIR 00 2 EC	I2 Secondary Alternate Month 1	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SEC_ALT_MONTH_1
ISIR 00 2 EC	I2 Secondary Alternate Month 2	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SEC_ALT_MONTH_2
ISIR 00 2 EC	I2 Secondary Alternate Month 3	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SEC_ALT_MONTH_3
ISIR 00 2 EC	I2 Secondary Alternate Month 4	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SEC_ALT_MONTH_4
ISIR 00 2 EC	I2 Secondary Alternate Month 5	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SEC_ALT_MONTH_5
ISIR 00 2 EC	I2 Secondary Alternate Month 6	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SEC_ALT_MONTH_6
ISIR 00 2 EC	I2 Secondary Alternate Month 7	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SEC_ALT_MONTH_7
ISIR 00 2 EC	I2 Secondary Alternate Month 8	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SEC_ALT_MONTH_8
ISIR 00 2 EC	I2 Secondary Alternate Month 10	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SEC_ALT_MONTH_10
ISIR 00 2 EC	I2 Secondary Alternate Month 11	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SEC_ALT_MONTH_11
ISIR 00 2 EC	I2 Secondary Alternate Month 12	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SEC_ALT_MONTH_12
ISIR 00 2 EC	I2 Total Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.TOTAL_INCOME_CH
ISIR 00 2 EC	I2 Allowance VS Total Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.ALWNC_AGAINST_TICH
ISIR 00 2 EC	I2 State Tax Allowance	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.STATE_TAX_ALWNC_CH
ISIR 00 2 EC	I2 Employment Allowance	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.EMPLOYMENT_ALWNCCH
ISIR 00 2 EC	I2 Inc Protection Allowance	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.INC_PROTECTN_AL_CH
ISIR 00 2 EC	I2 Available Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.AVAILABLE_INCOMECH
ISIR 00 2 EC	I2 Contribution Available Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.CONTRIB_AVAIL_INCH
ISIR 00 2 EC	I2 Discretionary Net Worth	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.DESCRTN_NETWRTHCH
ISIR 00 2 EC	I2 NW: EFC Net Worth	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_EFC_NET_WORTH
ISIR 00 2 EC	I2 Asset Protection Allowance	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.AST_PROTECTN_ALWCH
ISIR 00 2 EC	I2 Contribution from Assets	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.CONTRIB_FROM_ASSCH
ISIR 00 2 EC	I2 Adj Available Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.ADJ_AVAILABLEIN_CH
ISIR 00 2 EC	I2 Total Student Contribution	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.TOTAL_STU_CONT_CH

Class Name	Object Name	Description
ISIR 00 2 EC	I2 Total Parent Contribution	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.TOTAL_PAR_CONT_CH
ISIR 00 2 EC	I2 Parent Contribution	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.ADJ_PAR_CONTRIB_CH
ISIR 00 2 EC	I2 Student's Total Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.STU_TOTAL_INC_CH
ISIR 00 2 EC	I2 Student's Allowance vs TI	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SATI
ISIR 00 2 EC	I2 Student Income Contribution	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.DEP_STU_I_CONT_CH
ISIR 00 2 EC	I2 Student's Disc Net Worth	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SDNW
ISIR 00 2 EC	I2 Student Asset Contribution	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.DEP_STU_A_CONRB_CH
ISIR 00 2 EC	I2 FISAP Total Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.FISAP_TOT_INC_CH
ISIR 00 2 EC	I2 Secondary Total Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_TI
ISIR 00 2 EC	I2 Secondary Allowance vs Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_ATI
ISIR 00 2 EC	I2 Secondary State Tax Allowance	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_STX
ISIR 00 2 EC	I2 Secondary Employment Allowance	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_EA
ISIR 00 2 EC	I2 Secondary Inc Prot Allowance	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_IPA
ISIR 00 2 EC	I2 Secondary Available Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_AI
ISIR 00 2 EC	I2 Secondary Contrib from AI	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_CAI
ISIR 00 2 EC	I2 Secondary DNW	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_DNW
ISIR 00 2 EC	I2 Secondary Net Worth	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_NW
ISIR 00 2 EC	I2 Secondary Asset Protect Allow	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_APA
ISIR 00 2 EC	I2 Secondary Par Cont From Assets	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_PCA
ISIR 00 2 EC	I2 Secondary Adj Avail Inc	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_AAI
ISIR 00 2 EC	I2 Secondary Total Stud Contrib	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_TSC
ISIR 00 2 EC	I2 Secondary Total Par Contrib	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_TPC
ISIR 00 2 EC	I2 Secondary Par Contrib	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_PC
ISIR 00 2 EC	I2 Secondary Stu Total Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_STI
ISIR 00 2 EC	I2 Secondary Stu All vs TI	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_SATI
		۱

Class Name	Object Name	Description
ISIR 00 2 EC	I2 Secondary Stu Ind Dep IC	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_SIC
ISIR 00 2 EC	I2 Secondary Stu DNW	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_SDNW
ISIR 00 2 EC	I2 Secondary Stu Cont from Assets	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_SCA
ISIR 00 2 EC	I2 Secondary FISAP Total Inc	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_FTI
ISIR 00 2 EC	I2 Assumed Citizenship	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.ASMD_CITIZENSHIP
ISIR 00 2 EC	I2 Assumed Student's Mar Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASSUM_STU_MS
ISIR 00 2 EC	I2 Assumed DOB Prior	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASSUMED_DOBPR
ISIR 00 2 EC	I2 Student is Married	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_STU_MARRIED
ISIR 00 2 EC	I2 Assumed VA Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASSUMED_VA_ST
ISIR 00 2 EC	I2 Assumed Stu Legal Deps	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASSUMED_DEP
ISIR 00 2 EC	I2 Assumed Num in Family	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASSUMED_FAM_NO
ISIR 00 2 EC	I2 Assumed Num in Coll	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASSUMED_COL_NO
ISIR 00 2 EC	I2 Assumed AGI	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASSUMED_AGI
ISIR 00 2 EC	I2 Assumed Income from Work	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASSUMED_IFW
ISIR 00 2 EC	I2 Assumed Income from Work - SPS	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASSUM_IFW_SPS
ISIR 00 2 EC	I2 Assumed Tax Paid	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASS_STU_TAX
ISIR 00 2 EC	I2 Assumed Par Mar Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASS_PAR_MS
ISIR 00 2 EC	I2 Assumed Par Nbr in Fam	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASS_PAR_FAM_NO
ISIR 00 2 EC	I2 Assumed Par Nbr in Coll	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASS_PAR_COL_NO
ISIR 00 2 EC	I2 Assumed Par AGI	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASS_PAR_AGI
ISIR 00 2 EC	I2 Assumed Father Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASS_FTHR_INC
ISIR 00 2 EC	I2 Assumed Mother Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASS_MOM_INC
ISIR 00 2 EC	I2 Assumed Parents' Tax Paid	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASS_PAR_TAXPD
ISIR 00 2 EC	I2 Comment Codes	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_COMMENT_CDS
ISIR 00 2 EC	I2 SAR Ack Comment Codes	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SAR_ACK_COMCDS

Class Name	Object Name	Description
ISIR 00 2 EC	I2 Federal Pell Eligibility	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.PELL_ELIGIBILITY
ISIR 00 2 EC	I2 Reprocess Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.CPS_REPROCESS_CD
ISIR 00 2 EC	I2 Electronic Institution Ind	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.ELEC_INSTITUT_IND
ISIR 00 2 EC	I2 Processed Record Type	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_PROC_REC_TYPE
ISIR 00 2 EC	I2 Parents' Calc XX Tax Stat	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_PAR_XX_TAXSTAT
ISIR 00 2 EC	I2 Student's Calc XX Tax Stat	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_STU_XX_TAXSTAT
ISIR 00 2 EC	I2 Verification Select/Tracking	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.VERIFICATION_SELEC
ISIR 00 2 EC	I2 CPS Appl Source Site Cd	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_APP_SOURCE
ISIR 00 2 EC	I2 Transaction Source Site Cd	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_TRANS_SOURCE
ISIR 00 2 EC	I2 Parent's Total from WK C	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_PAR_WK_C
ISIR 00 2 EC	I2 Student's Email Address	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_STD_EMAIL
ISIR 00 2 EC	I2 Source of Correction	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SOURCE_CORR
ISIR 00 2 EC	I2 EFC Change Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_EFC_CHNG_FLAG
ISIR 00 2 EC	I2 Secondary INS Match Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_INS_MATCH
ISIR 00 2 EC	I2 Assumed Children	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASS_CHILDREN
ISIR 00 2 EC	I2 Duplicate SSN Indicator	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_DUP_SSN_CD
ISIR 00 2 EC	I2 Assumed Stu Inc from WK C	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASS_STU_WKC
ISIR 00 2 EC	I2 Assumed Parents' WK C	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASS_PAR_WKC
ISIR 00 2 EC	I2 Assumed Father's SSN	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASS_FATHER_SSN
ISIR 00 2 EC	I2 Assumed Mother's SSN	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASS_MOTHER_SSN
ISIR 00 2 EC	I2 Verification Tracking Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.VERIF_TRK_FLG
ISIR 00 2 EC	I2 Date of Birth Yr is 1900- 1928	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.REJ_OVR_BIRTH_YEAR
ISIR 00 2 EC	I2 Taxes paid is high, but < AGI	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.REG_OVR_TAX_RANGE
ISIR 00 2 EC	I2 FAFSA Data Verify Flags	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_DATA_VERIFY
ISIR 00 2 EC	I2 Address Only Change Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.ADDR_ONLY_CHNG_FLG

Class Name	Object Name	Description
ISIR 00 2 EC	I2 CPS Pushed ISIR Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.ISIR_CPS_PUSHED
ISIR 00 2 EC	I2 ISIR SAR C Flag Changed	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.ISIR_SAR_C_CHNG
ISIR 00 2 EC	I2 Father's SSN Match	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.FATHER_SSN_MATCH
ISIR 00 2 EC	I2 Mother's SSN Match	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.MOTHER_SSN_MATCH
ISIR 00 2 EC	I2 Multiple Institution Flag 1	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.MULTI_INSTITUTION1
ISIR 00 2 EC	I2 Multiple Institution Flag 2	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.MULTI_INSTITUTION2
ISIR 00 2 EC	I2 Multiple Institution Flag 3	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.MULTI_INSTITUTION3
ISIR 00 2 EC	I2 Multiple Institution Flag 4	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.MULTI_INSTITUTION4
ISIR 00 2 EC	I2 Multiple Institution Flag 5	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.MULTI_INSTITUTION5
ISIR 00 2 EC	I2 Multiple Institution Flag 6	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.MULTI_INSTITUTION6
ISIR 00 2 EC	I2 ISIR Elec Trans Indicator	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.ISIR_ETI
ISIR 00 2 EC	I2 Taxes paid is high, but < AGI-Dep	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.REJ_OVR_TAXRNG_DEP
ISIR 00 2 EC	I2 Reject Override 3	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SFA_REJ_OVR_TX_STU
ISIR 00 2 EC	I2 Reject Override 12	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SFA_REJ_OVR_TX_PAR
ISIR 00 2 EC	I2 Reject Override J	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SFA_REJ_OVR_DADSSN
ISIR 00 2 EC	I2 Reject Override K	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SFA_REJ_OVR_MOMSSN
ISIR 00 2 EC	I2 Rejected Status Change Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SFA_REJ_ST_CHG_FLG
ISIR 00 2 EC	I2 Verification Select Change Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SFA_VF_SEL_CHG_FLG
ISIR 00 2 EC	I2 Reject Override 4	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SFA_REJ_OVR_MR_STU
ISIR 00 2 EC	I2 Reject Override 20	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SFA_REJ_OVR_NO_TAX
ISIR 00 2 EC	I2 Signature Reject EFC	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SFA_IW_SIGNREJ_EFC
ISIR 00 2 EC	I2 Multiple Institution Flag 7	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SFA_MULTI_INST7
ISIR 00 2 EC	I2 Multiple Institution Flag 8	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SFA_MULTI_INST8
ISIR 00 2 EC	I2 Multiple Institution Flag 9	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SFA_MULTI_INST9
ISIR 00 2 EC	I2 Multiple Institution Flag 10	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SFA_MULTI_INST10

Class Name	Object Name	Description
ISIR 00 2 EC	I2 Special Circumstances Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SFA_SPL_CIRCUM_FLG
ISIR 00 2 EC	I2 Assumed Risk of Homelessness	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SFA_ASM_RISK_HOME
ISIR 00 2 EC	I2 Dept of Defense Match	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SFA_DOD_MATCH
ISIR 00 2 EC	I2 DOD Parent Date of Death	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SFA_DOD_PARENT
ISIR 00 2 EC	I2 Student IRS Request	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SFA_STU_IRS_REQUST
ISIR 00 2 EC	I2 Parent IRS Request	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SFA_PAR_IRS_REQUST
ISIR 00 2 EC	I2 High School Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SFA_HIGH_SCHL_FLAG
ISIR 00 2 EC	I2 Reject Override 21	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SFA_REJ_OVR_MAR_ST
ISIR 00 2 EC	I2 Assumed Stu Asset Thrs Exceed	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SFA_STU_ASM_ASSET
ISIR 00 2 EC	I2 Assumed Par Asset Thrs Exceed	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SFA_PAR_ASM_ASSET
ISIR 00 2 EC	I2 Student IRS AGI Data	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SFA_STU_IRS_AGI
ISIR 00 2 EC	I2 Student IRS FIT Data	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SFA_STU_IRS_FIT
ISIR 00 2 EC	I2 Parent IRS AGI Data	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SFA_PAR_IRS_AGI
ISIR 00 2 EC	I2 Parent IRS FIT Data	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SFA_PAR_IRS_FIT
ISIR 00 3 EC	I3 EC Transaction ID	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.ECTRANSID
ISIR 00 3 EC	I3 EC Queue Instance	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.ECQUEUEINSTANCE
ISIR 00 3 EC	13 Sequence Number	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.ISIR_SEQ_NO
ISIR 00 3 EC	I3 Original SSN - RESTRICTED	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.ORIG_SSN□ □ WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.
ISIR 00 3 EC	I3 Name Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NAME_CD
ISIR 00 3 EC	I3 Transaction Number	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.IWD_TRANS_NBR
ISIR 00 3 EC	I3 NSLDS Transaction Number	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_TXN_NBR
ISIR 00 3 EC	I3 NSLDS DB Results Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.IWD_NSLDS_DB_FLAG
ISIR 00 3 EC	I3 NSLDS Pell Overpayment	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_PELL_OVRPYMN

Class Name	Object Name	Description
ISIR 00 3 EC	13 Pell Overpayment Contact	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_PELL_CNTCT
ISIR 00 3 EC	I3 NSLDS SEOG Overpayment	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_SEOG_OVRPYMN
ISIR 00 3 EC	I3 SEOG Overpayment Contact	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_SEOG_CNTCT
ISIR 00 3 EC	I3 NSLDS Perkins Overpayment	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_PERK_OVRPYMN
ISIR 00 3 EC	I3 Perkins Overpayment Contact	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_PERK_CNTCT
ISIR 00 3 EC	13 NSLDS Default Reported	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_DFLT_LOAN
ISIR 00 3 EC	I3 NSLDS Discharged Rptd	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_DSCHRGD_LOAN
ISIR 00 3 EC	I3 NSLDS Satisfactory Repayment	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_SATIS_RPYMNT
ISIR 00 3 EC	13 NSLDS Active Bankruptov	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_ACTV_BNKRPTC
ISIR 00 3 EC	I3 Aggregate Sub Out Principal	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_AGGR_SUB_CH
ISIR 00 3 EC	I3 Aggr Combined Out Principal	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_AGGR_CMBO_CH
ISIR 00 3 EC		Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_AGGR_CNSL_CH
ISIR 00 3 EC		Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_PEND_ASUB_CH
ISIR 00 3 EC	I3 Aggr Combined Pending Disb	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_AGGR_PCOMBCH
ISIR 00 3 EC	I3 Aggregate Subsidized Total	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.AGGR_SUBSDZD_TOTCH
ISIR 00 3 EC	I3 Aggregate Combined Total	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_AGGR_COMB_CH
ISIR 00 3 EC	I3 Aggregate Consolidated Total	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_AGGR_CONS_CH
ISIR 00 3 EC	13 Perkinds Cum Disb Amt	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_PERK_CUM_DCH
ISIR 00 3 EC	I3 Perkins CY Disbursement Amt	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_PERK_YR_CH
ISIR 00 3 EC	I3 NSLDS Default Ln Chg	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_DFLT_CHG
ISIR 00 3 EC	I3 NSLDS Dschrgd Ln Chg	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_DSCHRGD_CHG
ISIR 00 3 EC	12 NELDS Satisfactory	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_RPYMNT_CHG
ISIR 00 3 EC	13 NSLDS Active Bankruptcy	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_BNKRPTCY_CHG

Class Name	Object Name	Description
ISIR 00 3 EC	I3 NSLDS Overpayment Chg	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_OVRPYMNT_CHG
ISIR 00 3 EC	I3 Aggr Loan Chg	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_AGGR_LN_CHG
ISIR 00 3 EC	I3 NSLDS Perkins Chg	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_PERKINS_CHG
ISIR 00 3 EC	13 NSLDS Pell Payment Chg	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_PELL_PAY_CHG
ISIR 00 3 EC	I3 NSLDS Additional Pell	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_ADDTNL_PELL
ISIR 00 3 EC	13 NSLDS Additional Loans	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_ADDTNL_LOAN
ISIR 00 3 EC	I3 NSLDS Pell Seq No	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_PELL_SEQ_CH
ISIR 00 3 EC	I3 NSLDS Pell Verif Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_PELL_VER_FLG
ISIR 00 3 EC	I3 NSLDS Pell EFC	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_PELLEFC
ISIR 00 3 EC	13 NSLDS Pell School Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_PELL_SCHL_CD
ISIR 00 3 EC	I3 NSLDS Pell Trans Nbr	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_PELL_TRN_NO
ISIR 00 3 EC	I3 NSLDS Pell Last Update Date 1	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_PELL_LSTUPDT
ISIR 00 3 EC	I3 NSLDS Pell Sch Amt	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_PELLSCHAMT
ISIR 00 3 EC	I3 NSLDS Pell Paid	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_PELLAMTPD
ISIR 00 3 EC	I3 NSLDS Pell Pct Used	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_PELL_PCTUSD
ISIR 00 3 EC	13 NSLDS Pell Seq No 2	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_PELL_SEQ_CH2
ISIR 00 3 EC	13 NSLDS Pell Verif Flag 2	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_PELL_VERFLG2
ISIR 00 3 EC	I3 NSLDS Pell EFC 2	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_PELLEFC2
ISIR 00 3 EC	13 NSLDS Pell School Code 2	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_PELL_SCHLCD2
ISIR 00 3 EC	I3 NSLDS Pell Trans Nbr 2	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_PELL_TRN_NO2
ISIR 00 3 EC	I3 NSLDS Pell Last Update Date 2	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_PELL_LSTUDT2
ISIR 00 3 EC	I3 NSLDS Pell Sch Amt 2	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_PELLSCHAMT2
ISIR 00 3 EC	I3 NSLDS Pell Paid 2	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_PELLAMTPD2
ISIR 00 3 EC	I3 NSLDS Pell Pct Used 2	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_PELL_PCTUSD2
ISIR 00 3 EC	13 NSLDS Pell Seq No 3	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_PELL_SEQ_CH3

Class Name	Object Name	Description
ISIR 00 3 EC	I3 NSLDS Pell Verif Flag 3	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_PELL_VERFLG3
ISIR 00 3 EC	I3 NSLDS Pell EFC 3	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_PELLEFC3
ISIR 00 3 EC	I3 NSLDS Pell School Code 3	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_PELL_SCHLCD3
ISIR 00 3 EC	I3 NSLDS Pell Trans Nbr 3	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_PELL_TRN_NO3
ISIR 00 3 EC	I3 NSLDS Pell Last Update Date 3	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_PELL_LSTUDT3
ISIR 00 3 EC	I3 NSLDS Pell Sch Amt 3	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_PELLSCHAMT3
ISIR 00 3 EC	I3 NSLDS Pell Paid 3	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_PELLAMT_PD3
ISIR 00 3 EC	I3 NSLDS Pell Pct Used 3	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_PELL_PCTUSD3
ISIR 00 3 EC	I3 NSLDS Post-Screening Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_POST_SCREEN
ISIR 00 3 EC	13 Aggregate Unsub Out Principal	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_AGGR_USUB_CH
ISIR 00 3 EC	I3 Aggr Unsubsidized Pending Disb	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_PNDA_USUB_CH
ISIR 00 3 EC	I3 Aggregate Unsubsidized Total	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.AGGR_USUBDZD_TOTCH
ISIR 00 3 EC	I3 NSLDS Pell Award Amount (1)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_PELLAWD_AMT1
ISIR 00 3 EC	I3 NSLDS Pell Award Amount (2)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_PELLAWD_AMT2
ISIR 00 3 EC	I3 NSLDS Pell Award Amount (3)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_PELLAWD_AMT3
ISIR 00 3 EC	I3 DL Master-Prom Note Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.IWD_DL_MPN_FLAG
ISIR 00 3 EC	I3 NSLDS Post-Screening Code 2	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_POST_SCREEN2
ISIR 00 3 EC	I3 DL Plus Master-Prom Note Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.NSLDS_PLUS_MPN_FLG
ISIR 00 3 EC	I3 ISIR SUb Limit Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.ISIR_SUB_LIMIT_FLG
ISIR 00 3 EC	I3 ISIR Combo Limit Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.ISIR_CMB_LIMIT_FLG
ISIR 00 3 EC	I3 ACG Overpayment	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_OVRPYMN
ISIR 00 3 EC	I3 ACG Overpayment Contact	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_CNTCT
ISIR 00 3 EC	I3 NSG Overpayment	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_OVRPYMN
ISIR 00 3 EC	I3 NSG Overpayment Contact	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_CNTCT
ISIR 00 3 EC	I3 ACG Payment Change	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_PAY_CHG
L		

Class Name	Object Name	Description
ISIR 00 3 EC	I3 NSG Change	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_CHG
ISIR 00 3 EC	13 Additional ACG	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ADDTNL_ACG
ISIR 00 3 EC	13 Additional NSG	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ADDTNL_NSG
ISIR 00 3 EC	I3 DL GradPlus MPN Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_GPLUS_MPNFLG
ISIR 00 3 EC	I3 ACG Sequence No (1)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_SEQ_CH1
ISIR 00 3 EC	13 ACG School Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_SCHL_CD
ISIR 00 3 EC	13 ACG Transaction No (1)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_TRN_NBR1
ISIR 00 3 EC	I3 ACG Last Update Date (1)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_LSTUPDT1
ISIR 00 3 EC	I3 ACG Amount Paid (1)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_AMT_PD1
ISIR 00 3 EC	I3 ACG Award Amount (1)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_AWD_AMT1
ISIR 00 3 EC	I3 ACG School Year (1)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_SCHLYR1
ISIR 00 3 EC	13 Eligibility Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_ELIG_CD
ISIR 00 3 EC	13 High School Prog	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_HS_PGM
ISIR 00 3 EC	I3 ACG Sequence Code (1)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_SEQCD1
ISIR 00 3 EC	13 ACG Sequence No (2)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_SEQ_CH2
ISIR 00 3 EC	13 ACG School Code (2)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_SCHLCD2
ISIR 00 3 EC	13 ACG Transaction No (2)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_TRN_NBR2
ISIR 00 3 EC	I3 ACG Last Update Date (2)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_LSTUPDT2
ISIR 00 3 EC	I3 ACG Amount Paid (2)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_AMT_PD2
ISIR 00 3 EC	I3 ACG Award Amount (2)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_AWD_AMT2
ISIR 00 3 EC	13 ACG School Year (2)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_SCHLYR2
ISIR 00 3 EC	13 ACG Eligibility Code (2)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_ELIG_CD2
ISIR 00 3 EC	I3 ACG High School Prog Code (2)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_HS_PGM2
ISIR 00 3 EC	I3 ACG Sequence Code (2)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_SEQCD2
ISIR 00 3 EC	I3 ACG Sequence No (3)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_SEQ_CH3

Class Name	Object Name	Description
ISIR 00 3 EC	I3 ACG School Code (3)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_SCHLCD3
ISIR 00 3 EC	I3 ACG Transaction No (3)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_TRN_NBR3
ISIR 00 3 EC	I3 ACG Last Update Date (3)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_LSTUPDT3
ISIR 00 3 EC	I3 ACG Amount Paid (3)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_AMT_PD3
ISIR 00 3 EC	I3 ACG Award Amount (3)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_AWD_AMT3
ISIR 00 3 EC	I3 ACG School Year (3)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_SCHLYR3
ISIR 00 3 EC	I3 ACG Eligibility Code (3)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_ELIG_CD3
ISIR 00 3 EC	I3 ACG High School Prog Code (3)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_HS_PGM3
ISIR 00 3 EC	I3 ACG Sequence Code (3)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_SEQCD3
ISIR 00 3 EC	I3 NSF Sequence No (1)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_SEQ_CH1
ISIR 00 3 EC	I3 NSG School Code (1)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_SCHL_CD
ISIR 00 3 EC	I3 NSG Transaction No (1)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_TRN_NBR1
ISIR 00 3 EC	I3 NSG Last Update Date (1)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_LSTUPDT1
ISIR 00 3 EC	I3 NSG Amount Paid (1)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_AMT_PD1
ISIR 00 3 EC	I3 NSG Award Amount (1)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_AWDAMT1
ISIR 00 3 EC	I3 NSG School Year (1)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_SCHLYR1
ISIR 00 3 EC	I3 NSG Instruct Program Code (1)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_INSTPG1
ISIR 00 3 EC	I3 NSG Sequence Code (1)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_SEQCD1
ISIR 00 3 EC	I3 NSG Sequence No (2)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_SEQ_CH2
ISIR 00 3 EC	I3 NSG School Code (2)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_SCHLCD2
ISIR 00 3 EC	I3 NSG Transaction No (2)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_TRN_NBR2
ISIR 00 3 EC	I3 NSG Last Update Date (2)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_LSTUPDT2
ISIR 00 3 EC	I3 NSG Amount Paid (2)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_AMT_PD2
ISIR 00 3 EC	I3 NSG Award Amount (2)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_AWDAMT2
ISIR 00 3 EC	I3 NSG School Year (2)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_SCHLYR2
	1	

Class Name		Description
ISIR 00 3 EC	I3 NSG Instruct Program Code (2)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_INSTPG2
ISIR 00 3 EC	I3 NSG Sequence Code (2)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_SEQCD2
ISIR 00 3 EC	I3 NSG Sequence No (3)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_SEQ_CH3
ISIR 00 3 EC	I3 NSG School Code (3)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_SCHLCD3
ISIR 00 3 EC	I3 NSG Transaction No (3)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_TRN_NBR3
ISIR 00 3 EC	I3 NSG Last Update Date (3)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_LSTUPDT3
ISIR 00 3 EC	I3 NSG Amount Paid (3)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_AMT_PD3
ISIR 00 3 EC	I3 NSG Award Amount (3)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_AWDAMT3
ISIR 00 3 EC	I3 NSG School Year (3)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_SCHLYR3
ISIR 00 3 EC	I3 NSG Instruct Program Code (3)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_INSTPG3
ISIR 00 3 EC	I3 NSG Sequence Code (3)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_SEQCD3
ISIR 00 3 EC	I3 Fraud Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_FRAUD_FLG
ISIR 00 3 EC	I3 NSLDS Fraud Loan Chg	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSLDS_FRDLN_CH
ISIR 00 3 EC	I3 NSLDS UG Combo Loan Limit	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSLDS_UGCMB_LN
ISIR 00 3 EC	13 NSLDS UG Sub Loand Limit	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSLDS_UGSUB_LN
ISIR 00 3 EC	I3 ACG Scheduled Award Amount (1)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_SCH_AMT1
ISIR 00 3 EC	I3 ACG Pront Elig Scholl Award	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_AWD_PTUSD1
ISIR 00 3 EC	I3 ACG Award Year (1)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_AWD_YR1
ISIR 00 3 EC	I3 ACG Total Elig Acad Yr Lvl (1)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_LVL_PTUSD1
ISIR 00 3 EC	I3 ACG Scheduled Award Amount (2)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_SCH_AMT2
ISIR 00 3 EC	()	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_AWD_PTUSD2
ISIR 00 3 EC	I3 ACG Award Year (2)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_AWD_YR2
ISIR 00 3 EC	I3 ACG Total Elig Acad Yr Lvl (2)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_LVL_PTUSD2
ISIR 00 3 EC	I3 ACG Scheduled Award Amount (3)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_SCH_AMT3
ISIR 00 3 EC		Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_AWD_PTUSD3
L	1-7	

Class Name	Object Name	Description
ISIR 00 3 EC	I3 ACG Award Year (3)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_AWD_YR3
ISIR 00 3 EC	I3 ACG Total Elig Acad Yr Lvl (3)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_ACG_LVL_PTUSD3
ISIR 00 3 EC	I3 NSG Scheduled Award Amount (1)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_SCH_AMT1
ISIR 00 3 EC	I3 NSG Pront Elig Schdl Award (1)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_AWD_PTUSD1
ISIR 00 3 EC	I3 NSG Award Year (1)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_AWD_YR1
ISIR 00 3 EC	I3 NSG Total Elig Acad Yr Lvl (1)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_LVL_PTUSD1
ISIR 00 3 EC	I3 NSG Scheduled Award Amount (2)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_SCH_AMT2
ISIR 00 3 EC	()	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_AWD_PTUSD2
ISIR 00 3 EC	I3 NSG Award Year (2)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_AWD_YR2
ISIR 00 3 EC	I3 NSG Total Elig Acad Yr Lvl (2)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_LVL_PTUSD2
ISIR 00 3 EC	I3 NSG Scheduled Award Amount (3)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_SCH_AMT3
ISIR 00 3 EC		Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_AWD_PTUSD3
ISIR 00 3 EC	I3 NSG Award Year (3)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_AWS_YR3
ISIR 00 3 EC	I3 NSG Total Elig Acad Yr Lvl (3)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSG_LVL_PTUSD3
ISIR 00 3 EC	13 TEACH Overpayment	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_TCH_OVRPYMN
ISIR 00 3 EC	I3 TEACH Overpayment Contact	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_TH_CNTCT
ISIR 00 3 EC	I3 TEACH Grant Loan Conv	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_TCH_LN_CNV_FLG
ISIR 00 3 EC	I3 NSLDS TEACH Grant to Loan Chg	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_TCH_LNCNV_CHG
ISIR 00 3 EC	13 TEACH Grant Change Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_TCH_GRNT_CHG
ISIR 00 3 EC	I3 Additional TEACH Grant	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_TCH_ADD_GRANT
ISIR 00 3 EC	I3 TEACH Loan Principal Balance	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_TCH_LN_BALANCE
ISIR 00 3 EC	I3 TEACH Loan Total	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_TCH_LOAN_TOTAL
ISIR 00 3 EC	I3 TEACH UG Disbursement Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_TCH_UGRD_AMNT
ISIR 00 3 EC	I3 TEACH Graduate Disbursement Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_TCH_GRAD_AMNT
ISIR 00 3 EC	I3 TEACH Sequence No (1)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_TCH_SEQ_CH1

Class Name	Object Name	Description
ISIR 00 3 EC	13 TEACH School Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_TCH_SCHL_CD
ISIR 00 3 EC	I3 TEACH Transaction No (1)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_TCH_TRN_NBR1
ISIR 00 3 EC	I3 TEACH Last Update Date (1)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_TCH_LSTUPDT1
ISIR 00 3 EC	I3 TEACH Schdl Award Amount (1)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_TCH_SCH_AMT1
ISIR 00 3 EC	I3 TEACH Amount Paid (1)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_TCH_AMT_PD1
ISIR 00 3 EC	I3 TEACH Award Amount (1)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_TCH_AWD_AMT1
ISIR 00 3 EC	I3 TEACH Academic Year Level (1)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_TCH_SCHLYR1
ISIR 00 3 EC	I3 TEACH COD Sequence Code (1)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_TCH_SEQCD1
ISIR 00 3 EC	I3 TEACH Award Year (1)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_TCH_AWD_YR1
ISIR 00 3 EC	I3 TEACH Loan Conversion (1)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_TCH_LOAN_CNV1
ISIR 00 3 EC	I3 TEACH Sequence No (2)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_TCH_SEQ_CH2
ISIR 00 3 EC	I3 TEACH School Code (2)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_TCH_SCHL_CD2
ISIR 00 3 EC	I3 TEACH Transaction No (2)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_TCH_TRN_NBR2
ISIR 00 3 EC	I3 TEACH Last Update Date (2)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_TCH_LSTUPDT2
ISIR 00 3 EC	I3 TEACH Schdl Award Amount (2)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_TCH_SCH_AMT2
ISIR 00 3 EC	I3 TEACH Amount Paid (2)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_TCH_AMT_PD2
ISIR 00 3 EC	I3 TEACH Award Amount (2)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_TCH_AWD_AMT2
ISIR 00 3 EC	I3 TEACH Academic Year Level (2)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_TCH_SCHLYR2
ISIR 00 3 EC	I3 TEACH COD Sequence Code (2)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_TCH_SEQCD2
ISIR 00 3 EC	I3 TEACH Award Year (2)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_TCH_AWD_YR2
ISIR 00 3 EC	13 TEACH Loan Conversion (2)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_TCH_LOAN_CNV2
ISIR 00 3 EC	I3 Additional Elig Indicator (1)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSLDS_ADD_IND
ISIR 00 3 EC	13 Additional Elig Indicator (2)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSLDS_ADD_IND2
ISIR 00 3 EC	13 Additional Elig Indicator (3)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSLDS_ADD_IND3
ISIR 00 3 EC	I3 IASA Overpayment	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_IASG_OVRPYMN
L		

Class Name	Object Name	Description
ISIR 00 3 EC	I3 IASA Overpayment Contact	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_IASG_CNTCT
ISIR 00 3 EC	13 Pell Lifetime Limit	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSLDS_PELL_LMT
ISIR 00 3 EC	13 Lifetime Eligibility Used	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_LIFETIME_ELIG
ISIR 00 3 EC	I3 Unusual Enrollment Pattern Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_3_EC.SFA_NSLDS_ENRL_PTN
ISIR Reject Reason	IR EmplID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_REJ_REASON.EMPLID
ISIR Reject Reason	IR Aid Year	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_REJ_REASON.AID_YEAR Picklists are pre-sorted in descending order.
ISIR Reject Reason	IR Effective Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_REJ_REASON.EFFDT
ISIR Reject Reason	IR Effective Sequence	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_REJ_REASON.EFFSEQ
ISIR Reject Reason	IR Reject Reason	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_REJ_REASON.REJECT_REASON
ISIR Reject Reason	IR Reason Severity Level	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_REJECT_TBL.SEVERITY_LVL
ISIR Reject Reason	IR Reason Description	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_REJECT_TBL.DESCRLONG
SIR Reject Reason	IR Current Record	
ISIR Reject Reason	IR Valid From	
ISIR Reject Reason	IR Valid To	
ISIR Computed	ICP Primary EFC	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.PRIMARY_EFC
ISIR Computed	ICP Secondary EFC	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.SECONDARY_EFC
ISIR Computed	ICP Valid EFC Calc	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.VALID_EFC_CALC

Class Name	Object Name	Description
ISIR Computed	ICP Auto Zero EFC	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.AUTO_ZERO_EFC
ISIR Computed	ICP Formula Type	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.FORMULA_TYPE
ISIR Computed	ICP Primary Alternate Month 1	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.PRM_ALT_MONTH_1
ISIR Computed	ICP Primary Alternate Month 2	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.PRM_ALT_MONTH_2
ISIR Computed	ICP Primary Alternate Month 3	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.PRM_ALT_MONTH_3
ISIR Computed	ICP Primary Alternate Month 4	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.PRM_ALT_MONTH_4
ISIR Computed	ICP Primary Alternate Month 5	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.PRM_ALT_MONTH_5
ISIR Computed	ICP Primary Alternate Month 6	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.PRM_ALT_MONTH_6
ISIR Computed	ICP Primary Alternate Month 7	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.PRM_ALT_MONTH_7
ISIR Computed	ICP Primary Alternate Month 8	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.PRM_ALT_MONTH_8
ISIR Computed	ICP Primary Alternate Month 10	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.PRM_ALT_MONTH_10
ISIR Computed	ICP Primary Alternate Month 11	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.PRM_ALT_MONTH_11

Class Name	Object Name	Description
ISIR Computed	ICP Primary Alternate Month 12	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.PRM_ALT_MONTH_12
ISIR Computed	ICP Secondary Alternate Month 1	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.SEC_ALT_MONTH_1
ISIR Computed	ICP Secondary Alternate Month 2	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.SEC_ALT_MONTH_2
ISIR Computed	ICP Secondary Alternate Month 3	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.SEC_ALT_MONTH_3
ISIR Computed	ICP Secondary Alternate Month 4	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.SEC_ALT_MONTH_4
ISIR Computed	ICP Secondary Alternate Month 5	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.SEC_ALT_MONTH_5
ISIR Computed	ICP Secondary Alternate Month 6	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.SEC_ALT_MONTH_6
ISIR Computed	ICP Secondary Alternate Month 7	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.SEC_ALT_MONTH_7
ISIR Computed	ICP Secondary Alternate Month 8	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.SEC_ALT_MONTH_8
ISIR Computed	ICP Secondary Alternate Month 10	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.SEC_ALT_MONTH_10
ISIR Computed	ICP Secondary Alternate Month 11	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.SEC_ALT_MONTH_11
ISIR Computed	ICP Secondary Alternate Month 12	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.SEC_ALT_MONTH_12

Class Name	Object Name	Description
ISIR Computed	ICP Total Income (Parent/Indp Stdnt)	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.TOTAL_INCOME
ISIR Computed	ICP Total Allowances	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.ALWNC_AGAINST_TI
ISIR Computed	ICP State Tax Allowance	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.STATE_TAX_ALWNC
ISIR Computed	ICP Employment Allowance	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.EMPLOYMENT_ALWNC
ISIR Computed	ICP Inc Protection Allowance	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.INC_PROTECTN_ALWNC
ISIR Computed	ICP Available Income	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.AVAILABLE_INCOME
ISIR Computed	ICP Discretionary Net Worth	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.DESCRTN_NET_WORTH
ISIR Computed	ICP Asset Protection Allowance	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.AST_PROTECTN_ALWNC
ISIR Computed	ICP Contribution from Assets	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.CONTRIB_FROM_ASSET
ISIR Computed	ICP Adj Available Income	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.ADJ_AVAILABLE_INC
ISIR Computed	ICP Total Parent Contribution	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.TOTAL_PAR_CONTRIB
ISIR Computed	ICP Total Student Contribution	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.TOTAL_STU_CONTRIB

Object Name	Description
ICP Parent Contribution	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.ADJ_PAR_CONTRIB
ICP Student Income Contribution	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.DEP_STU_I_CONTRIB
ICP Student Asset Contribution	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.DEP_STU_A_CONTRIB
ICP Student Total Income	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.STU_TOTAL_INC
ICP Contribution Available Income	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.CONTRIB_AVAIL_INC
ICP FICA Taxes	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.FICA_TAX_PD
ICP Budget Duration	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.BUDGET_DURATION
ICP Weekly EFC Parent Contribution	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.WEEKLY_PC
ICP Weekly EFC Student Contribution	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.WEEKLY_SC
ICP Prorated EFC	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.PRORATED_EFC
ICP Secondary EFC Type	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.SECONDARY_EFC_TP
ICP EFC Net Worth	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.EFC_NET_WORTH
	ICP Parent Contribution ICP Student Income Contribution ICP Student Asset Contribution ICP Student Total Income ICP Contribution Available ICP FICA Taxes ICP Budget Duration ICP Weekly EFC Parent Contribution ICP Weekly EFC Student Contribution ICP Prorated EFC ICP Secondary EFC Type

Class Name	Object Name	Description
ISIR Computed	ICP Student's Allowance VS TI	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.STU_ALLOW_VS_TI
ISIR Computed	ICP Student's Disc Net Worth	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.STU_DISC_NET_WORTH
ISIR Computed	ICP Secondary Net Worth	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.SEC_NET_WORTH
ISIR Computed	ICP Sec Stu Alllow VS Total Income	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.SEC_ALLOW_VS_TI
ISIR Computed	ICP Sec Stu Disc Net Worth	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.SEC_SDNW
ISIR Computed	ICP Calculated Student Contribution	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.ISIR_CALC_SC
ISIR Computed	ICP Calculated Parent Contribution	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.ISIR_CALC_PC
ISIR Computed	ICP Calculated Family Contribution	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.ISIR_CALC_EFC
ISIR Computed	ICP Signature Reject EFC	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.SFA_SIG_REJ_EFC
ISIR Computed	ICP Primary SCA	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.SFA_PRIMARY_SCA
ISIR Computed	ICP Primary PC	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.SFA_PRIMARY_PC
ISIR Computed	ICP Primary SIC	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_COMPUTED.SFA_PRIMARY_SIC

Class Name	Object Name	Description
ISIR Parent	IP Emplid	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.EMPLID
ISIR Parent	IP Aid Year	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.AID_YEAR Picklists are pre-sorted in descending order.
ISIR Parent	IP Effective Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.EFFDT
ISIR Parent	IP Effective Sequence	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.EFFSEQ
ISIR Parent	IP Marital Status	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.MARITAL_STAT
ISIR Parent	IP Marital Status Defaulted	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.DFLT_MAR_STAT_IND
ISIR Parent	IP Legal Residence	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.LEGAL_RESIDENCE
ISIR Parent	IP Date of Legal Residence	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.DT_LEGAL_RES
ISIR Parent	IP Number Family Members	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.NUMBER_IN_FAMILY
ISIR Parent	IP Number Family Default Set	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.DFLT_NUM_FAM_IND
ISIR Parent	IP Number in College	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.NUM_IN_COLLEGE
ISIR Parent	IP Number in College Default Set	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.DFLT_NUM_COLL_IND

Class Name	Object Name	Description
ISIR Parent	IP Tax Form Filed	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.TAX_FORM_FILED
ISIR Parent	IP Number of Exemptions	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.NUMBER_EXEMPTIONS
ISIR Parent	IP Adjusted Gross Income	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.AGI
ISIR Parent	IP AGI Default Set	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.DFLT_AGI_IND
ISIR Parent	IP U.S. Taxes Paid	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.TAXES_PAID
ISIR Parent	IP Taxes Paid Default Set	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.DFLT_TAXES_PD_IND
ISIR Parent	IP Father's Earnings	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.FATHER_INCOME
ISIR Parent	IP Father's Income Default Set	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.DFLT_DAD_INC_IND
ISIR Parent	IP Mother's Earnings	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.MOTHER_INCOME
ISIR Parent	IP Mother's Income Default Set	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.DFLT_MOM_INC_IND
ISIR Parent	IP Soc Sec Benefits Default Set	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.DFLT_SS_BEN_IND
ISIR Parent	IP AFDC Benefit Default Set	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.DFLT_AFDC_BEN_IND

Class Name	Object Name	Description
ISIR Parent	IP Child Support Default Set	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.DFLT_CHLD_SPPT_IND
ISIR Parent	IP Untaxed Income Default Set	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.DFLT_UNTXD_INC_IND
ISIR Parent	IP Cash Savings	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.CASH_SAVINGS
ISIR Parent	IP Father's Highest Grade Level	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.FATHER_GRADE_LVL
ISIR Parent	IP Mother's Highest Grade Level	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.MOTHER_GRADE_LVL
ISIR Parent	IP Total from Worksheet 3	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.TOTAL_FROM_WS3
ISIR Parent	IP Total from Worksheet 3 Defaulted	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.DFLT_WS3_TOT_IND
ISIR Parent	IP Projected Year Income	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.PROJECTED_YR_INC
ISIR Parent	IP Tax Return Filed?	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.TAX_RETURN_FILED
ISIR Parent	IP Eligible for 1040A or 1040EZ	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.ELIG_FOR_1040A_EZ
ISIR Parent	IP Total Amount from WK A	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.TOTAL_FROM_WKA
ISIR Parent	IP Investment Net Worth	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.INV_NET_WORTH

Class Name	Object Name	Description
ISIR Parent	IP Business Net Worth	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.BUS_NET_WORTH
ISIR Parent	IP Total from Worksheet A	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.DFLT_WSA_TOT_IND
ISIR Parent	IP Father's SSN - RESTRICTED	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.FATHER_SSN U WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.
ISIR Parent	IP Father's Last Name	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.FATHER_LAST_NAME
ISIR Parent	IP Mother's SSN - RESTRICTED	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.MOTHER_SSN□ □ WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.
ISIR Parent	IP Mother's Last Name	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.MOTHER_LAST_NAME
ISIR Parent	IP Legal Resident Before 01- 01-95	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.LEGAL_RES_PRIOR
ISIR Parent	IP Total from WK C	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.TOTAL_FROM_WKC
ISIR Parent	IP Total from Worksheet C Defaulted	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.DFLT_WKC_TOT_IND
ISIR Parent	IP AGI Value is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.BLANK_AGI
ISIR Parent	IP Taxes Paid value is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.BLANK_TAXES_PAID

Class Name	Object Name	Description
ISIR Parent	IP Father's Income value is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.BLANK_FATHER_INC
ISIR Parent	IP Mother's Income value is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.BLANK_MOTHER_INC
ISIR Parent	IP Total from Worksheet B is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.BLANK_TOT_FROM_WS3
ISIR Parent	IP Total from Worksheet A is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.BLANK_TOT_FROM_WKA
ISIR Parent	IP Investment Net Worth is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.BLANK_INV_NET_WRTH
ISIR Parent	IP Marital Status Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.MAR_STATUS_DT
ISIR Parent	IP Father's First Name Initial	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.FATHER_1ST_NM_INIT
ISIR Parent	IP Father's Date of Birth - RESTRICTED	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.FATHER_DOB WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.
ISIR Parent	IP Mother's First Name Initial	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.MOTHER_1ST_NM_INIT
ISIR Parent	IP Mother's Date of Birth - RESTRICTED	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.MOTHER_DOB WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.
ISIR Parent	IP Parent's Email Address	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.IWD_PAR_EMAIL

UCSC Campus Data Warehouse

Class Name	Object Name	Description
ISIR Parent	IP Assumed Father SSN	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.DFLT_FATHERSSN_IND
ISIR Parent	IP Assumed Mother SSN	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.DFLT_MOTHERSSN_IND
ISIR Parent	IP Cash Savings value is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.BLANK_CASH_SAV
ISIR Parent	IP Received SSI Income	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.SFA_SSI_INCOME
ISIR Parent	IP Receives Food Stamps	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.SFA_FOOD_STAMPS
ISIR Parent	IP Participates in Sch Lunch Prog	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.SFA_SCHL_LUNCH_PRG
ISIR Parent	IP TANF Recipient	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.SFA_TANF_BENEFITS
ISIR Parent	IP WIC Benefits Recipient	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.SFA_WIC_BENEFITS
ISIR Parent	IP Dislocated Worker	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.SFA_DISLOCATE_WRK
ISIR Parent	IP Educational Credits	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.SFA_EDU_CREDITS
ISIR Parent	IP Child Support Paid	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.SFA_CHILD_SUP_PAID
ISIR Parent	IP Need-Based Employment	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.SFA_NEED_EMPLOYMNT

Class Name	Object Name	Description
ISIR Parent	IP Grant/Scholarship Aid	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.SFA_GRANT_AID
ISIR Parent	IP Combat Pay	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.SFA_COMBATPAY
ISIR Parent	IP Pension Payments	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.SFA_PENSION_PAY
ISIR Parent	IP IRA Payments	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.SFA_IRA_PAY
ISIR Parent	IP Child Support Received	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.SFA_CHILD_SUP_RECV
ISIR Parent	IP Interest Income	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.SFA_INTERST_INCOME
ISIR Parent	IP IRA Distributions	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.SFA_IRA_DIST
ISIR Parent	IP Untaxed Pensions	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.SFA_UNTAX_PENSION
ISIR Parent	IP Military/Clergy Allowances	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.SFA_MILITARY_ALLOW
ISIR Parent	IP Veterans Non-Ed Benefits	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.SFA_VET_NONEDU_BEN
ISIR Parent	IP Other Untaxed Income	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.SFA_UNTAX_INCOME
ISIR Parent	IP Co-op Earnings	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.SFA_COOP_EARN

Class Name	Object Name	Description
ISIR Parent	IP Business Net Worth is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.SFA_BLANK_BUSNET
ISIR Parent	IP Educational Credit is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.SFA_BLANK_EDUCREDT
ISIR Parent	IP Child Support Paid is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.SFA_BLANK_CHILDSUP
ISIR Parent	IP Need Employment is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.SFA_BLANK_NEEDEMPL
ISIR Parent	IP Grant Aid is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.SFA_BLANK_GRANTAID
ISIR Parent	IP Combat Pay is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.SFA_BLANK_COMBAT
ISIR Parent	IP Co-op Earnings is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.SFA_BLANK_COOPEARN
ISIR Parent	IP Pension Pay is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.SFA_BLANK_PENSION
ISIR Parent	IP Self Employment Pay is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.SFA_BLANK_IRA_PAY
ISIR Parent	IP Child Support Received is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.SFA_BLANK_CHILDREC
ISIR Parent	IP Tax Exempt Interest is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.SFA_BLANK_INT_INC
ISIR Parent	IP IRA Distributions is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.SFA_BLANK_IRA_DIST

Class Name	Object Name	Description
ISIR Parent	IP Untaxed Pension is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.SFA_BLANK_UNTAXPEN
ISIR Parent	IP Military Allowance is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.SFA_BLANK_MILITARY
ISIR Parent	IP Veterans Non-Ed Ben is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.SFA_BLANK_VET_NON
ISIR Parent	IP Other Untax Income is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.SFA_BLANK_UNTAXINC
ISIR Parent	IP Parent Asset Threshold Exceed	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.SFA_PAR_ASSET_THRS
ISIR Parent	IP Asset Threshold Exceed Def	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_PARENT.SFA_DFLT_ASM_ASSET
ISIR Student	IS Emplid	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.EMPLID
ISIR Student	IS Aid Year	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.AID_YEAR Picklists are pre-sorted in descending order.
ISIR Student	IS Effective Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.EFFDT
ISIR Student	IS Effective Sequence	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.EFFSEQ
ISIR Student	IS Number in Family	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.NUM_FAMILY_MEMBERS
ISIR Student	IS Number in Family Default Set	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.DFLT_NUM_FAM_IND

Class Name	Object Name	Description
ISIR Student	IS Number In College	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.NUMBER_IN_COLLEGE
ISIR Student	IS Number in College Default Set	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.DFLT_NUM_COLL_IND
ISIR Student	IS DOB Before 1/1/74	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.DOB_PRIOR
ISIR Student	IS DOB Prior Defaulted	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.DFLT_DOB_PRIOR_IND
ISIR Student	IS Veteran	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.VETERAN
ISIR Student	IS Graduate Student	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.GRADUATE_STUDENT
ISIR Student	IS Student Married	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.MARRIED
ISIR Student	IS Married Defaulted	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.DFLT_MARRIED_IND
ISIR Student	IS Marital Status	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.MARITAL_STAT
ISIR Student	IS Marital Status Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.MAR_STATUS_DT
ISIR Student	IS Marital Status Defaulted	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.DFLT_MAR_STAT_IND
ISIR Student	IS Orphan or Ward of the Court	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.ORPHAN

Class Name	Object Name	Description
ISIR Student	IS Dependents Other Than Spouse	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.DEPENDENTS
ISIR Student	IS Dependents Defaulted	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.DFLT_DEPEND_IND
ISIR Student	IS Tax Form Filed	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.TAX_FORM_FILED
ISIR Student	IS Number of Exemptions	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.NUMBER_EXEMPTIONS
ISIR Student	IS Adjusted Gross Income	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.AGI
ISIR Student	IS AGI Default Set	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.DFLT_AGI_IND
ISIR Student	IS U.S. Taxes Paid	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.TAXES_PAID
ISIR Student	IS Taxes Paid Default Set	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.DFLT_TAXES_PD_IND
ISIR Student	IS Student's Earned Income	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.STD_EARNED_INCOME
ISIR Student	IS Student Income Default Set	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.DFLT_STD_INC_IND
ISIR Student	IS Spouse's Earned Income	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SPS_EARNED_INCOME
ISIR Student	IS Spouse Income Default Set	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.DFLT_SPS_INC_IND

Class Name	Object Name	Description
ISIR Student	IS Cash Savings	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.CASH_SAVINGS
ISIR Student	IS Student's 1st Choice School	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SCHOOL_CHOICE_1
ISIR Student	IS Student's Housing Code Col 1	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.HOUSING_CODE_1
ISIR Student	IS Student's 2nd Choice School	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SCHOOL_CHOICE_2
ISIR Student		Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.HOUSING_CODE_2
ISIR Student	IS Student's 3rd Choice School	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SCHOOL_CHOICE_3
ISIR Student		Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.HOUSING_CODE_3
ISIR Student	IS Student's 4th Choice School	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SCHOOL_CHOICE_4
ISIR Student		Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.HOUSING_CODE_4
ISIR Student	IS Student's 5th Choice School	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SCHOOL_CHOICE_5
ISIR Student	IS Student's Housing Code Col 5	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.HOUSING_CODE_5
ISIR Student	IS Student's 6th Choice School	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SCHOOL_CHOICE_6

Class Name	Object Name	Description
ISIR Student	IS Student's Housing Code Col 6	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.HOUSING_CODE_6
ISIR Student	IS Permit Sel Serv to Enroll	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SEL_SERV_REGISTER
ISIR Student	IS Student Signed	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SIGNED_BY_APPLICNT
ISIR Student	IS Received First Bachelor Degree	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.FIRST_BACH_DEGREE
ISIR Student	IS Monthly Vet Edu Benefits	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.MONTHLY_VET_BEN
ISIR Student	IS VA Ben Number of Months	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.NUM_MONTH_VET_BEN
ISIR Student	IS Interested in Work-Study	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.INTERESTED_IN_WS
ISIR Student	IS Interested in Student Loans	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.INTERESTED_IN_SL
ISIR Student	IS Application Signed By	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.APP_SIGNED_BY
ISIR Student	IS Date Application Completed	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.DT_APP_COMPLETED
ISIR Student	IS Degree/Certificate	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.DEGREE_CERTIF
ISIR Student	IS Current Grade Level	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.CURRENT_GRADE_LVL

Class Name	Object Name	Description
ISIR Student	IS Total from Worksheet 3	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.TOTAL_FROM_WS3
ISIR Student	IS Dependency Status	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.DEPNDNCY_STAT
ISIR Student	IS Projected Year Income	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.PROJECTED_YR_INC
ISIR Student	IS State of Residence	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.STATE_RESIDNCE
ISIR Student	IS Residency Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.RESIDENCY_DT
ISIR Student	IS Issuing State	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.DRIV_LIC_STATE
ISIR Student	IS HS Diploma or GED Received	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.HS_GED_RCVD
ISIR Student	IS FISAP Total Income	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.FISAP_TOT_INC
ISIR Student	IS Citizenship Status	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.CITIZENSHIP_STATUS
ISIR Student	IS Are You Male?	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.STUDENT_MALE
ISIR Student	IS Tax Return Filed?	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.TAX_RETURN_FILED
ISIR Student	IS Eligible for 1040A or 1040EZ	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.ELIG_FOR_1040A_EZ

Class Name	Object Name	Description
ISIR Student	IS Total Amount from WK A	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.TOTAL_FROM_WKA
ISIR Student	IS Investment Net Worth	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.INV_NET_WORTH
ISIR Student	IS Business Net Worth	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.BUS_NET_WORTH
ISIR Student	IS Drug Offense Conviction	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.DRUG_OFFENSE_CONV
ISIR Student	IS Legal Resident Before 01- 01-95	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.LEGAL_RES_PRIOR
ISIR Student	IS Default Veteran Indicator	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.DFLT_VETERAN_IND
ISIR Student	IS Default Citizenship Indicator	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.DFLT_CITIZEN_IND
ISIR Student	IS Permanent Mailing Address	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.IWD_PERM_ADDR02
ISIR Student	IS City	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.IWD_CITY
ISIR Student	IS State	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.IWD_STATE
ISIR Student	IS Zip	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.IWD_ZIP
ISIR Student	IS Permanent Phone Number	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.IWD_PERM_PHONE

Class Name	Object Name	Description
ISIR Student	IS Last Name	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.STD_LAST_NAME
ISIR Student	IS Student's First Name	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.IWD_STD_FIRST_NM02
ISIR Student	IS Student Middle Initial	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.IWD_STU_MI
ISIR Student	IS Social Security Number - RESTRICTED	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SSN WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.
ISIR Student	IS Date of Birth - RESTRICTED	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.BIRTHDATE WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.
ISIR Student	IS Driver's License Number - RESTRICTED	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.DRIVERS_LICENSE_NO WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.
ISIR Student	IS Alien Registration Number	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.IWD_STU_ALIEN_REG
ISIR Student	IS Have Children You Support	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.CHILDREN
ISIR Student	IS Default Children Indicator	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.DFLT_CHILDREN_IND
ISIR Student	IS Total Amount from WK C	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.TOTAL_FROM_WKC

Class Name	Object Name	Description
ISIR Student	IS Total from WK C Defaulted	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.DFLT_WKC_TOT_IND
ISIR Student	IS Student's Email Address	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.IWD_STD_EMAIL
ISIR Student	IS AGI value is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.BLANK_AGI
ISIR Student	IS Taxes Paid value is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.BLANK_TAXES_PAID
ISIR Student	IS Student's Earned Income blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.BLANK_STD_EARN_INC
ISIR Student	IS Spouse's Earned Income blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.BLANK_SPS_EARN_INC
ISIR Student	IS Total from Worksheet B is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.BLANK_TOT_FROM_WS3
ISIR Student	IS Total from Worksheet A is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.BLANK_TOT_FROM_WKA
ISIR Student	IS Investment Net Worth is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.BLANK_INV_NET_WRTH
ISIR Student	IS Enrollment Status	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.ISIR_STU_ENRL_STAT
ISIR Student	IS Cash Savings value is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.BLANK_CASH_SAV
ISIR Student	IS Active Duty in U.S. Military	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_ACTIVE_DUTY

Class Name	Object Name	Description
ISIR Student	IS Receives SSI Income	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_SSI_INCOME
ISIR Student	IS Receives Food Stamps	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_FOOD_STAMPS
ISIR Student	IS Participates in Sch Lunch Prog	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_SCHL_LUNCH_PRG
ISIR Student	IS TANF Recipient	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_TANF_BENEFITS
ISIR Student	IS WIC Benefits Recipient	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_WIC_BENEFITS
ISIR Student	IS Work Study or Student Loans	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_INTRSTD_IN_WSL
ISIR Student	IS Are You Male or Female	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_STDNT_GENDER
ISIR Student	IS HS Diploma or Equivalent	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_HS_DIP_EQUIV
ISIR Student	IS Student's 7th Choice School	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_SCHL_CHOICE_7
ISIR Student	IS Student's Housing Code Col 7	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_HOUSING_CODE7
ISIR Student	IS Student's 8th Choice School	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_SCHL_CHOICE_8
ISIR Student	IS Student's Housing Code Col 8	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_HOUSING_CODE8

Class Name	Object Name	Description
ISIR Student	IS Student's 9th Choice School	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_SCHL_CHOICE_9
ISIR Student	IS Student's Housing Code Col 9	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_HOUSING_CODE9
ISIR Student	IS Student's 10th Choice School	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_SCHL_CHOICE_10
ISIR Student	IS Student's Housing Code Col 10	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_HOUSING_CODE10
ISIR Student	IS Teacher Coursework	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_TCH_COURSE_WRK
ISIR Student	IS Emancipated Minor	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_EMANCIPT_MINOR
ISIR Student	IS Legal Guardianship	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_LEGAL_GUARDIAN
ISIR Student	IS Youth determined by SDL	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_YOUTH_LIASON
ISIR Student	IS Youth determined by HUD	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_YOUTH_HUD
ISIR Student	IS At Risk of Homelessness	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_RISK_HOMELESS
ISIR Student	IS Dislocated Worker	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_DISLOCATE_WRK
ISIR Student	IS Educational Credits	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_EDU_CREDITS

Class Name	Object Name	Description
ISIR Student	IS Child Support Paid	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_CHILD_SUP_PAID
ISIR Student	IS Need-Based Employment	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_NEED_EMPLOYMNT
ISIR Student	IS Grant/Scholarship Aid	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_GRANT_AID
ISIR Student	IS Combat Pay	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_COMBATPAY
ISIR Student	IS Pension Payments	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_PENSION_PAY
ISIR Student	IS IRA Payments	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_IRA_PAY
ISIR Student	IS Child Support Received	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_CHILD_SUP_RECV
ISIR Student	IS Interest Income	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_INTERST_INCOME
ISIR Student	IS IRA Distributions	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_IRA_DIST
ISIR Student	IS Untaxed Pensions	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_UNTAX_PENSION
ISIR Student	IS Military/Clergy Allowances	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_MILITARY_ALLOW
ISIR Student	IS Veterans Non-Ed Benefits	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_VET_NONEDU_BEN

Class Name	Object Name	Description
ISIR Student	IS Other Untaxed Income	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_UNTAX_INCOME
ISIR Student	IS Other Non-Reported Money	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_NON_REP_MONEY
ISIR Student	IS Receiving Veterans Benefits	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_RECV_VET_BEN
ISIR Student	IS Type of Veterans Benefits	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_VET_BEN_TYPE
ISIR Student	IS Co-op Earnings	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_COOP_EARN
ISIR Student	IS Homeless Youth - School	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_DFLT_YOUTH_SCH
ISIR Student	IS Homeless Youth - HUD	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_DFLT_YOUTH_HUD
ISIR Student	IS Risk of Homelessness	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_DFLT_RISK_HOME
ISIR Student	IS Business Net Worth is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_BLANK_BUSNET
ISIR Student	IS Educational Credit is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_BLANK_EDUCREDT
ISIR Student	IS Child Support Paid is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_BLANK_CHILDSUP
ISIR Student	IS Need Employment is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_BLANK_NEEDEMPL

Class Name	Object Name	Description
ISIR Student	IS Grant Aid is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_BLANK_GRANTAID
ISIR Student	IS Combat Pay is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_BLANK_COMBAT
ISIR Student	IS Co-op Earnings is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_BLANK_COOPEARN
ISIR Student	IS Pension Pay is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_BLANK_PENSION
ISIR Student	IS Self Employment Pay is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_BLANK_IRA_PAY
ISIR Student	IS Child Support Receive is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_BLANK_CHILDREC
ISIR Student	IS Tax Exempt Interest is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_BLANK_INT_INC
ISIR Student	IS IRA Distributions is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_BLANK_IRA_DIST
ISIR Student	IS Untax Pension is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_BLANK_UNTAXPEN
ISIR Student	IS Military Allowance is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_BLANK_MILITARY
ISIR Student	IS Veterans Non-Ed Ben is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_BLANK_VET_NON
ISIR Student	IS Other Untax Income is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_BLANK_UNTAXINC

Class Name	Object Name	Description
ISIR Student	IS Other Unreported Inc is blank	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_BLANK_NON_REP
ISIR Student	IS High School Name	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_HIGH_SCHL_NAME
ISIR Student	IS High School City	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_HIGH_SCHL_CITY
ISIR Student	IS High School State	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_HIGH_SCHL_STAT
ISIR Student	IS High School Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_HIGH_SCHL_CODE
ISIR Student	IS Asset Threshold Exceeded	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_STU_ASSET_THRS
ISIR Student	IS Asset Threshold Exceed Def	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Financial Aid Source: PS_ISIR_STUDENT.SFA_DFLT_ASM_ASSET
Cal ISIR	CIX Emplid	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.EMPLID
Cal ISIR	CIX Aid Year	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.AID_YEAR
Cal ISIR Control	CIC Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.EFFDT
Cal ISIR Control	CIC Effective Sequence	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.EFFSEQ
Cal ISIR Control	CIC Transaction Number	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.ISIR_TXN_NBR
Cal ISIR Control	CIC Original SSN	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.ORIG_SSN
Cal ISIR Control	CIC Name Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.NAME_CD

Class Name	Object Name	Description
Cal ISIR Control	CIC Last Name-SSN Change Flag	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.LAST_NAME_SSN_CHNG
Cal ISIR Control	CIC Selective Service Match	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.SS_MATCH
Cal ISIR Control	CIC Selective Service Registration	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.SS_REGISTRATION
Cal ISIR Control	CIC INS Match	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.INS_MATCH
Cal ISIR Control	CIC SSN Match	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.SSN_MATCH
Cal ISIR Control	CIC Date Application Received	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.DT_APP_RECEIVED
Cal ISIR Control	CIC Federal Pell Eligibility	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.PELL_ELIGIBILITY
Cal ISIR Control	CIC Duplicate Request Indicator	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.DUPLICATE_REQUEST
Cal ISIR Control	CIC Indicates When 'C' Printed SAR	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.SAR_C_FLAG
Cal ISIR Control	CIC Verification Selection Ind	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.VERF_SELECTION_IND
Cal ISIR Control	CIC Hold From Processing	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.HOLD_IND
Cal ISIR Control	CIC System Generated Indicator	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.SYSTEM_GENERATED
Cal ISIR Control	CIC Transaction Receipt Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.TRANS_RECEIPT_DT
Cal ISIR Control	CIC Transaction Process Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.TRANS_PROCESS_DT
Cal ISIR Control	CIC CPS Batch Number	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.BATCH_NUMBER
Cal ISIR Control	CIC Verifcation Type	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.VERIFICATION_TYPE

Class Name	Object Name	Description
Cal ISIR Control	CIC Correction Applied	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.CORRECTION_APPLIED
Cal ISIR Control	CIC FAA Institution Number	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.FAA_INSTITUT_NUM
Cal ISIR Control	CIC Multiple Institution Flags	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.MULTI_INSTITUTION
Cal ISIR Control	CIC Send ISAR to Student	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.SEND_ISAR_SW
Cal ISIR Control	CIC Final Review	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.FINAL_REVIEW_SW
Cal ISIR Control	CIC Dependency Override Indicator	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.DEPNDNCY_OVERRIDE
Cal ISIR Control	CIC FAA Signature	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.FAA_SIGNATURE
Cal ISIR Control	CIC Application Status	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.APPLICATION_STAT
Cal ISIR Control	CIC Application Status Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.APP_STAT_DT
Cal ISIR Control	CIC Official/Unofficial Indicator	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.EFC_STATUS
Cal ISIR Control	CIC Adjusted EFC Calc Requested	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.ADJ_EFC_CALC_REQ
Cal ISIR Control	CIC Correction Status	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.CORRECTION_STATUS
Cal ISIR Control	CIC Title IV Fund Eligibility	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.TITLEIV_ELIG
Cal ISIR Control	CIC Institution Process Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.INST_PROCESS_DT
Cal ISIR Control	CIC Unofficial Estimated EFC	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.ADJ_EFC
Cal ISIR Control	CIC SSA Citizenship Indicator	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.SSA_CITIZENSHIP_IND

Class Name	Object Name	Description
Cal ISIR Control	CIC Serial Number	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.ISIR_SERIAL_NUM
Cal ISIR Control	CIC Owning School Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.OWNING_SCHOOL_CD
Cal ISIR Control	CIC Include Verify Fields	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.SEND_VERIFY_FIELDS
Cal ISIR Control	CIC Early Analysis Flag	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.EARLY_ANALYSIS_FLG
Cal ISIR Control	CIC Electronic App Version Nbr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.ELECTRONIC_APP_VER
Cal ISIR Control	CIC EIT Destination Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.ETI_DEST_CD
Cal ISIR Control	CIC Simplified Need Test	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.SIMP_NEED_TEST
Cal ISIR Control	CIC SSN Date of Death	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.SSN_DATE_OF_DEATH
Cal ISIR Control	CIC Subsequent Application Flag	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.SUB_APP_FLAG
Cal ISIR Control	CIC Compute Batch Nbr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.COMPUTE_BTCH_NO
Cal ISIR Control	CIC Veteran Status Match Flag	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.VA_MATCH
Cal ISIR Control	CIC Prisoner Match	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.PRISONER_MATCH
Cal ISIR Control	CIC Process Instance	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.PROCESS_INSTANCE
Cal ISIR Control	CIC Process Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.PROCESS_DT
Cal ISIR Control	CIC CPS Appl Source Site Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.APP_SOURCE
Cal ISIR Control	CIC Transaction Date Source	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.TRANS_SOURCE

Class Name	Object Name	Description
Cal ISIR Control	CIC Override Address Type	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.OVRD_ADDR_TYPE
Cal ISIR Control	CIC Preparers SSN	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.PREP_SSN
Cal ISIR Control	CIC Preparers Signature	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.PREP_SIGNATURE
Cal ISIR Control	CIC Preparers EIN	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.PREP_EIN
Cal ISIR Control	CIC Correction Source	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.ISIR_CORR_SRC
Cal ISIR Control	CIC EFC Change Flag	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.ISIR_EFC_CHANGE
Cal ISIR Control	CIC Sec INS Match Flag	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.ISIR_SEC_INS_MATCH
Cal ISIR Control	CIC Sec INS Verification Number	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.ISIR_SEC_INS_VERF
Cal ISIR Control	CIC Duplicate SSN Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.ISIR_DUP_SSN_CD
Cal ISIR Control	CIC Original ISIR	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.ISIR_ORIG_IND
Cal ISIR Control	CIC Verification Tracking Flag	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.VERIF_TRK_FLG
Cal ISIR Control	CIC Display FM EFC Override Values	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.EFC_OVRD_DSPLAY_FM
Cal ISIR Control	CIC CPS Pushed ISIR Flag	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.ISIR_CPS_PUSHED
Cal ISIR Control	CIC ISIR SAR C Flag Changed	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.ISIR_SAR_C_CHNG
Cal ISIR Control	CIC Fathers SSN Match	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.FATHER_SSN_MATCH
Cal ISIR Control	CIC Mothers SSN Match	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.MOTHER_SSN_MATCH

Class Name	Object Name	Description
Cal ISIR Control	CIC Override Email Type	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.ISIR_OVRD_E_TYPE
Cal ISIR Control	CIC Override Phone Type	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_C_ISIR_CNTR.ISIR_OVRD_P_TYPE
Cal ISIR 00 1 EC	CI1 EC Transaction ID	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.ECTRANSID
Cal ISIR 00 1 EC	CI1 EC Queue Instance	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.ECQUEUEINSTANCE
Cal ISIR 00 1 EC	CI1 Sequence Number	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.ISIR_SEQ_NO
Cal ISIR 00 1 EC	CI1 Load Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.ISIR_LOAD_STATUS
Cal ISIR 00 1 EC	CI1 Load Action	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.ISIR_LOAD_ACTION
Cal ISIR 00 1 EC	CI1 Student's Admit Level	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.ADMIT_LVL
Cal ISIR 00 1 EC	CI1 Original SSN - RESTRICTED	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.ORIG_SSN□ □ WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.
Cal ISIR 00 1 EC	CI1 Name Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.NAME_CD
Cal ISIR 00 1 EC	CI1 Transaction Number	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_TRANS_NBR
Cal ISIR 00 1 EC	CI1 EmplID	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.EMPLID
Cal ISIR 00 1 EC	CI1 School Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.CPS_SCHOOL_CODE
Cal ISIR 00 1 EC	Cl1 Batch Yr	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_BATCH_YR
Cal ISIR 00 1 EC	CI1 Last Name-SSN Change Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.LAST_NAME_SSN_CHNG
Cal ISIR 00 1 EC	CI1 Social Security Number - RESTRICTED	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SSN□ □ WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.
Cal ISIR 00 1 EC	CI1 Last Name	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_STD_LAST_NAME
Cal ISIR 00 1 EC	CI1 Student's First Name	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_STD_FIRST_NM02
Cal ISIR 00 1 EC	CI1 Student's Middle Initial	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_STU_MI
Cal ISIR 00 1 EC	CI1 Permanent Mailing Address	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_PERM_ADDR02
Cal ISIR 00 1 EC	CI1 City	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_CITY

Class Name	Object Name	Description
Cal ISIR 00 1 EC	CI1 State	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_STATE
Cal ISIR 00 1 EC	CI1 Zip	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_ZIP
Cal ISIR 00 1 EC	CI1 Date of Birth	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.BIRTHDATE
Cal ISIR 00 1 EC	CI1 Permanent Phone Number	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_PERM_PHONE
Cal ISIR 00 1 EC	CI1 Driver's License Number - RESTRICTED	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.DRIVERS_LICENSE_NO□ □ WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.
Cal ISIR 00 1 EC	CI1 Driver's License State Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_DL_STATE
Cal ISIR 00 1 EC	CI1 Citizenship Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.CITIZENSHIP_STATUS
Cal ISIR 00 1 EC	CI1 Alien Registration Number	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_STU_ALIEN_REG
Cal ISIR 00 1 EC	CI1 Marital Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.MARITAL_STAT
Cal ISIR 00 1 EC	CI1 Marital Status Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_MAR_STAT_DT
Cal ISIR 00 1 EC	CI1 Father's Highest Grade Level	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.FATHER_GRADE_LVL
Cal ISIR 00 1 EC	CI1 Mother's Highest Grade Level	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.MOTHER_GRADE_LVL
Cal ISIR 00 1 EC	CI1 State of Legal Residence	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_STATE_RES
Cal ISIR 00 1 EC	CI1 Legal Residence Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.LEGAL_RES_DT
Cal ISIR 00 1 EC	CI1 Are You Male	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_MALE
Cal ISIR 00 1 EC	CI1 Permit Sel Serv to Enroll	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SEL_SERV_REGISTER
Cal ISIR 00 1 EC	CI1 Degree/Certificate	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.DEGREE_CERTIF
Cal ISIR 00 1 EC	CI1 Grade Level	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_GRADE_LVL
Cal ISIR 00 1 EC	CI1 HS Diploma or GED Received	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.HS_GED_RCVD
Cal ISIR 00 1 EC	CI1 Received First Bachelor Degree	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.FIRST_BACH_DEGREE
Cal ISIR 00 1 EC	CI1 Interested In Student Loans	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.INTERESTED_IN_SL
Cal ISIR 00 1 EC	CI1 Interested in Work-Study	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.INTERESTED_IN_WS
Cal ISIR 00 1 EC	CI1 VA Ben Number of Months	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.NUM_MONTH_VET_BEN

Class Name	Object Name	Description
Cal ISIR 00 1 EC	CI1 Monthly Veterans Benefits	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_MTHLY_VET_BEN
Cal ISIR 00 1 EC	CI1 Student Tax Form	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.TAX_FORM_STU
Cal ISIR 00 1 EC	CI1 Student Tax Form Filed	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.TAX_FORM_FILED
Cal ISIR 00 1 EC	CI1 Eligible for 1040A or EZ	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_ELIG_1040A_EZ
Cal ISIR 00 1 EC	CI1 Student AGI	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_STU_AGI
Cal ISIR 00 1 EC	CI1 Student Income Tax Paid	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_STU_TAX_PAID
Cal ISIR 00 1 EC	CI1 Student Number of Exemptions	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_STU_NBR_EXEMP
Cal ISIR 00 1 EC	CI1 Student Income from Work	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_STU_WORK_INC
Cal ISIR 00 1 EC	CI1 Spouse Income from Work	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_SPS_WORK_INC
Cal ISIR 00 1 EC	CI1 Student's Total from WK A	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_STU_WK_A
Cal ISIR 00 1 EC	CI1 Student's Total from WK B	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_STU_WK_B
Cal ISIR 00 1 EC	CI1 Student Cash and Savings	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_STU_CASH
Cal ISIR 00 1 EC	CI1 Student's Investment Net Worth	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_STU_INVEST
Cal ISIR 00 1 EC	CI1 Student's Business Net Worth	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_STU_BUS_WORTH
Cal ISIR 00 1 EC	CI1 Graduate Student	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.GRADUATE_STUDENT
Cal ISIR 00 1 EC	CI1 Student Married	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.MARRIED
Cal ISIR 00 1 EC	CI1 Orphan or Ward of the Court	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.ORPHAN
Cal ISIR 00 1 EC	CI1 Veteran	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.VETERAN
Cal ISIR 00 1 EC	CI1 Dependents Other Than Spouse	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.DEPENDENTS
Cal ISIR 00 1 EC	CI1 Student Family Members	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_STU_FAM_MEM
Cal ISIR 00 1 EC	CI1 Student Number in College	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_STU_MEM_COLL
Cal ISIR 00 1 EC	CI1 Parent Tax Form	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.TAX_FORM_PAR
Cal ISIR 00 1 EC	CI1 Parent Tax Form Filed	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.TAX_FORM_FILED_PAR
Cal ISIR 00 1 EC	CI1 Parent Eligible for 1040A or EZ	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_ELIG_1050A_PAR
Cal ISIR 00 1 EC	CI1 Parent AGI	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_PAR_AGI

Class Name	Object Name	Description
Cal ISIR 00 1 EC	CI1 Parent Income Tax Paid	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_PAR_TAX_PAID
Cal ISIR 00 1 EC	CI1 Parent Number of Exemptions	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_PAR_NBR_EXEMP
Cal ISIR 00 1 EC	CI1 Father Income from Work	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_FATH_WORK_INC
Cal ISIR 00 1 EC	CI1 Mother Income from Work	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_MOM_WORK_INC
Cal ISIR 00 1 EC	CI1 Parent Total from WK A	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_PAR_WK_A
Cal ISIR 00 1 EC	CI1 Parent Total from WK B	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_PAR_WK_B
Cal ISIR 00 1 EC	CI1 Parent Cash and Savings	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_PAR_CASH
Cal ISIR 00 1 EC	CI1 Parent Investment Net Worth	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_PAR_INVEST
Cal ISIR 00 1 EC	CI1 Parent Business Net Worth	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_PAR_BUS_WORTH
Cal ISIR 00 1 EC	CI1 Parent Marital Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.MARITAL_STAT_PAR
Cal ISIR 00 1 EC	CI1 Parent Family Members	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_PAR_FAM_MEM
Cal ISIR 00 1 EC	CI1 Parent Number in College	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_PAR_MEM_COLL
Cal ISIR 00 1 EC	CI1 Parent State of Legal Residence	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_PAR_STATE_RES
Cal ISIR 00 1 EC	CI1 Parent Legal Residence Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_PAR_RES_DT
Cal ISIR 00 1 EC	CI1 Student's 1st Choice School	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SCHOOL_CHOICE_1
Cal ISIR 00 1 EC	CI1 Student's Housing Code Col 1	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.HOUSING_CODE_1
Cal ISIR 00 1 EC	CI1 Student's 2nd Choice School	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SCHOOL_CHOICE_2
Cal ISIR 00 1 EC	CI1 Student's Housing Code Col 2	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.HOUSING_CODE_2
Cal ISIR 00 1 EC	CI1 Student's 3rd Choice School	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SCHOOL_CHOICE_3
Cal ISIR 00 1 EC	CI1 Student's Housing Code Col 3	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.HOUSING_CODE_3
Cal ISIR 00 1 EC	CI1 Student's 4th Choice School	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SCHOOL_CHOICE_4
Cal ISIR 00 1 EC	CI1 Student's Housing Code Col 4	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.HOUSING_CODE_4
Cal ISIR 00 1 EC	Cl1 Student's 5th Choice School	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SCHOOL_CHOICE_5
Cal ISIR 00 1 EC	CI1 Student's Housing Code Col 5	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.HOUSING_CODE_5
Cal ISIR 00 1 EC	CI1 Student's 6th Choice School	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SCHOOL_CHOICE_6
L	I	

UCSC Campus Data Warehouse

Class Name	Object Name	Description
Cal ISIR 00 1 EC	CI1 Student's Housing Code Col 6	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.HOUSING_CODE_6
Cal ISIR 00 1 EC	CI1 Date Application Completed	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.DT_APP_COMPLETED
Cal ISIR 00 1 EC	CI1 FAFSA Signed by	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_APP_SIGNED_BY
Cal ISIR 00 1 EC	CI1 Preparer's SSN - RESTRICTED	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_PREP_SSN□ □ WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.
Cal ISIR 00 1 EC	CI1 Preparer's EIN - RESTRICTED	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_PREP_EIN□ □ WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.
Cal ISIR 00 1 EC	CI1 Preparer's Signature	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_PREP_SIGNATURE
Cal ISIR 00 1 EC	CI1 Dependency Override	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.DEPENDENCY_OVERIDE
Cal ISIR 00 1 EC	CI1 FAA Institution Number	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.FAA_INSTITUT_NUM
Cal ISIR 00 1 EC	CI1 Adjusted EFC Calc Requested	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.ADJ_EFC_CALC_REQ
Cal ISIR 00 1 EC	CI1 Data Release Number	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_DRN
Cal ISIR 00 1 EC	CI1 Transaction Receipt Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.TRANS_RECEIPT_DT
Cal ISIR 00 1 EC	CI1 CPS Batch Number	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.BATCH_NUMBER
Cal ISIR 00 1 EC	CI1 Process Instance	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.PROCESS_INSTANCE
Cal ISIR 00 1 EC	CI1 Suspend Reason	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SUSPEND_REASON
Cal ISIR 00 1 EC	CI1 Error Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.ERROR_CODE
Cal ISIR 00 1 EC	CI1 Max Search Match Level	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.MAX_MATCH_LEVEL
Cal ISIR 00 1 EC	CI1 ID Override	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.ID_OVERRIDE
Cal ISIR 00 1 EC	CI1 Process Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.PROCESS_DT
Cal ISIR 00 1 EC	CI1 Alternate Effective Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.ALT_EFFDT
Cal ISIR 00 1 EC	CI1 Legal Res Before 01-01- XXXX	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_RES_PRIOR
Cal ISIR 00 1 EC	CI1 Drug Offense Conviction	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.DRUG_OFFENSE_CONV
Cal ISIR 00 1 EC	CI1 Born Before 01-01-XXXX	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_BORN_PRIOR
	1	

Class Name	Object Name	Description
Cal ISIR 00 1 EC	CI1 Father's SSN - RESTRICTED	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.FATHER_SSN WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.
Cal ISIR 00 1 EC	CI1 Father's Last Name	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.FATHER_LAST_NAME
Cal ISIR 00 1 EC	CI1 Mother's SSN - RESTRICTED	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.MOTHER_SSN WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.
Cal ISIR 00 1 EC	CI1 Mother's Last Name	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.MOTHER_LAST_NAME
Cal ISIR 00 1 EC	CI1 Parent Legal Res Before 01-01-XXXX	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_PAR_RES_PRI
Cal ISIR 00 1 EC	CI1 Student's Total from WK C	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_STU_WK_C
Cal ISIR 00 1 EC	Cl1 Have Children You Support	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.CHILDREN
Cal ISIR 00 1 EC	Cl1 Parents' Marital Status Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_PAR_MAR_ST_DT
Cal ISIR 00 1 EC	CI1 EFC Status Message	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.EFC_STATUS_MSG
Cal ISIR 00 1 EC	CI1 Father's First Name Initial	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.FATHER_1ST_NM_INIT
Cal ISIR 00 1 EC	CI1 Father's Date of Birth - RESTRICTED	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.FATHER_DOB WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.
Cal ISIR 00 1 EC	CI1 Mother's First Name Initial	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.MOTHER_1ST_NM_INIT
Cal ISIR 00 1 EC	CI1 Mother's Date of Birth - RESTRICTED	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.MOTHER_DOB WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.
Cal ISIR 00 1 EC	CI1 Enrollment Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.ISIR_STU_ENRL_STAT
Cal ISIR 00 1 EC	CI1 Parent's Email Address	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.IWD_PAR_EMAIL
Cal ISIR 00 1 EC	CI1 Active Duty in U.S. Military	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_ACTIVE_DUTY
Cal ISIR 00 1 EC	CI1 Receives SSI Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_SSI_INCOME
Cal ISIR 00 1 EC	CI1 Receives Food Stamps	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_FOOD_STAMPS
Cal ISIR 00 1 EC	CI1 Participates in Sch Lunch Prog	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_SCHL_LUNCH_PRG

Class Name	Object Name	Description
Cal ISIR 00 1 EC	CI1 TANF Recipient	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_TANF_BENEFITS
Cal ISIR 00 1 EC	CI1 WIC Benefits Recipient	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_WIC_BENEFITS
Cal ISIR 00 1 EC	CI1 Parent Receives SSI Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_SSI_INCOME
Cal ISIR 00 1 EC	CI1 Parent Receives Food Stamps	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_FOOD_STAMP
Cal ISIR 00 1 EC	CI1 Parent School Lunch Program	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_LUNCH_BEN
Cal ISIR 00 1 EC	CI1 Parent TANF Recipient	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_TANF_BEN
Cal ISIR 00 1 EC	CI1 Parent WIC Benefits	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_WIC_BEN
Cal ISIR 00 1 EC	CI1 Work Study or Student Loans	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_INTRSTD_IN_WSL
Cal ISIR 00 1 EC	CI1 Are You Male or Female	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_STDNT_GENDER
Cal ISIR 00 1 EC	CI1 HS Diploma or Equivalent	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_HS_DIP_EQUIV
Cal ISIR 00 1 EC	CI1 Student's 7th Choice School	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_SCHL_CHOICE_7
Cal ISIR 00 1 EC	CI1 Student's Housing Code Col 7	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_HOUSING_CODE7
Cal ISIR 00 1 EC	CI1 Student's 8th Choice School	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_SCHL_CHOICE_8
Cal ISIR 00 1 EC	CI1 Student's Housing Code Col 8	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_HOUSING_CODE8
Cal ISIR 00 1 EC	CI1 Student's 9th Choice School	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_SCHL_CHOICE_9
Cal ISIR 00 1 EC	CI1 Student's Housing Code Col 9	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_HOUSING_CODE9
Cal ISIR 00 1 EC	CI1 Student's 10th Choice School	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_SCHL_CHOICE_10
Cal ISIR 00 1 EC	CI1 Student's Housing Code Col 10	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_HOUSING_CODE10
Cal ISIR 00 1 EC	CI1 Teacher Coursework	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_TCH_COURSE_WRK
Cal ISIR 00 1 EC	CI1 Emancipated Minor	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_EMANCIPT_MINOR
Cal ISIR 00 1 EC	CI1 Legal Guardianship	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_LEGAL_GUARDIAN
Cal ISIR 00 1 EC	CI1 Youth determined by SDL	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_YOUTH_LIASON
Cal ISIR 00 1 EC	CI1 Youth determined by HUD	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_YOUTH_HUD
Cal ISIR 00 1 EC	CI1 At Risk of Homelessness	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_RISK_HOMELESS
Cal ISIR 00 1 EC	CI1 Student Dislocated Worker	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_STU_DISLOC_WRK

Class Name	Object Name	Description
Cal ISIR 00 1 EC	CI1 Student's Educational	Data is completely replaced nightly. Steward: Financial Aid Source:
	Credits	PS_ISIR_00_1_EC.SFA_STU_EDU_CREDIT
Cal ISIR 00 1 EC	CI1 Student Child Support Paid	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_STU_SUP_PAID
Cal ISIR 00 1 EC	CI1 Student Need-Based Employment	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_STU_NEED_EMPL
Cal ISIR 00 1 EC	CI1 Student Grant/Scholarship Aid	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_STU_GRANT_AID
Cal ISIR 00 1 EC	CI1 Student Combat Pay	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_STU_COMBAT_PAY
Cal ISIR 00 1 EC	CI1 Student Pension Payments	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_STU_PEN_PAY
Cal ISIR 00 1 EC	CI1 Student IRA Payments	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_STU_IRA_PAY
Cal ISIR 00 1 EC	CI1 Student Child Support Received	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_STU_SUP_RECV
Cal ISIR 00 1 EC	CI1 Student Interest Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_STU_INT_INCOME
Cal ISIR 00 1 EC	CI1 Student IRA Distributions	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_STU_IRA_DIST
Cal ISIR 00 1 EC	CI1 Student Untaxed Pensions	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_STU_UNTAX_PEN
Cal ISIR 00 1 EC	CI1 Students Mil/Clergy Allowance	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_STU_MIL_ALLOW
Cal ISIR 00 1 EC	CI1 Student Vet Non-Edu Benefits	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_STU_VET_ED_BEN
Cal ISIR 00 1 EC	CI1 Student Other Untaxed Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_STU_UNTAX_INC
Cal ISIR 00 1 EC	CI1 Other Non-Reported Money	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_STU_NREP_MONEY
Cal ISIR 00 1 EC	CI1 Parent Dislocated Worker	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_DISLOC_WRK
Cal ISIR 00 1 EC	CI1 Parents Educational Credits	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_EDU_CREDIT
Cal ISIR 00 1 EC	CI1 Parents Child Support Paid	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_SUP_PAID
Cal ISIR 00 1 EC	CI1 Parents Need-Based Employment	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_NEED_EMPL
Cal ISIR 00 1 EC	CI1 Parents Grant/Scholarship Aid	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_GRANT_AID
Cal ISIR 00 1 EC	CI1 Parents Combat Pay	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_COMBAT_PAY
Cal ISIR 00 1 EC	CI1 Parents Pension Payments	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_PEN_PAY
Cal ISIR 00 1 EC	CI1 Parents IRA Payments	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_IRA_PAY
Cal ISIR 00 1 EC	CI1 Parents Child Support Received	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_SUP_RECV
Cal ISIR 00 1 EC	CI1 Parents Interest Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_INT_INCOME

Class Name	Object Name	Description
Cal ISIR 00 1 EC	CI1 Parents IRA Distributions	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_IRA_DIST
Cal ISIR 00 1 EC	CI1 Parents Untaxed Pensions	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_UNTAX_PEN
Cal ISIR 00 1 EC	CI1 Parents Mil/Clergy Allowance	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_MIL_ALLOW
Cal ISIR 00 1 EC	CI1 Parents Vet Non-Edu Benefits	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_VET_ED_BEN
Cal ISIR 00 1 EC	CI1 Parents Other Untaxed Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_UNTAX_INC
Cal ISIR 00 1 EC	CI1 Receiving Veterans Benefits	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_RECV_VET_BEN
Cal ISIR 00 1 EC	CI1 Type of Veterans Benefits	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_VET_BEN_TYPE
Cal ISIR 00 1 EC	CI1 Student Co-op Earnings	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_STU_COOP_EARN
Cal ISIR 00 1 EC	CI1 Parent Co-op Earnings	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_COOP_EARN
Cal ISIR 00 1 EC	CI1 High School Name	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_HIGH_SCHL_NAME
Cal ISIR 00 1 EC	CI1 High School City	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_HIGH_SCHL_CITY
Cal ISIR 00 1 EC	CI1 High School State	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_HIGH_SCHL_STAT
Cal ISIR 00 1 EC	CI1 High School Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_HIGH_SCHL_CODE
Cal ISIR 00 1 EC	CI1 Asset Threshold Exceeded	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_STU_ASSET_THRS
Cal ISIR 00 1 EC	CI1 Parent Asset Threshold Exceeded	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_1_EC.SFA_PAR_ASSET_THRS
Cal ISIR 00 2 EC	CI2 EC Transaction ID	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.ECTRANSID
Cal ISIR 00 2 EC	CI2 EC Queue Instance	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.ECQUEUEINSTANCE
Cal ISIR 00 2 EC	CI2 Sequence Number	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.ISIR_SEQ_NO
Cal ISIR 00 2 EC	CI2 Original SSN - RESTRICTED	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.ORIG_SSN□ □ WARNING. This is RESTRICTED data and must be handled/used following PII privacy policies.
Cal ISIR 00 2 EC	CI2 Name Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.NAME_CD
Cal ISIR 00 2 EC	CI2 Transaction Number	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_TRANS_NBR
Cal ISIR 00 2 EC	CI2 Student First/Last Name	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.REJ_OVR_STDNT_NAME
Cal ISIR 00 2 EC	CI2 Assumption Override 1	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASSUM_OVER_1

Class Name	Object Name	Description
Cal ISIR 00 2 EC	CI2 Assumption Override 2	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASSUM_OVER_2
Cal ISIR 00 2 EC	CI2 Assumption Override 3	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASSUM_OVER_3
Cal ISIR 00 2 EC	CI2 Assumption Override 4	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASSUM_OVER_4
Cal ISIR 00 2 EC	CI2 Assumption Override 5	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASSUM_OVER_5
Cal ISIR 00 2 EC	CI2 Assumption Override 6	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASSUM_OVER_6
Cal ISIR 00 2 EC	CI2 Application Receipt Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.APP_RECV_DT_O
Cal ISIR 00 2 EC	CI2 History Correction Applied	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_HIST_CORR_APP
Cal ISIR 00 2 EC	CI2 System Generated Indicator	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SYSTEM_GENERATED
Cal ISIR 00 2 EC	Cl2 Graduate Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_GRAD_FLAG
Cal ISIR 00 2 EC	CI2 Auto Zero EFC	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.AUTO_ZERO_EFC
Cal ISIR 00 2 EC	CI2 Indicates When 'C' Printed SAR	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SAR_C_FLAG
Cal ISIR 00 2 EC	CI2 Simplified Need Test	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SIMPLE_NEEDTST
Cal ISIR 00 2 EC	CI2 Dependency Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.DEPNDNCY_STAT
Cal ISIR 00 2 EC	CI2 Reject Reason Codes	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_REJECT_CODES
Cal ISIR 00 2 EC	CI2 Selective Service Match	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SS_MATCH
Cal ISIR 00 2 EC	CI2 SSN Match	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SSN_MATCH
Cal ISIR 00 2 EC	CI2 Transaction Process Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.TRANS_PROCESS_DT
Cal ISIR 00 2 EC	CI2 Compute Batch Number	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_COMP_BTCH_NBR
Cal ISIR 00 2 EC	CI2 Corrections	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_CORRECTIONS
Cal ISIR 00 2 EC	CI2 Highlights	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_HIGHLIGHT
Cal ISIR 00 2 EC	CI2 Primary EFC	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_PRIMARY_EFC
Cal ISIR 00 2 EC	CI2 Secondary EFC	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SECONDARY_EFC
Cal ISIR 00 2 EC	Cl2 Formula Type	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.FORMULA_TYPE
Cal ISIR 00 2 EC	Cl2 Formula Type Sec	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.FORMULA_TYPE_SEC
Cal ISIR 00 2 EC	CI2 Primary Alternate Month 1	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.PRM_ALT_MONTH_1
•	•	

Class Name	Object Name	Description
Cal ISIR 00 2 EC	CI2 Primary Alternate Month 2	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.PRM_ALT_MONTH_2
Cal ISIR 00 2 EC	CI2 Primary Alternate Month 3	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.PRM_ALT_MONTH_3
Cal ISIR 00 2 EC	CI2 Primary Alternate Month 4	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.PRM_ALT_MONTH_4
Cal ISIR 00 2 EC	CI2 Primary Alternate Month 5	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.PRM_ALT_MONTH_5
Cal ISIR 00 2 EC	CI2 Primary Alternate Month 6	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.PRM_ALT_MONTH_6
Cal ISIR 00 2 EC	CI2 Primary Alternate Month 7	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.PRM_ALT_MONTH_7
Cal ISIR 00 2 EC	CI2 Primary Alternate Month 8	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.PRM_ALT_MONTH_8
Cal ISIR 00 2 EC	Cl2 Primary Alternate Month 10	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.PRM_ALT_MONTH_10
Cal ISIR 00 2 EC	CI2 Primary Alternate Month 11	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.PRM_ALT_MONTH_11
Cal ISIR 00 2 EC	Cl2 Primary Alternate Month 12	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.PRM_ALT_MONTH_12
Cal ISIR 00 2 EC	CI2 Total Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.TOTAL_INCOME_CH
Cal ISIR 00 2 EC	CI2 Allowance VS Total Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.ALWNC_AGAINST_TICH
Cal ISIR 00 2 EC	CI2 State Tax Allowance	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.STATE_TAX_ALWNC_CH
Cal ISIR 00 2 EC	CI2 Employment Allowance	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.EMPLOYMENT_ALWNCCH
Cal ISIR 00 2 EC	CI2 Inc Protection Allowance	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.INC_PROTECTN_AL_CH
Cal ISIR 00 2 EC	CI2 Available Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.AVAILABLE_INCOMECH
Cal ISIR 00 2 EC	CI2 Contribution Available Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.CONTRIB_AVAIL_INCH
Cal ISIR 00 2 EC	CI2 Discretionary Net Worth	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.DESCRTN_NETWRTHCH
Cal ISIR 00 2 EC	CI2 NW: EFC Net Worth	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_EFC_NET_WORTH
Cal ISIR 00 2 EC	CI2 Asset Protection Allowance	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.AST_PROTECTN_ALWCH
Cal ISIR 00 2 EC	CI2 Contribution from Assets	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.CONTRIB_FROM_ASSCH
Cal ISIR 00 2 EC	CI2 Adj Available Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.ADJ_AVAILABLEIN_CH
Cal ISIR 00 2 EC	CI2 Total Student Contribution	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.TOTAL_STU_CONT_CH
Cal ISIR 00 2 EC	CI2 Total Parent Contribution	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.TOTAL_PAR_CONT_CH

Class Name	Object Name	Description
Cal ISIR 00 2 EC	CI2 Parent Contribution	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.ADJ_PAR_CONTRIB_CH
Cal ISIR 00 2 EC	CI2 Student's Total Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.STU_TOTAL_INC_CH
Cal ISIR 00 2 EC	CI2 Student's Allowance vs TI	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SATI
Cal ISIR 00 2 EC	CI2 Student Income Contribution	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.DEP_STU_I_CONT_CH
Cal ISIR 00 2 EC	CI2 Student's Disc Net Worth	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SDNW
Cal ISIR 00 2 EC	CI2 Student Asset Contribution	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.DEP_STU_A_CONRB_CH
Cal ISIR 00 2 EC	CI2 FISAP Total Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.FISAP_TOT_INC_CH
Cal ISIR 00 2 EC	CI2 Secondary Total Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_TI
Cal ISIR 00 2 EC	CI2 Secondary Allowance vs Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_ATI
Cal ISIR 00 2 EC	CI2 Secondary State Tax Allowance	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_STX
Cal ISIR 00 2 EC	CI2 Secondary Employment Allowance	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_EA
Cal ISIR 00 2 EC	CI2 Secondary Inc Prot Allowance	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_IPA
Cal ISIR 00 2 EC	Cl2 Secondary Available Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_AI
Cal ISIR 00 2 EC	CI2 Secondary Contrib from AI	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_CAI
Cal ISIR 00 2 EC	CI2 Secondary DNW	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_DNW
Cal ISIR 00 2 EC	CI2 Secondary Net Worth	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_NW
Cal ISIR 00 2 EC	CI2 Secondary Asset Protect Allow	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_APA
Cal ISIR 00 2 EC	Cl2 Secondary Par Cont From Assets	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_PCA
Cal ISIR 00 2 EC	CI2 Secondary Adj Avail Inc	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_AAI
Cal ISIR 00 2 EC	Cl2 Secondary Total Stud Contrib	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_TSC
Cal ISIR 00 2 EC	Cl2 Secondary Total Par Contrib	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_TPC
Cal ISIR 00 2 EC	Cl2 Secondary Par Contrib	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_PC
Cal ISIR 00 2 EC	Cl2 Secondary Stu Total Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_STI
Cal ISIR 00 2 EC	CI2 Secondary Stu All vs TI	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_SATI
Cal ISIR 00 2 EC	CI2 Secondary Stu Ind Dep IC	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_SIC
1		

Class Name	Object Name	Description
Cal ISIR 00 2 EC	CI2 Secondary Stu DNW	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_SDNW
Cal ISIR 00 2 EC	CI2 Secondary Stu Cont from Assets	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_SCA
Cal ISIR 00 2 EC	CI2 Secondary FISAP Total Inc	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SEC_FTI
Cal ISIR 00 2 EC	CI2 Assumed Citizenship	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.ASMD_CITIZENSHIP
Cal ISIR 00 2 EC	CI2 Assumed Student's Mar Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASSUM_STU_MS
Cal ISIR 00 2 EC	CI2 Assumed DOB Prior	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASSUMED_DOBPR
Cal ISIR 00 2 EC	CI2 Student is Married	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_STU_MARRIED
Cal ISIR 00 2 EC	CI2 Assumed VA Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASSUMED_VA_ST
Cal ISIR 00 2 EC	CI2 Assumed Stu Legal Deps	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASSUMED_DEP
Cal ISIR 00 2 EC	CI2 Assumed Num in Family	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASSUMED_FAM_NO
Cal ISIR 00 2 EC	CI2 Assumed Num in Coll	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASSUMED_COL_NO
Cal ISIR 00 2 EC	CI2 Assumed AGI	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASSUMED_AGI
Cal ISIR 00 2 EC	CI2 Assumed Income from Work	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASSUMED_IFW
Cal ISIR 00 2 EC	CI2 Assumed Income from Work - SPS	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASSUM_IFW_SPS
Cal ISIR 00 2 EC	CI2 Assumed Tax Paid	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASS_STU_TAX
Cal ISIR 00 2 EC	CI2 Assumed Par Mar Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASS_PAR_MS
Cal ISIR 00 2 EC	Cl2 Assumed Par Nbr in Fam	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASS_PAR_FAM_NO
Cal ISIR 00 2 EC	Cl2 Assumed Par Nbr in Coll	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASS_PAR_COL_NO
Cal ISIR 00 2 EC	CI2 Assumed Par AGI	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASS_PAR_AGI
Cal ISIR 00 2 EC	CI2 Assumed Father Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASS_FTHR_INC
Cal ISIR 00 2 EC	CI2 Assumed Mother Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASS_MOM_INC
Cal ISIR 00 2 EC	CI2 Assumed Parents' Tax Paid	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASS_PAR_TAXPD
Cal ISIR 00 2 EC	CI2 Comment Codes	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_COMMENT_CDS
Cal ISIR 00 2 EC	CI2 SAR Ack Comment Codes	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SAR_ACK_COMCDS
Cal ISIR 00 2 EC	Cl2 Federal Pell Eligibility	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.PELL_ELIGIBILITY
t		

Class Name	Object Name	Description
Cal ISIR 00 2 EC	CI2 Reprocess Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.CPS_REPROCESS_CD
Cal ISIR 00 2 EC	CI2 Processed Record Type	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_PROC_REC_TYPE
Cal ISIR 00 2 EC	CI2 Parents' Calc XX Tax Stat	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_PAR_XX_TAXSTAT
Cal ISIR 00 2 EC	CI2 Student's Calc XX Tax Stat	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_STU_XX_TAXSTAT
Cal ISIR 00 2 EC	CI2 Verification Select/Tracking	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.VERIFICATION_SELEC
Cal ISIR 00 2 EC	CI2 CPS Appl Source Site Cd	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_APP_SOURCE
Cal ISIR 00 2 EC	CI2 Transaction Source Site Cd	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_TRANS_SOURCE
Cal ISIR 00 2 EC	CI2 Parent's Total from WK C	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_PAR_WK_C
Cal ISIR 00 2 EC	Cl2 Student's Email Address	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_STD_EMAIL
Cal ISIR 00 2 EC	CI2 Source of Correction	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_SOURCE_CORR
Cal ISIR 00 2 EC	CI2 EFC Change Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_EFC_CHNG_FLAG
Cal ISIR 00 2 EC	CI2 Assumed Children	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASS_CHILDREN
Cal ISIR 00 2 EC	CI2 Duplicate SSN Indicator	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_DUP_SSN_CD
Cal ISIR 00 2 EC	CI2 Assumed Stu Inc from WK C	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASS_STU_WKC
Cal ISIR 00 2 EC	CI2 Assumed Parents' WK C	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASS_PAR_WKC
Cal ISIR 00 2 EC	CI2 Assumed Father's SSN	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASS_FATHER_SSN
Cal ISIR 00 2 EC	CI2 Assumed Mother's SSN	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_ASS_MOTHER_SSN
Cal ISIR 00 2 EC	CI2 FAFSA Data Verify Flags	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.IWD_DATA_VERIFY
Cal ISIR 00 2 EC	CI2 Address Only Change Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.ADDR_ONLY_CHNG_FLG
Cal ISIR 00 2 EC	CI2 CPS Pushed ISIR Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.ISIR_CPS_PUSHED
Cal ISIR 00 2 EC	CI2 ISIR SAR C Flag Changed	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.ISIR_SAR_C_CHNG
Cal ISIR 00 2 EC	CI2 Rejected Status Change Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SFA_REJ_ST_CHG_FLG
Cal ISIR 00 2 EC		Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SFA_VF_SEL_CHG_FLG
Cal ISIR 00 2 EC	Cl2 Reject Override 4	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SFA_REJ_OVR_MR_STU
Cal ISIR 00 2 EC	Cl2 Signature Reject EFC	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SFA_IW_SIGNREJ_EFC

Class Name	Object Name	Description
Cal ISIR 00 2 EC	CI2 Special Circumstances Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SFA_SPL_CIRCUM_FLG
Cal ISIR 00 2 EC	CI2 Assumed Risk of Homelessness	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SFA_ASM_RISK_HOME
Cal ISIR 00 2 EC	CI2 DOD Parent Date of Death	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SFA_DOD_PARENT
Cal ISIR 00 2 EC	CI2 High School Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS ISIR 00 2 EC.SFA HIGH SCHL FLAG
Cal ISIR 00 2 EC	CI2 Assumed Stu Asset Thrs Exceed	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SFA_STU_ASM_ASSET
Cal ISIR 00 2 EC	CI2 Assumed Par Asset Thrs Exceed	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_00_2_EC.SFA_PAR_ASM_ASSET
Cal ISIR Reject Reason	CIR Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_CISIR_REJ.EFFDT
Cal ISIR Reject Reason	CIR Effective Sequence	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_CISIR_REJ.EFFSEQ
Cal ISIR Reject Reason	CIR Reject Reason	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_CISIR_REJ.REJECT_REASON
Cal ISIR Reject Reason	CIR Reason Severity Level	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_REJECT_TBL.SEVERITY_LVL
Cal ISIR Reject Reason	CIR Reason Description	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_REJECT_TBL.DESCRLONG
Cal ISIR Comment	CICM Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_CISIR_CMMT.EFFDT
Cal ISIR Comment	CICM Effective Sequence	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_CISIR_CMMT.EFFSEQ
Cal ISIR Comment	CICM Comment Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Financial Aid Source: PS_SCF_CISIR_CMMT.COMMENT_CODE
Cal ISIR Comment	CICM DB Match Use	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_COMMT_TBL.SFA_DB_MATCH_USE
Cal ISIR Comment	CICM Severity Level	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_COMMT_TBL.SEVERITY_LVL
Cal ISIR Comment	CICM Description	Data is completely replaced nightly. Steward: Financial Aid Source: PS_ISIR_COMMT_TBL.DESCRLONG
Cal ISIR Computed	CICP Emplid	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.EMPLID
Cal ISIR Computed	CICP Aid Year	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.AID_YEAR
Cal ISIR Computed	CICP Primary EFC	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.PRIMARY_EFC
Cal ISIR Computed	CICP Secondary EFC	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.SECONDARY_EFC

Class Name	Object Name	Description
Cal ISIR Computed	CICP Pell Paid EFC Type	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.PELL_PAID_EFC_TYPE
Cal ISIR Computed	CICP Valid EFC Calc	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.VALID_EFC_CALC
Cal ISIR Computed	CICP Auto Zero EFC	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.AUTO_ZERO_EFC
Cal ISIR Computed	CICP Formula Type	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.FORMULA_TYPE
Cal ISIR Computed	CICP Primary Alternate Month	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.PRM_ALT_MONTH_1
Cal ISIR Computed	CICP Primary Alternate Month 2	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.PRM_ALT_MONTH_2
Cal ISIR Computed	CICP Primary Alternate Month 3	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.PRM_ALT_MONTH_3
Cal ISIR Computed	CICP Primary Alternate Month	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.PRM_ALT_MONTH_4
Cal ISIR Computed	CICP Primary Alternate Month 5	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.PRM_ALT_MONTH_5
Cal ISIR Computed	CICP Primary Alternate Month 6	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.PRM_ALT_MONTH_6
Cal ISIR Computed	CICP Primary Alternate Month 7	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.PRM_ALT_MONTH_7
Cal ISIR Computed	CICP Primary Alternate Month 8	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.PRM_ALT_MONTH_8
Cal ISIR Computed	CICP Primary Alternate Month	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.PRM_ALT_MONTH_10
Cal ISIR Computed	CICP Primary Alternate Month	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.PRM_ALT_MONTH_11
Cal ISIR Computed	CICP Primary Alternate Month	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.PRM_ALT_MONTH_12
Cal ISIR Computed	CICP Secondary Alternate Month 1	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.SEC_ALT_MONTH_1
Cal ISIR Computed	CICP Secondary Alternate Month 2	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.SEC_ALT_MONTH_2
Cal ISIR Computed	CICP Secondary Alternate Month 3	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.SEC_ALT_MONTH_3
Cal ISIR Computed	CICP Secondary Alternate Month 4	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.SEC_ALT_MONTH_4
Cal ISIR Computed	CICP Secondary Alternate Month 5	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.SEC_ALT_MONTH_5
Cal ISIR Computed	CICP Secondary Alternate Month 6	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.SEC_ALT_MONTH_6
Cal ISIR Computed	CICP Secondary Alternate Month 7	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.SEC_ALT_MONTH_7
Cal ISIR Computed	CICP Secondary Alternate Month 8	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.SEC_ALT_MONTH_8
Cal ISIR Computed	CICP Secondary Alternate Month 10	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.SEC_ALT_MONTH_10
Cal ISIR Computed	CICP Secondary Alternate Month 11	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.SEC_ALT_MONTH_11

Class Name	Object Name	Description
Cal ISIR Computed	CICP Secondary Alternate Month 12	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.SEC_ALT_MONTH_12
Cal ISIR Computed	CICP Total Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.TOTAL_INCOME
Cal ISIR Computed	CICP Total Allowances	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.ALWNC_AGAINST_TI
Cal ISIR Computed	CICP State Tax Allowance	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.STATE_TAX_ALWNC
Cal ISIR Computed	CICP Employment Allowance	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.EMPLOYMENT_ALWNC
Cal ISIR Computed	CICP Inc Protection Allowance	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.INC_PROTECTN_ALWNC
Cal ISIR Computed	CICP Available Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.AVAILABLE_INCOME
Cal ISIR Computed	CICP Discretionary Net Worth	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.DESCRTN_NET_WORTH
Cal ISIR Computed	CICP Asset Protection Allowance	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.AST_PROTECTN_ALWNC
Cal ISIR Computed	CICP Contribution from Assets	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.CONTRIB_FROM_ASSET
Cal ISIR Computed	CICP Adj Available Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.ADJ_AVAILABLE_INC
Cal ISIR Computed	CICP Total Parent Contribution	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.TOTAL_PAR_CONTRIB
Cal ISIR Computed	CICP Total Student Contribution	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.TOTAL_STU_CONTRIB
Cal ISIR Computed	CICP Parent Contribution	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.ADJ_PAR_CONTRIB
Cal ISIR Computed	CICP Student Income Contribution	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.DEP_STU_I_CONTRIB
Cal ISIR Computed	CICP Student Asset Contribution	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.DEP_STU_A_CONTRIB
Cal ISIR Computed	CICP Students Total Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.STU_TOTAL_INC
Cal ISIR Computed	CICP Contribution Available Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.CONTRIB_AVAIL_INC
Cal ISIR Computed	CICP FICA Taxes	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.FICA_TAX_PD
Cal ISIR Computed	CICP Currency Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.CURRENCY_CD
Cal ISIR Computed	CICP EFC Calcd On	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.EFC_CALC_DT
Cal ISIR Computed	CICP Budget Duration	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.BUDGET_DURATION
Cal ISIR Computed	CICP Adjust EFC	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.ADJ_EFC_AMT
	· · · · · · · · · · · · · · · · · · ·	A

Object Name	Description
Contribution	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.WEEKLY_PC
CICP Weekly EFC Student Contribution	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.WEEKLY_SC
CICP Prorated EFC	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.PRORATED_EFC
CICP Secondary EFC Type	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.SECONDARY_EFC_TP
CICP EFC Net Worth	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.EFC_NET_WORTH
CICP Student's Allowance VS TI	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.STU_ALLOW_VS_TI
CICP Student's Desc Net Worth	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.STU_DISC_NET_WORTH
CICP Secondary Net Worth	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.SEC_NET_WORTH
CICP Sec Stu Allow VS Total Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.SEC_ALLOW_VS_TI
CICP Sec Stu Disc Net Worth	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.SEC_SDNW
CICP Paid EFC	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.PAID_EFC
CICP Calculated Student Contribution	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.ISIR_CALC_SC
CICP Calculated Parent Contribution	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.ISIR_CALC_PC
CICP Calculated Family Contribution	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.ISIR_CALC_EFC
CICP Signature Reject EFC	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.SFA_SIG_REJ_EFC
CICP Primary PC	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.SFA_PRIMARY_PC
CICP Primary SCA	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.SFA_PRIMARY_SCA
CICP Primary SIC	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.SFA_PRIMARY_SIC
CICP ISIR Source	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_COM.SCF_ISIR_SOURCE
CII Currency Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.CURRENCY_CD
CII NSLDS Match	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.NSLDS_MATCH
CII Student Independent Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.REJ_OVR_IND_STDNT
CII Student Debt GT Value	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.REJ_OVR_DEP_STDNT
CII Student First/Last Name	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.REJ_OVR_STDNT_NAME
	CICP Weekly EFC Parent Contribution CICP Weekly EFC Student Contribution CICP Prorated EFC CICP Secondary EFC Type CICP Student's Allowance VS TI CICP Student's Desc Net Worth CICP Secondary Net Worth CICP Sec Stu Allow VS Total Income CICP Sec Stu Disc Net Worth CICP Sec Stu Disc Net Worth CICP Calculated Student Contribution CICP Calculated Student Contribution CICP Calculated Farmily Contribution CICP Signature Reject EFC CICP Primary PC CICP Primary SIC CICP ISIR Source CII NSLDS Match CII Student Independent Status CII Student Independent

Class Name	Object Name	Description
Cal ISIR Interpret	CII Stu/Par Invest Value	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.REJ_OVR_INV_DEBT
Cal ISIR Interpret	CII Large Family Size	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.REJ_OVR_BIG_FAMILY
Cal ISIR Interpret	CII Parent Nbr in Family	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMPTN_OVR_FAM_MEM
Cal ISIR Interpret	CII Parent Nbr in College	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMPTN_OVR_COL_P
Cal ISIR Interpret	CII Parent AGI	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMPTN_OVR_AGI_P
Cal ISIR Interpret	CII Student Nbr in College	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMPTN_OVR_COL_S
Cal ISIR Interpret	CII Student AGI	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMPTN_OVR_AGI_S
Cal ISIR Interpret	CII Student SocSec Benefits (0099)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMPTN_OVR_SSN_BEN
Cal ISIR Interpret	CII Assumed Citizenship	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMD_CITIZENSHIP
Cal ISIR Interpret	CII Student Tax Status 1995	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMD_STU_TAX_STAT
Cal ISIR Interpret	CII Student Expected Tax Stat	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMD_STU_EXP_TAX
Cal ISIR Interpret	CII Parent Tax Status 1995	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMD_PAR_TAX_STAT
Cal ISIR Interpret	CII Parent Tax Paid	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMD_PAR_TAX_PAID
Cal ISIR Interpret	CII Parent Expected Tax Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMD_PAR_EXP_TAX
Cal ISIR Interpret	CII Spouse/Mother Expected Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMD_SPOMO_EXP_INC
Cal ISIR Interpret	CII Student/Father Expected Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMD_STUFA_EXP_INC
Cal ISIR Interpret	CII Expected Tax Paid	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMD_EXP_TAX_PAID
Cal ISIR Interpret	CII Parent Inc from WKB/C Asmd 0	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMPTN_OVR_WS3_P
Cal ISIR Interpret	CII Student Inc from WKB/C Asmd 0	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMPTN_OVR_WS3_S
Cal ISIR Interpret	CII Parent Total from WSA Asmd	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMPTN_OVR_WSA_P
Cal ISIR Interpret	CII Student Total from WSA Asmd	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMPTN_OVR_WSA_S
Cal ISIR Interpret	CII Student Assumed Marital Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMD_STU_MAR_STAT
Cal ISIR Interpret	CII Student DOB Before	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMD_STU_DOB_PRIOR
Cal ISIR Interpret	CII Student Assumed Value Married	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMD_STU_MARRIED

Class Name	Object Name	Description
Cal ISIR Interpret	CII Student Assumed Veteran	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMD_STU_VA_STAT
Cal ISIR Interpret	CII Student Assumed Dependents	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMD_STU_LGL_DEP
Cal ISIR Interpret	CII Student Number of Family Members	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMD_STU_NBR_INFAM
Cal ISIR Interpret	CII Student Number in College	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMD_STU_NBR_COLL
Cal ISIR Interpret	CII Student Assumed AGI	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMD_STU_AGI
Cal ISIR Interpret	CII Student Assumed Earned Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMD_STU_ERN_INC
Cal ISIR Interpret	CII Spouse Assumed Earned Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMD_SPS_ERN_INC
Cal ISIR Interpret	CII Student Assumed WKB	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMD_STU_WKB
Cal ISIR Interpret	CII Student Assumed US Tax Paid	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMD_STU_TAX_PAID
Cal ISIR Interpret	CII Parent Assumed Marital Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMD_PAR_MAR_STAT
Cal ISIR Interpret	CII Parent Number of Family Members	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMD_PAR_NBR_INFAM
Cal ISIR Interpret	CII Parent Assumed Number in College	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMD_PAR_NBR_COLL
Cal ISIR Interpret	CII Parent Assumed AGI	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMD_PAR_AGI
Cal ISIR Interpret	CII Assumed Father's Earned Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMD_DAD_ERN_INC
Cal ISIR Interpret	CII Assumed Mother's Earned Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMD_MOM_ERN_INC
Cal ISIR Interpret	CII Assumed Parents Earned Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMD_PAR_ERN_INC
Cal ISIR Interpret	CII Parent Assumed WKB	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMD_PAR_WKB
Cal ISIR Interpret	CII Assumed Father's SSN	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMD_FATHER_SSN
Cal ISIR Interpret	CII Assumed Mother's SSN	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMD_MOTHER_SSN
Cal ISIR Interpret	CII Student Earned Income Credit	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMD_STU_EIC
Cal ISIR Interpret	CII Children	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMD_CHILDREN
Cal ISIR Interpret	CII Student Worksheet C Total	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMD_STU_WKC
Cal ISIR Interpret	CII Parent Assumed Worksheet C	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.ASMD_PAR_WKC
Cal ISIR Interpret	CII Date of Birth Yr is 1900- 1928	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.REJ_OVR_BIRTH_YEAR
Cal ISIR Interpret	CII Taxes paid is high, but < AGI - Rej Ovr C	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.REJ_OVR_TAX_RANGE

Class Name	Object Name	Description
Cal ISIR Interpret	CII Dependency Override Indicator	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.DEPNDNCY_OVERRIDE
Cal ISIR Interpret	CII Correction Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.CORRECTION_STATUS
Cal ISIR Interpret	CII Display FM EFC Override Values	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.EFC_OVRD_DSPLAY_FM
Cal ISIR Interpret	CII Taxes paid is high, but < AGI - Rej Ovr G	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.REJ_OVR_TAXRNG_DEP
Cal ISIR Interpret	CII Reject Override 12	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.SFA_REJ_OVR_TX_PAR
Cal ISIR Interpret	CII Reject Override J	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.SFA_REJ_OVR_DADSSN
Cal ISIR Interpret	CII Reject Override K	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.SFA_REJ_OVR_MOMSSN
Cal ISIR Interpret	CII Reject Override 3	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.SFA_REJ_OVR_TX_STU
Cal ISIR Interpret	CII Correct Date of Birth Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.CORR_DOB
Cal ISIR Interpret	CII Correct Citizenship Status Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.CORR_CIT_STATUS
Cal ISIR Interpret	CII Reject Override 4	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.SFA_REJ_OVR_MR_STU
Cal ISIR Interpret	CII Reject Override 20	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.SFA_REJ_OVR_NO_TAX
Cal ISIR Interpret	CII Unaccompanied Youth (School)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.SFA_ASM_YTH_SCH_VL
Cal ISIR Interpret	CII Unaccompanied Youth (HUD)	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.SFA_ASM_YTH_HUD_VL
Cal ISIR Interpret	CII Risk of Homelessness	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.SFA_ASM_RSK_HOM_VL
Cal ISIR Interpret	CII Reject Override 21	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.SFA_REJ_OVR_MAR_ST
Cal ISIR Interpret	CII Student Asset Threshold Exceeded	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.SFA_STU_ASM_AST_VL
Cal ISIR Interpret	CII Parent Asset Threshold Exceeded	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_INT.SFA_PAR_ASM_AST_VL
Cal ISIR Parent	CIP Marital Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.MARITAL_STAT
Cal ISIR Parent	CIP Marital Status Defaulted	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.DFLT_MAR_STAT_IND
Cal ISIR Parent	CIP Legal Residence	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.LEGAL_RESIDENCE
Cal ISIR Parent	CIP Date of Legal Residence	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.DT_LEGAL_RES

Class Name	Object Name	Description
Cal ISIR Parent	CIP Number Family Members	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.NUMBER_IN_FAMILY
Cal ISIR Parent	CIP Number Family Members Default Set	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.DFLT_NUM_FAM_IND
Cal ISIR Parent	CIP Number in College	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.NUM_IN_COLLEGE
Cal ISIR Parent	CIP Number in College Default Set	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.DFLT_NUM_COLL_IND
Cal ISIR Parent	CIP Tax Form Filed	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.TAX_FORM_FILED
Cal ISIR Parent	CIP Number of Exemptions	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.NUMBER_EXEMPTIONS
Cal ISIR Parent	CIP Adjusted Gross Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.AGI
Cal ISIR Parent	CIP AGI Default Set	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.DFLT_AGI_IND
Cal ISIR Parent	CIP US Tax Paid	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.TAXES_PAID
Cal ISIR Parent	CIP Taxes Paid Default Set	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.DFLT_TAXES_PD_IND
Cal ISIR Parent	CIP Father's Earnings	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.FATHER_INCOME
Cal ISIR Parent	CIP Father's Income Default Set	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.DFLT_DAD_INC_IND
Cal ISIR Parent	CIP Mother's Earnings	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.MOTHER_INCOME
Cal ISIR Parent	CIP Mother's Income Default Set	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.DFLT_MOM_INC_IND
Cal ISIR Parent	CIP Age of Older Parent	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.AGE_OLDER_PARENT
Cal ISIR Parent	CIP Cash Savings	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.CASH_SAVINGS
Cal ISIR Parent	CIP Father's Highest Grade Level	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.FATHER_GRADE_LVL
Cal ISIR Parent	CIP Mother's Highest Grade Level	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.MOTHER_GRADE_LVL
Cal ISIR Parent	CIP Total from Worksheet 3	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.TOTAL_FROM_WS3
Cal ISIR Parent	CIP Earned Income Credit	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.ERND_INC_CREDIT
Cal ISIR Parent	CIP Earned Inc Source Ind	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.DFLT_EIC_IND
Cal ISIR Parent	CIP Tax Return Filed?	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.TAX_RETURN_FILED
Cal ISIR Parent	CIP Eligible for 1040A or 1040EZ	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.ELIG_FOR_1040A_EZ
Cal ISIR Parent	CIP Total Amount from Worksheet A	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.TOTAL_FROM_WKA
Cal ISIR Parent	CIP Investment Net Worth	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.INV_NET_WORTH

Class Name	Object Name	Description
Cal ISIR Parent	CIP Business Net Worth	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.BUS_NET_WORTH
Cal ISIR Parent	CIP Farm Net Worth	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.FARM_NET_WORTH
Cal ISIR Parent	CIP Legal Resident Before 01- 01-94	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.LEGAL_RES_PRI_94
Cal ISIR Parent	CIP Tax Form Filed 2000	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.TAX_FORM_FILED00
Cal ISIR Parent	CIP Legal Resident Before 01- 01-95	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.LEGAL_RES_PRIOR
Cal ISIR Parent	CIP Father's SSN	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.FATHER_SSN
Cal ISIR Parent	CIP Father's Last Name	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.FATHER_LAST_NAME
Cal ISIR Parent	CIP Mother's SSN	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.MOTHER_SSN
Cal ISIR Parent	CIP Mother's Last Name	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.MOTHER_LAST_NAME
Cal ISIR Parent	CIP Total Amount from Worksheet C	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.TOTAL_FROM_WKC
Cal ISIR Parent	CIP Total from Worksheet C Defaulted	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.DFLT_WKC_TOT_IND
Cal ISIR Parent	CIP AGI Value is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.BLANK_AGI
Cal ISIR Parent	CIP Taxes Paid Value is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.BLANK_TAXES_PAID
Cal ISIR Parent	CIP Father's Income Value is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.BLANK_FATHER_INC
Cal ISIR Parent	CIP Mother's Income Value is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.BLANK_MOTHER_INC
Cal ISIR Parent	CIP Total from Worksheet B is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.BLANK_TOT_FROM_WKA
Cal ISIR Parent	CIP Investment Net Worth is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.BLANK_INV_NET_WRTH
Cal ISIR Parent	CIP Marital Status Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.MAR_STATUS_DT
Cal ISIR Parent	CIP Father's First Name Initial	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.FATHER_1ST_NM_INIT
Cal ISIR Parent	CIP Father's Date of Birth	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.FATHER_DOB
Cal ISIR Parent	CIP Mother's First Name Initial	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.MOTHER_1ST_NM_INIT
Cal ISIR Parent	CIP Mother's Date of Birth	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.MOTHER_DOB
Cal ISIR Parent	CIP Parent's Email Address	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.IWD_PAR_EMAIL
Cal ISIR Parent	CIP Assumed Father SSN	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.DFLT_FATHERSSN_IND

Class Name	Object Name	Description
Cal ISIR Parent	CIP Assumed Mother SSN	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.DFLT_MOTHERSSN_IND
Cal ISIR Parent	CIP Cash Savings Value is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.BLANK_CASH_SAV
Cal ISIR Parent	CIP Receives SSI Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.SFA_SSI_INCOME
Cal ISIR Parent	CIP Receives Food Stamps	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.SFA_FOOD_STAMPS
Cal ISIR Parent	CIP Participates in Schl Lunch Prog	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.SFA_SCHL_LUNCH_PRG
Cal ISIR Parent	CIP TANF Recipient	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.SFA_TANF_BENEFITS
Cal ISIR Parent	CIP WIC Benefits Recipient	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.SFA_WIC_BENEFITS
Cal ISIR Parent	CIP Dislocated Worker	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.SFA_DISLOCATE_WRK
Cal ISIR Parent	CIP Educational Credits	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.SFA_EDU_CREDITS
Cal ISIR Parent	CIP Child Support Paid	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.SFA_CHILD_SUP_PAID
Cal ISIR Parent	CIP Need-Based Employment	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.SFA_NEED_EMPLOYMNT
Cal ISIR Parent	CIP Grant/Scholarship Aid	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.SFA_GRANT_AID
Cal ISIR Parent	CIP Combat Pay	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.SFA_COMBATPAY
Cal ISIR Parent	CIP Pension Payments	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.SFA_PENSION_PAY
Cal ISIR Parent	CIP IRA Payments	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.SFA_IRA_PAY
Cal ISIR Parent	CIP Child Support Received	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.SFA_CHILD_SUP_RECV
Cal ISIR Parent	CIP Interest Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.SFA_INTERST_INCOME
Cal ISIR Parent	CIP IRA Distributions	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.SFA_IRA_DIST
Cal ISIR Parent	CIP Untaxed Pensions	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.SFA_UNTAX_PENSION
Cal ISIR Parent	CIP Military/Clergy Allowances	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.SFA_MILITARY_ALLOW
Cal ISIR Parent	CIP Veterans Non-Ed Benefits	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.SFA_VET_NONEDU_BEN
Cal ISIR Parent	CIP Other Untaxed Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.SFA_UNTAX_INCOME
Cal ISIR Parent	CIP Co-op Earnings	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.SFA_COOP_EARN

Class Name	Object Name	Description
Cal ISIR Parent	CIP Business Net Worth is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.SFA_BLANK_BUSNET
Cal ISIR Parent	CIP Educational Credit is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.SFA_BLANK_EDUCREDT
Cal ISIR Parent	CIP Child Support Paid is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.SFA_BLANK_CHILDSUP
Cal ISIR Parent	CIP Need Employment is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.SFA_BLANK_NEEDEMPL
Cal ISIR Parent	CIP Grant Aid is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.SFA_BLANK_GRANTAID
Cal ISIR Parent	CIP Combat Pay is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.SFA_BLANK_COMBAT
Cal ISIR Parent	CIP Co-op Earnings is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.SFA_BLANK_COOPEARN
Cal ISIR Parent	CIP Pension Pay is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.SFA_BLANK_PENSION
Cal ISIR Parent	CIP Self Employment Pay is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.SFA_BLANK_IRA_PAY
Cal ISIR Parent	CIP Child Support Receive is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.SFA_BLANK_CHILDREC
Cal ISIR Parent	CIP Tax Exempt Interest is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.SFA_BLANK_INT_INC
Cal ISIR Parent	CIP IRA Distributions is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.SFA_BLANK_IRA_DIST
Cal ISIR Parent	CIP Untax Pension is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.SFA_BLANK_UNTAXPEN
Cal ISIR Parent	CIP Military Allowance is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.SFA_BLANK_MILITARY
Cal ISIR Parent	CIP Veterans Non-Ed Ben is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.SFA_BLANK_VET_NON
Cal ISIR Parent	CIP Other Untax Income is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.SFA_BLANK_UNTAXINC
Cal ISIR Parent	CIP Parent Asset Threshold Exceed	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.SFA_PAR_ASSET_THRS
Cal ISIR Parent	CIP Parent Asset Threshold Exceed Def	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.SFA_DFLT_ASM_ASSET
Cal ISIR Parent	CIP Parent Tax Return Filing	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_PAR.SFA_PAR_TAX_RET
Cal ISIR Student	CIS Number in Family	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.NUM_FAMILY_MEMBERS

Class Name	Object Name	Description
Cal ISIR Student	CIS Number in Family Default Set	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.DFLT_NUM_FAM_IND
Cal ISIR Student	CIS Number In College	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.NUMBER_IN_COLLEGE
Cal ISIR Student	CIS Number in College Default Set	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.DFLT_NUM_COLL_IND
Cal ISIR Student	CIS DOB Before 1/1/74	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.DOB_PRIOR
Cal ISIR Student	CIS DOB Prior Defaulted	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.DFLT_DOB_PRIOR_IND
Cal ISIR Student	CIS Veteran	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.VETERAN
Cal ISIR Student	CIS Graduate Student	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.GRADUATE_STUDENT
Cal ISIR Student	CIS Student Married	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.MARRIED
Cal ISIR Student	CIS Married Defaulted	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.DFLT_MARRIED_IND
Cal ISIR Student	CIS Marital Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.MARITAL_STAT
Cal ISIR Student	CIS Marital Status Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.MAR_STATUS_DT
Cal ISIR Student	CIS Marital Status Defaulted	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.DFLT_MAR_STAT_IND
Cal ISIR Student	CIS Orphan or Ward of the Court	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.ORPHAN
Cal ISIR Student	CIS Dependents Other Than Spouse	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.DEPENDENTS
Cal ISIR Student	CIS Dependents Defaulted	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.DFLT_DEPEND_IND
Cal ISIR Student	CIS Tax Form Filed	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.TAX_FORM_FILED
Cal ISIR Student	CIS Number Exemptions	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.NUMBER_EXEMPTIONS
Cal ISIR Student	CIS Adjusted Gross Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.AGI
Cal ISIR Student	CIS AGI Default Set	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.DFLT_AGI_IND
Cal ISIR Student	CIS US Taxes Paid	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.TAXES_PAID
Cal ISIR Student	CIS Taxes Paid Default Set	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.DFLT_TAXES_PD_IND
Cal ISIR Student	CIS Student's Earned Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.STD_EARNED_INCOME
Cal ISIR Student	CIS Student Income Default Set	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.DFLT_STD_INC_IND
Cal ISIR Student	CIS Spouse's Earned Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SPS_EARNED_INCOME
Cal ISIR Student	CIS Spouse Income Default Set	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.DFLT_SPS_INC_IND

Class Name	Object Name	Description
Cal ISIR Student	CIS Cash Savings	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.CASH_SAVINGS
Cal ISIR Student	CIS Student's 1st Choice School	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SCHOOL_CHOICE_1
Cal ISIR Student	CIS Student's Housing Code Col 1	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.HOUSING_CODE_1
Cal ISIR Student	CIS Student's 2nd Choice School	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SCHOOL_CHOICE_2
Cal ISIR Student	CIS Student's Housing Code Col 2	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.HOUSING_CODE_2
Cal ISIR Student	CIS Student's 3rd Choice School	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SCHOOL_CHOICE_3
Cal ISIR Student	CIS Student's Housing Code Col 3	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.HOUSING_CODE_3
Cal ISIR Student	CIS Student's 4th Choice School	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SCHOOL_CHOICE_4
Cal ISIR Student	CIS Student's Housing Code Col 4	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.HOUSING_CODE_4
Cal ISIR Student	CIS Student's 5th Choice School	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SCHOOL_CHOICE_5
Cal ISIR Student	CIS Student's Housing Code Col 5	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.HOUSING_CODE_5
Cal ISIR Student	CIS Student's 6th Choice School	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SCHOOL_CHOICE_6
Cal ISIR Student	CIS Student's Housing Code Col 6	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.HOUSING_CODE_6
Cal ISIR Student	CIS Permit Sel Serv to Enroll	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SEL_SERV_REGISTER
Cal ISIR Student	CIS Received First Bachelor Degree	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.FIRST_BACH_DEGREE
Cal ISIR Student	CIS Monthly Vet Edu Benefits	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.MONTHLY_VET_BEN
Cal ISIR Student	CIS VA Ben Number of Months	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.NUM_MONTH_VET_BEN
Cal ISIR Student	CIS Interested in Work-Study	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.INTERESTED_IN_WS
Cal ISIR Student	CIS Interested in Student Loans	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.INTERESTED_IN_SL
Cal ISIR Student	CIS Application Signed By	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.APP_SIGNED_BY
Cal ISIR Student	CIS Date Application Completed	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.DT_APP_COMPLETED
Cal ISIR Student	CIS Enroll Plan for Current Summer	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.ENROLL_CURNT_SUM
Cal ISIR Student	CIS Enroll Plan for Fall	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.ENROLL_FALL
Cal ISIR Student	CIS Enroll Plan for Winter	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.ENROLL_WINTER
Cal ISIR Student	CIS Enroll Plan for Spring	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.ENROLL_SPRING

Class Name	Object Name	Description
Cal ISIR Student	CIS Enroll Plan for Next Summer	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.ENROLL_NEXT_SUM
Cal ISIR Student	CIS Degree/Certificate	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.DEGREE_CERTIF
Cal ISIR Student	CIS Date Expected to Complete Prog	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.DT_EXPCT_TO_COMP
Cal ISIR Student	CIS Current Grade Level	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.CURRENT_GRADE_LVL
Cal ISIR Student	CIS Total from Worksheet 3	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.TOTAL_FROM_WS3
Cal ISIR Student	CIS Total from Worksheet 3 Defaulted	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.DFLT_WS3_TOT_IND
Cal ISIR Student	CIS Dependency Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.DEPNDNCY_STAT
Cal ISIR Student	CIS Earned Income Credit	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.ERND_INC_CREDIT
Cal ISIR Student	CIS Earned Inc Source Ind	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.DFLT_EIC_IND
Cal ISIR Student	CIS Graduate	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.GRADUATE
Cal ISIR Student	CIS State of Residence	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.STATE_RESIDENCE
Cal ISIR Student	CIS Residency Date	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.RESIDENCY_DT
Cal ISIR Student	CIS Drivers License Issuing State	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.DRIV_LIC_STATE
Cal ISIR Student	CIS HS Diploma or GED Received	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.HS_GED_RCVD
Cal ISIR Student	CIS FISAP Total Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.FISAP_TOT_INC
Cal ISIR Student	CIS Citizenship Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.CITIZENSHIP_STATUS
Cal ISIR Student	CIS Legal Resident Before 01- 01-94	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.LEGAL_RES_PRI_94
Cal ISIR Student	CIS Are You Male?	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.STUDENT_MALE
Cal ISIR Student	CIS Tax Return Filed?	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.TAX_RETURN_FILED
Cal ISIR Student	CIS Eligible for 1040A or 1040EZ	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.ELIG_FOR_1040A_EZ
Cal ISIR Student	CIS Total Amount from WK A	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.TOTAL_FROM_WKA
Cal ISIR Student	CIS Investment Net Worth	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.INV_NET_WORTH
Cal ISIR Student	CIS Business Net Worth	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.BUS_NET_WORTH
Cal ISIR Student	CIS Do you have a driver's license?	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.STUDENT_HAVE_DL
Cal ISIR Student	CIS Default Veteran Indicator	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.DFLT_VETERAN_IND

Class Name	Object Name	Description
Cal ISIR Student	CIS Default Citizenship Indicator	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.DFLT_CITIZEN_IND
Cal ISIR Student	CIS City	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.IWD_CITY
Cal ISIR Student	CIS State	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.IWD_STATE
Cal ISIR Student	CIS Zip	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.IWD_ZIP
Cal ISIR Student	CIS Perm Phone Number	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.IWD_PERM_PHONE
Cal ISIR Student	CIS Tax Form Filed 2000	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.TAX_FORM_FILED00
Cal ISIR Student	CIS Legal Resident Before 01- 01-95	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.LEGAL_RES_PRIOR
Cal ISIR Student	CIS Drug Offense Conviction	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.DRUG_OFFENSE_CONV
Cal ISIR Student	CIS Last Name	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.IWD_STD_LAST_NAME
Cal ISIR Student	CIS Middle Initial	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.IWD_STU_MI
Cal ISIR Student	CIS Social Security Number	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SSN
Cal ISIR Student	CIS Date of Birth	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.BIRTHDATE
Cal ISIR Student	CIS Driver's License Number	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.DRIVERS_LICENSE_NO
Cal ISIR Student	CIS Alien Registration Number	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.IWD_STU_ALIEN_REG
Cal ISIR Student	CIS Have children you support?	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.CHILDREN
Cal ISIR Student	CIS Default Children Indicator	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.DFLT_CHILDREN_IND
Cal ISIR Student	CIS Total Amount from Worksheet C	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.TOTAL_FROM_WKC
Cal ISIR Student	CIS Total from Worksheet C Defaulted	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.DFLT_WKC_TOT_IND
Cal ISIR Student	CIS Student's Email Address	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.IWD_STD_EMAIL
Cal ISIR Student	CIS Permanent Mailing Address	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.IWD_PERM_ADDR02
Cal ISIR Student	CIS Student's First Name	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.IWD_STD_FIRST_NM02
Cal ISIR Student	CIS AGI Value is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.BLANK_AGI
Cal ISIR Student	CIS Taxes Paid Value is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS SCF INAS SM STU.BLANK TAXES PAID
Cal ISIR Student	CIS Student's Earned Income is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.BLANK_STD_EARN_INC

Class Name	Object Name	Description
Cal ISIR Student	CIS Spouse's Earned Income is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.BLANK_SPS_EARN_INC
Cal ISIR Student	CIS Total from Worksheet B is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.BLANK_TOT_FROM_WKA
Cal ISIR Student	CIS Investment Net Worth is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.BLANK_INV_NET_WRTH
Cal ISIR Student	CIS Enrollment Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.ISIR_STU_ENRL_STAT
Cal ISIR Student	CIS Cash Savings Value is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.BLANK_CASH_SAV
Cal ISIR Student	CIS Active Duty in US Military	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_ACTIVE_DUTY
Cal ISIR Student	CIS Received SSI Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_SSI_INCOME
Cal ISIR Student	CIS Receives Food Stamps	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_FOOD_STAMPS
Cal ISIR Student	CIS Participates in School Lunch Program	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_SCHL_LUNCH_PRG
Cal ISIR Student	CIS TANF Recipient	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_TANF_BENEFITS
Cal ISIR Student	CIS WIC Benefits Recipient	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_WIC_BENEFITS
Cal ISIR Student	CIS Work Study or Student Loans	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_INTRSTD_IN_WSL
Cal ISIR Student	CIS Are You Male or Female	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_STDNT_GENDER
Cal ISIR Student	CIS HS Diploma or Equivalent	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_HS_DIP_EQUIV
Cal ISIR Student	CIS Student's 7th School Choice	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_SCHL_CHOICE_7
Cal ISIR Student	CIS Student's Housing Code Col 7	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_HOUSING_CODE7
Cal ISIR Student	CIS Student's 8th Choice School	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_SCHL_CHOICE_8
Cal ISIR Student	CIS Student's Housing Code Col 8	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_HOUSING_CODE8
Cal ISIR Student	CIS Student's 9th Choice School	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_SCHL_CHOICE_9
Cal ISIR Student	CIS Student's Housing Code Col 9	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_HOUSING_CODE9
Cal ISIR Student	CIS Student's 10th Choice School	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_SCHL_CHOICE_10
Cal ISIR Student	CIS Student's Housing Code Col 10	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_HOUSING_CODE10

Class Name	Object Name	Description
Cal ISIR Student	CIS Teacher Coursework	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_TCH_COURSE_WRK
Cal ISIR Student	CIS Emancipated Minor	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_EMANCIPT_MINOR
Cal ISIR Student	CIS Legal Guardianship	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_LEGAL_GUARDIAN
Cal ISIR Student	CIS Youth Determined by SDL	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_YOUTH_LIASON
Cal ISIR Student	CIS At Risk of Homelessness	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_RISK_HOMELESS
Cal ISIR Student	CIS Youth Determined by HUD	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_YOUTH_HUD
Cal ISIR Student	CIS Dislocated Worker	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_DISLOCATE_WRK
Cal ISIR Student	CIS Educational Credits	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_EDU_CREDITS
Cal ISIR Student	CIS Child Support Paid	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_CHILD_SUP_PAID
Cal ISIR Student	CIS Need-Based Employment	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_NEED_EMPLOYMNT
Cal ISIR Student	CIS Grant/Scholarship Aid	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_GRANT_AID
Cal ISIR Student	CIS Combat Pay	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_COMBATPAY
Cal ISIR Student	CIS Pension Payments	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_PENSION_PAY
Cal ISIR Student	CIS IRA Payments	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_IRA_PAY
Cal ISIR Student	CIS Child Support Received	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_CHILD_SUP_RECV
Cal ISIR Student	CIS Interest Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_INTERST_INCOME
Cal ISIR Student	CIS IRA Distributions	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_IRA_DIST
Cal ISIR Student	CIS Untaxed Pensions	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_UNTAX_PENSION
Cal ISIR Student	CIS Military/Clergy Allowances	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_MILITARY_ALLOW
Cal ISIR Student		Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_VET_NONEDU_BEN
Cal ISIR Student	CIS Other Untaxed Income	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_UNTAX_INCOME
Cal ISIR Student		Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_NON_REP_MONEY
Cal ISIR Student	CIS Receiving Veterans	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_RECV_VET_BEN

Class Name	Object Name	
Cal ISIR Student	CIS Type of Veterans Benefits	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_VET_BEN_TYPE
Cal ISIR Student	CIS Co-op Earnings	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_COOP_EARN
Cal ISIR Student	CIS Homeless Youth - School	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_DFLT_YOUTH_SCH
Cal ISIR Student	CIS Homeless Youth - HUD	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_DFLT_YOUTH_HUD
Cal ISIR Student	CIS Risk of Homelessness	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_DFLT_RISK_HOME
Cal ISIR Student	CIS Business Net Worth is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_BLANK_BUSNET
Cal ISIR Student	CIS Educational Credit is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_BLANK_EDUCREDT
Cal ISIR Student	CIS Child Support Paid is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_BLANK_CHILDSUP
Cal ISIR Student	CIS Need Employment is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_BLANK_NEEDEMPL
Cal ISIR Student	CIS Grant Aid is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_BLANK_GRANTAID
Cal ISIR Student	CIS Combat Pay is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_BLANK_COMBAT
Cal ISIR Student	CIS Co-op Earnings is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_BLANK_COOPEARN
Cal ISIR Student	CIS Pension Pay is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_BLANK_PENSION
Cal ISIR Student	CIS Self Employment Pay is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_BLANK_IRA_PAY
Cal ISIR Student	CIS Child Support Receive is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_BLANK_CHILDREC
Cal ISIR Student	CIS Tax Exempt Interest is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_BLANK_INT_INC
Cal ISIR Student	CIS IRA Distributions is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_BLANK_IRA_DIST
Cal ISIR Student	CIS Untax Pension is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_BLANK_UNTAXPEN
Cal ISIR Student	CIS Military Allowance is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_BLANK_MILITARY
Cal ISIR Student	CIS Veterans Non-Ed Ben is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_BLANK_VET_NON
Cal ISIR Student	CIS Other Untax Income is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_BLANK_UNTAXINC

Class Name	Object Name	Description
Cal ISIR Student	CIS Other Unreported Inc is Blank	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_BLANK_NON_REP
Cal ISIR Student	CIS High School Name	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_HIGH_SCHL_NAME
Cal ISIR Student	CIS High School City	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_HIGH_SCHL_CITY
Cal ISIR Student	CIS High School State	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_HIGH_SCHL_STAT
Cal ISIR Student	CIS High School Code	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_HIGH_SCHL_CODE
Cal ISIR Student	CIS Asset Threshold Exceeded	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_STU_ASSET_THRS
Cal ISIR Student	CIS Asset Threshold Exceed Def	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_DFLT_ASM_ASSET
Cal ISIR Student	CIS Student Tax Return Filing	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_INAS_SM_STU.SFA_STU_TAX_RET
Pell Reconciliation	PLR Aid Year	Data is completely replaced nightly. Steward: Financial Aid Source: derived from PS_RG_RECON_00_EC.ECTRANSID by appending '20' to the 5th and 6th characters of that field (e.g., ECTRANSID = "PGRC16OP" translates to aid year 2016).
Pell Reconciliation	PLR Emplid	Data is completely replaced nightly. Steward: Financial Aid Source: derived from PS_PERS_NID.EMPLID, where PS_PG_RECON_00_EC.PG_CURRENT_SSN = PS_PERS_NID.NATIONAL_ID and PS_PERS_NID_TYPE = 'PR'.
Pell Reconciliation	PLR EC Transaction ID	Data is completely replaced nightly. Steward: Financial Aid Source: PS_RG_RECON_00_EC.ECTRANSID
Pell Reconciliation	PLR EC Queue Instance	Data is completely replaced nightly. Steward: Financial Aid Source: PS_RG_RECON_00_EC.ECQUEUEINSTANCE
Pell Reconciliation	PLR EC Inbound/Outbound Switch	Data is completely replaced nightly. Steward: Financial Aid Source: PS_RG_RECON_00_EC.ECTRANSINOUTSW
Pell Reconciliation	PLR Last Name	Data is completely replaced nightly. Steward: Financial Aid Source: PS_RG_RECON_00_EC.PG_LAST_NAME
Pell Reconciliation	PLR First Name	Data is completely replaced nightly. Steward: Financial Aid Source: PS_RG_RECON_00_EC.PG_FIRST_NAME
Pell Reconciliation	PLR Middle Initial	Data is completely replaced nightly. Steward: Financial Aid Source: PS_RG_RECON_00_EC.PG_MIDLE_INITIAL
Pell Reconciliation	PLR Origination ID	Data is completely replaced nightly. Steward: Financial Aid Source: PS_RG_RECON_00_EC.PG_ORIGINATION_ID
Pell Reconciliation	PLR Attend ID	Data is completely replaced nightly. Steward: Financial Aid Source: PS_RG_RECON_00_EC.PG_ATTEND_ID
Pell Reconciliation	PLR Transaction Nbr	Data is completely replaced nightly. Steward: Financial Aid Source: PS_RG_RECON_00_EC.PG_TRANSACTION_NBR
Pell Reconciliation	PLR EFC Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_RG_RECON_00_EC.PG_EFC_AMT
	÷	

Class Name	Object Name	Description
Pell Reconciliation	PLR Orig Award Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_RG_RECON_00_EC.PG_ORIG_AWDAMT
Pell Reconciliation	PLR Sch Award Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_RG_RECON_00_EC.PG_SCH_AWARD_AMT
Pell Reconciliation	PLR Ytdt Disb Amount	Data is completely replaced nightly. Steward: Financial Aid Source: PS_RG_RECON_00_EC.PG_YTDT_DISB_AMT
Pell Reconciliation	PLR Verif Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_RG_RECON_00_EC.PG_VERIF_STATUS
Pell Reconciliation	PLR Pop Flag	Data is completely replaced nightly. Steward: Financial Aid Source: PS_RG_RECON_00_EC.PG_POP_FLAG
Pell Reconciliation	PLR Process Instance	Data is completely replaced nightly. Steward: Financial Aid Source: PS_RG_RECON_00_EC.PROCESS_INSTANCE
Pell Reconciliation	PLR Staging Record Process Status	Data is completely replaced nightly. Steward: Financial Aid Source: PS_RG_RECON_00_EC.PG_STG_PROC_STAT
Pell Reconciliation	PLR Pell Trans Date Time	Data is completely replaced nightly. Steward: Financial Aid Source: PS_RG_RECON_00_EC.PELL_TRANS_DTTM
Pell Reconciliation	PLR SFA Cod Addtn Elig	Data is completely replaced nightly. Steward: Financial Aid Source: PS_RG_RECON_00_EC.SFA_COD_ADDTN_ELIG
Pell Reconciliation	PLR Lifetime Eu	Data is completely replaced nightly. Steward: Financial Aid Source: PS_RG_RECON_00_EC.PG_LIFETM_EU
Pell Reconciliation	PLR Current Record	Data is completely replaced nightly. Steward: Financial Aid Source: derived from PS_RG_RECON_00_EC, this is "Y" on all of the rows that have the most recent PELL_TRANS_DTTM for each aid year.
Pell Cal Grant	PCG Pell EFC Sequence	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_PELL_CALG.SEQNUM
Pell Cal Grant	PCG Minimum EFC in Range	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_PELL_CALG.SCF_EFC_MINIMUM
Pell Cal Grant	PCG Maximum EFC in Range	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_PELL_CALG.SCF_EFC_MAXIMUM
Pell Cal Grant	PCG Pell Amount for Calgrant	Data is completely replaced nightly. Steward: Financial Aid Source: PS_SCF_PELL_CALG.SCF_PELL_AMOUNT
Account Total	A Emplid	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_ACCOUNT_TOT_VW.EMPLID
Account Total	A Account Balance	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_ACCOUNT_TOT_VW.ACCOUNT_BALANCE
Billing - NOT JOINED TO ANYTHING	B Bill Type ID	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_BI_BILL_HEADER.BILL_TYPE_ID Values are: STU or ORG

Class Name	Object Name	Description
Billing - NOT JOINED TO ANYTHING	B Emplid	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_BI_BILL_HEADER.EMPLID This object is not joined to other folders. Personal information is not joined.
Billing - NOT JOINED TO ANYTHING	B External Org ID	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_BI_BILL_HEADER.EXT_ORG_ID This object is not joined to other folders. Personal information is not joined.
Billing - NOT JOINED TO ANYTHING	B Name	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_BI_BILL_HEADER.EXT_ORG_ID This object is not joined to other folders. Personal information is not joined.
Billing - NOT JOINED TO ANYTHING	B Billing Date	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_BI_BILL_HEADER.BILL_DATE_TIME The timestamp has been truncated set to midnight
Billing - NOT JOINED TO ANYTHING	B Due Dt	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_BI_BILL_HEADER.DUE_DT
Billing - NOT JOINED TO ANYTHING	B Total Bill	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_BI_BILL_HEADER.TOTAL_BILL
Billing - NOT JOINED TO ANYTHING	B Total Bill - for grouping	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_BI_BILL_HEADER.TOTAL_BILL
Billing External Org Primary Address	BL Location Number	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.ORG_LOCATION
Billing External Org Primary Address	BL Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.EFFDT
Billing External Org Primary Address	BL Status as of Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.EFF_STATUS
Billing External Org Primary Address	BL Description	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.DESCR
Billing External Org Primary Address	BL Address Line 1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.ADDRESS1
Billing External Org Primary Address	BL Address Line 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.ADDRESS2

Class Name	Object Name	Description
Billing External Org Primary Address	BL Address Line 3	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.ADDRESS3
Billing External Org Primary Address	BL Address Line 4	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.ADDRESS4
Billing External Org Primary Address	BL City	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.CITY
Billing External Org Primary Address	BL Number 1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.NUM1
Billing External Org Primary Address	BL Number 2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.NUM2
Billing External Org Primary Address	BL County	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.COUNTY
Billing External Org Primary Address	BL State Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.STATE
Billing External Org Primary Address	BL State Descr	Data is completely replaced nightly. Steward: Shared Source: PS_STATE_TBL.DESCR
Billing External Org Primary Address	BL Postal Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.POSTAL
Billing External Org Primary Address	BL Country Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ORG_LOCATION.COUNTRY
Billing External Org Primary Address	BL Country Descr	Data is completely replaced nightly. Steward: Shared Source: PS_COUNTRY_TBL.DESCR
Out of Balance NOT JOINED TO ANYTHING	OOB Common Id	Common ID's from PS_SC_ITEM_LN_SUM and PS SC_SF_ACCTG_SUM
Out of Balance NOT JOINED TO ANYTHING	OOB Item Line Sum	PS_SC_ITEM_LN_SUM.AMOUNT
Out of Balance NOT JOINED TO ANYTHING	OOB Acctg Line Sum	PS_SC_SF_ACCTG_LN_SUM.AMOUNT
Out of Balance NOT JOINED TO ANYTHING	OOB Difference	Item Line Sum less Acctg Line Sum per Common ID
Curr Direct Deposit	DD Emplid	
Curr Direct Deposit	DD Account Num	Account Number from the most recent effective dated row.
Curr Direct Deposit	DD Account Type	Most recent effdt row
Curr Direct Deposit	DD Bank Cd	Most recent effdt row
Curr Direct Deposit	DD Max Effective Date	Most recent effdt row
Credit History	C Emplid	Data is completely replaced nightly and limited to the latest Effdt or Effseq Steward: Student Billing Services Source: PS_CREDIT_HISTORY.EMPLID
Credit History	C Account Nbr	Data is completely replaced nightly and limited to the latest Effdt or Effseq Steward: Student Billing Services Source: PS_CREDIT_HISTORY.ACCOUNT_NBR

Class Name	Object Name	Description
Credit History	C Account Term	Data is completely replaced nightly and limited to the latest Effdt or Effseq Steward: Student Billing Services Source: PS_CREDIT_HISTORY.ACCOUNT_TERM
Credit History	C Effdt	Data is completely replaced nightly and limited to the latest Effdt or Effseq Steward: Student Billing Services Source: PS_CREDIT_HISTORY.EFFDT
Credit History	C Age Category	Data is completely replaced nightly and limited to the latest Effdt or Effseq Steward: Student Billing Services Source: PS_CREDIT_HISTORY.EFFDT
Credit History	C Age Category Descr	Data is completely replaced nightly Steward: Student Billing Services Source: PS_AGING_CAT_TBL.DESCR
Credit History	C Amount	Data is completely replaced nightly and limited to the latest Effdt or Effseq Steward: Student Billing Services Source: PS_CREDIT_HISTORY.AMOUNT
Credit History	C Last Dttm Update	Data is completely replaced nightly and limited to the latest Effdt or Effseq Steward: Student Billing Services Source: PS_CREDIT_HISTORY.LAST_DTTM_UPDATE
Credit History	C Account Type SF	Data is completely replaced nightly and limited to the latest Effdt or Effseq Steward: Student Billing Services Source: PS_CREDIT_HISTORY.ACCOUNT_TYPE_SF
Cashiers Office Receipt	CR Emplid	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_CSH_OFF_RECEIPT.EMPLID
Cashiers Office Receipt	CR Receipt Nbr	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_CSH_OFF_RECEIPT.RECEIPT_NBR
Cashiers Office Receipt	CR Current Business Date	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_CSH_OFF_RECEIPT.RECEIPT_NBR
Cashiers Office Receipt	CR Cashier	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_CSH_OFF_RECEIPT.CASHIER
Cashiers Office Receipt	ADD CASHIER NAME FROM OPRDEFN?	
Cashiers Office Receipt	CR Cash Register	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_CSH_OFF_RECEIPT.SF_REGISTER
Cashiers Office Receipt	CR Transaction Type	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_CSH_OFF_RECEIPT.CO_TRANS_TYPE
Cashiers Office Receipt	CR Total Receipt Amount	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_CSH_OFF_RECEIPT.TOTAL_AMOUNT_SF Total amount on receipt, pre-summed. If object is used with more detailed data, multiple-rows will result in overstatement of total.
Cashiers Office Receipt	CR Transaction Date	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_CSH_OFF_RECEIPT.TRANS_DT

Class Name	Object Name	Description
Cashiers Office Receipt	CR Trans Time	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_CSH_OFF_RECEIPT.TRANS_TIME
Cashiers Office Receipt	CR Reference Num	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_CSH_OFF_RECEIPT.REF1_DESCR
Cashiers Office Receipt	CR Ext Org Id	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_CSH_OFF_RECEIPT.EXT_ORG_ID
Cashiers Office Receipt	ADD EXT ORG ID DESCR?	
Cashiers Office Receipt	CR Entered By Cashier	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_CSH_OFF_RECEIPT.ENTERED_BY_CASHIER
Cashiers Office Receipt	CR Entered Datetime	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_CSH_OFF_RECEIPT.ENTERED_DATETIME
Cashiers Office Receipt	CR Business Date Sequence Num	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_CSH_OFF_RECEIPT.RECEIPT_NBR_BD
Cashiers Office Receipt	CR Void Reason Code	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_CSH_OFF_RECEIPT.VOID_REASON_CD
Receipt Line	CRL Receipt Line Num	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_CSH_OFF_RCPT_L.RECEIPT_LINE_NBR
Receipt Line	CRL Target Key	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_CSH_OFF_RCPT_L.TARGET_KEY
Receipt Line	CRL Line Amount	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_CSH_OFF_RCPT_L.AMOUNT_SF Total amount on receipt line, pre-summed. If object is used with more detailed data, multiple-rows will result in overstatement of total.
Receipt Line	CRL Transaction Type	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_CSH_OFF_RCPT_L.CSH_OFF_TRAN_TYPE
Receipt Line	CRL Term Code	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_CSH_OFF_RCPT_L.STRM
Receipt Line Tender	CRLT Tender Key	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_CSH_OFF_RCPT_T.TENDER_KEY
Receipt Line Tender	CRLT Tender Amount	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_CSH_OFF_RCPT_T.AMOUNT_SF
Receipt Line Tender	CRLT Check Num	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_CSH_OFF_RCPT_T.CHECK_NUM_SF

Class Name	Object Name	Description
Receipt Line Tender	CRLT Bank Acct Name	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_CSH_OFF_RCPT_T.BANK_ACCT_NAME
Receipt Line Tender	CRLT Change Flag	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_CSH_OFF_RCPT_T.CHANGE_FLAG
Receipt Line Tender	CRLT Orignl Item Amt	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_CSH_OFF_RCPT_T.ORGINL_ITEM_AMT
Receipt Line Tender	CRLT Deposit Id	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_CSH_OFF_RCPT_T.DEPOSIT_ID
Receipt Line Tender	CRLT Country	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_CSH_OFF_RCPT_T.COUNTRY
Payment	P Common ID	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_PAYMENT_TBL.COMMON_ID
Payment	P ID Type	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_PAYMENT_TBL.SA_ID_TYPE
Payment	P Payment ID Num	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_PAYMENT_TBL.PAYMENT_ID_NBR
Payment	P Emplid	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_PAYMENT_TBL.EMPLID
Payment	P Payment Method	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_PAYMENT_TBL.PAYMENT_METHOD
Payment	P Payment Amt	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_PAYMENT_TBL.PAYMENT_AMT
Payment	P Reversal Ind	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_PAYMENT_TBL.REVERSALIND
Payment	P Reference Num	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_PAYMENT_TBL.REF1_DESCR
Payment	P Item Type - DOES THIS NEED TO JOIN TO ITEM	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_PAYMENT_TBL.ITEM_TYPE
Payment	P Accounting Date	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_PAYMENT_TBL.ACCOUNTING_DT
Payment	P Posted Date	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_PAYMENT_TBL.POSTED_DATE
Payment	P Term Code	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_PAYMENT_TBL.STRM
Payment	P Session Code	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_PAYMENT_TBL.SESSION_CODE

Class Name	Object Name	Description
Payment	P Charge Priority	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_PAYMENT_TBL.CHARGE_PRIORITY
Payment	P Pay Entered Account Only	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_PAYMENT_TBL.RESTRICT_ACCT_FLG
Payment	P Ext Org Id	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_PAYMENT_TBL.EXT_ORG_ID
Payment	ADD EXT ORG ID DESCR	
Payment	P Excess Account Type	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_PAYMENT_TBL.EXC_ACCT_TYPE_SF
Payment	P User ID	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_PAYMENT_TBL.OPRID
Payment	P Group Line Timestamp	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_PAYMENT_TBL.GRP_TIMESTAMP
Payment	P Contract Num	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_PAYMENT_TBL.CONTRACT_NUM
Payment	P Service Indicator Code	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_PAYMENT_TBL.SRVC_IND_CD
Payment	ADD SERVICE IND TBL DESCR	
Payment	P Priority Num	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_PAYMENT_TBL.PRIORITY
Payment	P Priority Pmt Flg	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_PAYMENT_TBL.PRIORITY_PMT_FLG
Payment	P Original Item Amount	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_PAYMENT_TBL.ORIGNL_ITEM_AMT
Payment	P Aid Year	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_PAYMENT_TBL.AID_YEAR
Payment	P Disbursement Date	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_PAYMENT_TBL.DISBUREMENT_DATE
Payment	P Receipt Num	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_PAYMENT_TBL.RECEIPT_NBR
Refund Detail - JOIN TO ITEM_XREF? 16 refund_nbr values drop	R Emplid	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_REFUND_DTL.EMPLID
Refund Detail - JOIN TO ITEM_XREF? 16 refund_nbr values drop	R Refund Line Seq Num	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_REFUND_DTL.LINE_SEQ_NBR

Class Name	Object Name	Description
Refund Detail - JOIN TO		
ITEM_XREF? 16 refund_nbr	R Refund Line Amount	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_REFUND_DTL.LINE_AMT
values drop		
Refund Detail - JOIN TO		Deta is completely replaced nightly. If Steward, Student Billing Services, If Sources
ITEM_XREF? 16 refund_nbr	R Ext Org Id	Data is completely replaced nightly. Steward: Student Billing Services Source:
values drop		PS_REFUND_DTL.EXT_ORG_ID
Refund Detail - JOIN TO		
ITEM XREF? 16 refund nbr	R Item Nbr - DOES THIS	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_REFUND_DTL.ITEM_NBR
values drop	NEED TO JOIN TO ITEM_SF?	
Refund Detail - JOIN TO		Data is completely replaced nightly. Steward: Student Billing Services Source:
ITEM_XREF? 16 refund_nbr	R Refund Line Status	PS REFUND DTL.REFUND LINE STATUS
values drop		
Refund Detail - JOIN TO		Data is completely replaced nightly. Steward: Student Billing Services Source:
ITEM_XREF? 16 refund_nbr	R Refund Format	
values drop		PS_REFUND_DTL.REFUND_FORMAT
· _		
Item Types	I Common ID	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.COMMON_ID
Item Types	I ID Type	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.SA_ID_TYPE
Item Types	I Item Nbr	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.ITEM_NBR
, , , , , , , , , , , , , , , , , , ,		
Item Types	I Emplid	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.EMPLID
item Types		
	I Account Number	Data is completely replaced nightly. Steward: Student Business Services Source:
Item Types	r Account Number	PS_ITEM_SF.ACCOUNT_NBR
		Data is completely replaced nightly. Steward: Student Business Services Source:
Item Types	I Account Term	PS_ITEM_SF.ACCOUNT_TERMD
		Picklists are pre-sorted in descending order.
11 T		Data is completely replaced nightly. Steward: Student Business Services Source: PS ITEM SF.ACAD YEAR
Item Types	I Academic Year	Picklists are pre-sorted in descending order.
Item Types	I Item Type	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.ITEM_TYPE
	i nem rype	
Itom Tunon	I Item Type - trimmed to first 5	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.ITEM_TYPE
Item Types	digits	Data is completely replaced highlity. Steward. Student Business Services Source. PS_ITEM_SF.ITEW_TTPE
	I Item Type - trimmed to first 6	
Item Types	digits	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.ITEM_TYPE
	I Item Type - trimmed to first	
Item Types	10 digits	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.ITEM_TYPE
Item Types	I Item Amount	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.ITEM_AMT
Item Types	I Item Amount - for grouping	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.ITEM_AMT
Item Types	I Item Amount - Running Total	Derived running total of Item Amt rows. Running total ordered by Common ID, ID Type, Item Nbr.
	by Item Nbr	Source reliancy total of non-Afric rows. Reliancy total of delet by Continion D, D Type, Reliance.
		Derived running total of Item Amt rough loss the surrout Item Amt on that rough Durning total and and her Common ID
Item Types	I Item Amount - Prior Running	Derived running total of Item Amt rows, less the current Item Amt on that row. Running total ordered by Common ID,
	Total by Item Nbr	ID Type, Item Nbr.
	1	

Class Name	Object Name	Description
Item Types	I Applied Amount	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.APPLIED_AMT
Item Types	I Applied Amount - for grouping	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.APPLIED_AMT
Item Types	I Item Amount less Applied Amount	Derived calculation Item Amount minus Applied Amount
Item Types	I Item Amount less Applied Amount - for grouping	Derived calculation Item Amount minus Applied Amount
Item Types	I Reference Number	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.REF1_DESCR
Item Types	I Item Balance	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.ITEM_BALANCE
Item Types		Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.ITEM_BALANCE
Item Types	I Payment ID Number	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.PAYMENT_ID_NBR
Item Types	I Item Term	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.ITEM_TERM_ Picklists are pre-sorted in descending order.
Item Types	I Refund Number	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.REFUND_NBR
Item Types	I External Org ID	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.EXT_ORG_ID
Item Types	I External Org Description	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_EXT_ORG_TBL.DESCR50
Item Types	I Refund ID	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.REFUND_EMPLID
Item Types	I Contract Number	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.CONTRACT_NUM
Item Types	I Receipt Number	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.RECEIPT_NBR
Item Types	I Account Type	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.ACCOUNT_TYPE_SF
Item Types	I Item Type Code	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.ITEM_TYPE_CD
Item Types	I Contract EmpIID	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.CONTRACT_EMPLID
Item Types	I Charge Priority List	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.CHARGE_PRIORITY
Item Types	I Course ID	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.CRSE_ID
Item Types		Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.WAIVER_CODE

Class Name	Object Name	Description
Item Types	I Priority	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.PRIORITY
Item Types	I Payment Priority Flag	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.PRIORITY_PMT_FLG
Item Types	I Billing Date	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.BILLING_DT
Item Types	I Due Date	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.DUE_DT
Item Types	l Calendar Year	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.CALENDAR_YEAR□ Picklists are pre-sorted in descending order.
Item Types	I Service Indicator Date/Time	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.SRVC_IND_DTTM
Item Types	I Original Item Amount	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.ORIGNL_ITEM_AMT
Item Types	I Item Effective Date	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.ITEM_EFFECTIVE_DT
Item Types	I Days Elapsed Since Item Effdt Aging	Derived calculation. floor(Sysdate minus Item Effective Date)
Item Types	I Aid Year	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.AID_YEAR
Item Types	I Disbursement Date	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.DISBURSEMENT_DATE
Item Types	I Original Effective Date	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.ORIG_EFF_DT
Item Types	I Deposit ID	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.SF_DEPOSIT_ID
Item Types	I Last Activity Date	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.LAST_ACTIVITY_DATE
Item Types	I Total Billed Amount	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.SSF_BILLED_AMOUNT
Item Types	I Total Billed Amount - for grouping	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.SSF_BILLED_AMOUNT
Item Types	I Created by ID	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.SCC_ROW_ADD_OPRID
Item Types	I Created by Date/Time	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.SCC_ROW_ADD_DTTM

Class Name	Object Name	Description
Item Types	I Updated by ID	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.SCC_ROW_UPD_OPRID
Item Types	I Updated Date/Time	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_SF.SCC_ROW_UPD_DTTM
Item Line - multiple rows per Item Nbr	IL Common ID	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.COMMON_ID
Item Line - multiple rows per Item Nbr	IL ID Type	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.SA_ID_TYPE
Item Line - multiple rows per Item Nbr	IL Item Nbr	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.ITEM_NBR
Item Line - multiple rows per Item Nbr	IL Descr	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF
Item Line - multiple rows per Item Nbr	IL Line Seq Nbr	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.LINE_SEQ_NBR
Item Line - multiple rows per Item Nbr	IL Emplid	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.EMPLID
Item Line - multiple rows per Item Nbr	IL Account Nbr	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.ACCOUNT_NBR
Item Line - multiple rows per Item Nbr	IL Account Term	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.ACCOUNT_TERM
Item Line - multiple rows per Item Nbr	IL Date Posted	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.POSTED_DATe
Item Line - multiple rows per Item Nbr	IL Datetime Posted	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.POSTED_DATETIME
Item Line - multiple rows per Item Nbr	IL Item Effective Date	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.ITEM_EFFECTIVE_DT
Item Line - multiple rows per Item Nbr	IL GL Posting Date Time	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.GL_POSTING_DTTM
Item Line - multiple rows per Item Nbr	IL Billing Date	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.BILLING_DT
Item Line - multiple rows per Item Nbr	IL Due Date	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.DUE_DT
Item Line - multiple rows per Item Nbr	IL Reference Nbr	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.REF1_DESCR
Item Line - multiple rows per Item Nbr	IL Line Amount	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.LINE_AMT

Class Name	Object Name	Description
Item Line - multiple rows per Item Nbr	IL Line Amount - for grouping	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.LINE_AMT
Item Line - multiple rows per Item Nbr	IL Amount Due	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.DUE_AMT
Item Line - multiple rows per Item Nbr	IL Amount Due - for grouping	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.DUE_AMT
Item Line - multiple rows per Item Nbr	IL Dispute Amount	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.DISPUTE_AMT
Item Line - multiple rows per Item Nbr	IL Dispute Amount - for grouping	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.DISPUTE_AMT
Item Line - multiple rows per Item Nbr	IL Dispute Date	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.DISPUTE_DATE
Item Line - multiple rows per Item Nbr	IL Item Term	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.ITEM_TERM
Item Line - multiple rows per Item Nbr	IL Item Term Short Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.DESCRSHORT□ Values are pre-sorted in descending order, picklist displays terms up to one year in advance of today.□
Item Line - multiple rows per Item Nbr	IL Class Nbr	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.CLASS_NBR
Item Line - multiple rows per Item Nbr	IL Oprid	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.OPRID
Item Line - multiple rows per Item Nbr	IL Oprid Descr	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC
Item Line - multiple rows per Item Nbr	IL Line Status	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.LINE_STATUS
Item Line - multiple rows per Item Nbr	IL Line Action	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.LINE_ACTION
Item Line - multiple rows per Item Nbr	IL Line Reason Code	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.LINE_REASON_CD
Item Line - multiple rows per Item Nbr	IL Aging Date	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.AGING_DT
Item Line - multiple rows per Item Nbr	IL Payment ID	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.PAYMENT_ID_NBR
Item Line - multiple rows per Item Nbr	IL Aging Flag	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.AGING_FLG

Class Name	Object Name	Description
Item Line - multiple rows per Item Nbr	IL Refund Nbr	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.REFUND_NBR
Item Line - multiple rows per Item Nbr	IL External Org Id	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.EXT_ORG_ID
Item Line - multiple rows per Item Nbr	IL Refund Emplid	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.REFUND_EMPLID
Item Line - multiple rows per Item Nbr	IL Contract Num	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.CONTRACT_NUM
Item Line - multiple rows per Item Nbr	IL Item Type Code	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.ITEM_TYPE_CD
Item Line - multiple rows per Item Nbr	IL Actual Billing Date	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.ACTUAL_BILLING_DT
Item Line - multiple rows per Item Nbr	IL Billing Flag	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.BILLING_FLAG
Item Line - multiple rows per Item Nbr	IL Orig Due Date	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.ORIG_DUE_DATE
Item Line - multiple rows per Item Nbr	IL Student Charge	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.SSF_ITEM_NBR_STCHG
Item Line - multiple rows per Item Nbr	IL Added By	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.SCC_ROW_ADD_OPRID
Item Line - multiple rows per Item Nbr	IL Date Added	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.SCC_ROW_ADD_DTTM
Item Line - multiple rows per Item Nbr	IL Updated By	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.SCC_ROW_UPD_OPRID
Item Line - multiple rows per Item Nbr	IL Date Updated	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF.SCC_ROW_UPD_DTTM
Item Type Xref for Payment - multiple rows per Item Line Charge	ILX Item Nbr Payment	
Item Type Xref for Payment - multiple rows per Item Line Charge	ILX Item Nbr Payment Descr	Data is completely replaced nightly. Steward: Student Business Services Source: PS_ITEM_LINE_SF
Item Type Xref for Payment - multiple rows per Item Line Charge	ILX Paid Date	

Class Name	Object Name	Description
Item Type Xref for Payment - multiple rows per Item Line Charge	ILX Paid Amt	
Item Type Xref for Payment - multiple rows per Item Line Charge	ILX Paid Amt - for grouping	
Item Type Xref for Payment - multiple rows per Item Line Charge	ILX Reversal Ind	
Item Type Xref for Payment - multiple rows per Item Line Charge	ILX Writeoff Flg	
Item Type	IT Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_ITEM_TYPE_TBL.EFFDT
Item Type	IT Status as of Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_ITEM_TYPE_TBL.EFF_STATUS
Item Type	IT Item Type Description	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_ITEM_TYPE_TBL.DESCR
Item Type	IT Maximum Transaction Amount	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_ITEM_TYPE_TBL.MAXIMUM_AMT
Item Type	IT Item Type Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_ITEM_TYPE_TBL.ITEM_TYPE_CD
Item Type	IT Item Type Code Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Item Type	IT Charge Priority List	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_ITEM_TYPE_TBL.CHARGE_PRIORITY
Item Type	IT Days to Encumber	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_ITEM_TYPE_TBL.ENCUMBRANCE_DAYS
Item Type	IT Keyword1	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_ITEM_TYPE_TBL.KEYWORD1
Item Type	IT Keyword2	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_ITEM_TYPE_TBL.KEYWORD2
Item Type	IT Keyword3	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_ITEM_TYPE_TBL.KEYWORD3
Item Type	IT Refundable Indicator	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_ITEM_TYPE_TBL.REFUNDABLE_IND

Object Name	Description
IT GL Interface Required	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_ITEM_TYPE_TBL.GL_INTERFACE_REQ
IT Default Amount	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_ITEM_TYPE_TBL.DEFAULT_AMT
IT Pick up Receivable from Charge	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_ITEM_TYPE_TBL.RECVABLE_FROM_CHRG
IT Priority	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_ITEM_TYPE_TBL.PRIORITY
IT Payment Priority Flag	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_ITEM_TYPE_TBL.PRIORITY_PMT_FLG
IT Match Charge Write-Offs	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_ITEM_TYPE_TBL.MATCH_WRITEOFF
IT Payment Overall Priority	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_ITEM_TYPE_TBL.PAY_PRIORITY_ID
IGL Item Type	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_GL_INTERFACE.ITEM_TYPE
IGL Term	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_GL_INTERFACE.STRM Picklists are pre-sorted in descending order.
IGL Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_GL_INTERFACE.EFFDT
IGL GL Interface Timing	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_GL_INTERFACE.GL_INT_TIMING
IGL Debit Credit Indicator	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_GL_INTERFACE.DB_CR_IND
IGL Account Type Sequence Nbr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_GL_INTERFACE.ACCT_TYPE_SEQ
IGL Account	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_GL_INTERFACE.ACCOUNT
IGL Department	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_GL_INTERFACE.DEPTID
IGL Project/Grant	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_GL_INTERFACE.PROJECT_ID
	IT GL Interface Required IT GL Interface Required IT Default Amount IT Pick up Receivable from Charge IT Priority IT Payment Priority Flag IT Match Charge Write-Offs IT Payment Overall Priority IGL Item Type IGL Term IGL GL Interface Timing IGL Debit Credit Indicator IGL Account IGL Department

Class Name	Object Name	Description
IGL Interface	IGL Fund Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_GL_INTERFACE.FUND_CODE
IGL Interface	IGL Dynamic Organization	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Student Business Services Source: PS_GL_INTERFACE.DYNAMIC_ORG
Aisops R GI Int Dt TbI - NOT JOINED - WHERE DOES IT GO?	Item Type	
Aisops R GI Int Dt TbI - NOT JOINED - WHERE DOES IT GO?	Strm	
Aisops R GI Int Dt TbI - NOT JOINED - WHERE DOES IT GO?	Effdt - JOIN CURRENT_RECORD = Y	
Aisops R GI Int Dt TbI - NOT JOINED - WHERE DOES IT GO?	Eff Status	
Aisops R GI Int Dt TbI - NOT JOINED - WHERE DOES IT GO?	Writeoff Account	
Aisops R GI Int Dt TbI - NOT JOINED - WHERE DOES IT GO?	Writeoff Fund Code	
Aisops R GI Int Dt TbI - NOT JOINED - WHERE DOES IT GO?	Writeoff Prog Code	
Aisops R GI Int Dt TbI - NOT JOINED - WHERE DOES IT GO?	Writeoff Proj Id	
Aisops R GI Int Dt TbI - NOT JOINED - WHERE DOES IT GO?	Writeoff Product	
Aisops R GI Int Dt TbI - NOT JOINED - WHERE DOES IT GO?	Writeoff Ledger	
Aisops R GI Int Dt TbI - NOT JOINED - WHERE DOES IT GO?	Writeoff Deptid	
Aisops R GI Int Dt TbI - NOT JOINED - WHERE DOES IT GO?	Writeoff Class Fld	
Aisops R GI Int Dt TbI - NOT JOINED - WHERE DOES IT GO?	Writeoff Affiliate	
Aisops R GI Int Dt TbI - NOT JOINED - WHERE DOES IT GO?	Writeoff Op Unit	

Class Name	Object Name	Description
Aisops R GI Int Dt Tbl - NOT		
JOINED - WHERE DOES IT	Writeoff Altacct	
GO?		
Aisops R GI Int Dt Tbl - NOT		
JOINED - WHERE DOES IT	Writeoff Bud Ref	
GO?		
Aisops R GI Int Dt Tbl - NOT		
JOINED - WHERE DOES IT	Writeoff Cf1	
GO?		
Aisops R GI Int Dt Tbl - NOT		
JOINED - WHERE DOES IT	Writeoff Cf2	
GO?		
Aisops R GI Int Dt Tbl - NOT		
JOINED - WHERE DOES IT	Writeoff Cf3	
GO?		
Aisops R GI Int Dt Tbl - NOT		
JOINED - WHERE DOES IT	Writeoff Aff Int1	
GO?	Whiteon An Int I	
Aisops R GI Int Dt Tbl - NOT		
JOINED - WHERE DOES IT	Writeoff Aff Int2	
GO?	Whiteon An Intz	
Aisops R GI Int Dt Tbl - NOT		
JOINED - WHERE DOES IT	Ext Writeoff	
GO?		
Accounting Line - NOT		
JOINED TO ANYTHING	AC Run Dt	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_SF_ACCTG_LN.RUN_DT
Accounting Line - NOT		
JOINED TO ANYTHING	AC Seqnum	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_SF_ACCTG_LN.SEQNUM
Accounting Line - NOT	AC Line Nbr	Data is completely replaced nightly. Steward: Student Billing Services Source:
JOINED TO ANYTHING		PS_SF_ACCTG_LN.SF_LINE_NBR
Accounting Line - NOT	AC Journal Date	Data is completely replaced nightly. Steward: Student Billing Services Source:
JOINED TO ANYTHING	no ocuma Bato	PS_SF_ACCTG_LN.JOURNAL_DATE
Accounting Line - NOT		
JOINED TO ANYTHING	AC Account	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_SF_ACCTG_LN.ACCOUNT
Accounting Line - NOT		Data is completely replaced nightly. Steward: Student Billing Services Source:
JOINED TO ANYTHING	AC Fund Code	PS_SF_ACCTG_LN.FUND_CODE
Accounting Line - NOT		
JOINED TO ANYTHING	AC Dept ID - FIS Org Code	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_SF_ACCTG_LN.DEPTID
Accounting Line - NOT	AC Project ID - FIS Activity	Data is completely replaced nightly. Steward: Student Billing Services Source:
JOINED TO ANYTHING	Code	PS_SF_ACCTG_LN.PROJECT_ID
Accounting Line - NOT	AC Monetary Amount	Data is completely replaced nightly. Steward: Student Billing Services Source:
JOINED TO ANYTHING	, , , , , , , , , , , , , , , , , , , ,	PS_SF_ACCTG_LN.MONETARY_AMOUNT
Accounting Line - NOT		Data is completely replaced nightly. Steward: Student Billing Services Source:
JOINED TO ANYTHING	AC Line Descr	PS_SF_ACCTG_LN.LINE_DESCR
Accounting Line - NOT	AC Journal Line Date	Data is completely replaced nightly. Steward: Student Billing Services Source:
JOINED TO ANYTHING		PS_SF_ACCTG_LN.JOURNAL_LINE_DATE
L	L	

UCSC Campus Data Warehouse

Class Name	Object Name	Description
Accounting Line - NOT JOINED TO ANYTHING	AC Accounting Date	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_SF_ACCTG_LN.ACCOUNTING_DT
Accounting Line - NOT JOINED TO ANYTHING	AC Emplid	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_SF_ACCTG_LN.EMPLID
Accounting Line - NOT JOINED TO ANYTHING	AC Ext Org Id	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_SF_ACCTG_LN.EXT_ORG_ID
Accounting Line - NOT JOINED TO ANYTHING	AC Item Nbr	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_SF_ACCTG_LN.ITEM_NBR
Accounting Line - NOT JOINED TO ANYTHING	AC GL Run Instance	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_SF_ACCTG_LN.SF_GL_RUN_INSTANCE
Accounting Line - NOT JOINED TO ANYTHING	AC Common ID	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_SF_ACCTG_LN.COMMON_ID
Accounting Line - NOT JOINED TO ANYTHING	AC ID Type	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_SF_ACCTG_LN.SA_ID_TYPE
Accounting Line - NOT JOINED TO ANYTHING	AC Item Term	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_SF_ACCTG_LN.ITEM_TERM
Accounting Line - NOT JOINED TO ANYTHING	AC Item Type	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_SF_ACCTG_LN.ITEM_TYPE
Accounting Line - NOT JOINED TO ANYTHING	AC Ref Nbr	Data is completely replaced nightly. Steward: Student Billing Services Source: PS_SF_ACCTG_LN.REF1_DESCR
UCOP	UC EmplID	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.EMPLID
UCOP	UC Interface Run Mode	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCX_PB_RUN_MODE
UCOP	UC Effective Date	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.EFFDT
UCOP	UC ID Number - Student	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_A020
UCOP	UC Year Registered - UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_A030
UCOP	UC C010 Term Registered UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_C010
UCOP	UC G010 Name Student UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_G010
UCOP	UC G020 SSN UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_G020
UCOP	UC Date of Birth	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.BIRTHDATE
UCOP	UC H020 Sex Code UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H020
UCOP	UC H030 Ethnic Origin UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H030
UCOP	UC H040 Home Location UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H040
UCOP	UC H050 Citizenship Country UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H050

Class Name	Object Name	Description
UCOP	UC H060 Citizenship Status UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H060
UCOP	UC H070 Residence Status UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H070
UCOP	UC H080 Reg Status 3Wk UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H080
UCOP	UC H100 Reg Status Before WD UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H100
UCOP	UC H090 Reg Status EOT UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H090
UCOP	UC H110 College 3WK UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H110
UCOP	UC H120 College 1 3WK UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H120
UCOP	UC H130 College 2 3WK UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H130
UCOP	UC H140 College 3 3WK UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H140
UCOP	UC H150 College EOT UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H150
UCOP	UC H160 College 1 EOT UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H160
UCOP	UC H170 College 2 EOT UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H170
UCOP	UC H180 College 3 EOT UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H180
UCOP	UC H190 Major 3WK UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H190
UCOP	UC H200 Major 1 3WK UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H200
UCOP	UC H210 Major 2 3WK UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H210
UCOP	UC H220 Major 3 3WK UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H220
UCOP	UC H230 Major EOT UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H230
UCOP	UC H240 Major 1 EOT UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H240
UCOP	UC H250 Major 2 EOT UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H250
UCOP	UC Major 3 EOT UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H260
UCOP	UC H310 Special Program UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H310
UCOP	UC H800 Summer Reg Status UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H800
UCOP	UC H810 Home Campus UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H810
UCOP	UC H820 Home UC Campus ID UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H820
		I J

	Description
UC H830 Non UC Stdnt Source UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H830
UC H390 Units Comp TTD 3WK UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H390
UC H400 Units Comp TTD FOT UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H400
UC H410 Units Att Curr 3WK	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H410
UC H420 Units Att Curr EOT	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H420
UC H430 Grade Pts Curr EOT	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H430
UC H440 Units Pssd Grded	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H440
UC H450 Unts Att Cur PNP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H450
UC H460 Unts Pssd PNPCur	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H460
UC H470 Unts Att Grd TTD	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H470
UC H480 Unts Att Grd TTD UC	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H480
UC H490 Grd Pts TTD UC	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H490
UC H500 Grd Pts TTD UC	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H500
UC H510 Unts Pssd TTD Grd	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H510
UC H520 Unt Pssd TTD Grd	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H520
UC H530 Unts Att TTD PNP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H530
UC H540 Unt Pssd TTD PNP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H540
UC H550 Units Inc TTD 3WK	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H550
UC H560 Units Inc TTD EOT	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H560
UC H590 Units Att Lower Div	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H590
UC H600 Units Att Upper Div	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H600
UC H610 Unt Att Graduate	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H610
UC H620 Part Time Code	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H620
UC H630 Qtrs Reg Since Can	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H630
UC H640 Degree 1 UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H640
	UC H830 Non UC Stdnt Source UCOP UC H390 Units Comp TTD 3WK UCOP UC H400 Units Comp TTD EOT UCOP UC H410 Units Att Curr 3WK UCOP UC H420 Units Att Curr EOT UCOP UC H430 Grade Pts Curr EOT UCOP UC H440 Units Pssd Grded EOT UCOP UC H450 Unts Att Cur PNP EOT UCOP UC H460 Unts Pssd PNPCur EOT UCOP UC H470 Unts Att Grd TTD 3WK UCOP UC H480 Unts Att Grd TTD UC UCOP UC H480 Unts Att Grd TTD UC UCOP UC H490 Grd Pts TTD UC 3WK UCOP UC H500 Grd Pts TTD UC EOT UCOP UC H500 Grd Pts TTD UC EOT UCOP UC H510 Unts Pssd TTD Grd 3W UCOP UC H520 Unt Pssd TTD Grd GOT UCOP UC H530 Unts Att TTD PNP EOT UCOP UC H530 Unts Att TTD PNP EOT UCOP UC H550 Units Inc TTD 3WK UCOP UC H550 Units Inc TTD 3WK UCOP UC H560 Units Inc TTD EOT UCOP UC H560 Units Inc TTD EOT UCOP UC H560 Units Att Lower Div UCOP UC H600 Units Att Upper Div UCOP UC H610 Unt Att Graduate UCOP UC H620 Part Time Code UCOP

Object Name	Description
UC H650 Degree 2 UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H650
UC H660 Degree 3 UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H660
UC H570 Student Level 3WK UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H570
UC H580 Student Level EOT UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H580
UC H700 Disability UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H700
UC H840 Unt Cred by Exam AP UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H840
UC H850 Unt Cred by Exam IB UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H850
UC H860 Unt Cred by Exam UC UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H860
UC H870 Units Cred from CCC UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H870
UC H880 Unt Cr frm oth NonUC UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H880
UC H890 Non Degr Unt Att Cur UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H890
UC H900 Unt Pssd TTD PNP 3WK UCOP	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H900
UC H910 In Absentia	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H910
UC Ethnic IPEDS Hispanic	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H920
UC Ethnic IPEDS African	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H921
UC Ethnic IPEDS Am Ind	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H922
UC Ethnic IPEDS Asian	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H923
UC Ethnic IPEDS Pacific	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H924
UC Ethnic IPEDS White	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H925
UC Ethnic UC African Amer	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H926
UC Ethnic UC African	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H927
UC Ethnic UC Caribbean	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H928
UC Ethnic UC Other Black	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H929
UC Ethnic UC Am Ind AK Native	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H930
UC Ethnic UC Asian Ind	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H931
	UC H650 Degree 2 UCOP UC H660 Degree 3 UCOP UC H570 Student Level 3WK UCOP UC H580 Student Level EOT UCOP UC H700 Disability UCOP UC H840 Unt Cred by Exam AP UCOP UC H850 Unt Cred by Exam IB UCOP UC H850 Unt Cred by Exam IB UCOP UC H860 Unt Cred by Exam IB UCOP UC H870 Units Cred from CCC UCOP UC H880 Unt Cr frm oth NonUC UCOP UC H890 Non Degr Unt Att Cur UCOP UC H910 In Absentia UC Ethnic IPEDS Hispanic UC Ethnic IPEDS African UC Ethnic IPEDS Am Ind UC Ethnic IPEDS Am Ind UC Ethnic IPEDS Am Ind UC Ethnic IPEDS White UC Ethnic UC African Amer UC Ethnic UC African Amer UC Ethnic UC African UC Ethnic UC Atfrican UC Ethnic UC Atfrican UC Ethnic UC Atfrican </td

Class Name	Object Name	Description
UCOP	UC Ethnic UC East Indian PAK	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H932
UCOP	UC Ethnic UC Bangladeshi	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H933
UCOP	UC Ethnic UC Cambodian	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H934
UCOP	UC Ethnic UC Chinese	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H935
UCOP	UC Ethnic UC Filipino	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H936
UCOP	UC Ethnic UC Hmong	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H937
UCOP	UC Ethnic UC Indonesian	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H938
UCOP	UC Ethnic UC Japanese	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H939
UCOP	UC Ethnic UC Korean	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H940
UCOP	UC Ethnic UC Laotian	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H941
UCOP	UC Ethnic UC Malaysian	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H942
UCOP	UC Ethnic UC Pakistani	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H943
UCOP	UC Ethnic UC Sri Lankan	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H944
UCOP	UC Ethnic UC Taiwanese	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H945
UCOP	UC Ethnic UC Thai	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H946
UCOP	UC Ethnic UC Vietnamese	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H947
UCOP	UC Ethnic UC Other Asian	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H948
UCOP	UC Ethnic UC Cuban	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H949
UCOP	UC Ethnic UC Latin Amer	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H950
UCOP	UC Ethnic UC Mexican Chicano	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H951
UCOP	UC Ethnic UC Puerto Rican	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H952
UCOP	UC Ethnic UC Other Hisp Latino	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H953
UCOP	UC Ethnic UC Fijian	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H954
UCOP	UC Ethnic UC Guamanian	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H955
UCOP	UC Ethnic UC	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H956

Class Name	Object Name	Description
UCOP	UC Ethnic UC Samoan	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H957
UCOP	UC Ethnic UC Tongan	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H958
UCOP	UC Ethnic UC Other Pac Island	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H959
UCOP	UC Ethnic UC Hawaiian Pac Isle	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H960
UCOP	UC Ethnic UC White Caucasian	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H961
UCOP	UC Ethnic UC Middle Eastern	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H962
UCOP	UC Ethnic UC North African	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H963
UCOP	UC Ethnic UC Other White	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H964
UCOP	UC Ethnic UC Other	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H965
UCOP	UC Ethnic UC Afghan	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H966
UCOP	UC Ethnic UC Armenian	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H967
UCOP	UC Ethnic UC Assyrian/Chaldean	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H968
UCOP	UC Ethnic UC Azerbaijani	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H969
UCOP	UC Ethnic UC Bahraini	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H970
UCOP	UC Ethnic UC Circassian	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H971
UCOP	UC Ethnic UC Emirati	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H972
UCOP	UC Ethnic UC Georgian	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H973
UCOP	UC Ethnic UC Iranian	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H974
UCOP	UC Ethnic UC Iraqi	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H975
UCOP	UC Ethnic UC Israeli	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H976
UCOP	UC Ethnic UC Jordanian	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H977
UCOP	UC Ethnic UC Kurdish	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H978
UCOP	UC Ethnic UC Kuwaiti	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H979
UCOP	UC Ethnic UC Lebanese	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H980
UCOP	UC Ethnic UC Omani	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H981
L	1	

Class Name	Object Name	Description
UCOP	UC Ethnic UC Palestinian	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H982
UCOP	UC Ethnic UC Qatari	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H983
UCOP	UC Ethnic UC Saudi Arabian	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H984
UCOP	UC Ethnic UC Syrian	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H985
UCOP	UC Ethnic UC Turkish	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H986
UCOP	UC Ethnic UC Yemeni	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H987
UCOP	UC Ethnic UC Other Southwest Asian	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H988
UCOP	UC Ethnic UC Algerian	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H989
UCOP	UC Ethnic UC Berber	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H990
UCOP	UC Ethnic UC Djiboutian	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H991
UCOP	UC Ethnic UC Egyptian	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H992
UCOP	UC Ethnic UC Libyan	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H993
UCOP	UC Ethnic UC Mauritanian	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H994
UCOP	UC Ethnic UC Moroccan	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H995
UCOP	UC Ethnic UC Somali	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H996
UCOP	UC Ethnic UC Sudanese	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H997
UCOP	UC Ethnic UC Tunisian	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H998
UCOP	UC Ethnic UC Other North African	Data is completely replaced nightly. Steward: Registrar Source: PS_SCR_UCOP_EXTR.SCR_H999
Athletics	AT Sport Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward:Registrar Source: PS_ATHL_PART_STAT.SPORT □
Athletics	AT Sport Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Athletics	AT Status Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward:Registrar Source: PS_ATHL_PART_STAT.ATHL_PARTIC_CD

Class Name	Object Name	Description
Athletics	AT Status Descr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward:Registrar Source: PS_ATHL_PART_TBL.DESCR □
Athletics	AT NCAA Eligible	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward:Registrar Source: PS_ATHL_PART_STAT.NCAA_ELIGIBLE □
Athletics	AT Current Participant	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward:Registrar Source: PS_ATHL_PART_STAT.CUR_PARTICIPANT □
Athletics	AT Valid From	
Athletics	AT Valid To	
Test Scores	TS Test ID Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_SA_TEST_TBL.TEST_ID
Test Scores	TS Test ID Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_SA_TEST_TBL.DESCRSHORT
Test Scores	TS Test Component Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_STDNT_TEST_COMP.TEST_COMPONENT
Test Scores	TS Test Component Descr	Data is completely replaced nightly. Steward: Shared Source: PS_SA_TCMP_REL_TBL.DESCR
Test Scores	TS Test Date	Data is completely replaced nightly. Steward: Shared Source: PS_STDNT_TEST_COMP.TEST_DT
Test Scores	TS Data Source Code	Data is completely replaced nightly. Steward: Shared Source: PS_STDNT_TEST_COMP.LS_DATA_SOURCE
Test Scores	TS Data Source Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Test Scores	TS Score	Data is completely replaced nightly. Steward: Shared Source: PS_STDNT_TEST_COMP.SCORE
Test Scores	TS Date Loaded	Data is completely replaced nightly. Steward: Shared Source: PS_STDNT_TEST_COMP.DATE_LOADED
Test Scores	TS Percentile	Data is completely replaced nightly. Steward: Shared Source: PS_STDNT_TEST_COMP.PERCENTILE
DRC	DRC Client Emplid	Emplid for any person who has data in the DRC Client pages. Data is completely replaced nightly. Steward: Disability Resource Center Source: PS_SCR_DRC_CLNT.EMPLID
Accommodation Setup	ACS Accommodation Type	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Disability Resource Center Source: PS_SCR_DRC_ACCSETP.ACCOMMODATION_TYPE

Class Name	Object Name	Description
Accommodation Setup	ACS Effective Term	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Disability Resource Center Source: PS_SCR_DRC_ACCSETP.EFFECTIVE_TERM Picklists are pre-sorted in descending order.
Accommodation Setup	ACS Effective Through Term	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Disability Resource Center Source: calculated using PS_SCR_DRC_ACCSETP.EFFECTIVE_TERM Picklists are pre-sorted in descending order.
Accommodation Setup	ACS Accommodation Type Descr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Disability Resource Center Source: PS_SCR_DRC_ACCSETP.DESCR60
Accommodation Setup	ACS Status	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Disability Resource Center Source: PS_SCR_DRC_ACCSETP.STATUS
Accommodation Setup	ACS Available Through Self Service	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Disability Resource Center Source: PS_SCR_DRC_ACCSETP.ALLOW_SELF_SERVICE
Accommodation Setup	ACS Accommodation Basis	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Disability Resource Center Source: PS_SCR_DRC_ACCSETP.SCR_DRC_ACCOMBASIS
Accommodation Setup	ACS Valid From	
Accommodation Setup	ACS Valid To	
Client	CL Rehab Flag	Flag to show whether a client is a Department of Rehabilitation client. Values: Y, N Data is completely replaced nightly. Steward: Disability Resource Center Source: PS_SCR_DRC_CLNT.SCR_DRC_REHAB_FLAG
Client	CL Rehab Counselor's Name	Name of the client's Department of Rehabilitation counselor. Data is completely replaced nightly. Steward: Disability Resource Center Source: PS_SCR_DRC_CLNT.SCR_DRC_REHAB_NAME
Client	CL Rehab Counselor's Email	Email of the client's Department of Rehabilitation counselor. Data is completely replaced nightly. Steward: Disability Resource Center Source: PS_SCR_DRC_CLNT.SCR_DRC_REHABEMAIL
Client	CL Rehab Counselor's Phone	Phone number of the client's Department of Rehabilitation counselor. Data is completely replaced nightly. Steward: Disability Resource Center Source: PS_SCR_DRC_CLNT.SCR_DRC_REHABPHONE
Client	CL Veteran	Flag to show whether a client is a self-reported veteran. Values: Y, N Data is completely replaced nightly. Steward: Disability Resource Center Source: PS_SCR_DRC_CLNT.VETERAN

Class Name	Object Name	Description
Accommodations	AC Accommodation Type Code	Data is completely replaced nightly. Steward: Disabilty Resource Center Source: PS_SCR_DRC_ACCOMOD.ACCOMMODATION_TYPE
Accommodations	AC Accommodation Type Descr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Disability Resource Center Source: PS_SCR_DRC_ACCSETP.DESCR60
Accommodations	AC Accommodation Accept Flag	Data is completely replaced nightly. Steward: Disability Resource Center Source: PS_SCR_DRC_ACCOMOD.SCR_DRC_ACCEPT_FL □
Accommodations	AC Accommodation Status Code	Data is completely replaced nightly. Steward: Disability Resource Center Source: PS_SCR_DRC_ACCOMOD.SCR_DRC_ACC_STATUS
Accommodations	AC Accommodation Status Descr	Data is completely replaced nightly. Steward: Disabilty Resource Center Source: PSXLATITEM.XLATLONGNAME
Accommodations	AC Accommodation End Date	Data is completely replaced nightly. Steward: Disabilty Resource Center Source: PS_SCR_DRC_ACCOMOD.END_DATE□
Accommodations	AC Accommodation Start Date	Data is completely replaced nightly. Steward: Disabilty Resource Center Source: PS_SCR_DRC_ACCOMOD.START_DATE □
Disability	DI Disability Code	Disability code. Values: ABI, ADHD, etc. Data is completely replaced nightly. Steward: Disability Resource Center Source: PS_SCR_DRC_DIAGNOS.DIAGNOSIS_CD
Disability	DI Disability Descr	Data is completely replaced nightly. Steward: Disability Resource Center Source: PS_DIAGNOSIS_TBL.DESCR
Disability	DI Disability Start Date	Start date for this disability. Data is completely replaced nightly. Steward: Disability Resource Center Source: PS_SCR_DRC_DIAGNOS.START_DATE
Disability	DI Disability End Date	End date for this disability. This is left blank for permanent disabilities. Data is completely replaced nightly. Steward: Disability Resource Center Source: PS_SCR_DRC_DIAGNOS.END_DATE
Disability	DI Primary Disability	Flag to indicate primary disability. Each client must have one disability marked as primary. Values: Y, N Data is completely replaced nightly. Steward: Disability Resource Center Source: PS_SCR_DRC_DIAGNOS.SCR_DRC_PRI_DIAG
Coordinator	CRD Coordinator Emplid	7-digit empIID of the student's coordinator. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Disability Resource Center Source: PS_SCR_DRC_COORDIN.SCR_DRC_COORDINATR

Class Name	Object Name	Description
Coordinator	CRD Coordinator Name	Coordinator last name, first initial, middle initial. Data is completely replaced nightly. Steward: Shared Source: Derived from PS_NAMES
Coordinator	CRD Coordinator Display Name	Coordinator first name last name. Data is completely replaced nightly. Steward: Shared Source: Derived from PS_NAMES
Coordinator	CRD Coordinator Email	Campus email address for this coordinator. Data is completely replaced nightly. Steward: Shared Source: Derived from PS_EMAIL_ADDRESSES
Coordinator	CRD Coordinator Start Date	Start date for this coordinator being assigned to this student. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Disability Resource Center Source: PS_SCR_DRC_COORDIN.START_DATE
Coordinator	CRD Current Coordinator	Student's current coordinator. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Disability Resource Center Source: Derived
Coordinator	CRD Coordinator Valid From	
Coordinator	CRD Coordinator Valid To	
Documents	DO Document Source	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_MED_DOC.SCR_DRC_DOC_SOURCE
Documents	DO Document Status	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_MED_DOC.SCR_DRC_DOC_STATUS
Documents	DO Document Type	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PSXLATITEM.XLATLONGNAME
Documents	DO Document Received Date	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_MED_DOC.RECEIVED_DT□
Documents	DO Document Reviewer ID	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_MED_DOC.REVIEWER_ID □
Documents	DO Document Review Date	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_MED_DOC.REVIEW_DT□
Manifestations	MN Manifestation Code	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_MANIF.SCR_DRC_MAN_CD

Class Name	Object Name	Description
Manifestations	MN Manifestation Descr	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_MAN_SET.DESCR100 □
Manifestations	MN Manifestation Long Descr	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_MAN_SET.DESCRLONG
Manifestations	MN Manifestation Start Date	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_MANIF.START_DATE□
Manifestations	MN Manifestation End Date	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_MANIF.END_DATE□
Manifestations	MN Manifestation Displayed	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_MANIF.DISPLAYED_FLAG
Status	SS DRC Status	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_STATUS.SCR_DRC_STATUS □
Status	SS DRC Status Start Date	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_STATUS.START_DATE
Status	SS DRC Status End Date	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_STATUS.END_DATE□
Service Tracker	ST Service Sequence Number	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_TRACKER.SEQNO□
Service Tracker	ST Service From Date	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_TRACKER.SRVC_DT_FROM□
Service Tracker	ST Service Code	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_TRACKER.SCR_DRC_SERVICE
Service Tracker	ST Service Descr	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_SERVICE.DESCR

Class Name	Object Name	Description
Service Tracker	ST Service Quantity	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_TRACKER.QUANTITY□
Service Tracker	ST Service Comments	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_TRACKER.SCR_DRC_COMMENTS □
Service Tracker	ST Service Term	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_TRACKER.STRM□
Term Accommodation Requests	TAR Accommodation Type Code	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_CLTRMSV.ACCOMMODATION_TYPE
Term Accommodation Requests	TAR Accommodation Type Descr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Disability Resource Center Source: PS_SCR_DRC_ACCSETP.DESCR60
Term Accommodation Requests	TAR Accommodation Selected	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_CLTRMSV.SELECTED □
Term Accommodation Requests	TAR Accommodation Effective From	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_CLTRMSV.EFFDT_FROM□
Class Accommodation Requests	CAR Accommodation Type	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_CLCLSSV.ACCOMMODATION_TYPE □
Class Accommodation Requests	CAR Accommodation Type Descr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Disability Resource Center Source: PS_SCR_DRC_ACCSETP.DESCR60
Class Accommodation Requests	CAR Accommodation Letter Text	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Disability Resource Center Source: PS_SCR_DRC_ACCSETP.SRC_DRC_LETTER_TXT
Class Accommodation Requests	CAR Accommodation Selected	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_CLCLSSV.SELECTED □
Class Accommodation Requests	CAR Accommodation Effective From	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_CLCLSSV.EFFDT_FROM□

Class Name	Object Name	Description
Class Accommodation Requests	CAR Last Update Date/Time	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_CLCLSSV.LASTUPDDTTM
Employee	EMP Employee EmplID	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_EMPLCLS.EMPLID□
Employee	EMP Enroll Term	
Employee	EMP Enroll Course ID	
Employee	EMP Enroll Session Code	
Employee	EMP Enroll Subject	
Employee	EMP Enroll Catalog Nbr	
Employee	EMP Enroll Class Section	
Employee	EMP Available	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_EMPLCLS.SCR_DRC_AVAIL
Employee	EMP Availability Dt	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_EMPLCLS.AVAILABILITY_DT
Employee	EMP Selected	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_EMPLCLS.SCR_DRC_SELECT
Employee	EMP Selected Date	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_EMPLCLS.SCR_DRC_ASGN_DATE
Employee	EMP Email Address 1	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_EMPL.EMAIL_ADDR
Employee	EMP Email Address 2	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_EMPL.EMAIL_ADDR2
Employee	EMP Phone1	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_EMPL.PHONE1
Employee	EMP Phone1 Type	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_EMPL.PHONE1_TYPE
Employee	EMP Phone2	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_EMPL.PHONE2

Class Name	Object Name	Description
Employee	EMP Phone2 Type	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_EMPL.PHONE2_TYPE
Employee	EMP Academic Interests	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_EMPL.SCR_DRC_ACAD_INTR □
Employee	EMP Position Code	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_EMPLPOS.SCR_DRC_POSITION
Employee	EMP Position Descr	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_POSITN.LABEL
Employee	EMP From Date	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_EMPLPOS.FROM_DATE□
Employee	EMP To Date	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_EMPLPOS.TO_DATE □
Class Services	CSV Course ID	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_CLNTCLS.CRSE_ID □
Class Services	CSV Course Offer Nbr	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_CLNTCLS.CRSE_OFFER_NBR□
Class Services	CSV Session Code - dupl of class tbl join?	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_CLNTCLS.SESSION_CODE □
Class Services	CSV Class Section - dupl of class tbl join?	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_SCR_DRC_CLNTCLS.CLASS_SECTION □
Class Services	CSV Subject - dupl of class tbl join?	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_CLNTCLS.SUBJECT □
Class Services	CSV Catalog Nbr - dupl of class tbl join?	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_CLNTCLS.CATALOG_NBR

Class Name	Object Name	Description
Class Services	CSV Notetaker	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_CLNTCLS.SCR_DRC_NTKR □
Class Services	CSV Notetaker Date	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_CLNTCLS.SCR_DRC_NTKRDATE□
Class Services	CSV Typist	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_CLNTCLS.SCR_DRC_TYPIST
Class Services	CSV Typist Date	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_CLNTCLS.SCR_DRC_TYP_DATE□
Class Services	CSV Caption	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_CLNTCLS.SCR_DRC_CAPTION □
Class Services	CSV Caption Date	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_CLNTCLS.SCR_DRC_CAPDATE□
Class Services	CSV Interpreter	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_CLNTCLS.SCR_DRC_INTERPRET
Class Services	CSV Interpreter Date	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_SCR_DRC_CLNTCLS.SCR_DRC_INTDATE
Class Service Audit	CSA OprID	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_AUDIT_SCCLCLSSV.AUDIT_OPRID
Class Service Audit	CSA Date/Time	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_AUDIT_SCCLCLSSV.AUDIT_STAMP
Class Service Audit	CSA Action	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_AUDIT_SCCLCLSSV.AUDIT_ACTN □
Class Service Audit	CSA EmplID	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_AUDIT_SCCLCLSSV.EMPLID

Class Name	Object Name	Description
Class Service Audit	CSA Course ID	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_AUDIT_SCCLCLSSV.CRSE_ID
Class Service Audit	CSA Course Offer Nbr	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_AUDIT_SCCLCLSSV.CRSE_OFFER_NBR□
Class Service Audit	CSA Term Code	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_AUDIT_SCCLCLSSV.STRM Picklists are pre-sorted in descending order.
Class Service Audit	CSA Session Code	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_AUDIT_SCCLCLSSV.SESSION_CODE □
Class Service Audit	CSA Section	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_AUDIT_SCCLCLSSV.CLASS_SECTION □
Class Service Audit	CSA Accommodation Type Code	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_AUDIT_SCCLCLSSV.ACCOMMODATION_TYPE
Class Service Audit	CSA Selected	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_AUDIT_SCCLCLSSV.SELECTED □
Class Service Audit	CSA Effective Date From	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_AUDIT_SCCLCLSSV.EFFDT_FROM□
Class Service Audit	CSA Last Updated by ID	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_AUDIT_SCCLCLSSV.LASTUPDOPRID
Class Service Audit	CSA Last Updated Date/Time	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_AUDIT_SCCLCLSSV.LASTUPDDTTM□
Term Service Audit	TSA OprID	Data is completely replaced nightly. Steward:Disability Resource Center Source: PS_AUDIT_SCCLTRMSV.AUDIT_OPRID
Term Service Audit	TSA Date/Time	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_AUDIT_SCCLTRMSV.AUDIT_STAMP□

Class Name	Object Name	Description
Term Service Audit	TSA Action	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_AUDIT_SCCLTRMSV.AUDIT_ACTN □
Term Service Audit	TSA EmplID	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_AUDIT_SCCLTRMSV.EMPLID
Term Service Audit	TSA Term Code	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_AUDIT_SCCLTRMSV.STRM □ Picklists are pre-sorted in descending order.
Term Service Audit	TSA Accommodation Type Code	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_AUDIT_SCCLTRMSV.ACCOMMODATION_TYPE
Term Service Audit	TSA Selected	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_AUDIT_SCCLTRMSV.SELECTED □
Term Service Audit	TSA Effective Date From	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_AUDIT_SCCLTRMSV.EFFDT_FROM□
Term Service Audit	TSA Last Updated by ID	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_AUDIT_SCCLTRMSV.LASTUPDOPRID
Term Service Audit	TSA Last Updated Date/Time	Data is completely replaced nightly. Steward:Disabilty Resource Center Source: PS_AUDIT_SCCLTRMSV.LASTUPDDTTM□
Advising and Degree Audit	AAR Emplid	This contains the emplid for every student who has ever had an AAR run. Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_REPORT.EMPLID
Report Request	RR Analysis DB Sequence	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_REPORT.ANALYSIS_DB_SEQ; most recent RPT_DATE for each EMPLID□
Report Request	RR Academic Career	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_REPORT.SAA_CAREER_RPT; most recent RPT_DATE for each EMPLID□
Report Request	RR Report Date	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_REPORT.RPT_DATE; most recent RPT_DATE for each EMPLID

Class Name	Object Name	Description
Report Request	RR Report Type	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_REPORT.RPT_DATE; most recent RPT_DATE for each EMPLID
Report Request	RR Report Identifier	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_REPORT.SAA_RPT_IDENTIFIER; most recent RPT_DATE for each EMPLID□
Report Request	RR Transcript Type	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_REPORT.TSCRPT_TYPE; most recent RPT_DATE for each EMPLID □
Report Request	RR Use Career Simulation	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_REPORT.WHAT_IF_FL; most recent RPT_DATE for each EMPLID
Report Request	RR As of Date	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_REPORT.ASOF_DATE; most recent RPT_DATE for each EMPLID
Report Request	RR Report Request Nbr	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_REPORT.REPORT_REQUEST_NBR; most recent RPT_DATE for each EMPLID□
Report Request	RR Date/Time Processed	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_REPORT.SAA_RPT_DTTM_STAMP; most recent RPT_DATE for each EMPLID□
Results	RS Entry Sequence	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.SAA_ENTRY_SEQ; most recent RPT_DATE for each EMPLID□
Results	RS Report Date	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.RPT_DATE; most recent RPT_DATE for each EMPLID
Results	RS Transcript Type	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.TSCRPT_TYPE; most recent RPT_DATE for each EMPLID□
Results	RS Report Identifier	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.SAA_RPT_IDENTIFIER; most recent RPT_DATE for each EMPLID□

Class Name	Object Name	Description
Results	RS Entry Type	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.ENTRY_R_TYPE; most recent RPT_DATE for each EMPLID□
Results	RS Academic Career	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.ACAD_CAREER; most recent RPT_DATE for each EMPLID□
Results	RS Academic Program	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.ACAD_PROG; most recent RPT_DATE for each EMPLID□
Results	RS Academic Plan	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.ACAD_PLAN; most recent RPT_DATE for each EMPLID
Results	RS Academic Subplan	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.ACAD_SUB_PLAN; most recent RPT_DATE for each EMPLID □
Results	RS Requirement Date	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.RQ_DATE; most recent RPT_DATE for each EMPLID
Results	RS Requirement Group	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.RQRMNT_GROUP; most recent RPT_DATE for each EMPLID □
Results	RS Req Group Line Nbr	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.RQ_GRP_LINE_NBR; most recent RPT_DATE for each EMPLID□
Results	RS Requirement	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.REQUIREMENT; most recent RPT_DATE for each EMPLID□
Results	RS Requirement Descr	Data is completely replaced nightly. Steward: Academic Advising Source: PS_RQ_MAIN_TBL.SAA_DESCR80; most recent effdt row
Results	RS Requirement Descr Short	Data is completely replaced nightly. Steward: Academic Advising Source: PS_RQ_MAIN_TBL.SAA_DESCR80; most recent effdt row
Results	RS Requirement Descr Long	Data is completely replaced nightly. Steward: Academic Advising Source: PS_RQ_MAIN_TBL.DESCR254A; most recent effdt row

Class Name	Object Name	Description
Results	RS Req Line Nbr	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.RQ_LINE_NBR; most recent RPT_DATE for each EMPLID□
Results	RS Reporting Sequence	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.RQRMNT_LIST_SEQ; most recent RPT_DATE for each EMPLID□
Results	RS Req Group Line Type	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.RQ_GRP_LINE_TYPE; most recent RPT_DATE for each EMPLID □
Results	RS Req Line Type	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.REQ_LINE_TYPE; most recent RPT_DATE for each EMPLID□
Results	RS Display Select Line	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.DISP_SELECT_LINE; most recent RPT_DATE for each EMPLID□
Results	RS Partition Fail	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.PARTITION_FAIL; most recent RPT_DATE for each EMPLID□
Results	RS Units Required	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.UNITS_REQUIRED; most recent RPT_DATE for each EMPLID□
Results	RS Units Used	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.SAA_UNITS_USED; most recent RPT_DATE for each EMPLID□
Results	RS Units Needed	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.UNITS_NEEDED; most recent RPT_DATE for each EMPLID□
Results	RS Courses Required	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.CRSES_REQUIRED; most recent RPT_DATE for each EMPLID □

RS Courses Used	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.SAA_CRSES_USED; most recent RPT_DATE for each EMPLID□
RS Courses Needed	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.CRSES_NEEDED; most recent RPT_DATE for each EMPLID□
RS Course Count	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.SAA_CRSE_COUNT; most recent RPT_DATE for each EMPLID□
RS Minimum GPA	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.GPA_REQUIRED; most recent RPT_DATE for each EMPLID □
RS GPA Actual	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.GPA_ACTUAL; most recent RPT_DATE for each EMPLID□
RS Advisement Override	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.RQ_AA_OVERRIDE; most recent RPT_DATE for each EMPLID□
RS As of Date	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.ASOF_DATE; most recent RPT_DATE for each EMPLID []
RS Override Action	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.RQ_OVRD_ACTION; most recent RPT_DATE for each EMPLID□
RS Old Minimum Units	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.OLD_MIN_UNITS; most recent RPT_DATE for each EMPLID□
RS New Minimum Units	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.NEW_MIN_UNITS; most recent RPT_DATE for each EMPLID□
	RS Courses Needed RS Course Count RS Minimum GPA RS GPA Actual RS Advisement Override RS As of Date RS Override Action RS Old Minimum Units

	Description
RS Old Maximum Units	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.OLD_MAX_UNITS; most recent RPT_DATE for each EMPLID□
RS New Maximum Units	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.NEW_MAX_UNITS; most recent RPT_DATE for each EMPLID□
RS Old Minimum Courses	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.OLD_MIN_CRSES; most recent RPT_DATE for each EMPLID□
RS New Minimum Courses	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.NEW_MIN_CRSES; most recent RPT_DATE for each EMPLID□
RS Old Maximum Courses	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.OLD_MAX_CRSES; most recent RPT_DATE for each EMPLID□
RS New Maximum Courses	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.NEW_MAX_CRSES; most recent RPT_DATE for each EMPLID
RS Ref Requirement Group	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.REF_RQMT_GROUP; most recent RPT_DATE for each EMPLID□
RS Ref Requirement	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.REF_REQUIREMENT; most recent RPT_DATE for each EMPLID□
RS Item Status	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.ITEM_R_STATUS; most recent RPT_DATE for each EMPLID□
RS Display Control	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.SAA_PRINT_CNTL; most recent RPT_DATE for each EMPLID □
	RS New Maximum Units RS Old Minimum Courses RS New Minimum Courses RS Old Maximum Courses RS New Maximum Courses RS New Maximum Courses RS Ref Requirement Group RS Ref Requirement RS Ref Requirement

Class Name	Object Name	Description
Results	RS AA Oprid Display Option	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.SAA_DISPLAY_OPTION; most recent RPT_DATE for each EMPLID□
Results	RS Satisfied GPA	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.SAA_DISPLAY_GPA; most recent RPT_DATE for each EMPLID□
Results	RS Display Satisfied Units	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.SAA_DISPLAY_UNITS; most recent RPT_DATE for each EMPLID□
Results	RS Display Satisfied Course Count	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.SAA_DISPLAY_CRSCNT; most recent RPT_DATE for each EMPLID□
Results	RS User ID	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.OPRID; most recent RPT_DATE for each EMPLID
Results	RS User Name	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.SAA_OPRID_NAME; most recent RPT_DATE for each EMPLID□
Results	RS Long Descr	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.DESCR254A; most recent RPT_DATE for each EMPLID []
Results	RS Hide Status	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RESULTS.SAA_HIDE_STATUS; most recent RPT_DATE for each EMPLID□
Courses Table	CTA Course Tag	Data is completely replaced nightly. Steward: Academic Advising Source: AISOPS.R_SAA_ADB_COURSES.CRSE_TAG; most recent RPT_DATE for each EMPLID□
Courses Table	CTA Report Date	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.RPT_DATE; most recent RPT_DATE for each EMPLID □

Class Name	Object Name	Description
Courses Table	CTA Transcript Type	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.TSCRPT_TYPE; most recent RPT_DATE for each EMPLID□
Courses Table	CTA Report Identifier	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.SAA_RPT_IDENTIFIER; most recent RPT_DATE for each EMPLID□
Courses Table	CTA Academic Career	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.ACAD_CAREER; most recent RPT_DATE for each EMPLID□
Courses Table	CTA Course Career	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.CRSE_CAREER; most recent RPT_DATE for each EMPLID□
Courses Table	CTA Term Code	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.STRM; most recent RPT_DATE for each EMPLID Picklists are pre-sorted in descending order.
Courses Table	CTA Applied Term	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.APPLIED_TERM; most recent RPT_DATE for each EMPLID□ Picklists are pre-sorted in descending order.□
Courses Table	CTA Term Taken	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.TERM_TAKEN; most recent RPT_DATE for each EMPLID Picklists are pre-sorted in descending order.
Courses Table	CTA Class Nbr	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.CLASS_NBR; most recent RPT_DATE for each EMPLID□
Courses Table	CTA Student Enrollment Status	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.STDNT_ENRL_STATUS; most recent RPT_DATE for each EMPLID□
Courses Table	CTA Units Taken	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.UNT_TAKEN; most recent RPT_DATE for each EMPLID□

Class Name	Object Name	Description
Courses Table	CTA Units Earned	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.UNT_EARNED; most recent RPT_DATE for each EMPLID□
Courses Table	CTA Units Taken for Progress	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.UNT_PRGRSS; most recent RPT_DATE for each EMPLID□
Courses Table	CTA Grading Basis	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.GRADING_BASIS_ENRL; most recent RPT_DATE for each EMPLID□
Courses Table	CTA Official Grade	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.CRSE_GRADE_OFF; most recent RPT_DATE for each EMPLID□
Courses Table	CTA Repeat Code	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.REPEAT_CODE; most recent RPT_DATE for each EMPLID□
Courses Table	CTA Associated Class	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.ASSOCIATED_CLASS; most recent RPT_DATE for each EMPLID□
Courses Table	CTA Audit Grading Basis	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.AUDIT_GRADE_BASIS; most recent RPT_DATE for each EMPLID□
Courses Table	CTA Earn Credit	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.EARN_CREDIT; most recent RPT_DATE for each EMPLID□
Courses Table	CTA Include in GPA	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.INCLUDE_IN_GPA; most recent RPT_DATE for each EMPLID□
Courses Table	CTA Units Attempted	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.UNITS_ATTEMPTED; most recent RPT_DATE for each EMPLID

Class Name	Object Name	Description
Courses Table	CTA Grade Points	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.GRADE_POINTS; most recent RPT_DATE for each EMPLID□
Courses Table	CTA Course ID	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.CRSE_ID; most recent RPT_DATE for each EMPLID []
Courses Table	CTA Course Offering Nbr	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.CRSE_OFFER_NBR; most recent RPT_DATE for each EMPLID□
Courses Table	CTA Session Code	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.SESSION_CODE; most recent RPT_DATE for each EMPLID□
Courses Table	CTA Class Section	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.CLASS_SECTION; most recent RPT_DATE for each EMPLID □
Courses Table	CTA Academic Group	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.ACAD_GROUP; most recent RPT_DATE for each EMPLID□
Courses Table	CTA Subject	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.SUBJECT; most recent RPT_DATE for each EMPLID
Courses Table	CTA Catalog Nbr	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.CATALOG_NBR; most recent RPT_DATE for each EMPLID□
Courses Table	CTA Catalog Nbr Prompt	This is the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_SAA_ADB_COURSES.CATALOG_NBR
Courses Table	CTA Catalog Nbr Sort	This is the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_SAA_ADB_COURSES.CATALOG_NBR

Class Name	Object Name	Description
Courses Table	CTA Subject - Catalog Nbr	This uses the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as- of-date reporting. Steward: Registrar Source: PS_SAA_ADB_COURSES.SUBJECT, PS_SAA_ADB_COURSES.CATALOG_NBR
Courses Table	CTA Subject - Catalog Nbr Sort	This uses the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_SAA_ADB_COURSES.SUBJECT, PS_SAA_ADB_COURSES.CATALOG_NBR
Courses Table	CTA Descr	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.DESCR; most recent RPT_DATE for each EMPLID □
Courses Table	CTA Course Component	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.SSR_COMPONENT; most recent RPT_DATE for each EMPLID□
Courses Table	CTA Course Topic ID	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.CRS_TOPIC_ID; most recent RPT_DATE for each EMPLID□
Courses Table	CTA Display Topics in AA Reports	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.SAA_DISPLAY_TOPIC; most recent RPT_DATE for each EMPLID□
Courses Table	CTA Equivalent Course Group	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.EQUIV_CRSE_ID; most recent RPT_DATE for each EMPLID □
Courses Table	CTA Override Equivalent Course	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.OVRD_CRSE_EQUIV_ID; most recent RPT_DATE for each EMPLID□
Courses Table	CTA Start Date	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.START_DT; most recent RPT_DATE for each EMPLID □

Class Name	Object Name	Description
Courses Table	CTA End Date	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.END_DT; most recent RPT_DATE for each EMPLID□
Courses Table	CTA Course Count	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.CRSE_COUNT; most recent RPT_DATE for each EMPLID□
Courses Table	CTA Class Enroll Type	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.CLASS_ENRL_TYPE; most recent RPT_DATE for each EMPLID□
Courses Table	CTA Course Type	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.SAA_CRSE_TYPE; most recent RPT_DATE for each EMPLID□
Courses Table	CTA Advisement School Type	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.RQ_SCHOOL_TYPE; most recent RPT_DATE for each EMPLID □
Courses Table	CTA Grade Category	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.GRADE_CATEGORY; most recent RPT_DATE for each EMPLID□
Courses Table	CTA Valid Attempted Grade	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.VALID_ATTEMPT; most recent RPT_DATE for each EMPLID□
Courses Table	CTA Grade Points Per Unit	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.GRD_PTS_PER_UNIT; most recent RPT_DATE for each EMPLID□
Courses Table	CTA Requirement Designation	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.RQMNT_DESIGNTN; most recent RPT_DATE for each EMPLID□
Courses Table	CTA General Education Code	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCR
Courses Table	CTA General Education Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCRFORMAL

Object Name	Description
CTA Evaluation Date	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.EVALUATION_DT; most recent RPT_DATE for each EMPLID□
CTA Test Date	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.TEST_DT; most recent RPT_DATE for each EMPLID
CTA Grading Scheme	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.GRADING_SCHEME; most recent RPT_DATE for each EMPLID□
CTA Sub Academic Group	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.SUB_ACAD_GROUP; most recent RPT_DATE for each EMPLID□
CTA Sub Course ID	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.SUB_CRSE_ID; most recent RPT_DATE for each EMPLID□
CTA Sub Subject	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.SUB_SUBJECT; most recent RPT_DATE for each EMPLID□
CTA Sub Catalog Nbr	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.SUB_CATLG_NBR; most recent RPT_DATE for each EMPLID□
CTA Sub Descr	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.SAA_SUB_DESCR; most recent RPT_DATE for each EMPLID□
CTA User ID	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.OPRID; most recent RPT_DATE for each EMPLID
CTA User Name	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.SAA_OPRID_NAME; most recent RPT_DATE for each EMPLID□
	CTA Evaluation Date CTA Test Date CTA Grading Scheme CTA Sub Academic Group CTA Sub Course ID CTA Sub Subject CTA Sub Catalog Nbr CTA Sub Descr CTA User ID

Class Name	Object Name	Description
Courses Table	CTA AA OprID Display Option	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.SAA_DISPLAY_OPTION; most recent RPT_DATE for each EMPLID□
Courses Table	CTA Substitution Seq	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.STDNT_SUB_NBR; most recent RPT_DATE for each EMPLID□
Courses Table	CTA Long Descr	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_COURSES.DESCR254A; most recent RPT_DATE for each EMPLID□
Courses Used	CUS Analysis DB Sequence	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.ANALYSIS_DB_SEQ; most recent RPT_DATE for each EMPLID □
Courses Used	CUS Academic Career	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.SAA_CAREER_RPT; most recent RPT_DATE for each EMPLID□
Courses Used	CUS Entry Sequence	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.SAA_ENTRY_SEQ; most recent RPT_DATE for each EMPLID□
Courses Used	CUS Course Sequence Number	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.SAA_COURSE_SEQ; most recent RPT_DATE for each EMPLID□
Courses Used	CUS Course Tag	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.CRSE_TAG; most recent RPT_DATE for each EMPLID
Courses Used	CUS Report Date	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.RPT_DATE; most recent RPT_DATE for each EMPLID □
Courses Used	CUS Transcript Type	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.TSCRPT_TYPE; most recent RPT_DATE for each EMPLID□

Class Name	Object Name	Description
Courses Used	CUS Report Identifier	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.SAA_RPT_IDENTIFIER; most recent RPT_DATE for each EMPLID□
Courses Used	CUS Requirement Group	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.RQRMNT_GROUP; most recent RPT_DATE for each EMPLID□
Courses Used	CUS Group Line Nbr	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.RQ_GRP_LINE_NBR; most recent RPT_DATE for each EMPLID□
Courses Used	CUS Academic Requirement	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.REQUIREMENT; most recent RPT_DATE for each EMPLID□
Courses Used	CUS Line Nbr	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.RQ_LINE_NBR; most recent RPT_DATE for each EMPLID□
Courses Used	CUS Selection Process Type	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.SEL_PROCESS_TYPE; most recent RPT_DATE for each EMPLID□
Courses Used	CUS Selection Mode	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.SEL_MODE; most recent RPT_DATE for each EMPLID □
Courses Used	CUS In Progress Grade	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.IN_PROGRESS_GRD; most recent RPT_DATE for each EMPLID□
Courses Used	CUS Units Taken	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.UNT_TAKEN; most recent RPT_DATE for each EMPLID□
Courses Used	CUS Units Earned	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.UNT_EARNED; most recent RPT_DATE for each EMPLID□

Class Name	Object Name	Description
Courses Used	CUS Course Count	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.CRSE_COUNT; most recent RPT_DATE for each EMPLID□
Courses Used	CUS Advisement Override	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.RQ_AA_OVERRIDE; most recent RPT_DATE for each EMPLID□
Courses Used	CUS As of Date	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.ASOF_DATE; most recent RPT_DATE for each EMPLID □
Courses Used	CUS Course Directive Type	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.DIRCT_TYPE; most recent RPT_DATE for each EMPLID□
Courses Used	CUS AA OprID Display Option	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.SAA_DISPLAY_OPTION; most recent RPT_DATE for each EMPLID□
Courses Used	CUS Operator Name	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.SAA_OPRID_NAME; most recent RPT_DATE for each EMPLID□
Courses Used	CUS OprID	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.OPRID; most recent RPT_DATE for each EMPLID
Courses Used	CUS Long Description	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEUSE.DESCR254A; most recent RPT_DATE for each EMPLID□
Courses Available	CAV Analysis Db Sequence	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEAVL.ANALYSIS_DB_SEQ; most recent RPT_DATE for each EMPLID□
Courses Available	CAV Academic Career	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEAVL.SAA_CAREER_RPT; most recent RPT_DATE for each EMPLID
Courses Available	CAV Entry Sequence	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEAVL.SAA_ENTRY_SEQ; most recent RPT_DATE for each EMPLID

UCSC Campus Data Warehouse

Class Name	Object Name	Description
Courses Available	CAV Course Sequence Number	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEAVL.SAA_COURSE_SEQ; most recent RPT_DATE for each EMPLID
Courses Available	CAV Report Date	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEAVL.RPT_DATE; most recent RPT_DATE for each EMPLID
Courses Available	CAV Transcript Type	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEAVL.TSCRPT_TYPE; most recent RPT_DATE for each EMPLID
Courses Available	CAV Report Identifier	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEAVL.SAA_RPT_IDENTIFIER; most recent RPT_DATE for each EMPLID
Courses Available	CAV Course List	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEAVL.COURSE_LIST; most recent RPT_DATE for each EMPLID
Courses Available	CAV Effective Date	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEAVL.EFFDT; most recent RPT_DATE for each EMPLID
Courses Available	CAV Course Sequence	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEAVL.R_COURSE_SEQUENCE; most recent RPT_DATE for each EMPLID
Courses Available	CAV Requirement Group	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEAVL.RQRMNT_GROUP; most recent RPT_DATE for each EMPLID
Courses Available	CAV Group Line Nbr	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEAVL.RQ_GRP_LINE_NBR; most recent RPT_DATE for each EMPLID
Courses Available	CAV Academic Requirement	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEAVL.REQUIREMENT; most recent RPT_DATE for each EMPLID
Courses Available	CAV Line Nbr	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEAVL.RQ_LINE_NBR; most recent RPT_DATE for each EMPLID
Courses Available	CAV Subject	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEAVL.SUBJECT; most recent RPT_DATE for each EMPLID
Courses Available	CAV Catalog Nbr	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEAVL.CATALOG_NBR; most recent RPT_DATE for each EMPLID

Class Name	Object Name	Description
Courses Available	CAV Catalog Nbr Prompt	This is the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_SAA_ADB_CRSEAVL.CATALOG_NBR
Courses Available	CAV Catalog Nbr Sort	This is the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_SAA_ADB_CRSEAVL.CATALOG_NBR
Courses Available	CAV Subject - Catalog Nbr	This uses the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as- of-date reporting. Steward: Registrar Source: PS_SAA_ADB_CRSEAVL.SUBJECT, PS_SAA_ADB_CRSEAVL.CATALOG_NBR
Courses Available	CAV Subject - Catalog Nbr Sort	This uses the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_SAA_ADB_CRSEAVL.SUBJECT, PS_SAA_ADB_CRSEAVL.CATALOG_NBR
Courses Available	CAV Course ID	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEAVL.CRSE_ID; most recent RPT_DATE for each EMPLID
Courses Available	CAV Course Topic ID	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEAVL.CRS_TOPIC_ID; most recent RPT_DATE for each EMPLID
Courses Available	CAV Requirement Designation	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEAVL.RQMNT_DESIGNTN; most recent RPT_DATE for each EMPLID
Courses Available	CAV General Education Code	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCR
Courses Available	CAV General Education Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCRFORMAL
Courses Available	CAV Descr	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CRSEAVL.DESCR; most recent RPT_DATE for each EMPLID
Condition Lines	CLS Entry Sequence	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CONDUSE.SAA_ENTRY_SEQ; most recent RPT_DATE for each EMPLID□

UCSC Campus Data Warehouse

Class Name	Object Name	Description
Condition Lines	CLS Condition Sequence Number	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CONDUSE.SAA_CONDITION_SEQ; most recent RPT_DATE for each EMPLID
Condition Lines	CLS Report Date	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CONDUSE.RPT_DATE; most recent RPT_DATE for each EMPLID
Condition Lines	CLS Transcript Type	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CONDUSE.TSCRPT_TYPE; most recent RPT_DATE for each EMPLID□
Condition Lines	CLS Report Identifier	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CONDUSE.SAA_RPT_IDENTIFIER; most recent RPT_DATE for each EMPLID□
Condition Lines	CLS Requirement Group	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CONDUSE.RQRMNT_GROUP; most recent RPT_DATE for each EMPLID□
Condition Lines	CLS Req Group Line Nbr	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CONDUSE.RQ_GRP_LINE_NBR; most recent RPT_DATE for each EMPLID □
Condition Lines	CLS Requirement	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CONDUSE.REQUIREMENT; most recent RPT_DATE for each EMPLID□
Condition Lines	CLS Req Line Nbr	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CONDUSE.RQ_LINE_NBR; most recent RPT_DATE for each EMPLID □
Condition Lines	CLS Condition Code	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CONDUSE.CONDITION_CODE; most recent RPT_DATE for each EMPLID □
Condition Lines	CLS Condition Operator	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CONDUSE.CONDITION_OPERATOR; most recent RPT_DATE for each EMPLID□
e		

Class Name	Object Name	Description
Condition Lines	CLS Condition Data	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CONDUSE.CONDITION_DATA; most recent RPT_DATE for each EMPLID□
Condition Lines	CLS Test ID	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CONDUSE.TEST_ID; most recent RPT_DATE for each EMPLID
Condition Lines	CLS Test Component	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CONDUSE.TEST_COMPONENT; most recent RPT_DATE for each EMPLID□
Condition Lines	CLS Test Score	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CONDUSE.SCORE; most recent RPT_DATE for each EMPLID []
Condition Lines	CLS Maximum Age for a Test	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CONDUSE.SAA_MAX_VALID_AGE; most recent RPT_DATE for each EMPLID□
Condition Lines	CLS Select Best Test Score Method	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CONDUSE.SAA_BEST_TEST_OPT; most recent RPT_DATE for each EMPLID□
Condition Lines	CLS Item Status	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_CONDUSE.ENTRY_R_STATUS; most recent RPT_DATE for each EMPLID□
Plans Required	PR Entry Sequence	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RQDPLAN.SAA_ENTRY_SEQ; most recent RPT_DATE for each EMPLID□
Plans Required	PR Required Plan Sequence	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RQDPLAN.SAA_RQDPLN_SEQ; most recent RPT_DATE for each EMPLID□
Plans Required	PR Report Date	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RQDPLAN.RPT_DATE; most recent RPT_DATE for each EMPLID □

Class Name	Object Name	Description
Plans Required	PR Transcript Type	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RQDPLAN.TSCRPT_TYPE; most recent RPT_DATE for each EMPLID□
Plans Required	PR Report Identifier	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RQDPLAN.SAA_RPT_IDENTIFIER; most recent RPT_DATE for each EMPLID□
Plans Required	PR Requirement Group Code	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RQDPLAN.RQRMNT_GROUP; most recent RPT_DATE for each EMPLID□
Plans Required	PR Requirement Group Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_RQ_GRP_TBL.DESCR; most recent RPT_DATE for each EMPLID□
Plans Required	PR Plans Needed	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RQDPLAN.PLANS_NEEDED; most recent RPT_DATE for each EMPLID□
Plans Required	PR Academic Career	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RQDPLAN.ACAD_CAREER; most recent RPT_DATE for each EMPLID□
Plans Required	PR Academic Program	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RQDPLAN.ACAD_PROG; most recent RPT_DATE for each EMPLID□
Plans Required	PR Academic Plan	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RQDPLAN.ACAD_PLAN; most recent RPT_DATE for each EMPLID□
Plans Required	PR Academic Subplan	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SAA_ADB_RQDPLAN.ACAD_SUB_PLAN; most recent RPT_DATE for each EMPLID□
Senior Residency	SR Senior Residency Status	Data is completely replaced nightly. Steward: Academic Advising Source: PS_SCV_SENIOR_RES.SCV_SR_RES_STATUS□
Exception Data	EDA Advisement Override	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVERRIDE.RQ_AA_OVERRIDE

Class Name	Object Name	Description
Exception Data	EDA Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVERRIDE.EFFDT
Exception Data	EDA Status as of Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVERRIDE.EFF_STATUS
Exception Data	EDA Description	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVERRIDE.DESCR
Exception Data	EDA Short Description	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVERRIDE.DESCRSHORT
Exception Data	EDA Long Description	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVERRIDE.DESCR254A
Exception Data	EDA Selection Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVERRIDE.RQ_AA_WHO_CODE
Exception Data	EDA Selection Data	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVERRIDE.RQ_AA_WHO_DATA
Exception Data	EDA Override Operation Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVERRIDE.RQ_AA_OVRD_OPCODE
Exception Data	EDA Operation Level	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVERRIDE.RQ_AA_OVRD_OPLEVEL
Exception Data	EDA User ID	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVERRIDE.OPRID
Exception Data	EDA Academic Career	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVERRIDE.ACAD_CAREER
Exception Data	EDA Academic Program	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVERRIDE.ACAD_PROG
Exception Data	EDA Academic Plan	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVERRIDE.ACAD_PLAN
Exception Data	EDA Academic Subplan	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVERRIDE.ACAD_SUB_PLAN
Exception Directives	EDI Advisement Override	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.RQ_AA_OVERRIDE
Exception Directives	EDI Override Line Number	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.RQ_AA_OVRD_LN_NBR
L	I	

Class Name	Object Name	Description
Exception Directives	EDI Directive Course Number	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.RQ_AA_OVRD_CRS_NBR
Exception Directives	EDI Course Source	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.RQ_CRSE_SOURCE
Exception Directives	EDI Term Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.STRM Picklists are pre-sorted in descending order.
Exception Directives	EDI Class Nbr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.CLASS_NBR
Exception Directives	EDI Course ID	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.CRSE_ID
Exception Directives	EDI Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.EFFDT
Exception Directives	EDI Course Offering Nbr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.CRSE_OFFER_NBR
Exception Directives	EDI Subject Area	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.SUBJECT
Exception Directives	EDI Catalog Nbr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.CATALOG_NBR
Exception Directives	EDI Catalog Nbr Prompt	This is the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_AA_OVRD_CRSDATA.CATALOG_NBR
Exception Directives	EDI Catalog Nbr Sort	This is the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_AA_OVRD_CRSDATA.CATALOG_NBR
Exception Directives	EDI Subject - Catalog Nbr	This uses the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as- of-date reporting. Steward: Registrar Source: PS_AA_OVRD_CRSDATA.SUBJECT, PS_AA_OVRD_CRSDATA.CATALOG_NBR

Class Name	Object Name	Description
Exception Directives	EDI Subject - Catalog Nbr Sort	This uses the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_AA_OVRD_CRSDATA.SUBJECT, PS_AA_OVRD_CRSDATA.CATALOG_NBR
Exception Directives	EDI Session	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.SESSION_CODE
Exception Directives	EDI Class Section	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.CLASS_SECTION
Exception Directives	EDI Course Topic ID	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.CRS_TOPIC_ID
Exception Directives	EDI Directed Courses	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.CRSES_DIRECTED
Exception Directives	EDI Directed Units	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.UNITS_DIRECTED
Exception Directives	EDI Course Directive Type	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.DIRCT_TYPE
Exception Directives	EDI Minimum Grade Points	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.GRADE_POINTS_MIN
Exception Directives	EDI Academic Group	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.ACAD_GROUP
Exception Directives	EDI Transfer Equivalency Group	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.TRNSFR_EQVLNCY_GRP
Exception Directives	EDI Transfer Equivalency Seq	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.TRNSFR_EQVLNCY_SEQ
Exception Directives	EDI Transfer Model Nbr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.MODEL_NBR
Exception Directives	EDI Official Grade	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.CRSE_GRADE_OFF
Exception Directives	EDI Units Earned	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.UNT_EARNED
Exception Directives	EDI Requirement Designation	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.RQMNT_DESIGNTN

Class Name	Object Name	Description
Exception Directives	EDI General Education Code	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCR
Exception Directives	EDI General Education Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCRFORMAL
Exception Directives	EDI Requirement Designation Grade	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.RQMNT_DESIGNTN_GRD
Exception Directives	EDI Requirement Designation Option	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Academic Advising Source: PS_AA_OVRD_CRSDATA.RQMNT_DESIGNTN_OPT
Exception Requirement Changes	ERC Advisement Override	Data is completely replaced nightly . Steward: Academic Advising Source: PS_ AA_OVRD_DATA.RQ_AA_OVERRIDE
Exception Requirement Changes	ERC Override Line Number	Data is completely replaced nightly . Steward: Academic Advising Source: PS_ AA_OVRD_DATA.RQ_AA_OVRD_LN_NBR
Exception Requirement Changes	ERC Condition Code	Data is completely replaced nightly . Steward: Academic Advising Source: PS_ AA_OVRD_DATA.CONDITION_CODE
Exception Requirement Changes	ERC Condition Operator	Data is completely replaced nightly . Steward: Academic Advising Source: PS_ AA_OVRD_DATA.CONDITION_OPERATOR
Exception Requirement Changes	ERC Condition Data	Data is completely replaced nightly . Steward: Academic Advising Source: PS_ AA_OVRD_DATA.CONDITION_DATA
Exception Requirement Changes	ERC Course List	Data is completely replaced nightly . Steward: Academic Advising Source: PS_ AA_OVRD_DATA.COURSE_LIST
Exception Requirement Changes	ERC Requirement Group	Data is completely replaced nightly . Steward: Academic Advising Source: PS_ AA_OVRD_DATA.RQRMNT_GROUP
Exception Requirement Changes	ERC Academic Requirement	Data is completely replaced nightly . Steward: Academic Advising Source: PS_ AA_OVRD_DATA.REQUIREMENT
Exception Requirement Changes	ERC Minimum Units	Data is completely replaced nightly . Steward: Academic Advising Source: PS_ AA_OVRD_DATA.MIN_UNITS_REQD
Exception Requirement Changes	ERC Minimum Courses	Data is completely replaced nightly . Steward: Academic Advising Source: PS_ AA_OVRD_DATA.MIN_CRSES_REQD
Exception Requirement Changes	ERC Maximum Units Allowed	Data is completely replaced nightly . Steward: Academic Advising Source: PS_ AA_OVRD_DATA.MAX_UNITS_ALLOWD
Exception Requirement Changes	ERC Maximum Courses Allowed	Data is completely replaced nightly . Steward: Academic Advising Source: PS_ AA_OVRD_DATA.MAX_CRSES_ALLOWD
Exception Group Req Line Data	EG Advisement Override	Data is completely replaced nightly . Steward: Academic Advising Source: PS_AA_OVRD_WHERE.RQ_AA_OVERRIDE
Exception Group Req Line Data	EG Override Line Number	Data is completely replaced nightly . Steward: Academic Advising Source: PS_ AA_OVRD_WHERE.RQ_AA_OVRD_LN_NBR

Class Name	Object Name	Description
Exception Group Req Line Data	EG Requirement Group	Data is completely replaced nightly . Steward: Academic Advising Source: PS_ AA_OVRD_WHERE.RQRMNT_GROUP
Exception Group Req Line Data	EG Academic Requirement	Data is completely replaced nightly . Steward: Academic Advising Source: PS_ AA_OVRD_WHERE.REQUIREMENT
Exception Group Req Line Data	EG Line Nbr	Data is completely replaced nightly . Steward: Academic Advising Source: PS_ AA_OVRD_WHERE.RQ_LINE_NBR
Exception Group Req Line Data	EG Course List	Data is completely replaced nightly . Steward: Academic Advising Source: PS_ AA_OVRD_WHERE.COURSE_LIST
Student Program/Plan	SPP Academic Career	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PROG.ACAD_CAREER
Student Program/Plan	SPP Career Number	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PROG.STDNT_CAR_NBR
Student Program/Plan	SPP Effective Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PROG.EFFDT
Student Program/Plan	SPP Effective Sequence	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PROG.EFFSEQ
Student Program/Plan	SPP Valid From	
Student Program/Plan	SPP Valid To	
Student Program/Plan	SPP Last Term Enrolled in Course	Data is completely replaced nightly. This is a derived field that determines that last term a student had a course enrollment (whether or not dropped or withdrawn) including the current term, if enrolled. Steward: Registrar Source: derived from PS_STDNT_ENRL.STRM
Student Program/Plan	SPP First Quarter Transfer Credit	Data is completely replaced nightly. Steward: Registrar Source: Derived from STDNT_CAR_TERM, TRNS_CRSE_DTL and derived Original Admit Type. Logic is total transfer units from articulation term that matches the original admit term. Limited to careers UGRD and U2DG. Transfer credit awarded at admission.
Student Program/Plan	SPP Pre-College Credit	Data is completely replaced nightly. Steward: Registrar Source: Derived from STDNT_CAR_TERM, TRNS_CRSE_DTL and derived Original Admit Type. Logic is total transfer units from original admit term for Frosh who entered after term 2044. Limited to careers UGRD and U2DG. Pre-college credit earned by entering frosh prior to admission

Class Name	Object Name	Description
Program	PRG Academic Program	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PROG.ACAD_PROG
Program	PRG Academic Program Desc	r Data is completely replaced nightly. Steward: Shared Source:PS_ACAD_PROG_TBL.DESCR
Program	PRG Program Status Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PROG.PROG_STATUS
Program	PRG Program Status Descr	Data is completely replaced nightly. Steward: Shared Source: PS_XLATITEM.XLATLONGNAME
Program	PRG Program Action Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PROG.PROG_ACTION
Program	PRG Program Action Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Program	PRG Program Action Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PROG.ACTION_DT
Program	PRG Program Reason Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PROG.PROG_REASON
Program	PRG Program Reason Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_PROG_RSN_TBL.DESCR
Program	PRG Admit Term Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PROG.ADMIT_TERM Picklists are pre-sorted in descending order.
Program	PRG Admit Term Short Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.DESCRSHORT Values are pre-sorted in descending order, picklist displays terms up to one year in advance of today.
Program	PRG Admit Term Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.DESCR□ Values are pre-sorted in descending order, picklist displays terms up to one year in advance of today.

Class Name	Object Name	Description
Program	PRG Admit Type Code	This is the admit type for the most recent admit term in which the student has an admissions status of "Accepted" for this academic career and application number. Data is completely replaced nightly. Steward: Admissions Source: PS_ADM_APPL_DATA.ADMIT_TERM Note: Not all admitted students have a row in PS_ADM_APPL_DATA. In those cases, a hyphen appears.
Program	PRG Admit Type Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ADMIT_TYPE_TBL.DESCR
Program	PRG Original Admit Term Code in Program	This is the first admit term in which the student has an application status of "Accepted" for this academic career and academic program. Data is completely replaced nightly. Steward: Admissions Source: Derived from PS_ADM_APPL_PROG.ADMIT_TERM Picklists are pre-sorted in descending order. Note: Not all admitted students have a row in PS_ADM_APPL_PROG. In those cases, a hyphen appears.
Program	PRG Original Admit Term Short Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.DESCRSHORT□ Values are pre-sorted in descending order, picklist displays terms up to one year in advance of today.
Program	PRG Original Admit Term Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.DESCR□ Values are pre-sorted in descending order, picklist displays terms up to one year in advance of today.
Program	PRG Original Admit Term Begin Date	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.TERM_BEGIN_DT Values are pre-sorted in descending order, picklist displays terms up to one year in advance of today.
Program	PRG Original Admit Type Code in Program	This is the admit type for the first admit term in which the student has an application program status of "Accepted" for this academic career and academic program. Data is completely replaced nightly. Steward: Admissions Source: Derived from PS_ADM_APPL_DATA.ADMIT_TYPE Note: Not all admitted students have a row in PS_ADM_APPL_DATA. In those cases, a hyphen appears.
Program	PRG Original Admit Type Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_ADMIT_TYPE_TBL.DESCR

Class Name	Object Name	Description
Program	PRG Expected Graduation Term Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PROG.EXP_GRAD_TERM□ Picklists are pre-sorted in descending order.
Program	PRG Expected Graduation Term Short Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.DESCRSHORT□ Values are pre-sorted in descending order, picklist displays terms up to one year in advance of today.
Program	PRG Expected Graduation Term Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.DESCR□ Values are pre-sorted in descending order, picklist displays terms up to one year in advance of today.
Program	PRG Expected Graduation Date	Term end date for the expected graduation term. Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.TERM_END_DT□ Values are pre-sorted in descending order, picklist displays terms up to one year in advance of today.
Program	PRG Program Requirement Term	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PROG.REQ_TERM□ Picklists are pre-sorted in descending order.
Program	PRG Approved Academic Load	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PROG.ACAD_LOAD_APPR
Program	PRG Degree Checkout Status Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PROG.DEGR_CHKOUT_STAT
Program	PRG Degree Checkout Status Descr	Data is completely replaced nightly. Steward: Shared Source: PS_XLATITEM.XLATLONGNAME
Program	PRG Completion Term	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PROG.COMPLETION_TERMD Picklists are pre-sorted in descending order.
Program	PRG Created By ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PROG.SCC_ROW_ADD_OPRID
Program	PRG Created By Name	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC
Program	PRG Created Date/Time	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PROG.SCC_ROW_ADD_DTTM

Class Name	Object Name	Description
Program	PRG Updated By ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PROG.SCC_ROW_UPD_OPRID
Program	PRG Updated By Name	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC
Program	PRG Updated By Date/Time	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PROG.SCC_ROW_UPD_DTTM
Plan - All plan types	PLNA Plan Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.ACAD_PLAN
Plan - All plan types	PLNA Plan Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
Plan - All plan types	PLNA Plan Transcript Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.TRNSCR_DESCR
Plan - All plan types	PLNA Plan Diploma Descr - Full	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DIPLOMA_DESCR
Plan - All plan types	PLNA Plan Diploma Descr - Plan	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DIPLOMA_DESCR
Plan - All plan types	PLNA Plan Type Code	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.ACAD_PLAN_TYPE
Plan - All plan types	PLNA Plan Type Descr	Data is completely replaced nightly. Steward: Shared Source: PS_XLATITEM.XLATLONGNAME
Plan - All plan types	PLNA Plan Degree Objective	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DEGREE
Plan - All plan types	PLNA Plan Degree Objective Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_DEGREE_TBL.DESCRFORMAL
Plan - All plan types	PLNA Department Code	For plans owned by two departments, the department codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Plan - All plan types	PLNA Department Descr	For plans owned by two departments, the department descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Plan - All plan types	PLNA Dept 1 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Plan - All plan types	PLNA Dept 2 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Plan - All plan types	PLNA Dept 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Plan - All plan types	PLNA Dept 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL

Class Name	Object Name	Description
Plan - All plan types	PLNA Percent Owned 1	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
Plan - All plan types	PLNA Percent Owned 2	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
Plan - All plan types	PLNA Division Code	For plans owned by two divisions, the division codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TREENODE
Plan - All plan types	PLNA Division Descr	For plans owned by two divisions, the division descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Plan - All plan types	PLNA Declare Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.DECLARE_DT
Plan - All plan types	PLNA Sequence	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.PLAN_SEQUENCE
Plan - All plan types	PLNA Requirement Term	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.REQ_TERM□ Picklists are pre-sorted in descending order.
Plan - All plan types	PLNA Degree	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DEGREE
Plan - All plan types	PLNA Diploma Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DIPLOMA_DESCR
Plan - All plan types	PLNA Diploma Print Flag	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DIPLOMA_PRINT_FL
Plan - All plan types	PLNA First Term Valid	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.FIRST_TERM_VALID Picklists are pre-sorted in descending order.
Plan - All plan types	PLNA CIP Code	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.CIP_CODE
Plan - All plan types	PLNA Special Program Flag	For National Student Clearinghouse reporting
Plan - All plan types		For National Student Clearinghouse reporting
Plan - All plan types	PLNA Created By	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.SCC_ROW_ADD_OPRID
Plan - All plan types	PLNA Created By Name	Data is completely replaced nightly. Steward: Registrar Source: PSOPRDEFN.OPRDEFNDESC
Plan - All plan types	PLNA Created Date/Time	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.SCC_ROW_ADD_DTTM

Class Name	Object Name	Description
Plan - All plan types	PLNA Updated By	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.SCC_ROW_UPD_OPRID
Plan - All plan types	PLNA Updated By Name	Data is completely replaced nightly. Steward: Registrar Source: PSOPRDEFN.OPRDEFNDESC
Plan - All plan types	PLNA Updated Date/Time	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.SCC_ROW_UPD_DTTM
Subplan	SBP Subplan Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_SUBPLAN.ACAD_SUB_PLAN □
Subplan	SBP Subplan Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DESCR
Subplan	SBP Subplan Transcript Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.TRNSCR_DESCR 🗆
Subplan	SBP Subplan Diploma Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DIPLOMA_DESCR
Subplan	SBP Subplan Type Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.ACAD_SUBPLAN_TYPE
Subplan	SBP Subplan Type Descr	Data is completely replaced nightly. Steward: Shared Source: PS_XLATITEM.XLATLONGNAME
Subplan	SBP Subplan Transcript Level	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.TRANSCRIPT_LEVEL □
Subplan	SBP Declare Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_SUBPLAN.DECLARE_DT□
Subplan	SBP Requirement Term	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_SUBPLAN.REQ_TERM □ Picklists are pre-sorted in descending order.
Subplan	SBP Created By ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_SUBPLAN.SCC_ROW_ADD_OPRID □

Class Name	Object Name	Description
Subplan	SBP Created By Name	Data is completely replaced nightly. Steward: Registrar Source: PSOPRDEFN.OPRDEFNDESC
Subplan	SBP Created Date/Time	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_SUBPLAN.SCC_ROW_ADD_DTTM□
Subplan	SBP Updated By ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_SUBPLAN.SCC_ROW_UPD_OPRID
Subplan	SBP Updated By Name	Data is completely replaced nightly. Steward: Registrar Source: PSOPRDEFN.OPRDEFNDESC
Subplan	SBP Updated Date/Time	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_SUBPLAN.SCC_ROW_UPD_DTTM□
College	COL College Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.ACAD_PLAN where PS_ACAD_PLAN_TBL.ACAD_PLAN_TYPE = 'CLG'
College	COL College Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
College	COL Declare Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.DECLARE_DT where PS_ACAD_PLAN_TBL.ACAD_PLAN_TYPE = 'COL'
College	COL Plan Sequence	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.PLAN_SEQUENCE where PS_ACAD_PLAN_TBL.ACAD_PLAN_TYPE = 'COL'
College	COL Requirement Term	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.REQ_TERM where PS_ACAD_PLAN_TBL.ACAD_PLAN_TYPE = 'COL' Picklists are pre-sorted in descending order.
College	COL Created By ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.SCC_ROW_ADD_OPRID where PS_ACAD_PLAN_TBL.ACAD_PLAN_TYPE = 'COL'
College	COL Created By Name	Data is completely replaced nightly. Steward: Registrar Source: PSOPRDEFN.OPRDEFNDESC

Objects Definitions

Class Name	Object Name	Description
College	COL Created By Date/Time	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.SCC_ROW_ADD_DTTM where PS_ACAD_PLAN_TBL.ACAD_PLAN_TYPE = 'COL'
College	COL Updated By ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.SCC_ROW_UPD_OPRID where PS_ACAD_PLAN_TBL.ACAD_PLAN_TYPE = 'COL'
College	COL Updated By Name	Data is completely replaced nightly. Steward: Registrar Source: PSOPRDEFN.OPRDEFNDESC
College	COL Updated Date/Time	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.SCC_ROW_UPD_DTTM where PS_ACAD_PLAN_TBL.ACAD_PLAN_TYPE = 'COL'
Plan(Major)/Subplan - Flattened	PLNF Number of Plans	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ACAD_PLAN
Plan(Major)/Subplan - Flattened	PLNF Plan 1 Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ACAD_PLAN.ACAD_PLAN
Plan(Major)/Subplan - Flattened	PLNF Plan 2 Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ACAD_PLAN.ACAD_PLAN
Plan(Major)/Subplan - Flattened	PLNF Plan 3 Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ACAD_PLAN.ACAD_PLAN
Plan(Major)/Subplan - Flattened	PLNF Plan 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
Plan(Major)/Subplan - Flattened	PLNF Plan 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
Plan(Major)/Subplan - Flattened	PLNF Plan 3 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
Plan(Major)/Subplan - Flattened	PLNF Plan 1 Transcript Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.TRNSCR_DESCR
Plan(Major)/Subplan - Flattened	PLNF Plan 2 Transcript Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.TRNSCR_DESCR
Plan(Major)/Subplan - Flattened	PLNF Plan 3 Transcript Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.TRNSCR_DESCR
Plan(Major)/Subplan - Flattened	PLNF Plan 1 Diploma Descr - Full	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DIPLOMA_DESCR
Plan(Major)/Subplan - Flattened	PLNF Plan 2 Diploma Descr - Full	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DIPLOMA_DESCR

Class Name	Object Name	Description
Plan(Major)/Subplan -	PLNF Plan 3 Diploma Descr -	
Flattened	Full	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DIPLOMA_DESCR
Plan(Major)/Subplan -	PLNF Plan 1 Diploma Descr -	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DIPLOMA_DESCR
Flattened	Plan	Data is completely replaced highling. Steward, Registrar Source, FS_ACAD_FLAN_TBL.DIFLOWA_DESCR
Plan(Major)/Subplan -	PLNF Plan 2 Diploma Descr -	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DIPLOMA_DESCR
Flattened	Plan	Data is completely replaced nightly. Steward, Registral Source, FS_ACAD_FLAN_TBL.DIFLOWA_DESCR
Plan(Major)/Subplan - Flattened	PLNF Plan 3 Diploma Descr - Plan	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DIPLOMA_DESCR
Plan(Major)/Subplan -		
Flattened	PLNF Plan 1 Degree Objective	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DEGREE
Plan(Major)/Subplan - Flattened	PLNF Plan 2 Degree Objective	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DEGREE
Plan(Major)/Subplan - Flattened	PLNF Plan 3 Degree Objective	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DEGREE
Plan(Major)/Subplan - Flattened	PLNF Plan 1 Degree Objective Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_DEGREE_TBL.DESCRFORMAL
Plan(Major)/Subplan -	PLNF Plan 2 Degree Objective	
Flattened	Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_DEGREE_TBL.DESCRFORMAL
Plan(Major)/Subplan -	PLNF Plan 3 Degree Objective	
Flattened	Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_DEGREE_TBL.DESCRFORMAL
Plan(Major)/Subplan - Flattened	PLNF Subplan 1 Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ACAD_SUBPLAN.ACAD_SUB_PLAN
Plan(Major)/Subplan - Flattened	PLNF Subplan 2 Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ACAD_SUBPLAN.ACAD_SUB_PLAN
Plan(Major)/Subplan - Flattened	PLNF Subplan 3 Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ACAD_SUBPLAN.ACAD_SUB_PLAN
Plan(Major)/Subplan - Flattened	PLNF Subplan 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DESCR
Plan(Major)/Subplan - Flattened	PLNF Subplan 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DESCR
Plan(Major)/Subplan - Flattened	PLNF Subplan 3 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DESCR
Plan(Major)/Subplan - Flattened	PLNF Subplan 1 Transcript Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.TRNSCR_DESCR
Plan(Major)/Subplan - Flattened	PLNF Subplan 2 Transcript Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.TRNSCR_DESCR
Plan(Major)/Subplan - Flattened	PLNF Subplan 3 Transcript Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.TRNSCR_DESCR

Class Name	Object Name	Description
Plan(Major)/Subplan - Flattened	PLNF Subplan 1 Transcript Level	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.TRANSCRIPT_LEVEL □
Plan(Major)/Subplan - Flattened	PLNF Subplan 2 Transcript Level	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.TRANSCRIPT_LEVEL
Plan(Major)/Subplan - Flattened	PLNF Subplan 3 Transcript Level	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.TRANSCRIPT_LEVEL □
Plan(Major)/Subplan - Flattened	PLNF Subplan 1 Diploma Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DIPLOMA_DESCR
Plan(Major)/Subplan - Flattened	PLNF Subplan 2 Diploma Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DIPLOMA_DESCR
Plan(Major)/Subplan - Flattened	PLNF Subplan 3 Diploma Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DIPLOMA_DESCR
Plan(Major)/Subplan - Flattened	PLNF Subplan 1 Type	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.SUBPLAN_TYPE
Plan(Major)/Subplan - Flattened	PLNF Subplan 2 Type	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.SUBPLAN_TYPE
Plan(Major)/Subplan - Flattened	PLNF Subplan 3 Type	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.SUBPLAN_TYPE
Plan(Major)/Subplan - Flattened	PLNF Req Term Plan 1	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.REQ_TERM
Plan(Major)/Subplan - Flattened	PLNF Req Term Plan 2	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.REQ_TERM
Plan(Major)/Subplan - Flattened	PLNF Req Term Plan 3	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.REQ_TERM
Plan(Major)/Subplan - Flattened	PLNF Req Term Subplan 1	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ACAD_SUBPLAN.REQ_TERM
Plan(Major)/Subplan - Flattened	PLNF Req Term Subplan 2	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ACAD_SUBPLAN.REQ_TERM
Plan(Major)/Subplan - Flattened	PLNF Req Term Subplan 3	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ACAD_SUBPLAN.REQ_TERM
Plan(Major)/Subplan - Flattened	PLNF Plan 1 CIP Code	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.CIP_CODE

Class Name	Object Name	Description
Plan(Major)/Subplan - Flattened	PLNF Plan 2 CIP Code	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.CIP_CODE
Plan(Major)/Subplan - Flattened	PLNF Plan 3 CIP Code	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.CIP_CODE
Plan Owner - Flattened	PLNFO Plan 1 Dept Code	For plans owned by two departments, the department codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Plan Owner - Flattened	PLNFO Plan 1 Dept Descr	For plans owned by two departments, the department descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Plan Owner - Flattened	PLNFO Plan 1 Dept 1 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Plan Owner - Flattened	PLNFO Plan 1 Dept 2 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Plan Owner - Flattened	PLNFO Plan 1 Dept 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Plan Owner - Flattened	PLNFO Plan 1 Dept 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Plan Owner - Flattened	PLNFO Plan 1 Percent Owned 1	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
Plan Owner - Flattened	PLNFO Plan 1 Percent Owned 2	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
Plan Owner - Flattened	PLNFO Plan 1 Division Code	For plans owned by two divisions, the division codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TREENODE
Plan Owner - Flattened	PLNFO Plan 1 Division Descr	For plans owned by two divisions, the division descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Plan Owner - Flattened	PLNFO Plan 2 Dept Code	For plans owned by two departments, the department codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Plan Owner - Flattened	PLNFO Plan 2 Dept Descr	For plans owned by two departments, the department descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Plan Owner - Flattened	PLNFO Plan 2 Dept 1 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Plan Owner - Flattened	PLNFO Plan 2 Dept 2 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
	L.	

Class Name	Object Name	Description
Plan Owner - Flattened	PLNFO Plan 2 Dept 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Plan Owner - Flattened	PLNFO Plan 2 Dept 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Plan Owner - Flattened	PLNFO Plan 2 Percent Owned 1	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
Plan Owner - Flattened	PLNFO Plan 2 Percent Owned 2	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
Plan Owner - Flattened	PLNFO Plan 2 Division Code	For plans owned by two divisions, the division codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TREENODE
Plan Owner - Flattened	PLNFO Plan 2 Division Descr	For plans owned by two divisions, the division descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Plan Owner - Flattened	PLNFO Plan 3 Dept Code	For plans owned by two departments, the department codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Plan Owner - Flattened	PLNFO Plan 3 Dept Descr	For plans owned by two departments, the department descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Plan Owner - Flattened	PLNFO Plan 3 Dept 1 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Plan Owner - Flattened	PLNFO Plan 3 Dept 2 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Plan Owner - Flattened	PLNFO Plan 3 Dept 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Plan Owner - Flattened	PLNFO Plan 3 Dept 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Plan Owner - Flattened	PLNFO Plan 3 Percent Owned 1	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
Plan Owner - Flattened	PLNFO Plan 3 Percent Owned 2	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
Plan Owner - Flattened	PLNFO Plan 3 Division Code	For plans owned by two divisions, the division codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TREENODE
Plan Owner - Flattened	PLNFO Plan 3 Division Descr	For plans owned by two divisions, the division descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL

Class Name	Object Name	Description
Minors - Flattened	MIN Number of Minors	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ACAD_PLAN
Minors - Flattened	MIN Minor 1 Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ACAD_PLAN.ACAD_PLAN
Minors - Flattened	MIN Minor 2 Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ACAD_PLAN.ACAD_PLAN
Minors - Flattened	MIN Minor 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
Minors - Flattened	MIN Minor 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
Minors - Flattened	MIN Minor 1 Transcript Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.TRNSCR_DESCR
Minors - Flattened	MIN Minor 2 Transcript Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.TRNSCR_DESCR
Minors - Flattened	MIN Minor 1 Diploma Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DIPLOMA_DESCR
Minors - Flattened	MIN Minor 2 Diploma Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DIPLOMA_DESCR
Minors - Flattened	MIN Minor 1 Req Term	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.REQ_TERM
Minors - Flattened	MIN Minor 2 Req Term	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_ACAD_PLAN.REQ_TERM
Minor Owner	MINO Minor 1 Dept Code	For minors owned by two departments, the department codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Minor Owner	MINO Minor 1 Dept Descr	For minors owned by two departments, the department descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Minor Owner	MINO Minor 1 Dept 1 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Minor Owner	MINO Minor 1 Dept 2 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Minor Owner	MINO Minor 1 Dept 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Minor Owner	MINO Minor 1 Dept 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL

Class Name	Object Name	Description
Minor Owner	MINO Minor 1 Percent Owned 1	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
Minor Owner	MINO Minor 1 Percent Owned 2	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
Minor Owner	MINO Minor 1 Division Code	For minors owned by two divisions, the division codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TREENODE
Minor Owner	MINO Minor 1 Division Descr	For minors owned by two divisions, the division descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Minor Owner	MINO Minor 2 Dept Code	For minors owned by two departments, the department codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Minor Owner	MINO Minor 2 Dept Descr	For minors owned by two departments, the department descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Minor Owner	MINO Minor 2 Dept 1 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Minor Owner	MINO Minor 2 Dept 2 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Minor Owner	MINO Minor 2 Dept 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Minor Owner	MINO Minor 2 Dept 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Minor Owner	MINO Minor 2 Percent Owned 1	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
Minor Owner	MINO Minor 2 Percent Owned 2	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
Minor Owner	MINO Minor 2 Division Code	For minors owned by two divisions, the division codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TREENODE
Minor Owner	MINO Minor 2 Division Descr	For minors owned by two divisions, the division descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Student Attributes	SA Student Attribute Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_STDNT_ATTR_DTL.STDNT_ATTR

Class Name	Object Name	Description
Student Attributes	SA Student Attribute Descr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_STDNT_ATTR_TBL.DESCR
Student Attributes	SA Student Attribute Value Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_STDNT_ATTR_DTL.STDNT_ATTR_VALUE
Student Attributes	SA Student Attribute Value Descr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_STDNT_ATTR_VAL.DESCR
University Honors Cutoffs	UHC Calculation Number	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_SCR_AWD_CUTOFFS.SCR_AWD_CALC_NBR
University Honors Cutoffs	UHC Honors Description	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_SCR_AWD_CO_HDR.DESCR60
University Honors Cutoffs	UHC Population Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_SCR_AWD_CUTOFFS.SCR_AWD_POP_CD
University Honors Cutoffs	UHC Cutoff - Summa Cum Laude	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_SCR_AWD_CUTOFFS.SCR_GPA_CUTOFF1
University Honors Cutoffs	UHC Cutoff - Magna Cum Laude	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_SCR_AWD_CUTOFFS.SCR_GPA_CUTOFF2
University Honors Cutoffs	UHC Cutoff - Cum Laude	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_SCR_AWD_CUTOFFS.SCR_GPA_CUTOFF3
University Honors Cutoffs	UHC Valid From	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ACAD_PROG
University Honors Cutoffs	UHC Valid To	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_ACAD_PROG
Transcript Text	TR Print Loc Seq	Data is completely replaced nightly. Steward: Registrar Source: PS_TSCRPT_TEXT_LOC
Transcript Text	TR Relative Position	Data is completely replaced nightly. Steward: Registrar Source: PS_TSCRPT_TEXT_LOC
Transcript Text	TR Print Loc	Data is completely replaced nightly. Steward: Registrar Source: PS_TSCRPT_TEXT_LOC

Class Name	Object Name	Description
Transcript Text	TR Term Code	Data is completely replaced nightly. Steward: Registrar Source: PS_TSCRPT_TEXT_LOC
Transcript Text	TR Student Degree	Data is completely replaced nightly. Steward: Registrar Source: PS_TSCRPT_TEXT_LOC
Transcript Text	TR Milestone Number	Data is completely replaced nightly. Steward: Registrar Source: PS_TSCRPT_TEXT_LOC
Transcript Text	TR Model Number	Data is completely replaced nightly. Steward: Registrar Source: PS_TSCRPT_TEXT_LOC
Transcript Text	TR External Org ID	Data is completely replaced nightly. Steward: Registrar Source: PS_TSCRPT_TEXT_LOC
Transcript Text	TR External Degree Number	Data is completely replaced nightly. Steward: Registrar Source: PS_TSCRPT_TEXT_LOC
Transcript Text	TR Text Seq Nbr	Data is completely replaced nightly. Steward: Registrar Source: PS_TSCRPT_TEXT
Transcript Text	TR Transcript Level	Data is completely replaced nightly. Steward: Registrar Source: PS_TSCRPT_TEXT
Transcript Text	TR Transcript Type	Data is completely replaced nightly. Steward: Registrar Source: PS_TSCRPT_TEXT
Transcript Text	TR Transcript Text	Data is completely replaced nightly. Steward: Registrar Source: PS_TSCRPT_TEXT
Transcript Text	TR Transcript Type - COBOL	Data is completely replaced nightly. Steward: Registrar Source: PS_TSCRPT_TEXT
Transcript Text	TR Transcript Text - COBOL	Data is completely replaced nightly. Steward: Registrar Source: PS_TSCRPT_TEXT
Transfer Course Detail	TCD Articulation Term	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.ARTICULATION_TERM□ Picklists are pre-sorted in descending order.
Transfer Course Detail	TCD Transfer Model Number	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.MODEL_NBR
Transfer Course Detail	TCD Transfer Equivalency Group	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.TRNSFR_EQVLNCY_GRP
Transfer Course Detail	TCD Transfer Equivalency Sequence	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.TRNSFR_EQVLNCY_SEQ
Transfer Course Detail	TCD Transfer Status Code	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.TRNSFR_STAT
Transfer Course Detail	TCD Transfer Status Descr	Data is completely replaced nightly. Steward: Shared Source: PS_XLATITEM.XLATLONGNAME
Transfer Course Detail	TCD External Org ID	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_SCH.EXT_ORG_ID
Transfer Course Detail	TCD External Org Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_EXT_ORG_TBL.DESCR

Class Name	Object Name	Description
Transfer Course Detail	TCD Equivalency Rule	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.TRNSFR_EQVLNCY
Transfer Course Detail	TCD Equivalency Component	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.TRNSFR_EQVLNCY_CMP
Transfer Course Detail	TCD External Course Number	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.EXT_COURSE_NBR
Transfer Course Detail	TCD External Term	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: If PS_TRNS_CRSE_SCH.TRNSFR_SRC_TYPE = 'M' Then PS_TRNS_CRSE_DTL.EXT_TERM, else if PS_TRNS_CRSE_SCH.TRNSFR_SRC_TYPE='E' Then PS_EXT_COURSE.EXT_TERM
Transfer Course Detail	TCD Term Year	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: If PS_TRNS_CRSE_SCH.TRNSFR_SRC_TYPE = 'M' Then PS_TRNS_CRSE_DTL.TERM_YEAR, else if PS_TRNS_CRSE_SCH.TRNSFR_SRC_TYPE='E' Then PS_EXT_COURSE.TERM_YEAR Picklists are pre-sorted in descending order.
Transfer Course Detail	TCD School Subject	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.SCHOOL_SUBJECT
Transfer Course Detail	TCD School Course Nbr	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.SCHOOL_CRSE_NBR
Transfer Course Detail	TCD Descr	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.DESCR
Transfer Course Detail	TCD School Subject (External)	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_EXT_COURSE.SCHOOL_SUBJECT
Transfer Course Detail	TCD School Crse Nbr (External)	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_EXT_COURSE.SCHOOL_CRSE_NBR
Transfer Course Detail	TCD Org ID Subj Crs Num (External)	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_EXT_COURSE.SCHOOL_SUBJECT Combination of External Org ID and School Subject (External) and School Cours Number (External) as one object
Transfer Course Detail	TCD Units Taken (External)	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.SSR_UNT_TAKEN_EXT
Transfer Course Detail	TCD Units Taken (External) - for summing	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.SSR_UNT_TAKEN_EXT

Class Name	Object Name	Description
Transfer Course Detail	TCD Grade Input	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.CRSE_GRADE_INPUT
Transfer Course Detail	TCD Official Grade	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.CRSE_GRADE_OFF
Transfer Course Detail	TCD Course ID	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.CRSE_ID
Transfer Course Detail	TCD Course Subject	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SUBJECT
Transfer Course Detail	TCD Course Catalog Nbr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.CATALOG_NBR
Transfer Course Detail	TCD Catalog Nbr Prompt	This is the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_CRSE_OFFER.CATALOG_NBR
Transfer Course Detail	TCD Catalog Nbr Sort	This is the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_CRSE_OFFER.CATALOG_NBR
Transfer Course Detail	TCD Subject Catalog Nbr	This uses the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as- of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SUBJECT, PS_CRSE_OFFER.CATALOG_NBR
Transfer Course Detail	TCD Subject Catalog Nbr Sort	This uses the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SUBJECT, PS_CRSE_OFFER.CATALOG_NBR
Transfer Course Detail	TCD Course Offering Number	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.CRSE_OFFER_NBR
Transfer Course Detail	TCD Units Transferred	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.UNT_TRNSFR
Transfer Course Detail	TCD Units Transferred - for summing	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.UNT_TRNSFR

Class Name	Object Name	Description
Transfer Course Detail	TCD Grade Points per Unit	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.GRD_PTS_PER_UNIT
Transfer Course Detail	TCD Grade Points per Unit - for summing	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.GRD_PTS_PER_UNIT
Transfer Course Detail	TCD Earn Credit	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.EARN_CREDIT
Transfer Course Detail	TCD Include in GPA	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.INCLUDE_IN_GPA
Transfer Course Detail	TCD Units Attempted	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.UNITS_ATTEMPTED
Transfer Course Detail	TCD Requirement Designation	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_DTL.RQMNT_DESIGNTN
Transfer Course Detail	TCD General Education Code	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCR
Transfer Course Detail	TCD General Education Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCRFORMAL
Transfer Course School	TCS Credit Source Type	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_SCH.TRNSFR_SRC_TYPE
Transfer Course School	TCS External Org ID	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_SCH.EXT_ORG_ID
Transfer Course School	TCS External Org Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_EXT_ORG_TBL.DESCR
Transfer Course School	TCS School Type	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_SCH.LS_SCHOOL_TYPE
Transfer Course School	TCS School Type Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Admissions Source: PS_LS_SCHL_TYP_TBL.DESCR
Transfer Course School	TCS Data Source	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_SCH.LS_DATA_SOURCE
Transfer Course School	TCS Source Institution	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_SCH.SRC_ORG_NAME
Transfer Course School	TCS Model Status Code	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_SCH.MODEL_STATUS
Transfer Course School	TCS Model Status Descr	Data is completely replaced nightly. Steward: Shared Source: PS_XLATITEM.XLATLONGNAME

Class Name	Object Name	Description
Transfer Course School	TCS Units Taken	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_SCH.UNT_TAKEN
Transfer Course School	TCS Units Taken - for summing	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_SCH.UNT_TAKEN
Transfer Course School	TCS Units Transferred	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_SCH.UNT_TRNSFR
Transfer Course School	TCS Units Transferred - for summing	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_SCH.UNT_TRNSFR
Transfer Course School	TCS Service Indicator Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCC_SI_ORG.SRVC_IND_CD
Transfer Course School	TCS Service Indicator Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_SRVC_IND_CD_TBL.DESCR
Transfer Course School	TCS Service Indicator Active Date	Data is completely replaced nightly. Steward: Admissions Source: PS_SCC_SI_ORG.SRVC_IND_ACTIVE_DT
Transfer Course School	TCS Service Indicator Reason Code	Data is completely replaced nightly. Steward: Admissions Source: PS_SCC_SI_ORG.SRVC_IND_REASON
Transfer Course School	TCS Service Indicator Reason Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_SRVC_IN_RSN_TBL.DESCR
Transfer Course School	TCS Service Indicator Active Term	Data is completely replaced nightly. Steward: Admissions Source: PS_SCC_SI_ORG.SRVC_IND_ACT_TERM
Transfer Course School	TCS Service Indicator End Term	Data is completely replaced nightly. Steward: Admissions Source: PS_SCC_SI_ORG.SCC_SI_END_TERM
Transfer Course School	TCS Service Indicator Comments	Data is completely replaced nightly. Steward: Admissions Source: PS_SCC_SI_ORG.COMM_COMMENTS
Transfer Course Term	TCT Model Status Code	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_TERM.MODEL_STATUS
Transfer Course Term	TCT Model Status Descr	Data is completely replaced nightly. Steward: Shared Source: PS_XLATITEM.XLATLONGNAME
Transfer Course Term	TCT Units Taken	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_TERM.UNT_TAKEN
Transfer Course Term	TCT Units Taken - for summing	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_TERM.UNT_TAKEN
Transfer Course Term	TCT Units Transferred	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_TERM.UNT_TRNSFR

Class Name	Object Name	Description
Transfer Course Term	TCT Units Transferred - for summing	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_TERM.UNT_TRNSFR
Transfer Course Term	TCT Posted Date	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_TERM.POST_DT
Transfer Course Term	TCT Posted by ID	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_CRSE_TERM.OPRID
Transfer Course Term	TCT Posted by Name	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC
Transfer Other Detail	TO Articulation Term	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_OTHR_DTL.ARTICULATION_TERM Picklists are pre-sorted in descending order.
Transfer Other Detail	TO Transfer Model Number	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_OTHR_DTL.MODEL_NBR
Transfer Other Detail	TO Transfer Equivalency Group	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_OTHR_DTL.TRNSFR_EQVLNCY_GRP
Transfer Other Detail	TO Transfer Equivalency Sequence	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_OTHR_DTL.TRNSFR_EQVLNCY_SEQ
Transfer Other Detail	TO Descr	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_OTHR_DTL.DESCR
Transfer Other Detail	TO Long Descr	Data is completely replaced nightly. \ Steward: Undergraduate Admissions Source: PS_TRNS_OTHR_DTL.DESCR254A
Transfer Other Detail	TO Evaluation Date	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_OTHR_DTL.EVALUATION_DT
Transfer Other Detail	TO Transfer Status	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_OTHR_DTL.TRNSFR_STAT
Transfer Other Detail	TO Course ID	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_OTHR_DTL.CRSE_ID
Transfer Other Detail	TO Course Subject	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SUBJECT
Transfer Other Detail	TO Course Catalog Nbr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.CATALOG_NBR

Class Name	Object Name	Description
Transfer Other Detail	TO Catalog Nbr Prompt	This is the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_CRSE_OFFER.CATALOG_NBR
Transfer Other Detail	TO Catalog Nbr Sort	This is the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_CRSE_OFFER.CATALOG_NBR
Transfer Other Detail	TO Subject - Catalog Nbr	This uses the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as- of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SUBJECT, PS_CRSE_OFFER.CATALOG_NBR
Transfer Other Detail	TO Subject - Catalog Nbr Sort	This uses the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SUBJECT, PS_CRSE_OFFER.CATALOG_NBR
Transfer Other Detail	TO Grade Points per Unit	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_OTHR_DTL.GRD_PTS_PER_UNIT
Transfer Other Detail	TO Grade Points per Unit - summing	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_OTHR_DTL.GRD_PTS_PER_UNIT
Transfer Other Detail	TO Requirement Designation	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_OTHR_DTL.RQMNT_DESIGNTN
Transfer Other Detail	TO General Education Code	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCR
Transfer Other Detail	TO General Education Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCRFORMAL
Transfer Test Detail	TT Articulation Term	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.ARTICULATION_TERM□ Picklists are pre-sorted in descending order.
Transfer Test Detail	TT Transfer Model Number	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.MODEL_NBR
Transfer Test Detail	TT Transfer Equivalency Group	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.TRNSFR_EQVLNCY_GRP

Class Name	Object Name	Description
Transfer Test Detail	TT Transfer Equivalency Sequence	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.TRNSFR_EQVLNCY_SEQ
Transfer Test Detail	TT Transfer Status Code	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.TRNSFR_STAT
Transfer Test Detail	TT Transfer Status Descr	Data is completely replaced nightly. Steward: Shared Source: PS_XLATITEM.XLATLONGNAME
Transfer Test Detail	TT Test Equivalency Rule	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.TST_EQVLNCY
Transfer Test Detail	TT Equivalency Component	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.TRNSFR_EQVLNCY_CMP
Transfer Test Detail	TT Test ID	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.TEST_ID
Transfer Test Detail	TT Test Component	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.TEST_COMPONENT
Transfer Test Detail	TT Descr	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.DESCR
Transfer Test Detail	TT Test Date	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.TEST_DT
Transfer Test Detail	TT Data Source	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.LS_DATA_SOURCE
Transfer Test Detail	TT Score	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.SCORE
Transfer Test Detail	TT Percentile	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.PERCENTILE
Transfer Test Detail	TT Course ID	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.CRSE_ID
Transfer Test Detail	TT Course Subject	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SUBJECT
Transfer Test Detail	TT Course Catalog Nbr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.CATALOG_NBR

Class Name	Object Name	Description
Transfer Test Detail	TT Catalog Nbr Prompt	This is the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_CRSE_OFFER.CATALOG_NBR
Transfer Test Detail	TT Catalog Nbr Sort	This is the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_CRSE_OFFER.CATALOG_NBR
Transfer Test Detail	TT Subject - Catalog Nbr	This uses the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as- of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SUBJECT, PS_CRSE_OFFER.CATALOG_NBR
Transfer Test Detail	TT Subject - Catalog Nbr Sort	This uses the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SUBJECT, PS_CRSE_OFFER.CATALOG_NBR
Transfer Test Detail	TT Course Offering Number	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.CRSE_OFFER_NBR
Transfer Test Detail	TT Units Transferred	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.UNT_TRNSFR
Transfer Test Detail	TT Units Transferred - for summing	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.UNT_TRNSFR
Transfer Test Detail	TT Grading Basis	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.GRADING_BASIS
Transfer Test Detail	TT Requirement Designation	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_DTL.RQMNT_DESIGNTN
Transfer Test Detail	TT General Education Code	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCR
Transfer Test Detail	TT General Education Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCRFORMAL
Transfer Test Term	TTT Articulation Term	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_TERM.ARTICULATION_TERM Picklists are pre-sorted in descending order.

Class Name	Object Name	Description
Transfer Test Term	TTT Model Status	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_TERM.MODEL_STATUS
Transfer Test Term	TTT Model Status Descr	Data is completely replaced nightly. Steward: Shared Source: PS_XLATITEM.XLATLONGNAME
Transfer Test Term	TTT Units Transferred	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_TERM.UNT_TRNSFR
Transfer Test Term	TTT Units Transferred - for summing	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_TERM.UNT_TRNSFR
Transfer Test Term	TTT Post Date	Data is completely replaced nightly. Steward: Undergraduate Admissions Source: PS_TRNS_TEST_TERM.POST_DT
Student Adviser	STA Effective Date	Data is completely replaced nightly and limited to the latest Effdt. Steward: Shared Source: PS_STDNT_ADVR_HIST.EFFDT
Student Adviser	STA Adviser EmplID	Data is completely replaced nightly and limited to the latest Effdt. Steward: Shared Source: PS_STDNT_ADVR_HIST.ADVISOR_ID
Student Adviser	STA Adviser Surrogate ID	This alphanumeric identifier is randomly regenerated nightly for each Emplid. It is intended to be used instead of Emplid in reports that will not include personal information, such as summary reports. Emplid, name, and other personal information should not be included in any report that uses this object.
Student Adviser	STA Adviser Name	A concatenation of first name plus last name. Example: Sammy Slug Data is completely replaced nightly and limited to the latest Effdt. Steward: Shared Source: PS_NAMES.NAME_DISPLAY where NAME_TYPE = 'PRI' and EFF_STATUS = 'A' and EFFDT is maximum EFFDT for EMPLID and NAME_TYPE
Student Adviser	STA Adviser Role	Data is completely replaced nightly. Steward: Registrar Source: PSXLATITEM.XLATLONGNAME
Student Adviser	STA Student Adviser Number	Data is completely replaced nightly and limited to the latest Effdt. Steward: Shared Source: PS_STDNT_ADVR_HIST.STDNT_ADVISOR_NBR
Student Adviser	STA Academic Career	Data is completely replaced nightly and limited to the latest Effdt. Steward: Shared Source: PS_STDNT_ADVR_HIST.ACAD_CAREER
Student Adviser	STA Academic Program (Adviser)	Data is refreshed nightly. Steward: Shared Source: PS_ACAD_PROG_TBL
Student Adviser	STA Academic Plan (Adviser)	Data is refreshed nightly. Steward: Shared Source: PS_ACAD_PLAN_TBL.DESCR
Student Planner	SPL Academic Career	Data is completely replaced nightly. Steward: Registrar Source: PS_SSS_CRSE_PLNR.ACAD_CAREER
Student Planner	SPL Planner Sequence Number	Data is completely replaced nightly. Steward: Registrar Source: PS_SSS_CRSE_PLNR.SAA_PLNR_SEQ

Class Name	Object Name	Description
Student Planner	SPL Planner Course Sequence Number	Data is completely replaced nightly. Steward: Registrar Source: PS_SSS_CRSE_PLNR.SAA_PLNR_CRSE_SEQ
Student Planner	SPL Course ID	Data is completely replaced nightly. Steward: Registrar Source: PS_SSS_CRSE_PLNR.CRSE_ID
Student Planner	SPL Course Offer Nbr	Data is completely replaced nightly. Steward: Registrar Source: PS_SSS_CRSE_PLNR.CRSE_OFFER_NBR
Student Planner	SPL Subject Code	Data is limited to the current record. Steward: Registrar Source: PS_CRSE_OFFER.SUBJECT
Student Planner	SPL Subject Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_SUBJECT_TBL.DESCR
Student Planner	SPL Catalog Nbr	Data is limited to the current record. Steward: Registrar Source: PS_CRSE_OFFER.CATALOG_NBR
Student Planner	SPL Catalog Nbr Prompt	This is the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number.Data is limited to the current record. Steward: Registrar Source: Derived from PS_CRSE_OFFER.CATALOG_NBR
Student Planner	SPL Catalog Nbr Sort	This is the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number.Data is limited to the current record. Steward: Registrar Source: Derived from PS_CRSE_OFFER.CATALOG_NBR
Student Planner	SPL Subject Catalog Nbr	This uses the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Format is subject code, space, catalog number (e.g., "MATH 11A"). Data is limited to the current record. Steward: Registrar Source: PS_CRSE_OFFER.SUBJECT, PS_CRSE_OFFER.CATALOG_NBR
Student Planner	SPL Subject Catalog Nbr Sort	This uses the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Format is subject code, space, catalog number (e.g., "MATH 0011A"). Data is limited to the current record. Steward: Registrar Source: PS_CRSE_OFFER.SUBJECT, PS_CRSE_OFFER.CATALOG_NBR
Student Planner	SPL Subject Code - DO NOT USE	Data is completely replaced nightly. Steward: Registrar Source: PS_SSS_CRSE_PLNR.SUBJECT
Student Planner	SPL Catalog Nbr - DO NOT USE	Data is completely replaced nightly. Steward: Registrar Source: PS_SSS_CRSE_PLNR.CATALOG_NBR
Student Planner	SPL Department Code	Data is completely replaced nightly. Steward: Registrar Source: PSTREENODE
Student Planner	SPL Department Descr	Data is completely replaced nightly. Steward: Registrar Source: PSTREENODE
Student Planner	SPL Division Code	Data is completely replaced nightly. Steward: Registrar Source: PSTREENODE
Student Planner	SPL Division Descr	Data is completely replaced nightly. Steward: Registrar Source: PSTREENODE
Student Planner	SPL Units Taken	Data is completely replaced nightly. Steward: Registrar Source: PS_SSS_CRSE_PLNR.UNT_TAKEN
	I	

Class Name	Object Name	Description
Student Planner	SPL Term Code	Data is completely replaced nightly. Steward: Registrar Source: PS_SSS_CRSE_PLNR.STRM
Student Planner	SPL Added Requirement Group	Data is completely replaced nightly. Steward: Registrar Source: PS_SSS_CRSE_PLNR.SAA_ADD_RG
Student Planner	SPL Added Requirement	Data is completely replaced nightly. Steward: Registrar Source: PS_SSS_CRSE_PLNR.SAA_ADD_RQ
Student Planner	SPL Added Requirement Line	Data is completely replaced nightly. Steward: Registrar Source: PS_SSS_CRSE_PLNR.SAA_ADD_RQL
Student Planner	SPL Last Updated by ID	Data is completely replaced nightly. Steward: Registrar Source: PS_SSS_CRSE_PLNR.LASTUPDOPRID
Student Planner	SPL Last Updated Date/Time	Data is completely replaced nightly. Steward: Registrar Source: PS_SSS_CRSE_PLNR.LASTUPDDTTM
Committees	CE Effective Date	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Graduate Division Source: PS_SCG_ACAD_CMTE_M.EFFDT
Committees	CE Effective Sequence	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Graduate Division Source: PS_SCG_ACAD_CMTE_M.EFFSEQ
Committees	CE Committee Type Code	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Graduate Division Source: PS_SCG_ACAD_CMTE_M.SCG_ACAD_CMTE_TYPE
Committees	CE Committee Type Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Committees	CE Committee Member Nbr	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Graduate Division Source: PS_SCG_ACAD_CMTE_M.SCG_A_CMTE_MBR_NBR
Committees	CE Committee Member Role Code	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Graduate Division Source: PS_SCG_ACAD_CMTE_M.SCG_A_CMTE_MBR_ROL
Committees	CE Committee Member Role Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Committees	CE Association ID	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Graduate Division Source: PS_SCG_ACAD_CMTE_M.ASSOC_ID
Committees	CE Name	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Graduate Division Source: PS_SCG_ACAD_CMTE_M.NAME
Committees	CE Valid From	
Committees	CE Valid To	

Class Name	Object Name	Description
Student Milestones	MI Effective Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.EFFDT□
Student Milestones	MI Academic Plan	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.ACAD_PLAN□
Student Milestones	MI Milestone Number	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.MILESTONE_NBR□
Student Milestones	MI Milestone Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.MILESTONE□
Student Milestones	MI Descr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.DESCR□
Student Milestones	MI Formal Descr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.DESCRFORMAL□
Student Milestones	MI Title	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.MILESTONE_TITLE□
Student Milestones	MI Level Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.MILESTONE_LEVEL□
Student Milestones	MI Level Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PS_MLSTN_LVL_TBL.DESCR
Student Milestones	MI Term Required	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.TERM_REQUIRED Picklists are pre-sorted in descending order.

Class Name	Object Name	Description
Student Milestones	MI Date Required	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.DATE_REQUIRED =
Student Milestones	MI Anticipated Term	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.ANTICIPATED_TERM Picklists are pre-sorted in descending order.
Student Milestones	MI Anticipated Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.ANTICIPATED_DATE □
Student Milestones	MI Milestone Complete	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.MILESTONE_COMPLETE □
Student Milestones	MI How Completed	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.HOW_COMPLETED□
Student Milestones	MI How Completed Descr	Data is completely replaced nightly. Steward: Shared Source: PS_XLATITEM.XLATLONGNAME
Student Milestones	MI Date Completed	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.DATE_COMPLETED□
Student Milestones	MI Transcript Level	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.TRANSCRIPT_LEVEL
Student Milestones	MI Transcript Level Descr	Data is completely replaced nightly. Steward: Shared Source: PS_XLATITEM.XLATLONGNAME
Student Milestones	MI Print Milestone Detail	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.PRNT_MLSTN_DETL□
Student Milestones	MI Print Milestone Detail Descr	Data is completely replaced nightly. Steward: Shared Source: PS_XLATITEM.XLATLONGNAME

Class Name	Object Name	Description
Student Milestones	MI Attempts Allowed	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.ATTEMPTS_ALLOWED []
Student Milestones	MI Advisor1 ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.ADVISOR1_ID
Student Milestones	MI Advisor2 ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_STDNT_CAR_MLSTN.ADVISOR2_ID□
Student Milestones	MI Valid From	
Student Milestones	MI Valid To	
Milestone Attempts	MA Effective Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_MLSTN_ATMPT.EFFDT□
Milestone Attempts	MA Academic Plan	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_MLSTN_ATMPT.ACAD_PLAND
Milestone Attempts	MA Milestone Number	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_MLSTN_ATMPT.MILESTONE_NBRD
Milestone Attempts	MA Attempt Number	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_MLSTN_ATMPT.ATTEMPT_NBRD
Milestone Attempts	MA Grading Scheme	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_MLSTN_ATMPT.GRADING_SCHEME
Milestone Attempts	MA Grading Basis	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_MLSTN_ATMPT.GRADING_BASIS □

Class Name	Object Name	Description
Milestone Attempts	MA Grade Input	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_MLSTN_ATMPT.CRSE_GRADE_INPUT
Milestone Attempts	MA Milestone Complete	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_MLSTN_ATMPT.MILESTONE_COMPLETE □
Milestone Attempts	MA How Attempted	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_MLSTN_ATMPT.HOW_ATTEMPTED□
Milestone Attempts	MA How Attempted Descr	Data is completely replaced nightly. Steward: Shared Source: PS_XLATITEM.XLATLONGNAME
Milestone Attempts	MA Date Attempted	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Shared Source: PS_MLSTN_ATMPT.DATE_ATTEMPTED□
Milestone Attempts	MA Valid From	
Milestone Attempts	MA Valid To	
Grad Student Notes	GN Term Code	Data is completely replaced nightly. Steward: Shared Source: PS_SCG_GSS_NOTE.STRM
Grad Student Notes	GN Term Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.DESCR□ Values are pre-sorted in descending order, picklist displays terms up to one year in advance of today.
Grad Student Notes	GN Note Sequence Nbr	Data is completely replaced nightly. Steward: Shared Source: PS_SCG_GSS_NOTE.SEQ
Grad Student Notes	GN Note Type	Data is completely replaced nightly. Steward: Shared Source: PS_SCG_GSS_NOTE.SCG_GSS_NOTE_TYPE
Grad Student Notes	GN Note Type Desr	Data is completely replaced nightly. Steward: Registrar Source: PSXLATITEM.XLATLONGNAME
Grad Student Notes	GN Last Updated By ID	Data is completely replaced nightly. Steward: Shared Source: PS_SCG_GSS_NOTE.LASTUPDOPRID
Grad Student Notes	GN Last Updated by Name	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC
Grad Student Notes	GN Created by Date/Time	Data is completely replaced nightly. Steward: Shared Source: PS_SCG_GSS_NOTE.SCG_GSS_CREATEDTTM
Grad Student Notes	GN Last Updated Date/Time	Data is completely replaced nightly. Steward: Shared Source: PS_SCG_GSS_NOTE.LASTUPDDTTM
Grad Student Notes	GN Notes	Data is completely replaced nightly. Steward: Shared Source: PS_SCG_GSS_NOTE.STRM

Class Name	Object Name	Description
Term Activation	TA Term Code	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.STRM□ Picklists are pre-sorted in descending order.□
Term Activation	TA Term Short Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.DESCRSHORT□ Values are pre-sorted in descending order, picklist displays terms up to one year in advance of today.□
Term Activation	TA Term Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.DESCR□ Values are pre-sorted in descending order, picklist displays terms up to one year in advance of today.
Term Activation	TA Academic Career	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.ACAD_CAREER
Term Activation	TA Term Category Code	R = Regular, S = Summer. Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.TERM_CATEGORY□
Term Activation	TA Term Begin Date	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.TERM_BEGIN_DT
Term Activation	TA Term End Date	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.TERM_END_DT
Term Activation	TA Term Last Date to Enroll	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_SESSION_TBL.LAST_ENRL_DT; this is the highest last enroll date for any session per term and academic career.
Term Activation	TA Term Self-Service Enrl Begin Date	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TERM_TBL.SSR_SSENRLDISP_BDT; this is earliest date self-service enrollment is avaialable for a term.
Term Activation	TA Term Self_Service Enrl End Date	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TERM_TBL.SSR_SSENRLDISP_EDT; this is the last date self serviceenrollment is available for a term.
Term Activation	TA Student Career Number	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.STDNT_CAR_NBR
Term Activation	TA Academic Program	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.ACAD_PROG_PRIMARY
Term Activation	TA Withdraw Code	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.WITHDRAW_CODE

Class Name	Object Name	Description
Term Activation	TA Withdraw Descr	Data is completely replaced nightly. Steward: Registrar Source: PSXLATITEM.XLATLONGNAME □
Term Activation	TA Withdraw Reason Code	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.WITHDRAW_REASON □
Term Activation	TA Withdraw Reason Descr	Data is completely replaced nightly. Steward: Registrar Source: PSXLATITEM.XLATLONGNAME
Term Activation	TA Withdraw Date	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.WITHDRAW_DATE □
Term Activation	TA Last Date Attended	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.LAST_DATE_ATTENDED□
Term Activation	TA Approved Academic Load Code	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.ACAD_LOAD_APPR
Term Activation	TA Approved Academic Load Descr	Data is completely replaced nightly. Steward: Registrar Source: PSXLATITEM.XLATLONGNAME
Term Activation	TA Academic Load Code	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.ACADEMIC_LOAD
Term Activation	TA Academic Load Descr	Data is completely replaced nightly. Steward: Registrar Source: PSXLATITEM.XLATLONGNAME
Term Activation	TA Academic Level - Projected Code	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.ACAD_LEVEL_PROJ
Term Activation	TA Academic Level - Projected Descr	Data is completely replaced nightly. Steward: Registrar Source: PSXLATITEM.XLATLONGNAME
Term Activation	TA Academic Level - Term Start Code	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.ACAD_LEVEL_BOT
Term Activation	TA Academic Level - Term Start Descr	Data is completely replaced nightly. Steward: Registrar Source: PSXLATITEM.XLATLONGNAME
Term Activation	TA Academic Level - Term End Code	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.ACAD_LEVEL_EOT
Term Activation	TA Academic Level - Term End Descr	Data is completely replaced nightly. Steward: Registrar Source: PSXLATITEM.XLATLONGNAME

Class Name	Object Name	Description
Term Activation	TA Override Projected Level	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.OVRD_ACAD_LVL_PROJ □
Term Activation	TA Eligible to Enroll	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.ELIG_TO_ENROLL
Term Activation	TA Form of Study Code	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.FORM_OF_STUDY
Term Activation	TA Form of Study Descr	Data is completely replaced nightly. Steward: Registrar Source: PSXLATITEM.XLATLONGNAME
Term Activation	TA Academic Year	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.ACAD_YEAR □ Picklists are pre-sorted in descending order.□
Term Activation	TA External Org ID	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.EXT_ORG_ID
Term Activation	TA NUCSA Country Code	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.COUNTRY □
Term Activation	TA NUCSA Country Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_COUNTRY_TBL.DESCR
Term Activation	TA Study Agreement	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.STUDY_AGREEMENT □
Term Activation	TA NUCSA Start Date	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.START_DATE
Term Activation	TA NUCSA End Date	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.END_DATE
Term Activation	TA GPA - Term	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.CUR_GPA
Term Activation	TA GPA - Cumulative	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.CUM_GPA□
Term Activation	TA GPA - UC	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_SPCL_GPA.LS_GPA□
Term Activation	TA Total Resident Terms	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.CUM_RESIDENT_TERMS

Class Name	Object Name	Description
Term Activation	TA STARS Flag	Y/N flag that indicates whether person meets STARS definition of transfer and re-entry. Criteria is UGRD Age 25+ as of first day of term, or GRAD Age 29+ as of first day of term, or has military status in a specific list, or has admit type of RAD, CSO, DJR, or ESR. Data is completely replaced nightly. Steward: Registrar Source: Derived from serveral source tables
Term Activation	TA Tuition Group - Reg Only	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.SEL_GROUP
Term Activation	TA Tuition Calc Required - Reg Only	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TUIT_CALC_REQ
Term Activation	TA Tuition Calc Date/Time - Reg Only	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TUIT_CALC_DTTM□
Term Activation	TA Override Withdrawal Schedule - Reg Only	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.OVRD_WDRW_SCHED
Term Activation	TA Override Tuition Group - Reg Only	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.OVRD_TUIT_GROUP
Term Activation	TA Financial Aid Load - FA Only	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.FA_LOAD □
Term Activation	TA NSLDS Loan Year - FA Only	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.NSLDS_LOAN_YEAR □
Term Activation	TA Fin Aid Stats Calculation Required - FA Only	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.FA_STATS_CALC_REQ □
Term Activation	TA Fin Aid Stats Calc Date/Time - FA Only	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.FA_STATS_CALC_DTTM□
Term Activation	TA Fin Aid Program Eligibility Flag - FA Only	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.FA_ELIGIBILITY
Term Units and Grade Points	TUG Override Maximum Units	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.OVRD_MAX_UNITS
Term Units and Grade Points	TUG Max Total Units	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.MAX_TOTAL_UNIT
Term Units and Grade Points	TUG Max Total Units - summing	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.MAX_TOTAL_UNIT
Term Units and Grade Points	TUG Max Wait List Units	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.MAX_WAIT_UNIT□
		· · · · · · · · · · · · · · · · · · ·

Class Name	Object Name	Description
Term Units and Grade Points	TUG Max Wait List Units - summing	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.MAX_WAIT_UNIT
Term Units and Grade Points	TUG Min Total Units	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.MIN_TOTAL_UNIT □
Term Units and Grade Points	TUG Min Total Units - summing	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.MIN_TOTAL_UNIT □
Term Units and Grade Points	TUG Units Taken for Progress	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_TAKEN_PRGRSS□
Term Units and Grade Points	TUG Units Taken for Progress - summing	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_TAKEN_PRGRSS□
Term Units and Grade Points	TUG Units Passed for Progress	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_PASSD_PRGRSS□
Term Units and Grade Points	TUG Units Passed for Progress - summing	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_PASSD_PRGRSS□
Term Units and Grade Points	TUG Units Taken Toward GPA	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_TAKEN_GPA□
Term Units and Grade Points	TUG Units Taken Toward GPA - summing	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_TAKEN_GPA
Term Units and Grade Points	TUG Units Passed Toward GPA	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_PASSD_GPA
Term Units and Grade Points	TUG Units Passed Toward GPA - summing	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_PASSD_GPA
Term Units and Grade Points	TUG Units Taken Not Toward GPA	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_TAKEN_NOGPA□
Term Units and Grade Points	TUG Units Taken Not Toward GPA - summing	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_TAKEN_NOGPA□
Term Units and Grade Points	TUG Units Passed Not Toward GPA	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_PASSD_NOGPA□
Term Units and Grade Points	TUG Units Passed Not Toward GPA - summing	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_PASSD_NOGPA□
Term Units and Grade Points	TUG Units In Progress - GPA	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_INPROG_GPA
	1	

Object Name	Description
TUG Units In Progress - GPA - summing	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_INPROG_GPA
TUG Unit In Progress - Not for GPA	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_INPROG_NOGPA□
TUG Unit In Progress - Not for GPA - summing	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_INPROG_NOGPA□
TUG Units from Other Credit	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_OTHER
TUG Units from Other Credit - summing	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_OTHER
TUG Units from Test Credit	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_TEST_CREDIT□
TUG Units from Test Credit - summing	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_TEST_CREDIT
TUG Units Transferred	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_TRNSFR□
TUG Units Transferred - summing	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_TRNSFR□
TUG Transfer Credit Units Adjustment	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TC_UNITS_ADJUST□
TUG Transfer Credit Units Adjustment - summing	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TC_UNITS_ADJUST□
TUG Term Units - Total	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_TERM_TOT□
TUG Term Units - Total - summing	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_TERM_TOT□
TUG Fin Aid Progress Units Taken - FA Only	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_TAKEN_FA
TUG Fin Aid Progress Units Passed - FA Only	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_PASSD_FA
TUG Fin Aid Units Taken Toward GPA - FA Only	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.UNT_TAKEN_FA_GPA□
	TUG Units In Progress - GPA - summingTUG Unit In Progress - Not for GPATUG Unit In Progress - Not for GPA - summingTUG Units from Other CreditTUG Units from Other Credit - summingTUG Units from Test Credit - summingTUG Units from Test Credit - summingTUG Units from Test Credit - summingTUG Units TransferredTUG Units Transferred - summingTUG Transfer Credit Units AdjustmentTUG Transfer Credit Units Adjustment - summingTUG Term Units - TotalTUG Term Units - Total - summingTUG Fin Aid Progress Units Taken - FA OnlyTUG Fin Aid Units Taken

UCSC Campus Data Warehouse

Class Name	Object Name	Description
Term Units and Grade Points	TUG Grade Points	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.GRADE_POINTS
Term Units and Grade Points		Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.GRADE_POINTS_FA□
Term Units and Grade Points	TUG UGRD Enrolled Terms Count - for grouping	Data is completely replaced nightly. Steward: Registrar Source: Derived from STDNT_CAR_TERM Logic is running total of terms that had a withdraw code of NWD. Excludes academic career GRAD and programs UNON and SUMR. Number of regular quarters enrolled excluding summer, adjusting for University Part-time (if part=time, term units taken for progress divided by 15).
Term Units and Grade Points	TUG UGRD Enrolled Terms Count	Data is completely replaced nightly. Steward: Registrar Source: Derived from STDNT_CAR_TERM Logic is running total of terms that had a withdraw code of NWD. Excludes academic career GRAD and programs UNON and SUMR. Number of regular quarters enrolled excluding summer, adjusting for University Part-time (if part=time, term units taken for progress divided by 15).
Term Units and Grade Points	TUG UGRD Enrolled Terms Count with Summer - for grouping	Data is completely replaced nightly. Steward: Registrar Source: Derived from STDNT_CAR_TERM Logic is running total of terms that had a withdraw code of NWD.□ Excludes academic career GRAD and programs UNON and SUMR.□ □ Number of regular quarters including summer if enrolled, adjusting for University Part-time (if part=time, term units taken for progress divided by 15).□
Term Units and Grade Points	TUG UGRD Enrolled Terms Count with Summer	Data is completely replaced nightly. Steward: Registrar Source: Derived from STDNT_CAR_TERM Logic is running total of terms that had a withdraw code of NWD. Excludes academic career GRAD and programs UNON and SUMR. Number of regular quarters including summer if enrolled, adjusting for University Part-time (if part=time, term units taken for progress divided by 15).

Class Name	Object Name	Description
Term Units and Grade Points	TUG Enrolled Full Terms Count - for grouping	Data is completely replaced nightly. Steward: Registrar Source: Derived from STDNT_CAR_TERM. Logic is running total of terms that had a withdraw code of NWD. Excludes programs UNON, SUMR, GNON. Number of regular quarters enrolled excluding summer.
Term Units and Grade Points	TUG Enrolled Full Terms Count	Data is completely replaced nightly. Steward: Registrar Source: Derived from STDNT_CAR_TERM. Logic is running total of terms that had a withdraw code of NWD. Excludes programs UNON, SUMR, GNON. Number of regular quarters enrolled excluding summer.
Term Units and Grade Points	TUG Enrolled Full Terms Count with Summer - for grouping	Data is completely replaced nightly. Steward: Registrar Source: Derived from STDNT_CAR_TERM. Logic is running total of terms that had a withdraw code of NWD. Excludes programs UNON, SUMR, GNON. Number of regular quarters enrolled including summer.
Term Units and Grade Points	TUG Enrolled Full Terms Count with Summer	Data is completely replaced nightly. Steward: Registrar Source: Derived from STDNT_CAR_TERM. Logic is running total of terms that had a withdraw code of NWD. Excludes programs UNON, SUMR, GNON. Number of regular quarters enrolled including summer.
Term Units and Grade Points	TUG UGRD Min Progress Quarter - Term Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from STDNT_CAR_TERM Logic is count backward up to three terms, excluding summer, where Form of Study = ENRL. Limited to careers UGRD or U2DG, which are calculated separately.
Term Units and Grade Points	TUG UGRD Min Progress Quarter - Term Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.DESCR□ Values are pre-sorted in descending order, picklist displays terms up to one year in advance of today.□ □ Description for the Min Progress Quarter - term code

Class Name	Object Name	Description
Term Units and Grade Points	TUG UGRD Progress Minimum	Data is completely replaced nightly. Steward: Registrar Source: Derived from STDNT_CAR_TERM Logic is (total terms greater than or equal to the Min Progress Quarter with an academic load of full time* 12) plus (for terms greater than or equal to the Min Progress Quarter with an academic load of part-time total units taken for progress * .80) Limited to careers UGRD or U2DG, which are calculated separately, and excludes Summer terms. Minimum progress credits required over the last three UCSC enrolled terms (this should be 36 for most students, or less for students on University part-time).
Term Units and Grade Points	TUG UGRD Progress Minimum Credits	Data is completely replaced nightly. Steward: Registrar Source: Derived from STDNT_CAR_TERM Logic is (total units passed for progess in the original admit term) plus (term units total for each term greater than or equal to the Min Progress Quarter through the term being reported on). This should be the three most recent quarters, plus summer credits while excluding transfer credit at entrance. Limited to careers UGRD or U2DG, which are calculated separately. UCSC credits earned after the Min Progress Quarter, including summer and transfer credit after admission.
Cumulative Units and Grade Points	CUG Total Taken for Progress	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_TAKEN_PRGRSS□
Cumulative Units and Grade Points	CUG Total Taken for Progress summing	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_TAKEN_PRGRSS□
Cumulative Units and Grade Points	CUG Total Passed for Progress	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_PASSD_PRGRSS□
Cumulative Units and Grade Points	CUG Total Passed for Progress - summing	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_PASSD_PRGRSS⊡
Cumulative Units and Grade Points	CUG Total Taken Toward GPA	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_TAKEN_GPA
Cumulative Units and Grade Points	CUG Total Taken Toward GPA - summing	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_TAKEN_GPA
Cumulative Units and Grade Points	CUG Total Passed Toward GPA	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_PASSD_GPA

UCSC Campus Data Warehouse

Class Name	Object Name	Description
Cumulative Units and Grade Points	CUG Total Passed Toward GPA - summing	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_PASSD_GPA□
Cumulative Units and Grade Points	CUG Total Taken Not Toward GPA	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_TAKEN_NOGPA□
Cumulative Units and Grade Points	CUG Total Taken Not Toward GPA - summing	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_TAKEN_NOGPA□
Cumulative Units and Grade Points	CUG Total Passed Not Toward GPA	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_PASSD_NOGPA□
Cumulative Units and Grade Points	CUG Total Passed Not Toward GPA - summing	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_PASSD_NOGPA□
Cumulative Units and Grade Points	CUG Total In Progress - GPA	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_INPROG_GPA
Cumulative Units and Grade Points	CUG Total In Progress - GPA - summing	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_INPROG_GPA
Cumulative Units and Grade Points	CUG Total In Progress - Not for GPA	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_INPROG_NOGPA□
Cumulative Units and Grade Points	CUG Total In Progress - Not for GPA - summing	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_INPROG_NOGPA□
Cumulative Units and Grade Points	CUG Total Transferred	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_TRNSFR□
Cumulative Units and Grade Points	CUG Total Transferred - summing	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_TRNSFR□
Cumulative Units and Grade Points	CUG Total AP Credit	Data is completely replaced nightly. Steward: Registrar Source: Derived from TRNS_CRSE_DTL where Subject = 'TRCR'. Limited to careers UGRD and U2DG.□ □ Total of AP Credit from Course Credit (pre-AIS) and Test Credit□
Cumulative Units and Grade Points	CUG Total From Test Credit	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_TEST_CREDIT□
Cumulative Units and Grade Points	CUG Total From Test Credit - summing	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_TEST_CREDIT□

Class Name	Object Name	Description
Cumulative Units and Grade Points	CUG Total Transferred Adjusted	Data is completely replaced nightly. Steward: Registrar Source: Derived from STDNT_CAR_TERM. Limited to careers UGRD and U2DG.
Cumulative Units and Grade Points	CUG Total Transferred Adjusted - summing	Data is completely replaced nightly. Steward: Registrar Source: Derived from STDNT_CAR_TERM. Limited to careers UGRD and U2DG. Total transfer credit minus total tramsfer unit adjustements from Admissions
Cumulative Units and Grade Points	CUG Total Cumulative Units	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_CUMULATIVE
Cumulative Units and Grade Points	CUG Total Cumulative Units - summing	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_CUMULATIVE
Cumulative Units and Grade Points	CUG Total Fin Aid Units Taken - FA Only	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_TAKEN_FA
Cumulative Units and Grade Points	CUG Total Fin Aid Units Passed- FA Only	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_PASSD_FA
Cumulative Units and Grade Points	CUG Total Fin Aid Taken Toward GPA - FA Only	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_TAKEN_FA_GPA□
Cumulative Units and Grade Points	CUG Total Grade Points	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_GRADE_POINTS□
Cumulative Units and Grade Points	CUG Total Grade Points - summing	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_GRADE_POINTS□
Cumulative Units and Grade Points	CUG Total Fin Aid Grade Points - FA Only	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_CAR_TERM.TOT_GRD_POINTS_FA□
Cumulative Units and Grade Points	CUG UGRD Cumulative Progress Minimum	Data is completely replaced nightly. Steward: Registrar Source: Derived from STDNT_CAR_TERM Logic is (total terms with an academic load of full time* 12) plus (for terms with an acdemic load of part-time total units taken for progress * .80) Limited to careers UGRD or U2DG, which are calculated separately, and excludes Summer terms. Cumulative minimum Progress Credits required after admission to UCSC.

Class Name	Object Name	Description
Cumulative Units and Grade Points	CUG UGRD Cumulative Progress Credits	Data is completely replaced nightly. Steward: Registrar Source: Derived from STDNT_CAR_TERM Logic is (total units passed for progess in the original admit term) plus (term units total for each term thereafter). Limited to careers UGRD or U2DG, which are calculated separately.
Academic Standing	AS Most Recent Academic Standing Action Code	The academic standing action code from the highest dated row in the academic standing table for the maximum term in the table for each student ID, academic career, and academic program (excludes rows with blank academic standing code). Steward: Registrar Source: Derived from PS_ACAD_STDNG_ACTN.ACAD_STNDNG_ACTN
Academic Standing	AS Most Recent Academic Standing Action Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_ACAD_STACTN_TBL.DESCRINTERNAL
Academic Standing	AS Most Recent Academic Standing Term	The term code from the highest dated row in the academic standing table for the maximum term in the table for each student ID, academic career, and academic program (excludes rows with blank academic standing code). Steward: Registrar Source: Derived from PS_ACAD_STDNG_ACTN.
Academic Standing	AS Academic Standing Action Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_ACAD_STDNG_ACTN.ACAD_STNDNG_ACTN □
Academic Standing	AS Academic Standing Action Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_ACAD_STACTN_TBL.DESCR
Academic Standing	AS Academic Standing Status Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_ACAD_STDNG_ACTN.ACAD_STNDNG_STAT
Academic Standing	AS Academic Standing Status Descr	Data is completely replaced nightly. Steward: Registrar Source: PSXLATITEM.XLATLONGNAME
Academic Standing	AS Action Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_ACAD_STDNG_ACTN.ACTION_DT
Academic Standing	AS User ID	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_ACAD_STDNG_ACTN.OPRID

Class Name	Object Name	Description
Academic Standing	AS Name of User	Data is completely replaced nightly. Steward: Registrar Source: PS_OPRDEFN.OPRDEFNDESC D
Term Honors	TH Internal External	Data is completely replaced nightly. Steward: Registrar Source: PS_HONOR_AWARD_CS.INTERNAL_EXTERNAL □
Term Honors	TH Honor Code	Data is completely replaced nightly. Steward: Registrar Source: PS_HONOR_AWARD_CS.AWARD_CODE □
Term Honors	TH Honor Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_HONOR_AWARD_CS.DESCRFORMAL □
Term Honors	TH Date Received	Data is completely replaced nightly. Steward: Registrar Source: PS_HONOR_AWARD_CS.DT_RECVD□
Term Honors	TH Comments	CLOB. Data is completely replaced nightly. Steward: Registrar Source: PS_HONOR_AWARD_CS.COMMENTS□
Graduate Academic Progress	GAP Terms on LOA	Total count of non-summer terms for the student, academic career, and student career number where the student was on approved leave of absence. This is a total; it does not increment for each term. Data is completely refreshed nightly. Steward: Graduate Division Source: Derived.
Graduate Academic Progress	GAP Pre-ATC Full Time	Count of non-summer terms for the student, academic career, and student career number where the student was not withdrawn from the term, was enrolled in units, had an approved academic load of Full Time, and had a form of study of Enrollment. Data is completely refreshed nightly. Steward: Graduate Division Source: Derived.
Graduate Academic Progress	GAP Pre-ATC Part Time	Count of non-summer terms for the student, academic career, and student career number where the student was not withdrawn from the term, was enrolled in units, had an approved academic load of Part Time, and had a form of study of Enrollment. Data is completely refreshed nightly. Steward: Graduate Division Source: Derived.
Graduate Academic Progress	GAP Pre-ATC Pace	GAP Pre-ATC Full Time + (GAP Pre-ATC Part Time * 0.5) Data is completely refreshed nightly. Steward: Graduate Division Source: Derived.
Graduate Academic Progress	GAP Pre-ATC Normative Time	If the student's GAP Pre-ATC Pace is greater than the normative time for their plan, this will be a "No", otherwise it is "Yes". Data is completely refreshed nightly. Steward: Graduate Division Source: Derived.
Graduate Academic Progress	GAP ATC Term	Term in which a student first had the form of study "Candidacy". Data is completely refreshed nightly. Steward: Graduate Division Source: Derived.

Class Name	Object Name	Description
Graduate Academic Progress	GAP Post-ATC Full Time	Count of non-summer terms for the student, academic career, and student career number where the student was not withdrawn from the term, was enrolled in units, had an approved academic load of Full Time, and had a form of study of Candidacy (form of study of Graduate Filing Fee is not included in count - not eligible to enroll). Data is completely refreshed nightly. Steward: Graduate Division Source: Derived.
Graduate Academic Progress	GAP Post-ATC Part Time	Count of non-summer terms for the student, academic career, and student career number where the student was not withdrawn from the term, was enrolled in units, had an approved academic load of Part Time, and had a form of study of Candidacy (form of study of Graduate Filing Fee is not included in count - not eligible to enroll). Data is completely refreshed nightly. Steward: Graduate Division Source: Derived.
Graduate Academic Progress	GAP Post-ATC Pace	GAP Post-ATC Full Time + GAP Post-ATC Part Time Data is completely refreshed nightly. Steward: Graduate Division Source: Derived.
Graduate Academic Progress	GAP Post-ATC Normative Time	If the student's GAP Post-ATC Pace is greater than the normative time for their plan, this will be a "No", otherwise it is "Yes". Data is completely refreshed nightly. Steward: Graduate Division Source: Derived.
Graduate Academic Progress	GAP Total Terms Full Time	Count of non-summer terms for the student, academic career, and student career number where the student was not withdrawn from the term, was enrolled in units, had an approved academic load of Full Time (form of study of Graduate Filing Fee is not included in count - not eligible to enroll). Data is completely refreshed nightly. Steward: Graduate Division Source: Derived.
Graduate Academic Progress	GAP Total Terms Part Time	Count of non-summer terms for the student, academic career, and student career number where the student was not withdrawn from the term, was enrolled in units, had an approved academic load of Part Time (form of study of Graduate Filing Fee is not included in count - not eligible to enroll). Data is completely refreshed nightly. Steward: Graduate Division Source: Derived.
Graduate Academic Progress	GAP Total Terms Pace	Doctoral: GAP Pre-ATC Pace + GAP Post-ATC Pace. Non-doctoral: GAP Total Terms Full Time + (GAP Total Terms Part Time * 0.5) Data is completely refreshed nightly. Steward: Graduate Division Source: Derived.
Graduate Academic Progress	GAP Total Terms Normative Time	If the student's GAP Total Terms Pace is greater than the normative time for their plan, this will be a "No", otherwise it is "Yes". Data is completely refreshed nightly. Steward: Graduate Division Source: Derived.
Graduate Academic Progress	GAP Pace Year	GAP Total Terms Pace/3. If this yields a partial number, it is rounded up to the next whole number. Data is completely refreshed nightly. Steward: Graduate Division Source: Derived.

Class Name	Object Name	Description
Student Equation Variables	EV Emplid	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_EQUTN_VAR.EMPLID
Student Equation Variables	EV Term Code	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_EQUTN_VAR.STRM
Student Equation Variables	EV Variable Flag1	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_EQUTN_VAR.VARIABLE_FLAG1
Student Equation Variables	EV Variable Flag2	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_EQUTN_VAR.VARIABLE_FLAG2
Student Equation Variables	EV Variable Flag3	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_EQUTN_VAR.VARIABLE_FLAG3
Student Equation Variables	EV Variable Flag4	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_EQUTN_VAR.VARIABLE_FLAG4
Student Equation Variables	EV Variable Flag5	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_EQUTN_VAR.VARIABLE_FLAG5
Student Equation Variables	EV Variable Flag6	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_EQUTN_VAR.VARIABLE_FLAG6
Student Equation Variables	EV Variable Flag7	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_EQUTN_VAR.VARIABLE_FLAG7
Student Equation Variables	EV Variable Flag8	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_EQUTN_VAR.VARIABLE_FLAG8
Student Equation Variables	EV Variable Flag9	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_EQUTN_VAR.VARIABLE_FLAG9
Student Equation Variables	EV Variable Flag10	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_EQUTN_VAR.VARIABLE_FLAG10
Course	CO Course ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.CRSE_ID□
Course	CO Effective Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.EFFDT □
Course	CO Effective Status	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.EFF_STATUS□
Course	CO Descr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.DESCR□
Course	CO Class Level	Class Level is a derived field that displays Lower Division, Upper Division, Graduate, or Other based on the catalog number. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_CLASS_TBL.CATALOG_NBR

Class Name	Object Name	Description
Course	CO Subject Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SUBJECT
Course	CO Subject Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_SUBJECT_TBL.DESCR
Course	CO Catalog Nbr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.CATALOG_NBR
Course	CO Catalog Nbr Prompt	This is the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_CRSE_OFFER.CATALOG_NBR
Course	CO Catalog Nbr Sort	This is the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_CRSE_OFFER.CATALOG_NBR
Course	CO Subject Catalog Nbr	This uses the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Format is subject code, space, catalog number (e.g., "MATH 11A"). Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SUBJECT, PS_CRSE_OFFER.CATALOG_NBR
Course	CO Subject Catalog Nbr Sort	This uses the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Format is subject code, space, catalog number (e.g., "MATH 0011A").Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SUBJECT, PS_CRSE_OFFER.CATALOG_NBR
Course	CO Equivalent Course Group	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.EQUIV_CRSE_ID □
COURSA	CO Equivalent Course Effective Status	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_EQUIV_TBL.EFF_STATUS
Course	CO Equivalent Course Descr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_EQUIV_TBL.DESCR

Class Name	Object Name	Description
Course	CO Equivalent Course Short Descr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_EQUIV_TBL.DESCRSHORT
Course	CO Type of Consent Required	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.CONSENT□
Course	CO Allow Multiple Enroll in Term	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.ALLOW_MULT_ENROLL□
Course	CO Minimum Units	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.UNITS_MINIMUM□
Course	CO Maximum Units	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.UNITS_MAXIMUM□
Course	CO Academic Progress Units	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.UNITS_ACAD_PROG□
Course	CO Financial Aid Progress Units	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.UNITS_FINAID_PROG□
Course	CO Repeat for Credit	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.CRSE_REPEATABLE □
Course	CO Total Units Allowed	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.UNITS_REPEAT_LIMIT □
Course	CO Total Completions Allowed	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.CRSE_REPEAT_LIMIT□

Class Name	Object Name	Description
Course	CO Grading Basis	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.GRADING_BASIS
Course	CO Grade Roster Print	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.GRADE_ROSTER_PRINT □
Course	CO Course Component	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.SSR_COMPONENT □
Course	CO Optional Component	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_COMPONENT.OPTIONAL_SECTION
Course	CO Default Section Size	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_COMPONENT.DEFAULT_SECT_SIZE□
Course	CO Final Exam	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_COMPONENT.FINAL_EXAM
Course	CO Long Course Title	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.COURSE_TITLE_LONG□
Course	CO Long Descr from Catalog	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.DESCRLONG□
Course	CO Last Course of Mult Term Seq	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.LST_MULT_TRM_CRS []
Course	CO Requirement Designation	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.RQMNT_DESIGNTN□
Course	CO General Education Code	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCR

Class Name	Object Name	Description
Course	CO General Education Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCRFORMAL
Course	CO Fees Exist Flag	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.FEES_EXIST □
Course	CO Primary Component	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.COMPONENT_PRIMARY□
Course	CO Attendance Type	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_ATTENDANCE.CLASS_ATTEND_TYPE
Course	CO Instruction Mode	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_ATTENDANCE.INSTRUCTION_MODE
Course	CO Created By User ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.SCC_ROW_ADD_OPRID
Course	CO Created By User Name	Data is completely replaced nightly. Steward: Shared Source: PS_OPRDEFN.OPRDEFNDESC
Course	CO Created Date/Time	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.SCC_ROW_ADD_DTTM□
Course	CO Updated By User ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.SCC_ROW_UPD_OPRID
Course	CO Updated By User Name	Data is completely replaced nightly. Steward: Shared Source: PS_OPRDEFN.OPRDEFNDESC
Course	CO Updated Date/Time	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_CATALOG.SCC_ROW_UPD_DTTMD
Course	CO Valid From	
Course	CO Valid To	
Course Attributes	CAT Effective Date	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_CRSE_ATTRIBUTES.EFFDT

Class Name	Object Name	Description
Course Attributes	CAT Course Attribute Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_CRSE_ATTRIBUTES.CRSE_ATTR
Course Attributes	CAT Course Attribute Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_CRSE_ATTR_TBL.DESCR
Course Attributes	CAT Course Attribute Value Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_CRSE_ATTRIBUTES.CRSE_ATTR_VALUE
Course Attributes	CAT Course Attribute Value Descr	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CRSE_ATTR_VALUE.DESCR
Course Attributes	CAT Course Attribute Value Effective Date	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CRSE_ATTR_VALUE.EFFDT
Course Attributes	CAT Course Attribute Value Catalog Print	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CRSE_ATTR_VALUE.CATALOG_PRINT
Course Attributes	CAT Course Attribute Value Schedule Print	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CRSE_ATTR_VALUE.SCHEDULE_PRINT
Course Attributes	CAT Created By	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_CRSE_ATTRIBUTES.SCC_ROW_ADD_OPRID
Course Attributes	CAT Created Date/Time	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_CRSE_ATTRIBUTES.SCC_ROW_ADD_DTTM
Course Attributes	CAT Updated By	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_CRSE_ATTRIBUTES.SCC_ROW_UPD_OPRID
Course Attributes	CAT Last Updated Date/Time	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_CRSE_ATTRIBUTES.SCC_ROW_UPD_DTTM
Course Instructor	COI Emplid	Data is completely replaced nightly. Steward: Registrar Source: PS_INSTR_CRSE.EMPLID
Course Instructor	COI Surrogate ID	This alphanumeric identifier is randomly regenerated nightly for each Emplid. It is intended to be used instead of Emplid in reports that will not include personal information, such as summary reports. Emplid, name, and other personal information should not be included in any report that uses this object.
Course Instructor	COI Instructor Full Name	Data is completely replaced nightly. Steward: Shared Source: PS_NAMES.NAME_DISPLAY current active row where NAME_TYPE = 'PRI'

Class Name	Object Name	Description
Course Instructor	COI Instructor Name	Data is completely replaced nightly. Steward: Shared Source: Derived from PS_NAMES current active row where NAME_TYPE = 'PRI'; Last Name, First Initial.Middle Initial
Course Instructor	COI Effective Date	Data is completely replaced nightly. Steward: Registrar Source: PS_INSTR_CRSE.EFFDT
Course Instructor	COI Instructor Course Sequence Nbr	Data is completely replaced nightly. Steward: Registrar Source: PS_INSTR_CRSE
Course Instructor	COI Academic Organization	Data is completely replaced nightly. Steward: Registrar Source: PS_INSTR_CRSE.ACAD_ORG
Course Offerings	COF Course Offering Nbr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.CRSE_OFFER_NBR
Course Offerings	COF Subject Code	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SUBJECT
Course Offerings	COF Subject Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_SUBJECT_TBL.DESCR
Course Offerings	COF Catalog Nbr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.CATALOG_NBR
Course Offerings	COF Catalog Nbr Prompt	This is the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_CRSE_OFFER.CATALOG_NBR
Course Offerings	COF Catalog Nbr Sort	This is the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_CRSE_OFFER.CATALOG_NBR
Course Offerings	COF Subject Catalog Nbr	This uses the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Format is subject code, space, catalog number (e.g., "MATH 11A"). Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SUBJECT, PS_CRSE_OFFER.CATALOG_NBR

Class Name	Object Name	Description
Course Offerings	COF Subject Catalog Nbr Sort	This uses the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Format is subject code, space, catalog number (e.g., "MATH 0011A").Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SUBJECT, PS_CRSE_OFFER.CATALOG_NBR
Course Offerings	COF Course Approved	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.COURSE_APPROVED
Course Offerings	COF Schedule Print	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SCHEDULE_PRINT
Course Offerings	COF Catalog Print	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.CATALOG_PRINT
Course Offerings	COF Print Instructor in Schedule	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SCHED_PRINT_INSTR
Course Offerings	COF Department Code	Data is completely replaced nightly. Steward: Registrar Source: PSTREENODE
Course Offerings	COF Department Descr	Data is completely replaced nightly. Steward: Registrar Source: PSTREENODE
Course Offerings	COF Division Code	Data is completely replaced nightly. Steward: Registrar Source: PSTREENODE
Course Offerings	COF Division Descr	Data is completely replaced nightly. Steward: Registrar Source: PSTREENODE
Course Offerings	COF Academic Career	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.ACAD_CAREER
Course Offerings	COF Schedule Term Roll	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SCHED_TERM_ROLL'
Course Offerings	COF Requirement Group	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.RQRMNT_GROUP
Course Offerings	COF Requirement Group Descr	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_RQ_GRP_TBL.DESCRLONG

Class Name	Object Name	Description
Course Offerings	COF Requisite Type	Data as of the effective date of the course (CRSE_OFFER.EFFDT) Steward: Registrar Source: PS_RQ_GRP_DETL_TBL.REQUISITE_TYPE
Course Offerings	COF Requirement	Data as of the effective date of the course (CRSE_OFFER.EFFDT) Steward: Registrar Source: PS_RQ_GRP_DETL_TBL.REQUIREMENT
Course Offerings	COF Requirement Descr	Data is completely replaced nightly, and limited to the current record. Steward: Registrar Source: PS_RQ_MAIN_TBL.DESCR
Course Offerings	COF Allow Course to be Scheduled	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SCHEDULE_COURSE
Course Offerings	COF Exam Only Course	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SSR_AC_EXAM_ONLY
Course Offerings	COF Created By User ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SCC_ROW_ADD_OPRID
Course Offerings	COF Created By User Name	Data is completely replaced nightly. Steward: Shared Source: PS_OPRDEFN.OPRDEFNDESC
Course Offerings	COF Created Date/Time	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SCC_ROW_ADD_DTTM
Course Offerings	COF Updated By User ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SCC_ROW_UPD_OPRID
Course Offerings	COF Updated By User Name	Data is completely replaced nightly. Steward: Shared Source: PS_OPRDEFN.OPRDEFNDESC
Course Offerings	COF Last Updated Date/Time	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CRSE_OFFER.SCC_ROW_UPD_DTTM
Course Offerings	COF Valid From	
Course Offerings	COF Valid To	
Requirement Usage	SKU Requirement Usage Descr	
Prerequisite or Corequisite Courses	SKP Requisite Type	
Prerequisite or Corequisite Courses	SKP Prerequisite Course ID	
Prerequisite or Corequisite Courses	SKP Requisite Catalog Nbr	
Prerequisite or Corequisite Courses	SKP Requisite Subject Code	

Class Name	Object Name	Description
Prerequisite or Corequisite	SKP Requisite Currently	
Courses	Offered	
Cross-List or Historically	SKC Also Subject Code	
Known As		
Cross-List or Historically	SKC Also Catalog Nbr	
Known As	-	
Is Prequisite for Other Course	Prequisite to Subject	
Is Prequisite for Other Course	Prequisite to Catalog Nbr	
Is Prequisite for Other Course	Is Currently Prequisite to Course	
Course Topics	COT Course Topic Descr	Data is completely replaced nightly, then history is built based on Effdt as-of-date reporting. Steward: Registrar Source: PS_CRSE_TOPICS.DESCR
Course Topics	COT Effective Date	Data is completely replaced nightly, then history is built based on Effdt as-of-date reporting. Steward: Registrar Source: PS_CRSE_TOPICS.EFFDT
Course Topics	COT Valid From	
Course Topics	COT Valid To	
Class	CS Course ID	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.CRSE_ID
Class	CS Course Offer Nbr	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.CRSE_OFFER_NBR
Class	CS Class Number	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.CLASS_NBR□
Class	CS Course ID with Term Code	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.CRSE_ID and STRM□ □ Concatenation of two fields - intended for use in subqueries to assist in identifying cross-listed courses in specific terms.
Class	CS Show in Class Search	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: If PS_TERM_VAL_TBL.SSR_SSCLS_STD_BDT (the "Show in class search" date) is in the past this is Y, else N.□ Note for DWH staff: 2/23/2017 temporarily changed from □ nvl(AISOPS.R_CLASS_TBL_D_NO_DELS.SSCLS_DT_PASSED,'-')□ while table load is corrected.

Class Name	Object Name	Description
Class	CS Academic Year	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.ACAD_YEAR Values are pre-sorted in descending order, picklist displays terms up to one year in advance of today.
Class	CS Term Code	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.STRM□ Picklists are pre-sorted in descending order.
Class	CS Term Short Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.DESCRSHORT□ Values are pre-sorted in descending order, picklist displays terms up to one year in advance of today.
Class	CS Term Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.DESCR□ Values are pre-sorted in descending order, picklist displays terms up to one year in advance of today.
Class	CS Term Category Code	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.TERM_CATEGORY
Class	CS Session Code	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SESSION_CODE□
Class	CS Session Descr	Data is as of the term begin date. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Class	CS Academic Career	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.ACAD_CAREER□
Class	CS Class Level	Class Level is a derived field that displays Lower Division, Upper Division, Graduate, or Other based on the catalog number. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_CLASS_TBL.CATALOG_NBR
Class	CS Subject Code	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SUBJECT□
Class	CS Subject Descr	Data is as of the term begin date. Steward: Registrar Source: PS_SUBJECT_TBL.DESCR
Class	CS Catalog Nbr	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.CATALOG_NBR

Class Name	Object Name	Description
Class	CS Catalog Nbr Prompt	This is the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_CLASS_TBL.CATALOG_NBR
Class	CS Catalog Nbr Sort	This is the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_CLASS_TBL.CATALOG_NBR
Class	CS Subject Catalog Nbr	This is the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Format is subject code, space, catalog number (e.g., "MATH 11A"). Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SUBJECT, PS_CLASS_TBL.CATALOG_NBR
Class	CS Subject Catalog Nbr Sort	This uses the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Format is subject code, space, catalog number (e.g., "MATH 0011A"). Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SUBJECT, PS_CLASS_TBL.CATALOG_NBR
Class	CS Subject Catalog Nbr- Section	This uses the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Format is subject code, space, catalog number, space, hyphen, space, section number (e.g., "MATH 11A-06"). Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SUBJECT, PS_CLASS_TBL.CATALOG_NBR, PS_CLASS_TBL.CLASS_SECTION
Class	CS Subject Catalog Nbr Sort- Section	This uses the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Format is subject code, space, catalog number, space, hyphen, space, section number (e.g., "MATH 0011A-06"). Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SUBJECT, PS_CLASS_TBL.CATALOG_NBR, PS_CLASS_TBL.CLASS_SECTION

Class Name	Object Name	Description
Class	CS Class Section	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.CLASS_SECTION□
Class	CS Class Title	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.DESCR□
Class	CS Class Component Code	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SSR_COMPONENT□
Class	CS Class Component Descr	Data is as of term begin date. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Class	CS Component Optional Section	Data is completely refreshed nightly. Steward: Registrar Source: PS_CLASS_COMPONENT.OPTIONAL_SECTION
Class	CS Component Final Exam	Data is completely refreshed nightly. Steward: Registrar Source: PS_CLASS_COMPONENT.FINAL_EXAM
Class	CS Enrollment Status Code	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.ENRL_STAT □
Class	CS Enrollment Status Descr	Data is as of the term begin date. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Class	CS Class Status	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.CLASS_STAT □
Class	CS Class Type Code	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.CLASS_TYPE Class Type = E (Enrollment) indicates primary classes, i.e. the sections which receive grades Class Type= N (Non-Enrollment) indicates secondary sections.

Class Name	Object Name	Description
Class	CS Class Type Descr	Data as of the term begin date. Steward: Shared Source: PSXLATITEM.XLATLONGNAME Class Type = E (Enrollment) indicates primary classes, i.e. the sections which receive grades Class Type= N (Non-Enrollment) indicates secondary sections.
Class	CS Associated Class	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.ASSOCIATED_CLASS□
Class	CS Wait List Daemon Switch	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.WAITLIST_DAEMON□
Class	CS Auto Enroll from Wait List	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.AUTO_ENRL_WAITLIST□
Class	CS Schedule Print	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SCHEDULE_PRINT□
Class	CS Type of Consent Required	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.CONSENT□
Class	CS Enrollment Capacity	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.ENRL_CAP□
Class	CS Wait List Capacity	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.WAIT_CAP□
Class	CS Minimum Enrollment Number	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.MIN_ENRL□

Class Name	Object Name	Description
Class	CS Enrollment Total	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.ENRL_TOT □
Class	CS Enrollment Total - for summing	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.ENRL_TOT
Class	CS Wait List Total	Total students on the wait list as of this date. When wait lists are purged for a term, this number becomes zero. Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.WAIT_TOT □
Class	CS Wait List Total - for summing	Total students on the wait list as of this date. When wait lists are purged for a term, this number becomes zero. Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.WAIT_TOT □
Class	CS Final Wait List Total	Total students on the wait list as of the last day of the wait list appointment. This is blank before the last day of wait listing for a term has been reached. Refreshed nightly. Steward: Registrar Source: Derived from PS_CLASS_TBL.WAIT_TOT□
Class	CS Final Wait List Total - for summing	Total students on the wait list as of the last day of the wait list appointment. This is blank before the last day of wait listing for a term has been reached. Refreshed nightly. Steward: Registrar Source: Derived from PS_CLASS_TBL.WAIT_TOT
Class	CS Wait List Max Total	Maximum number of students ever on the wait list for this class in this term at a single time. Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: Derived from PS_CLASS_TBL.WAIT_TOT □
Class	CS Wait List Max Total - for summing	Maximum number of students ever on the wait list for this class in this term at a single time. Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: Derived from PS_CLASS_TBL.WAIT_TOT □

Class Name	Object Name	Description
Class	CS Course Topic ID	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.CRS_TOPIC_ID
Class	CS Course Topic Descr	Description for this course topic ID as of the term begin date. Steward: Registrar Source: PS_CRSE_TOPICS.DESCR
Class	CS Print Topic in Schedule	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.PRINT_TOPIC□
Class	CS Department Code	Data is as of the term begin date. Steward: Registrar Source: PSTREENODE
Class	CS Department Descr	Data is as of the term begin date. Steward: Registrar Source: PSTREENODE
Class	CS Division Code	Data is as of the term begin date. Steward: Registrar Source: PSTREENODE
Class	CS Division Descr	Data is as of the term begin date. Steward: Registrar Source: PSTREENODE
Class	CS Next Student Position	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.NEXT_STDNT_POSITIN □
Class	CS EmplID	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.EMPLID
Class	CS Event ID	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.CAMPUS_EVENT_NBR
Class	CS Instruction Mode	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.INSTRUCTION_MODE
Class	CS Equivalent Course Group	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.EQUIV_CRSE_ID

Class Name	Object Name	Description
Class	CS Override Equivalent Course	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.OVRD_CRSE_EQUIV_ID□
Class	CS Requested Room Capacity	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.ROOM_CAP_REQUEST
Class	CS Start Date	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.START_DT□
Class	CS End Date	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.END_DT□
Class	CS Cancel Date	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.CANCEL_DT
Class	CS Primary Instructional Section	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.PRIM_INSTR_SECT□
Class	CS Combined Section	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.COMBINED_SECTION□
Class	CS Combined Section Descr	Description of this combined section as of the term begin date. Steward: Registrar Source: PS_SCTN_CMBND_TBL.DESCR
Class	CS Fees Exist Flag	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.FEES_EXIST□
Class	CS Course Fee Item Type	Data is completely replaced nightly. Steward: Registrar Source: PS_CRSE_SUBFEE_TBL.ITEM_TYPE
Class	CS Course Fee Trigger	Data is completely replaced nightly. Steward: Registrar Source: PS_CRSE_SUBFEE_TBL.FEE_TRIGGER
Class	CS Course Fee Flat Amount	Data is completely replaced nightly. Steward: Registrar Source: PS_CRSE_SUBFEE_TBL.FLAT_AMT

Class Name	Object Name	Description
Class	CS Course Fee Adjustment Code	Data is completely replaced nightly. Steward: Registrar Source: PS_CRSE_SUBFEE_TBL.ADJ_TERM_CD
Class	CS Course Fee Due Date Code	Data is completely replaced nightly. Steward: Registrar Source: PS_CRSE_SUBFEE_TBL.DUE_DATE_CODE
Class	CS Course Fee Waiver Group	Data is completely replaced nightly. Steward: Registrar Source: PS_CRSE_SUBFEE_TBL.WAIVER_GROUP
Class	CS Course Fee Fund Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq per keys (includes STRM), only Credit rows, and PS_CRSE_SUBFEE_TBL.STRM is between PS_GL_INTERFACE.STRM and the derived Effective Through Term. Steward: Student Business Services Source: PS_GL_INTERFACE.FUND_CODE
Class	CS Course Fee Org Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq per keys (includes STRM), only Credit rows, and PS_CRSE_SUBFEE_TBL.STRM is between PS_GL_INTERFACE.STRM and the derived Effective Through Term. Steward: Student Business Services Source: PS_GL_INTERFACE.DEPT_ID
Class	CS Course Fee Account	Data is completely replaced nightly and limited to the latest Effdt or Effseq per keys (includes STRM), only Credit rows, and PS_CRSE_SUBFEE_TBL.STRM is between PS_GL_INTERFACE.STRM and the derived Effective Through Term. Steward: Student Business Services Source: PS_GL_INTERFACE.ACCOUNT
Class	CS Course Fee Activity Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq per keys (includes STRM), only Credit rows, and PS_CRSE_SUBFEE_TBL.STRM is between PS_GL_INTERFACE.STRM and the derived Effective Through Term. Steward: Student Business Services Source: PS_GL_INTERFACE.PROJECT_ID
Class	CS Fiscal Year FWS	For non-summer terms, this is derived by adding 1 to the 4-digit Academic Year. For summer terms you will see a hyphen. Steward: Registrar Source: Derived from PS_TERM_TBL.ACAD_YEAR Values are pre-sorted in descending order, picklist displays terms up to one year in advance of today.
Class	CS Cancel if Student Enrolled	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.CNCL_IF_STUD_ENRLD□
Class	CS Room Characteristic	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_CHRSTC.ROOM_CHRSTC□
Class	CS Room Characteristic Quantity	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_CHRSTC.ROOM_CHRSTC_QUANTI
Class	CS Valid From	
0.000	CS Valid To	

Class Name	Object Name	Description
Class	CS Class Attribute	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_ATTRIBUTE.CRSE_ATTR□
Class	CS Class Attribute Value	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_ATTRIBUTE.CRSE_ATTR_VALUE□
Class	CS Class Note Nbr	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_NOTES.CLASS_NOTE_NBR
Class	CS Class Notes Long Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_NOTES.DESCRLONG
Class	CS Class Notes Table Long Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_NOTES_TBL.DESCRLONG
Class Associations	CAS Associated Class	Data is refreshed nightly. Steward: Registrar Source: PS_CLASS_ASSOC.ASSOCIATED_CLASS
Class Associations	CAS Minimum Units	Data is refreshed nightly. Steward: Registrar Source: PS_CLASS_ASSOC.UNITS_MINIMUM
Class Associations	CAS Maximum Units	Data is refreshed nightly. Steward: Registrar Source: PS_CLASS_ASSOC.UNITS_MAXIMUM
Class Associations	CAS Academic Progress Units	Data is refreshed nightly. Steward: Registrar Source: PS_CLASS_ASSOC.UNITS_ACAD_PROG
Class Associations	CAS Financial Aid Progress Units	Data is refreshed nightly. Steward: Registrar Source: PS_CLASS_ASSOC.UNITS_FINAID_PROG
Class Associations	CAS Grading Basis	Data is refreshed nightly. Steward: Registrar Source: PS_CLASS_ASSOC.GRADING_BASIS
Class Associations	CAS Grade Roster Print	Data is refreshed nightly. Steward: Registrar Source: PS_CLASS_ASSOC.GRADE_ROSTER_PRINT
Class Associations	CAS Course Component	Data is refreshed nightly. Steward: Registrar Source: PS_CLASS_ASSOC.SSR_COMPONENT
Class Associations	CAS Requirement Group Code	Data is refreshed nightly. Steward: Registrar Source: PS_CLASS_ASSOC.RQRMNT_GROUP
Class Associations	CAS Requirement Group Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_RQ_GRP_TBL.DESCR
Class Associations	CAS Also Use Catalog Requisite	Data is refreshed nightly. Steward: Registrar Source: PS_CLASS_ASSOC.USE_CATLG_RQS
Class Associations	CAS Requirement Designation	Data is refreshed nightly. Steward: Registrar Source: PS_CLASS_ASSOC.RQMNT_DESIGNTN
Class Associations	CAS General Education Code	Data is refreshed nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCR
Class Associations	CAS General Education Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCRFORMAL
Class Associations	CAS Primary Component	Data is refreshed nightly. Steward: Registrar Source: PS_CLASS_ASSOC.COMPONENT_PRIMARY
Class Instructor	CI Class/Instructor Assign Seq #	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_INSTR.INSTR_ASSIGN_SEQ

Class Name	Object Name	Description
Class Instructor	CI Instructor EmpIID	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_INSTR.EMPLID □
Class Instructor	CI Instructor Surrogate ID	This alphanumeric identifier is randomly regenerated nightly for each Emplid. It is intended to be used instead of Emplid in reports that will not include personal information, such as summary reports. Emplid, name, and other personal information should not be included in any report that uses this object.
Class Instructor	CI Instructor Full Name	Data is completely replaced nightly. Steward: Shared Source: PS_NAMES.NAME_DISPLAY current active row where NAME_TYPE = 'PRI'
Class Instructor	CI Instructor Name	Data is completely replaced nightly. Steward: Shared Source: Derived from PS_NAMES current active row where NAME_TYPE = 'PRI'; Last Name, First Initial.Middle Initial.
Class Instructor	CI Instructor CruzID	Data is completely replaced nightly. Steward: Shared Source: PS_EXTERNAL_SYSTEM.EXTERNAL_SYSTEM_ID where PS_EXTERNAL_SYSTEM.EXTERNAL_SYSTEM = 'CRZ'
Class Instructor	CI Instructor PPS ID	Data is completely replaced nightly. Steward: Shared Source: PS_EXTERNAL_SYSTEM.EXTERNAL_SYSTEM_ID where PS_EXTERNAL_SYSTEM.EXTERNAL_SYSTEM = 'PPS'
Class Instructor	CI Instructor Campus Email	Data is completely replaced nightly. Steward: Shared Source: PS_EMAIL_ADDRESSES.EMAIL_ADDR where PS_EMAIL_ADDRESSES.E_ADDR_TYPE='CAMP'
Class Instructor	CI Instructor Role	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_INSTR.INSTR_ROLE □
Class Instructor	CI Grade Roster Access	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_INSTR.GRADE_RSTR_ACCESS□
Class Instructor	CI Print Instructor in Schedule	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_INSTR.SCHED_PRINT_INSTR□
Class Instructor	CI Valid From	
Class Instructor	CI Valid To	
Facilities	CF Facility ID	Data is as of term begin date. Steward: Registrar Source: PS_FACILITY_TBL.FACILITY_ID
L		

Class Name	Object Name	Description
Facilities	CF Facility Descr	Data is as of the term begin date. Steward: Registrar Source: PS_FACILITY_TBL.DESCR
Facilities	CF Effective Date	Data is as of the term begin date. Steward: Registrar Source: PS_FACILITY_TBL.EFFDT□
Facilities	CF Effective Status	Data is as of the term begin date. Steward: Registrar Source: PS_FACILITY_TBL.EFF_STATUS
Facilities	CF Building Code	Data is as of the term begin date. Steward: Registrar Source: PS_FACILITY_TBL.BLDG_CD□
Facilities	CF Room	Data is as of the term begin date. Steward: Registrar Source: PS_FACILITY_TBL.ROOM□
Facilities	CF Room Long Descr	Data is as of the term begin date. Steward: Registrar Source: PS_FACILITY_TBL.DESCR□
Facilities	CF Room Short Descr	Data is as of the term begin date. Steward: Registrar Source: PS_FACILITY_TBL.DESCRSHORT□
Facilities	CF Facility Type Code	Data is as of the term begin date. Steward: Registrar Source: PS_FACILITY_TBL.FACILITY_TYPE □
Facilities	CF Facility Type Descr	Data is as of the term begin date. Steward: Registrar Source: PSXLATITEM.XLATLONGNAME
Facilities	CF Room Capacity	Data is as of the term begin date. Steward: Registrar Source: PS_FACILITY_TBL.ROOM_CAPACITY□
Facilities	CF General Assignment	Data is as of the term begin date. Steward: Registrar Source: PS_FACILITY_TBL.GENERL_ASSIGN
Class Final Exam	CEX Class Exam Sequence Nbr	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_EXAM.CLASS_EXAM_SEQ
Class Final Exam	CEX Exam Time Code	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_EXAM.EXAM_TIME_CODE
Class Final Exam	CEX Exam Date	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_EXAM.EXAM_DT□
Class Final Exam	CEX Start Time	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_EXAM.EXAM_START_TIME
Class Final Exam	CEX End Time	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_EXAM.EXAM_END_TIME
Class Final Exam	CEX Class Exam Type	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_EXAM.CLASS_EXAM_TYPE

Object Name	Description
CEX As Of Date	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_EXAM.AS_OF_DATE □
CMP Class Meeting Pattern Nbr	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_MTG_PAT.CLASS_MTG_NBR□
CMP Meeting Start Time	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_MTG_PAT.MEETING_TIME_START □
CMP Meeting End Time	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_MTG_PAT.MEETING_TIME_END
CMP Mon	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_MTG_PAT.MON□
CMP Tues	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_MTG_PAT.TUES□
CMP Wed	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_MTG_PAT.WED□
CMP Thurs	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_MTG_PAT.THURS□
CMP Fri	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_MTG_PAT.FRI□
CMP Sat	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_MTG_PAT.SAT□
	CEX As Of Date CMP Class Meeting Pattern Nbr CMP Meeting Start Time CMP Meeting End Time CMP Mon CMP Tues CMP Tues CMP Wed CMP Thurs

Class Name	Object Name	Description
Class Meeting Pattern	CMP Sun	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_MTG_PAT.SUN□
Class Meeting Pattern	CMP Class Days	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_MTG_PAT days of the week Y/N flags, concatenated.□
Class Meeting Pattern	CMP Start Date	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_MTG_PAT.START_DT□
Class Meeting Pattern	CMP End Date	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_MTG_PAT.END_DT□
Class Meeting Pattern	CMP Standard Meeting Pattern - Reg only	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_MTG_PAT.STND_MTG_PAT □
Class Meeting Pattern	CMP Print Topic On Transcript	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_MTG_PAT.PRINT_TOPIC_ON_XCR □
Class Meeting Pattern	CMP Valid From	
Class Meeting Pattern	CMP Valid To	
Class Reserve Capacity	CRC Reserve Capacity Sequence	Data is replaced nightly. Steward: Registrar Source: PS_CLASS_RSRV_CAP.RSRV_CAP_NBR□
Class Reserve Capacity	CRC Start Date	Data is replaced nightly. Steward: Registrar Source: PS_CLASS_RSRV_CAP.START_DT
Class Reserve Capacity	CRC Enrollment Capacity	Data is replaced nightly. Steward: Registrar Source: PS_CLASS_RSRV_CAP.ENRL_CAP□
Class Reserve Capacity	CRC Requirement Group Code	Data is replaced nightly. Steward: Registrar Source: PS_CLASS_RSRV_CAP.RQRMNT_GROUP□
Class Reserve Capacity	CRC Requirement Group Descr	Data is completely replaced nightly and is limited to the latest Effdt or Effseq Steward: Registrar Source: PS_RQ_GRP_TBL.DESCR□

Class Name	Object Name	Description
Class Reserve Capacity	CRC Reserve Group Enrollment Total	Data is replaced nightly. Steward: Registrar Source: PS_CLASS_RSRV_GRP.ENRL_TOT
Class Permissions	CPN Course ID	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_PRMSN.CRSE_ID
Class Permissions	CPN Course Offer Nbr	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_PRMSN.CRSE_OFFER_NBR
Class Permissions	CPN Term Code	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_PRMSN.STRM
Class Permissions	CPN Session Code	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_PRMSN.SESSION_CODE
Class Permissions	CPN Class Section	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_PRMSN.CLASS_SECTION
Class Permissions	CPN Class Permission Sequence	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_PRMSN.CLASS_PRMSN_SEQ
Class Permissions	CPN Class Permission Nbr	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_PRMSN.CLASS_PRMSN_NBR
Class Permissions	CPN Permission Used Code	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_PRMSN.PERMISSION_USED
Class Permissions	CPN Permission Used Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Class Permissions	CPN Student Emplid	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_PRMSN.EMPLID
Class Permissions	CPN Student Name	A concatenation of first name plus last name. Example: Sammy Slug Data is completely replaced nightly and limited to the latest Effdt. Steward: Shared Source: PS_NAMES.NAME_DISPLAY where NAME_TYPE = 'PRF' and EFF_STATUS = 'A' and EFFDT is maximum EFFDT for EMPLID and NAME_TYPE, otherwise primary name
Class Permissions	CPN Permission Type Code	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_PRMSN.PERMISSION_TYPE
Class Permissions	CPN Permission Type Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Class Permissions	CPN Permission Use Date	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_PRMSN.PERMISSION_USE_DT
Class Permissions	CPN Permission Expire Date	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_PRMSN.PRMSN_EXPIRE_DT
Class Permissions	CPN User ID	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_PRMSN.OPRID
Class Permissions	CPN Creation Date	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_PRMSN.CREATION_DT
Class Permissions	CPN Creation Time	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_PRMSN.CREATION_TIME
Class Permissions	CPN Last Update Oprid	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_PRMSN.OPRID_LAST_UPDT
Class Permissions	CPN Last Update Date Stamp	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_PRMSN.LAST_UPD_DT_STMP
Class Permissions	CPN Last Update Time Stamp	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_PRMSN.LAST_UPD_TM_STMP

Class Name	Object Name	Description
Class Permissions	CPN Set All Permissions to Issued Flag	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_PRMSN.SSR_ISSUE_FL
Class Permissions	CPN Issued By	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_PRMSN.SSR_ISSUE_OPRID
Class Permissions	CPN Issued Date	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_PRMSN.SSR_ISSUE_DT
Class Permissions	CPN Issued Time	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_PRMSN.SSR_ISSUE_TIME
Class Permissions	CPN Override Closed Class	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_PRMSN.OVRD_CLASS_LIMIT
Class Permissions	CPN Override Requisites Not Met	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_PRMSN.SSR_OVRD_REQ
Class Permissions	CPN Override Consent Required	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_PRMSN.SSR_OVRD_CONSENT
Class Permissions	CPN Override Career	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_PRMSN.OVRD_CAREER
Class Permissions	CPN SSR Override Permission Time Period	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_PRMSN.SSR_OVRD_TIME_PERD
Class Permissions	CPN Comments	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_PRMSN.DESCR50
Grade Rosters	GR Grade Roster Type Sequence Nbr	Data is completely replaced nightly. Steward: Registrar Source: PS_GRADE_RSTR_TYPE.GRD_RSTR_TYPE_SEQ□
Grade Rosters	GR Grading Status	Data is completely replaced nightly. Steward: Registrar Source: PS_GRADE_RSTR_TYPE.GRADING_STATUS□
Grade Rosters	GR Approval Status	Data is completely replaced nightly. Steward: Registrar Source: PS_GRADE_RSTR_TYPE.GR_APPROVAL_STATUS□
Grade Rosters	GR Posting Date	Data is completely replaced nightly. Steward: Registrar Source: PS_GRADE_RSTR_TYPE.POSTING_DATE
nstructor Advisor - Reg Only	IA Effective Date	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_INSTR_ADVISOR.EFFDT
nstructor Advisor - Reg Only	IA Effective Status	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_INSTR_ADVISOR.EFF_STATUS
nstructor Advisor - Reg Only	IA Academic Organization	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_INSTR_ADVISOR.ACAD_ORG
nstructor Advisor - Reg Only	IA Advisor	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_INSTR_ADVISOR.ADVISOR

Class Name	Object Name	Description
Instructor Advisor - Reg Only	IA Instructor Type	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_INSTR_ADVISOR.INSTR_TYPE
Instructor Advisor - Reg Only	IA Instructor Available	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_INSTR_ADVISOR.INSTR_AVAILABLE
Instructor Advisor - Reg Only	IA Valid From	
Instructor Advisor - Reg Only	IA Valid To	
Student Enrollment	SE Term Code	
Student Enrollment	SE Course ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.CRSE_ID
Student Enrollment	SE Class Number	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.CLASS_NBR□
Student Enrollment	SE Class Title	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_TBL.DESCR□
Student Enrollment	SE Class Level	Class Level is a derived field that displays Lower Division, Upper Division, Graduate, or Other based on the catalog number. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_CLASS_TBL.CATALOG_NBR
Student Enrollment	SE Subject	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_TBL.SUBJECT
Student Enrollment	SE Catalog Nbr	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_TBL.CATALOG_NBR
Student Enrollment	SE Catalog Nbr Prompt	This is the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_CLASS_TBL.CATALOG_NBR
Student Enrollment	SE Catalog Nbr Sort	This is the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_CLASS_TBL.CATALOG_NBR
Student Enrollment	SE Subject Catalog Nbr	This uses the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Format is subject code, space, catalog number (e.g., "MATH 11A"). Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SUBJECT, PS_CLASS_TBL.CATALOG_NBR

Class Name	Object Name	Description
Student Enrollment	SE Subject Catalog Nbr Sort	This uses the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Format is subject code, space, catalog number (e.g., "MATH 0011A"). Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SUBJECT, PS_CLASS_TBL.CATALOG_NBR
Student Enrollment	SE Subject Catalog Nbr- Section	This uses the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Format is subject code, space, catalog number, space, hyphen, space, section number (e.g., "MATH 11A-06"). Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SUBJECT, PS_CLASS_TBL.CATALOG_NBR, PS_CLASS_TBL.CLASS_SECTION
Student Enrollment	SE Subject Catalog Nbr Sort- Section	This uses the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Format is subject code, space, catalog number, space, hyphen, space, section number (e.g., "MATH 0011A-06"). Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SUBJECT, PS_CLASS_TBL.CATALOG_NBR, PS_CLASS_TBL.CLASS_SECTION
Student Enrollment	SE Class Section	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_TBL.CLASS_SECTION□
Student Enrollment	SE Class Type Code	Beginning 12/19/13, changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.CLASS_TYPE Class Type = E (Enrollment) indicates primary classes, i.e. the sections which receive grades Class Type = N (Non-Enrollment) indicates secondary sections.
Student Enrollment	SE Class Type Descr	Data is as of the term begin date. Steward: Shared Source: PSXLATITEM.XLATLONGNAME Class Type = E (Enrollment) indicates primary classes, i.e. the sections which receive grades Class Type= N (Non-Enrollment) indicates secondary sections.
Student Enrollment	SE Department Descr	Data is as of the term begin date. Steward: Registrar Source: PSTREENODE

Class Name	Object Name	Description
Student Enrollment	SE Division Descr	Data is as of the term begin date. Steward: Registrar Source: PSTREENODE
Student Enrollment	SE Class Component	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_TBL.SSR_COMPONENT □
Student Enrollment	SE Course Career	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.CRSE_CAREER □
Student Enrollment	SE Session Code	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.SESSION_CODE □
Student Enrollment	SE Student Enrollment Status Code	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.STDNT_ENRL_STATUS □
Student Enrollment	SE Student Enrollment Status Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Student Enrollment	SE Enrollment Status Reason Code	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.ENRL_STATUS_REASON
Student Enrollment	SE Enrollment Status Reason Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Student Enrollment	SE Last Enrollment Action	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.ENRL_ACTION_LAST □
Student Enrollment	SE Last Enrl Action Reason	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.ENRL_ACTN_RSN_LAST
Student Enrollment	SE Wait Position or Status Note	Data is completely replaced nightly. Steward: Registrar Source: Rank derived from PS_STDNT_ENRL.STDNT_POSITIN where ENRL_STATUS = 'W'
Student Enrollment	SE Status Date	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.STATUS_DT□
Student Enrollment	SE Enrollment Add Date	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.ENRL_ADD_DT□
Student Enrollment	SE Enrollment Drop Date	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.ENRL_DROP_DT
Student Enrollment	SE Units Taken	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.UNT_TAKEN□
Student Enrollment	SE Units Taken - for summing	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.UNT_TAKEN□

Class Name	Object Name	Description
Student Enrollment	SE Units Taken for Progress	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.UNT_PRGRSS□
Student Enrollment	SE Units Taken for Progress - for summing	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.UNT_PRGRSS□
Student Enrollment	SE Units Taken - Fin Aid Progress	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.UNT_PRGRSS_FA□
Student Enrollment	SE Units Taken - Fin Aid Progress - for summing	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.UNT_PRGRSS_FA□
Student Enrollment	SE Billing Units	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.UNT_BILLING□
Student Enrollment	SE Billing Units - for summing	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.UNT_BILLING□
Student Enrollment	SE Grading Basis	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.GRADING_BASIS_ENRL □
Student Enrollment	SE Override Grading Basis	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.OVRD_GRADING_BASIS
Student Enrollment	SE Official Grade	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.CRSE_GRADE_OFF □
Student Enrollment	SE Instructor Grade Input	Data is completely replaced nightly. Steward: Registrar Source: PS_GRADE_ROSTER.CRSE_GRADE_INPUT
Student Enrollment	SE Grade Date	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.GRADE_DT□
Student Enrollment	SE Repeat Code	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.REPEAT_CODE □
Student Enrollment	SE Repeat Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_REPEAT_CODE_TBL.DESCR
Student Enrollment	SE Repeat Date	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.REPEAT_DT
Student Enrollment	SE Class Permission Nbr	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.CLASS_PRMSN_NBR
Student Enrollment	SE Associated Class	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.ASSOCIATED_CLASS
Student Enrollment	SE Student Position	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.STDNT_POSITIN□

Class Name	Object Name	Description
Student Enrollment	SE Earn Credit	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.EARN_CREDIT
Student Enrollment	SE Include in GPA	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.INCLUDE_IN_GPA
Student Enrollment	SE Units Attempted	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.UNITS_ATTEMPTED
Student Enrollment	SE Grade Points	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.GRADE_POINTS□
Student Enrollment	SE Grade Points - for summing	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.GRADE_POINTS□
Student Enrollment	SE Financial Aid Grade Points	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.GRADE_POINTS_FA□
Student Enrollment	SE Grade Points Per Unit	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.GRD_PTS_PER_UNIT□
Student Enrollment	SE Reserve Capacity Sequence	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.RSRV_CAP_NBR□
Student Enrollment	SE Requirement Designation	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.RQMNT_DESIGNTN □
Student Enrollment	SE General Education Code	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCR
Student Enrollment	SE General Education Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCRFORMAL
Student Enrollment	SE Drop This Class if Enrolled	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.DROP_CLASS_IF_ENRL□
Student Enrollment	SE User ID	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.OPRID
Student Enrollment	SE Name of User	Data is completely replaced nightly. Steward: Registrar Source: PS_OPRDEFN.OPRDEFNDESC□
Student Enrollment	SE Notify Student of Change	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.NOTIFY_STDNT_CHNG
Student Enrollment	SE Repeat Candidate Flag	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.REPEAT_CANDIDATE
Student Enrollment	SE Valid Attempted Grade	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.VALID_ATTEMPT

Class Name	Object Name	Description
Student Enrollment	SE Grade Category	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.GRADE_CATEGORY D
Student Enrollment	SE Tuition Group	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.SEL_GROUP
Student Enrollment	SE Units Earned	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.UNT_EARNED
Student Enrollment	SE Last Update Date Stamp	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.LAST_UPD_DT_STMP
Student Enrollment	SE Last Enrollment Date Stamp	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.LAST_ENRL_DT_STMP
Student Enrollment	SE Last Drop Date Stamp	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.LAST_DROP_DT_STMP
Student Enrollment	SE Enrollment Request Source	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.ENRL_REQ_SOURCE
Student Enrollment	SE Last Enrollment Request Source	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.LAST_UPD_ENREQ_SRC
Student Enrollment	SE Related Class Nbr 1	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.RELATE_CLASS_NBR_1
Student Enrollment	SE Related Class Nbr 2	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL.RELATE_CLASS_NBR_2
Student Enrollment	SE Is ACE	Contains a "Y" for students in the ACE student group for this course in this term (otherwise it is a hyphen). Data is completely replaced nightly. Steward: Registrar Source: Derived from enrollment, class, and student groups tables.
Purged Wait List Enrollment	WL Term Code	Data is refreshed nightly until there are no rows in PS_STDNT_ENRL where STDNT_ENRL_STATUS = 'W'. At that point the wait list data for the term is frozen in the data warehouse. Data is only displayed in this folder after the purge has been done. Steward: Registrar
Purged Wait List Enrollment	WL Class Number	Data is refreshed nightly until there are no rows in PS_STDNT_ENRL where STDNT_ENRL_STATUS = 'W'. At that point the wait list data for the term is frozen in the data warehouse. Data is only displayed in this folder after the purge has been done. Steward: Registrar
Purged Wait List Enrollment	WL Course ID	Limited to the most recent data for the term. Steward: Registrar Source: PS_CLASS_TBL.CRSE_ID
	1	

Class Name	Object Name	Description
Purged Wait List Enrollment	WL Subject Catalog Nbr	This is the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Format is subject code, space, catalog number (e.g., "MATH 11A"). Limited to the most recent data for the term. Steward: Registrar Source: PS_CLASS_TBL.SUBJECT, PS_CLASS_TBL.CATALOG_NBR
Purged Wait List Enrollment	WL Class Section	Limited to the most recent data for the term. Steward: Registrar Source: PS_CLASS_TBL.CLASS_SECTION
Purged Wait List Enrollment	WL Class Component Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Purged Wait List Enrollment	WL Instructor EmpIID	Limited to the most recent data for the term. Steward: Registrar Source: PS_CLASS_INSTR.EMPLID
Purged Wait List Enrollment	WL Instructor Name	Data is completely replaced nightly. Steward: Shared Source: Derived from PS_NAMES current active row where NAME_TYPE = 'PRI'; Last Name, First Initial.Middle Initial.
Purged Wait List Enrollment	WL Instructor Role	Limited to the most recent data for the term. Steward: Registrar Source: PS_CLASS_INSTR.INSTR_ROLE =
Purged Wait List Enrollment	WL Wait Position or Status Note	Data is refreshed nightly until there are no rows in PS_STDNT_ENRL where STDNT_ENRL_STATUS = 'W'. At that point the wait list data for the term is frozen in the data warehouse. Data is only displayed in this folder after the purge has been done. Steward: Registrar Source: Rank derived from PS_STDNT_ENRL.STDNT_POSITIN.
Purged Wait List Enrollment	WL Grading Basis	Data is refreshed nightly until there are no rows in PS_STDNT_ENRL where STDNT_ENRL_STATUS = 'W'. At that point the wait list data for the term is frozen in the data warehouse. Data is only displayed in this folder after the purge has been done. Steward: Registrar Source: derived from PS_STDNT_ENRL.GRADING_BASIS_ENRL □
Enrollment Requests	ER Enrollment Req Term	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.STRM□
Enrollment Requests	ER Enrollment Request ID	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_HEADER.ENRL_REQUEST_ID
Enrollment Requests	ER Enrollment Req Process Status	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_HEADER.ENRL_REQ_PROC_ST
Enrollment Requests	ER Enrollment Request Source	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_HEADER.ENRL_REQ_SOURCE

Class Name	Object Name	Description
Enrollment Requests	ER Process Instance	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_HEADER.PROCESS_INSTANCE□
Enrollment Requests	ER Header Last Update Date/Time	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_HEADER.DTTM_STAMP_SEC
Enrollment Requests	ER Enrollment Req Detail Sequence	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.ENRL_REQ_DETL_SEQ□
Enrollment Requests	ER Course ID	Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.CRSE_ID =
Enrollment Requests	ER Class Level	Class Level is a derived field that displays Lower Division, Upper Division, Graduate, or Other based on the catalog number. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_CLASS_TBL.CATALOG_NBR
Enrollment Requests	ER Class Number	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.CLASS_NBR□
Enrollment Requests	ER Subject	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_TBL.SUBJECT□
Enrollment Requests	ER Catalog Nbr	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_TBL.CATALOG_NBR
Enrollment Requests	ER Catalog Nbr Prompt	This is the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_CLASS_TBL.CATALOG_NBR
Enrollment Requests	ER Catalog Nbr Sort	This is the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_CLASS_TBL.CATALOG_NBR
Enrollment Requests	ER Section	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_TBL.CLASS_SECTION
Enrollment Requests	ER Subject Catalog Nbr	This uses the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Format is subject code, space, catalog number (e.g., "MATH 11A"). Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SUBJECT, PS_CLASS_TBL.CATALOG_NBR

Class Name	Object Name	Description
Enrollment Requests	ER Subject Catalog Nbr Sort	This uses the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Format is subject code, space, catalog number (e.g., "MATH 0011A"). Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SUBJECT, PS_CLASS_TBL.CATALOG_NBR
Enrollment Requests	ER Subject Catalog Nbr - Section	This uses the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Format is subject code, space, catalog number, space, hyphen, space, section number (e.g., "MATH 11A - 06"). Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SUBJECT, PS_CLASS_TBL.CATALOG_NBR, PS_CLASS_TBL.CLASS_SECTION
Enrollment Requests	ER Subject Catalog Nbr Sort - Section	This uses the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Format is subject code, space, catalog number, space, hyphen, space, section number (e.g., "MATH 0011A - 06"). Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SUBJECT, PS_CLASS_TBL.CATALOG_NBR, PS_CLASS_TBL.CLASS_SECTION
Enrollment Requests	ER Action Code	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.ENRL_REQ_ACTION □
Enrollment Requests	ER Action Descr	Data is completely replaced nightly. Steward: Registrar Source: PSXLATITEM.XLATLONGNAME
Enrollment Requests	ER Action Reason Code	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.ENRL_ACTION_REASON □
Enrollment Requests	ER Action Reason Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_ENRL_RSN_TBL.DESCR
Enrollment Requests	ER Action Date	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.ENRL_ACTION_DT
Enrollment Requests	ER Units Taken	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.UNT_TAKEN□
Enrollment Requests	ER Units Earned	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.UNT_EARNED

DETAIL.REPEAT_CODE
DETAIL.CHG_TO_WL_NUM
DETAIL.OVRD_UNIT_LOAD
DETAIL.OVRD_REQUISITES

Class Name	Object Name	Description
Enrollment Requests	ER Override Career	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.OVRD_CAREER
Enrollment Requests	ER Wait List Okay	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.WAIT_LIST_OKAY □
Enrollment Requests	ER Override Action Date	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.OVRD_ENRL_ACTN_DT
Enrollment Requests	ER Override Service Indicator	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.OVRD_SRVC_INDIC
Enrollment Requests	ER Override Appointment	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.OVRD_APPT
Enrollment Requests	ER Detail Status Code	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.ENRL_REQ_DETL_STAT □
Enrollment Requests	ER Detail Status Descr	Data is completely replaced nightly. Steward: Registrar Source: PSXLATITEM.XLATLONGNAME
Enrollment Requests	ER Current Student Enrollment Status	Current enrollment status of the student in this class. Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL
Enrollment Requests	ER Requirement Designation	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.RQMNT_DESIGNTN
Enrollment Requests	ER General Education Code	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCR
Enrollment Requests	ER General Education Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_RQMNT_DESIG_TBL.DESCRFORMAL
Enrollment Requests	ER Transcript Note ID	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.TSCRPT_NOTE_ID
Enrollment Requests	ER Transcript Note Exists Flag	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.TSCRPT_NOTE_EXISTS
Enrollment Requests	ER User ID	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.OPRID
Enrollment Requests	ER Name of User	Data is completely replaced nightly. Steward: Registrar Source: PS_OPRDEFN.OPRDEFNDESC□
Enrollment Requests	ER Detail Last Update Date/Time	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.DTTM_STAMP_SEC
Enrollment Requests	ER Start Date	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.START_DT

Class Name	Object Name	Description
Enrollment Requests	ER Academic Program	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.ACAD_PROG
Change-to Class	CHG2 Class Nbr	Data is completely replaced nightly. Steward: Registrar Source: PS_ENRL_REQ_DETAIL.CLASS_NBR_CHG_TO□
Change-to Class	CHG2 Department Code	Data is completely replaced nightly. Steward: Registrar Source: PSTREENODE
Change-to Class	CHG2 Department Descr	Data is completely replaced nightly. Steward: Registrar Source: PSTREENODE
Change-to Class	CHG2 Subject Code	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_TBL.SUBJECT□
Change-to Class	CHG2 Catalog Nbr	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_TBL.CATALOG_NBR
Change-to Class	CHG2 Catalog Nbr Prompt	This is the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_CLASS_TBL.CATALOG_NBR
Change-to Class	CHG2 Catalog Nbr Sort	This is the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: Derived from PS_CLASS_TBL.CATALOG_NBR
Change-to Class	CHG2 Section	Data is completely replaced nightly. Steward: Registrar Source: PS_CLASS_TBL.CLASS_SECTION
Change-to Class	CHG2 Subject Catalog Nbr	This uses the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number. Format is subject code, space, catalog number (e.g., "MATH 11A"). Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SUBJECT, PS_CLASS_TBL.CATALOG_NBR
Change-to Class	CHG2 Subject Catalog Nbr Sort	This uses the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Format is subject code, space, catalog number (e.g., "MATH 0011A"). Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SUBJECT, PS_CLASS_TBL.CATALOG_NBR

Class Name	Object Name	Description
Change-to Class	CHG2 Subject Catalog Nbr - Section	This uses the catalog number from AIS with leading spaces trimmed off, to use in prompts or concatenations of subject with catalog number.Format is subject code, space, catalog number, space, hyphen, space, section number (e.g., "MATH 11A - 06"). Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SUBJECT, PS_CLASS_TBL.CATALOG_NBR, PS_CLASS_TBL.CLASS_SECTION
Change-to Class	CHG2 Subject Catalog Nbr Sort - Section	This uses the catalog number from AIS with leading spaces translated into zeros, to use when sorting by catalog number. Format is subject code, space, catalog number, space, hyphen, space, section number (e.g., "MATH 0011A - 06"). Data is completely replaced nightly, then history is built based on Effdt or Effseq for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SUBJECT, PS_CLASS_TBL.CATALOG_NBR, PS_CLASS_TBL.CLASS_SECTION
Change-to Class	CHG2 Course ID	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.CRSE_ID
Change-to Class	CHG2 Academic Year	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.ACAD_YEAR□ Values are pre-sorted in descending order, picklist displays terms up to one year in advance of today.
Change-to Class	CHG2 Term Code	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.STRM□ Picklists are pre-sorted in descending order.
Change-to Class	CHG2 Term Short Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.DESCRSHORT□ Values are pre-sorted in descending order, picklist displays terms up to one year in advance of today.
Change-to Class	CHG2 Term Category Code	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.TERM_CATEGORY
Change-to Class	CHG2 Session Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Change-to Class	CHG2 Class Title	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.DESCR□
Change-to Class	CHG2 Class Component Code	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.SSR_COMPONENT□

Class Name	Object Name	Description
Change-to Class	CHG2 Class Component Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Change-to Class	CHG2 Enrollment Status Code	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.ENRL_STAT □
Change-to Class	CHG2 Enrollment Status Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Change-to Class	CHG2 Class Status	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.CLASS_STAT□
Change-to Class	CHG2 Class Type Code	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.CLASS_TYPE□
Change-to Class	CHG2 Class Type Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Change-to Class	CHG2 Enrollment Capacity	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.ENRL_CAP□
Change-to Class	CHG2 Wait List Capacity	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.WAIT_CAP□
Change-to Class	CHG2 Enrollment Total	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.ENRL_TOT□
Change-to Class	CHG2 Wait List Total	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.WAIT_TOT□
Change-to Class	CHG2 Requested Room Capacity	Changes are loaded each night, creating an auditable history based on load date for as-of-date reporting. Steward: Registrar Source: PS_CLASS_TBL.ROOM_CAP_REQUEST□

Class Name	Object Name	Description
Change-to Class	CHG2 Facility Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_FACILITY_TBL.DESCR
Change-to Class	CHG2 Room Capacity	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_FACILITY_TBL.ROOM_CAPACITY
Enrollment Appointments	EA Term Code	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL_APPT.STRM □
Enrollment Appointments	EA Appointment Block	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL_APPT.SSR_APPT_BLOCK
Enrollment Appointments	EA Appointment Number	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL_APPT.APPOINTMENT_NBR □
Enrollment Appointments	EA Appointment Limit Id	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL_APPT.APPT_LIMIT_ID
Enrollment Appointments	EA Student Block	Data is completely replaced nightly. Steward: Registrar Source: PS_STDNT_ENRL_APPT.SSR_APPT_STDT_BLCK □
Enrollment Appointments	EA Start Date - Reg Only	Data is completely replaced nightly. Steward: Registrar Source: PS_APPOINTMENT_TBL.APPT_START_DATE □
Enrollment Appointments	EA Start Time - Reg Only	Data is completely replaced nightly. Steward: Registrar Source: PS_APPOINTMENT_TBL.APPT_START_TIME □
Enrollment Appointments	EA End Date - Reg Only	Data is completely replaced nightly. Steward: Registrar Source: PS_APPOINTMENT_TBL.APPT_END_DATE
Enrollment Appointments	EA End Time - Reg Only	Data is completely replaced nightly. Steward: Registrar Source: PS_APPOINTMENT_TBL.APPT_END_TIME
Enrollment Appointments	EA Appointment Block - Reg Only	Data is completely replaced nightly. Steward: Registrar Source: PS_APPOINTMENT_TBL.SSR_APPT_BLOCK
Enrollment Appointments	EA Number of Students per Appt - Reg Only	Data is completely replaced nightly. Steward: Registrar Source: PS_APPOINTMENT_TBL.SSR_APPT_NBR_STDNT□
Enrollment Appointments	EA Number of Students Assigned - Reg Only	Data is completely replaced nightly. Steward: Registrar Source: PS_APPOINTMENT_TBL.SSR_APPT_STD_ASGN□
Enrollment Messages	EM Message Set Nbr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PSMSGCATDEFN.MESSAGE_SET_NBR
Enrollment Messages	EM Message Nbr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PSMSGCATDEFN.MESSAGE_NBR

Class Name	Object Name	Description
Enrollment Messages	EM Message Text	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PSMSGCATDEFN.MESSAGE_TEXT
Enrollment Messages	EM Message Long Desc	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PSMSGCATDEFN.DESCRLONG
Enrollment Messages	EM Message Severity Code	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Shared Source: PSMSGCATDEFN.MSG_SEVERITY
Enrollment Messages	EM Message Severity Descr	Data is completely replaced nightly. Steward: Shared Source: PSXLATITEM.XLATLONGNAME
Degrees	DG Acad Career	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR.ACAD_CAREER
Degrees	DG Student Degree Nbr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR.STDNT_DEGR
Degrees	DG Degree	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR.DEGREE
Degrees	DG Degree Short Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_DEGREE_TBL.DESCRSHORT
Degrees	DG Degree Formal Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_DEGREE_TBL.DESCRFORMAL
Degrees	DG Completion Term Code	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR.COMPLETION_TERMD Picklists are pre-sorted in descending order.
Degrees	DG Completion Term Short Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.DESCRSHORT□ Values are pre-sorted in descending order, picklist displays terms up to one year in advance of today.
Degrees	DG Completion Term Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.DESCR□ Values are pre-sorted in descending order, picklist displays terms up to one year in advance of today.
Degrees	DG Completion Academic Year	The academic year in which the degree was earned; summer is a trailing term (F, W, Sp, Su). In AIS academic year is the four-digit calendar year for the fall term. Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.ACAD_YEAR
Degrees	DG Completion Academic Year - Summer Leading	The academic year in which the degree was earned; summer is a leading term (Su, F, W, Sp). In AIS academic year is the four-digit calendar year for the fall term. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TERM_TBL.ACAD_YEAR

Class Name	Object Name	Description
Degrees	DG Original Admit Term Code in Program	This is the first admit term in which the student has an application status of "Accepted" for this academic career and academic program. Data is completely replaced nightly. Steward: Admissions Source: Derived from PS_ADM_APPL_PROG.ADMIT_TERM Picklists are pre-sorted in descending order. Note: Not all admitted students have a row in PS_ADM_APPL_PROG. In those cases, a hyphen appears.
Degrees	DG Original Admit Term in Program - Academic Year	The academic year of the original admit term. In AIS academic year is the four-digit calendar year for the fall term and summer is a trailing term (F, W, Sp, Su). Data is completely replaced nightly. Steward: Registrar Source: PS_TERM_TBL.ACAD_YEAR
Degrees	DG Elapsed Terms to Degree - F W S	Data is completely replaced nightly. Steward: Registrar Source: derived from PS_ACAD_PROG□ □ This derived calculation determines the elapsed terms to degree for each Emplid and Program, by comparing the Original Admit Term (for the program) and the Degree Completion Term (for the same program) when the degree was awarded, and counts the terms in between. The count includes the Original Admit Term and the Degree Completion Term as well as all terms in between, and does not consider actual enrolled terms. Summer terms are not included in the count.□
Degrees	DG Elapsed Terms to Degree with Summer	Data is completely replaced nightly. Steward: Registrar Source: derived from PS_ACAD_PROG This derived calculation determines the elapsed terms to degree for each Emplid and Program, by comparing the Original Admit Term (for the program) and the Degree Completion Term (for the same program) when the degree was awarded, and counts the terms in between. The count includes the Original Admit Term and the Degree Completion Term as well as all terms in between, and does not consider actual enrolled terms.

Class Name	Object Name	Description
Degrees	DG Elapsed Terms to Degree - F W S - as Avg	Data is completely replaced nightly. Steward: Registrar Source: derived from PS_ACAD_PROG This derived calculation determines the elapsed terms to degree for each Emplid and Program, by comparing the Original Admit Term (for the program) and the Degree Completion Term (for the same program) when the degree was awarded, and counts the terms in between. The count includes the Original Admit Term and the Degree Completion Term as well as all terms in between, and does not consider actual enrolled terms. Summer terms are not included in the count.
Degrees	DG Elapsed Terms to Degree with Summer - as Avg	Data is completely replaced nightly. Steward: Registrar Source: derived from PS_ACAD_PROG This derived calculation determines the elapsed terms to degree for each Emplid and Program, by comparing the Original Admit Term (for the program) and the Degree Completion Term (for the same program) when the degree was awarded, and counts the terms in between. The count includes the Original Admit Term and the Degree Completion Term as well as all terms in between, and does not consider actual enrolled terms.
Degrees	DG Confer Date	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR.DEGR_CONFER_DT
Degrees	DG Education Level	Data is completely replaced nightly. Steward: Registrar Source: PS_DEGREE_TBL.EDUCATION_LVL
Degrees	DG Internal Degree	Data is completely replaced nightly. Steward: Registrar Source: PS_DEGREE_TBL.INTERNAL_DEGREE
Degrees	DG Degree Status Date	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR.DEGR_STATUS_DATE
Degrees	DG User ID	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR.OPRID
Degrees	DG Name of User	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC
Degrees	DG Cumulative Units	This is the value for cumulative units for the maximum term on a student's record for this academic career and student career number. It is not data frozen as of the time the degree was awarded. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_STDNT_CAR_TERM.TOT_CUMULATIVE
Degrees	DG Cumulative GPA	This is the value for cumulative GPA for the maximum term on a student's record for this academic career and student career number. It is not data frozen as of the time the degree was awarded. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_STDNT_CAR_TERM.CUM_GPA

Class Name	Object Name	Description
Degrees	DG UC GPA	This is the value for UC GPA for the maximum term on a student's record for this academic career and student career number. It is not data frozen as of the time the degree was awarded. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_STDNT_SPCL_GPA.LS_GPA
Degree Plan - All plan types	DP Student Career Nbr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_PLAN.STDNT_CAR_NBR
Degree Plan - All plan types	DP Academic Plan Code	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_PLAN.ACAD_PLAN
Degree Plan - All plan types	DP Academic Plan Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
Degree Plan - All plan types	DP Academic Plan Type	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.ACAD_PLAN_TYPE
Degree Plan - All plan types	DP Department Code	For plans owned by two departments, the department codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Degree Plan - All plan types	DP Department Descr	For plans owned by two departments, the department descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Degree Plan - All plan types	DP Dept 1 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Degree Plan - All plan types	DP Dept 2 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Degree Plan - All plan types	DP Dept 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Degree Plan - All plan types	DP Dept 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Degree Plan - All plan types	DP Percent Owned 1	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
Degree Plan - All plan types	DP Percent Owned 2	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.PERCENT_OWNED
Degree Plan - All plan types	DP Division Code	For plans owned by two divisions, the division codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TREENODE
Degree Plan - All plan types	DP Division Descr	For plans owned by two divisions, the division descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Degree Plan - All plan types	DP Degree Status Date	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_PLAN.DEGR_STATUS_DATE

	Object Name	Description
Degree Plan - All plan types	DP Diploma Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DIPLOMA_DESCR
Degree Plan - All plan types	DP Transcript Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.TRNSCR_DESCR
Degree Plan - All plan types	DP Honors Suffix Code	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_PLAN.HONORS_SUFFIX
Degree Plan - All plan types	DP Honors Suffix Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq. Steward: Registrar Source: PS_DEGR_HONORS_TBL.DESCR
Degree Plan - All plan types	DP User ID	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_PLAN.OPRID
Degree Plan - All plan types	DP Name of User	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC
Degree Subplan	DS Academic Subplan Code	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_SPLN.ACAD_SUB_PLAN
Degree Subplan	DS Academic Subplan Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DESCR
Degree Subplan	DS Diploma Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DIPLOMA_DESCR
Degree Subplan	DS Transcript Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.TRNSCR_DESCR
Degree Subplan	DS Subplan Sequence	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_SPLN.SUB_PLAN_SEQUENCE
Degree Subplan	DS User ID	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_SPLN.OPRID
Degree Subplan	DS Name of User	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC
Degree College	DC Student Career Nbr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_PLAN.STDNT_CAR_NBR
Degree College	DC College Code	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_PLAN.ACAD_PLAN
Degree College	DC College Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
Degree College	DC Degree Status Date	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_PLAN.DEGR_STATUS_DATE
Degree College	DC Diploma Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DIPLOMA_DESCR
Degree College	DC Transcript Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.TRNSCR_DESCR
Degree College	DC College Honors Code	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_PLAN.HONORS_SUFFIX
Degree College	DC College Honors Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_DEGR_HONORS.DESCR
Degree University Honors	DH Honors Nbr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_HONS.HONORS_NBR
Degree University Honors	DH Honors Code	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_HONS.HONORS_CODE
Degree University Honors	DH Honors Award Date	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_HONS.HONORS_AWARD_DT

Class Name	Object Name	Description
Degree University Honors	DH Honors Type	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_HONORS_TBL.HONORS_TYPE
Degree University Honors	DH Honors Descr	Data is completely replaced nightly and limited to the latest Effdt or Effseq Steward: Registrar Source: PS_DEGR_HONORS_TBL.DESCR
Degree University Honors	DH Honors Formal Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_HONORS_TBL.DESCRFORMAL
Degree Plan (Major/College) - Flattened	DPF Academic Career	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR.ACAD_CAREER
Degree Plan (Major/College) - Flattened	DPF Completion Term	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR.COMPLETION_TERM□ Picklists are pre-sorted in descending order.
Degree Plan (Major/College) - Flattened	DPF College Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_PLAN.ACAD_PLAN
Degree Plan (Major/College) - Flattened	DPF College Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
Degree Plan (Major/College) - Flattened	DPF Number of Degrees	Number of degrees per student per completion term. Can be used to verify that no student has more than the 2 degrees that this table is flattened to display. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR.STDNT_DEGR
Degree Plan (Major/College) - Flattened	DPF Degree 1	First degree (alphbetically) per student per completion term. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR.DEGREE
Degree Plan (Major/College) - Flattened	DPF Degree 1 Formal Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_DEGREE_TBL.DESCRFORMAL
Degree Plan (Major/College) - Flattened	DPF Degree 1 Number of Plans	Number of plans in the first degree (alphabetically) for a student student per completion term. Can be used to verify that no student has more than the 3 plans per degree that this table is flattened to display. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_PLAN.ACAD_PLAN
Degree Plan (Major/College) - Flattened	DPF Degree 1 Plan 1 Code	First plan (by plan sequence) for the student for their first degree in a completion term. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_PLAN.ACAD_PLAN
Degree Plan (Major/College) - Flattened	DPF Degree 1 Plan 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
Degree Plan (Major/College) - Flattened	DPF Degree 1 Plan 1 CIP Code	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.CIP_CODE
Degree Plan (Major/College) - Flattened	DPF Degree 1 Subplan 1 Code	Subplan for first plan (by plan sequence) for the student for their first degree in a completion term. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_SPLN.ACAD_SUB_PLAN
Degree Plan (Major/College) - Flattened	DPF Degree 1 Subplan 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DESCR

Class Name	Object Name	Description
Degree Plan (Major/College) - Flattened	DPF Degree 1 Plan 2 Code	Second plan (by plan sequence) for the student for their first degree in a completion term. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_PLAN.ACAD_PLAN
Degree Plan (Major/College) - Flattened	DPF Degree 1 Plan 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
Degree Plan (Major/College) - Flattened	DPF Degree 1 Plan 2 CIP Code	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.CIP_CODE
Degree Plan (Major/College) - Flattened	DPF Degree 1 Subplan 2 Code	Subplan for second plan (by plan sequence) for the student for their first degree in a completion term. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_SPLN.ACAD_SUB_PLAN
Degree Plan (Major/College) - Flattened	DPF Degree 1 Subplan 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DESCR
Degree Plan (Major/College) - Flattened	DPF Degree 1 Plan 3 Code	Third plan (by plan sequence) for the student for their first degree in a completion term. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_PLAN.ACAD_PLAN
Degree Plan (Major/College) - Flattened	DPF Degree 1 Plan 3 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
Degree Plan (Major/College) - Flattened	DPF Degree 1 Plan 3 CIP Code	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.CIP_CODE
Degree Plan (Major/College) - Flattened	DPF Degree 1 Subplan 3 Code	Subplan for third plan (by plan sequence) for the student for their first degree in a completion term. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_SPLN.ACAD_SUB_PLAN
Degree Plan (Major/College) - Flattened	DPF Degree 1 Subplan 3 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DESCR
Degree Plan (Major/College) - Flattened	DPF Degree 2	Second degree (alphbetically) per student per completion term. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR.DEGREE
Degree Plan (Major/College) - Flattened	DPF Degree 2 Formal Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_DEGREE_TBL.DESCRFORMAL
Degree Plan (Major/College) - Flattened	DPF Degree 2 Number of Plans	Number of plans in the second degree (alphabetically) for a student student per completion term. Can be used to verify that no student has more than the 3 plans per degree that this table is flattened to display. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_PLAN.ACAD_PLAN
Degree Plan (Major/College) - Flattened	DPF Degree 2 Plan 1 Code	First plan (by plan sequence) for the student for their second degree in a completion term. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_PLAN.ACAD_PLAN
Degree Plan (Major/College) - Flattened	DPF Degree 2 Plan 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
Degree Plan (Major/College) - Flattened	DPF Degree 2 Plan 1 CIP Code	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.CIP_CODE

Class Name	Object Name	Description
Degree Plan (Major/College) - Flattened	DPF Degree 2 Subplan 1 Code	Subplan for first plan (by plan sequence) for the student for their second degree in a completion term. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_SPLN.ACAD_SUB_PLAN
Degree Plan (Major/College) - Flattened	DPF Degree 2 Subplan 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DESCR
Degree Plan (Major/College) - Flattened	DPF Degree 2 Plan 2 Code	Second plan (by plan sequence) for the student for their second degree in a completion term. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_PLAN.ACAD_PLAN
Degree Plan (Major/College) - Flattened	DPF Degree 2 Plan 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
Degree Plan (Major/College) - Flattened	DPF Degree 2 Plan 2 CIP Code	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.CIP_CODE
Degree Plan (Major/College) - Flattened	DPF Degree 2 Subplan 2 Code	Subplan for second plan (by plan sequence) for the student for their second degree in a completion term. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_SPLN.ACAD_SUB_PLAN
Degree Plan (Major/College) - Flattened	DPF Degree 2 Subplan 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DESCR
Degree Plan (Major/College) - Flattened	DPF Degree 2 Plan 3 Code	Third plan (by plan sequence) for the student for their second degree in a completion term. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_PLAN.ACAD_PLAN
Degree Plan (Major/College) - Flattened	DPF Degree 2 Plan 3 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR
Degree Plan (Major/College) - Flattened	DPF Degree 2 Plan 3 CIP Code	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.CIP_CODE
Degree Plan (Major/College) - Flattened	DPF Degree 2 Subplan 3 Code	Subplan for third plan (by plan sequence) for the student for their second degree in a completion term. Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_SPLN.ACAD_SUB_PLAN
Degree Plan (Major/College) - Flattened	DPF Degree 2 Subplan 3 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_SUBPLN_TBL.DESCR
Degree Plan Flattened - Honors	DPFH College Honors Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_PLAN.HONORS_SUFFIX
Degree Plan Flattened - Honors	DPFH University Honors Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_HONS.HONORS_CODE
Degree Plan Flattened - Honors	DPFH University Honors Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_DEGR_HONORS_TBL.DESCR
Degree Plan Flattened - Honors	DPFH Degree 1 Plan 1 Dept Honors Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_PLAN.HONORS_SUFFIX
Degree Plan Flattened - Honors	DPFH Degree 1 Plan 1 Dept Honors Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_DEGR_HONORS_TBL.DESCR

Class Name	Object Name	Description
Degree Plan Flattened - Honors	DPFH Degree 1 Plan 2 Dept Honors Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_PLAN.HONORS_SUFFIX
Degree Plan Flattened - Honors	DPFH Degree 1 Plan 2 Dept Honors Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_DEGR_HONORS_TBL.DESCR
Degree Plan Flattened - Honors	DPFH Degree 1 Plan 3 Dept Honors Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_PLAN.HONORS_SUFFIX
Degree Plan Flattened - Honors	DPFH Degree 1 Plan 3 Dept Honors Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_DEGR_HONORS_TBL.DESCR
Degree Plan Flattened - Honors	DPFH Degree 2 Plan 1 Dept Honors Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_PLAN.HONORS_SUFFIX
Degree Plan Flattened - Honors	DPFH Degree 2 Plan 1 Dept Honors Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_DEGR_HONORS_TBL.DESCR
Degree Plan Flattened - Honors	DPFH Degree 2 Plan 2 Dept Honors Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_PLAN.HONORS_SUFFIX
Degree Plan Flattened - Honors	DPFH Degree 2 Plan 2 Dept Honors Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_DEGR_HONORS_TBL.DESCR
Degree Plan Flattened - Honors	DPFH Degree 2 Plan 3 Dept Honors Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_PLAN.HONORS_SUFFIX
Degree Plan Flattened - Honors	DPFH Degree 2 Plan 3 Dept Honors Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_DEGR_HONORS_TBL.DESCR
Degree Plan Flattened - Owner	DPFO Degree 1 Plan 1 Dept Code	For plans owned by two departments, the department codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Degree Plan Flattened - Owner	DPFO Degree 1 Plan 1 Dept Descr	For plans owned by two departments, the department descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Degree Plan Flattened - Owner	DPFO Degree 1 Plan 1 Division Code	For plans owned by two divisions, the division codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TREENODE
Degree Plan Flattened - Owner	DPFO Degree 1 Plan 1 Division Descr	For plans owned by two divisions, the division descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Degree Plan Flattened - Owner	DPFO Degree 1 Plan 2 Dept Code	For plans owned by two departments, the department codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Degree Plan Flattened - Owner	DPFO Degree 1 Plan 2 Dept Descr	For plans owned by two departments, the department descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL

Class Name	Object Name	Description
Degree Plan Flattened - Owner	DPFO Degree 1 Plan 2 Division Code	For plans owned by two divisions, the division codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TREENODE
Degree Plan Flattened - Owner	DPFO Degree 1 Plan 2 Division Descr	For plans owned by two divisions, the division descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Degree Plan Flattened - Owner	DPFO Degree 1 Plan 3 Dept Code	For plans owned by two departments, the department codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Degree Plan Flattened - Owner	DPFO Degree 1 Plan 3 Dept Descr	For plans owned by two departments, the department descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Degree Plan Flattened - Owner	DPFO Degree 1 Plan 3 Division Code	For plans owned by two divisions, the division codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TREENODE
Degree Plan Flattened - Owner	DPFO Degree 1 Plan 3 Division Descr	For plans owned by two divisions, the division descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Degree Plan Flattened - Owner	DPFO Degree 2 Plan 1 Dept Code	For plans owned by two departments, the department codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Degree Plan Flattened - Owner	DPFO Degree 2 Plan 1 Dept Descr	For plans owned by two departments, the department descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Degree Plan Flattened - Owner	DPFO Degree 2 Plan 1 Division Code	For plans owned by two divisions, the division codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TREENODE
Degree Plan Flattened - Owner	DPFO Degree 2 Plan 1 Division Descr	For plans owned by two divisions, the division descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL
Degree Plan Flattened - Owner	DPFO Degree 2 Plan 2 Dept Code	For plans owned by two departments, the department codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG
Degree Plan Flattened - Owner	DPFO Degree 2 Plan 2 Dept Descr	For plans owned by two departments, the department descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL

Class Name	Object Name	Description	
Degree Plan Flattened - Owner	DPFO Degree 2 Plan 2 Division Code	For plans owned by two divisions, the division codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TREENODE	
Degree Plan Flattened - Owner	DPFO Degree 2 Plan 2 Division Descr	For plans owned by two divisions, the division descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL	
Degree Plan Flattened - Owner	DPFO Degree 2 Plan 3 Dept Code	For plans owned by two departments, the department codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG	
Degree Plan Flattened - Owner	DPFO Degree 2 Plan 3 Dept Descr	For plans owned by two departments, the department descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL	
Degree Plan Flattened - Owner	DPFO Degree 2 Plan 3 Division Code	For plans owned by two divisions, the division codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TREENODE	
Degree Plan Flattened - Owner	DPFO Degree 2 Plan 3 Division Descr	For plans owned by two divisions, the division descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL	
Degree Minor - Flattened	DPM Number of Minors	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_PLAN.ACAD_PLAN	
Degree Minor - Flattened	DPM Minor 1 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_PLAN.ACAD_PLAN	
Degree Minor - Flattened	DPM Minor 2 Code	Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_DEGR_PLAN.ACAD_PLAN	
Degree Minor - Flattened	DPM Minor 1 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR	
Degree Minor - Flattened	DPM Minor 2 Descr	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_PLAN_TBL.DESCR	
Degree Minor - Flattened	DPM Department Minor 1 Code	For plans owned by two departments, the department codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG	
Degree Minor - Flattened	DPM Department Minor 2 Code	For plans owned by two departments, the department codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_ACAD_PLAN_OWNER.ACAD_ORG	
Degree Minor - Flattened	DPM Department Minor 1 Descr	For plans owned by two departments, the department descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL	
Degree Minor - Flattened	DPM Department Minor 2 Descr	For plans owned by two departments, the department descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL	

Class Name	Object Name	Description	
Degree Minor - Flattened	DPM Division Minor 1 Code	For plans owned by two divisions, the division codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TREENODE	
Degree Minor - Flattened	DPM Division Minor 2 Code	For plans owned by two divisions, the division codes are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: Derived from PS_TREENODE	
Degree Minor - Flattened	DPM Division Minor 1 Descr	For plans owned by two divisions, the division descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL	
Degree Minor - Flattened	DPM Division Minor 2 Descr	For plans owned by two divisions, the division descriptions are concatenated with a "/". Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_ORG_TBL.DESCRFORMAL	
Degree Minor - Flattened	DPM User ID	Data is completely replaced nightly. Steward: Registrar Source: PS_ACAD_DEGR_PLAN.OPRID	
Degree Minor - Flattened	DPM Name of User	Data is completely replaced nightly. Steward: Shared Source: PSOPRDEFN.OPRDEFNDESC	
Filler	F Empty Date 1	Null (empty) as a date format	
Filler	F Empty Date 2	Null (empty) as a date format	
Filler	F Empty Date 3	Null (empty) as a date format	
Filler	F Empty Date 4	Null (empty) as a date format	
Filler	F Empty Date 5	Null (empty) as a date format	
Filler	F Empty Number 1	Null (empty) as a number format	
Filler	F Empty Number 2	Null (empty) as a number format	
Filler	F Empty Number 3	Null (empty) as a number format	
Filler	F Empty Number 4	Null (empty) as a number format	
Filler	F Empty Number 5	Null (empty) as a number format	
Filler	F Empty Number as Text 1	Null (empty) as a number format but as a dimension instead of a measure	
Filler	F Empty Number as Text 2	Null (empty) as a number format but as a dimension instead of a measure	
Filler	F Hyphen Text 1	A single hyphen (instead of null or blank) as a text or character format	
Filler	F Hyphen Text 2	A single hyphen (instead of null or blank) as a text or character format	
Filler	F Hyphen Text 3	A single hyphen (instead of null or blank) as a text or character format	
Filler	F Hyphen Text 4	A single hyphen (instead of null or blank) as a text or character format	
Filler	F Hyphen Text 5	A single hyphen (instead of null or blank) as a text or character format	
Filler	F Hyphen Text 6	A single hyphen (instead of null or blank) as a text or character format	
Filler	F Hyphen Text 7	A single hyphen (instead of null or blank) as a text or character format	
Filler	F Hyphen Text 8	A single hyphen (instead of null or blank) as a text or character format	

Class Name	Object Name	Description	
Filler	F Hyphen Text 9	A single hyphen (instead of null or blank) as a text or character format	
Filler	F Hyphen Text 10	A single hyphen (instead of null or blank) as a text or character format	
Filler	F Hyphen Text 11	A single hyphen (instead of null or blank) as a text or character format	
Filler	F Hyphen Text 12	A single hyphen (instead of null or blank) as a text or character format	
Filler	F Hyphen Text 13	A single hyphen (instead of null or blank) as a text or character format	
Filler	F Hyphen Text 14	A single hyphen (instead of null or blank) as a text or character format	
Filler	F Hyphen Text 15	A single hyphen (instead of null or blank) as a text or character format	
Filler	F Number One 1	1 as a number format. Intended for counting rows, if summed.	
Filler	F Number One 2	1 as a number format. Intended for counting rows, if summed.	
Filler	F Number One 3	1 as a number format. Intended for counting rows, if summed.	
Filler	F Number One 4	1 as a number format. Intended for counting rows, if summed.	
Filler	F Number One 5	1 as a number format. Intended for counting rows, if summed.	
Filler	F Yes text	The word Yes (instead of null or blank) as a text or character format	
Filler	F No text	The word No (instead of null or blank) as a text or character format	
Filler	F Yes and No text	The word Yes, and the word No (instead of null or blank) as a text or character format. Intended for use in forced required prompts. Not for inclusion in query results or as optional prompts or two rows may result.	
TEST Req Desig Plan Codes	Requirement Usage Descr - DERIVED		
TEST Req Desig Plan Codes	Requirement		
TEST Req Desig Plan Codes	Effdt		
TEST Req Desig Plan Codes	Eff Status		
TEST Req Desig Plan Codes	Descr		
TEST Req Desig Plan Codes	Descr254a		
TEST Req Desig Plan Codes	Acad Plan Code		
TEST Req Desig Plan Codes	Acad Subplan Code		
TEST Req Desig Plan Codes	Derived Plancode		
Student ELWR	WR ELWR Satisfied At Entry	If UAD Entry Level Writing Requirement Code = E this is "Exempt - Not Required"; if UAD Entry Level Writing Requirement Code <> R this is "Satisfied at Entry"; if UAD Entry Level Writing Requirement Code = R and the student has TS Score >= 8 for TS Test ID Code AWPE and TS Data Source Code of AO or ETS and TS Test Date on or before the third week date of their admit term this is "Satisfied at Entry"; otherwise this is "Required at Entry".	

Class Name	Object Name	Description	
Student ELWR	WR How ELWR Satisfied	If the student has TS Score >= 8 for TS Test ID Code AWPE and TS Data Source Code of AO or ETS and TS Test Date on or before the third week date of their admit term this is "AWPE Exam - fall (min.8)"; if UAD Entry Level Writing Requirement Code = R and MI Milestone Code = SUBJECT A and MI Current Record = Y and MI Level Code = SATISFIED and MI Milestone Complete = Y and MA Milestone Complete = Y and MA Current Record = Y and MA How Attempted <> '-' then this is MA How Attempted Descr; if UAD Entry Level Writing Requirement Code = R and MI Milestone Code = SUBJECT A and MI Current Record = Y and MI Level Code = SATISFIED and MI Milestone Complete = Y and MA Milestone Complete = Y and MA Current Record = Y and MA How Attempted = '-' then this is "Satisfied Post-Entry - Unknown Method"; otherwise this is "Not Yet Satisfied".	
Student ELWR	DO NOT USE WR Placement Level Required	4/13/2017 There are currently students who have WR ELWR Satisfied at Entry = "Satisfied at Entry" but have a valu of "ELWR" in this column. I have emailed UA to ask if there are additional criteria that we should be looking at in AIS to determine satisfaction of writing requirements.	
Student ELWR	WR Milestone Date	This is the earliest MI Effective Date for a student where MI Milestone Code = 'SUBJECT A' and MI Level Code= 'SATISFIED' and MI Milestone Complete = 'Y'.	
Student ELWR	WR Milestone Term	If WR ELWR Satisfied at Entry = "Satisfied at Entry" then this is "Satisfied at Entry"; if WR Milestone Date is null this is '-'; if WR Milestone Date is before the first 3rd week date in AIS (4/16/2005) then this is "Before 2052"; otherwise this is the maximum non-summer term code where WR Milestone Date >= the third week date.	

Class Name	Condition Name	Description
Starting Point	Students in Term	This limits report results to only include students who are term activated in the term entered at the prompt with a term withdrawal status of "Not Withdrawn"
Starting Point	Current Record - Career from Program/Plan	
Starting Point	Career from Program/Plan As-of-Date	
Starting Point	Career from Program/Plan Maximum Sequence at End of Day	Returns the maximum effective sequence for the effective date. Can be used with 'As of Date' filter, or with manually created date filters (such as Term End Date)
Personal Data	Gender As-of-Date	
Personal Data	Current Record - Military	
Personal Data	Military As-of-Date	
Personal Data	NSC Prompt	This prompt was created for the use of the Registrar's Office. It is not intended for the use of the general campus.
Names (Point in time)	Current Record - Names	
Names (Point in time)	Name As-of Date	
Visa and Citizenship Pmt (Point in time)	Current Record - Visa	Most recent effective dated row, that is not in the future, per Person. A person can have more than one current visa type. A person may have multiple "current record" rows.
Visa and Citizenship Pmt (Point in time)	Current Record - Citizenship	
Visa and Citizenship Pmt (Point in time)	Visa As-of Date	A person can have multiple rows of visa data for the same as-of date.
Visa and Citizenship Pmt (Point in time)	Citizenship As-of Date	
Ethnicity (Point in time)	Current Record - Multi Ethnicity	
Ethnicity (Point in time)	Current Record - Primary Ethnicity	
Ethnicity (Point in time)	Multi Ethnicity As-of Date	
Residency	Current Record Per Career - Residency	This is the residency record that is valid as of today's date; it does not include residency coded for future terms. If you want to see students' residency as of the maximum effective term in their records, use the filter Maximum Residency Term Records Per Student.
Residency	Maximum Residency Term Records Per Student	Maximum effective term row for each emplid regardless of career.

Conditions Definitions

	Current Record - Sex and Gender Detail	
UGRD Admitted Students	UGRD Most Recent Admit Term in Career	If a person has more than one admit term, this filter limits the report to the most recent admit term in the career
Adm Student Milestones	Current Record - Adm Student Milestones	
Adm Student Milestones	Adm Student Milestones As-of-Date	
Adm Milestone Attempts	Current Record - Adm Milestone Attempts	
Adm Milestone Attempts	Adm Milestone Attempts As-of-Date	
UGRD Admissions Plan - All plan types	Current Record - UAPLNA Plan Descr and Owner	Current Plan Description and Plan Owner - dept or div
UGRD Admissions Plan - All plan types	UAPLNA Plan Descr and Owner As-of-Date	
UGRD Admissions Subplan	Current Record - UASBP Subplan Descr	Current Subplan Description
UGRD Admissions Subplan	UASBP Subplan Descr As-of-Date	
UGRD Admissions Plan(Major)/Subplan - Flattened	Current Record - UAPLNF Plan Descr and Owner	
UGRD Admissions Plan(Major)/Subplan - Flattened	UAPLNF Plan Descr and Owner As-of-Date	
UGRD Admission Minors - Flattened	Current Record - UGRD Adm Minor Descr and Owner	
UGRD Admission Minors - Flattened	UGRD Adm Minor Descr and Owner As-of-Date	
GRAD Admissions Program/Plan	Current Record - GRAD Admissions Program/Plan	
GRAD Admissions Program/Plan	GRAD Admissions Program/Plan As-of-Date	
GRAD Admissions Prodram/Plan	GRAD Adm Program/Plan Maximum Sequence at End of Day	Returns the maximum effective sequence for the effective date. Can be used with 'As of Date' filter, or with manually created date filters (such as Term End Date)
GRAD Admissions Plan - All plan types	Current Record - GAPLNA Plan Descr and Owner	Current Plan Description and Plan Owner - dept or div
GRAD Admissions Plan - All plan types	GAPLNA Plan Descr and Owner As-of-Date	
GRAD Admissions Subplan	Current Record - GASBP Subplan Descr	Current Subplan Description

Class Name	Condition Name	Description
GRAD Admissions Subplan	GASBP Subplan Descr As-of-Date	
GRAD Admissions Subplan - Flattened	Current Record - GAPLNF Subplan Descr	
GRAD Admissions Subplan - Flattened	GAPLNF Subplan Descr As-of-Date	
GRAD Support Offer	Current Record - GRAD Offer	
GRAD Support Offer	GRAD Offer As-of-Date	
GRAD Support Offer	Current Record - GRAD Catgs	
GRAD Support Offer	GRAD Catgs As-of-Date	
Admissions Program/Plan	Current Record - Admissions Program/Plan	
Admissions Program/Plan	Admissions Program/Plan As-of-Date	
Admissions Program/Plan	Adm Program/Plan Maximum Sequence at End of Day	Returns the maximum effective sequence for the effective date. Can be used with 'As of Date' filter, or with manually created date filters (such as Term End Date)
Admissions Plan - All plan types	Current Record - APLNA Plan Descr and Owner	Current Plan Description and Plan Owner - dept or div
Admissions Plan - All plan types	APLNA Plan Descr and Owner As-of-Date	
Admissions Subplan	Current Record - ASBP Subplan Descr	Current Subplan Description
Admissions Subplan	ASBP Subplan Descr As-of-Date	
Admissions Plan(Major)/Subplan - Flattened	Current Record - APLNF Plan Descr and Owner	
Admissions Plan(Major)/Subplan - Flattened	APLNF Plan Descr and Owner As-of-Date	
Admission Minors - Flattened	Current Record - Adm Minor Descr and Owner	
Admission Minors - Flattened	Adm Minor Descr and Owner As-of-Date	
EAD External Organizations	Primary Org Location Row	Maximum effective dated row for External Org ID.
Support Offer	Current Record - OFFER	
Support Offer	OFFER As-of-Date	
Support Offer	Current Record - CATGS	
Support Offer	CATGS As-of-Date	

Class Name	Condition Name	Description
Last School Attended	Primary School Name and Org Location Row	Maximum effective dated row for External Org ID.
Transfer Rule	Current Record - Transfer Rule	
Ext Transfer Equivalency	Current Record - Ext Trnsfr Eq	
Transfer From	Current Record - Transfer From	
Transfer To	Current Record - Transfer To	
NSLDS	Current Record - NSLDS	
NSLDS	NSLDS As-of-Date	
NSLDS	NSLDS Maximum Sequence at End of Day	Returns the maximum effective sequence for the effective date. Can be used with 'As of Date' filter, or with manually created date filters (such as Term End Date)
Student Aid Attributes	Current Record - Student Aid Attribute	
Student Aid Attributes	Student Aid Attribute As-of-Date	
Student Restricted Aid	Current Record - Student Aid Attribute	
Student Restricted Aid	Student Aid Attribute As-of-Date	
Scf Aud Apstat	Current Record - Student Aid Attribute	
Scf Aud Apstat	Student Aid Attribute As-of-Date	
Student Term Budget	Current Record - Student Aid Attribute	
Student Term Budget	Student Aid Attribute As-of-Date	
Verification	Current Record - Student Aid Attribute	
Verification	Student Aid Attribute As-of-Date	
Student FA Messages	Current Record - Student Aid Attribute	
Student FA Messages	Student Aid Attribute As-of-Date	
Student Awards	Current Record - Student Aid Attribute	
Student Awards	Student Aid Attribute As-of-Date	
Loans	Current Record - Student Aid Attribute	
Loans	Student Aid Attribute As-of-Date	
L		

Class Name	Condition Name	Description
Awards	Current Record - Student Aid Attribute	
Awards	Student Aid Attribute As-of-Date	
Student Award Activity	Action Dttm As-of-Date	returns maximum acction dttm row per Emplid, Aid Year, Career, Item Type as of the date typed in the prompt.
Item Types - FA	Current Record - Student Aid Attribute	
Item Types - FA	Student Aid Attribute As-of-Date	
Student Award Period	Current Record - Student Aid Attribute	
Student Award Period	Student Aid Attribute As-of-Date	
Student Award Period-Audit	Current Record - Student Aid Attribute	
Student Award Period-Audit	Student Aid Attribute As-of-Date	
Student Award Period-Audit	Current Record - Student Award Period Audit	
Student Award Period-Audit	Student Award Period Audit As-of Date	Capturing of history started on 6/17/2014.
Student Aggregate Life	Current Record - Student Aid Attribute	
Student Aggregate Life	Student Aid Attribute As-of-Date	
Student Packaging Variables	Current Record - Student Aid Attribute	
Student Packaging Variables	Student Aid Attribute As-of-Date	
FA Term	Current Record - Student Aid Attribute	
FA Term	Student Aid Attribute As-of-Date	
ISIR	Current Record - ISIR	
ISIR	ISIR As-of-Date	
ISIR	ISIR Maximum Sequence at End of Day	Returns the maximum effective sequence for the effective date. Can be used with 'As of Date' filter, or with manually created date filters (such as Term End Date)
ISIR	Current Record - Student Aid Attribute	
ISIR	Student Aid Attribute As-of-Date	
ISIR Reject Reason	Current Record - ISIR Reject Reason	
ISIR Reject Reason	ISIR Reject Reason As-of-Date	

Class Name	Condition Name	Description
Cal ISIR	Current Record - Cal ISIR	
Pell Reconciliation	Current Record - Pell Reconciliation	
Student Financials	Students Not In Term	This limits report results to only include persons who are not term activated in the term entered at the prompt with a term withdrawal status of "Not Withdrawn"
Athletics	Current Record - Athletics	
Athletics	Athletics As-of-Date	
Accommodation Setup	Current Record - Accommodation Setup	
Exception Data	Current Record - Exception Data	
Exception Data	Exception Data As-of Date	
Exception Directives	Current Record - Exception Directives	
Exception Directives	Exception Directives As-of Date	
Student Program/Plan	Current Record - Program/Plan	
Student Program/Plan	Program/Plan As-of-Date	
Student Program/Plan	Program/Plan As of Term (Begin Date)	This limits report results to only include the program/plan information that was in effect as of the first day of the term entered at the prompt. It is unrelated to whether the student was term activated to this term. The End of Day filter also needs to be used to limit it to the maximum effective sequence.
Student Program/Plan	Program/Plan As of Term (End Date)	This limits report results to only include the program/plan information that was in effect as of the last day of the term entered at the prompt. The End of Day filter also needs to be used to limit it to the maximum effective sequence. It is unrelated to whether the student was term activated to this term.
Student Program/Plan	Program/Plan Maximum Sequence at End of Day	Returns the maximum effective sequence for the effective date. Can be used with 'As of Date' filter, or with manually created date filters (such as Term End Date)
Plan - All plan types	Current Record - PLNA Plan Descr and Owner	Current Plan Description and Plan Owner - dept or div
Plan - All plan types	PLNA Plan Descr and Owner As-of-Date	
Subplan	Current Record - SBP Subplan Descr	Current Subplan Description

Class Name	Condition Name	Description
Subplan	SBP Subplan Descr As-of-Date	
Plan(Major)/Subplan - Flattened	Current Record - PLNF Plan Descr and Owner	
Plan(Major)/Subplan - Flattened	Plan Descr and Owner As-of-Date	
Minors - Flattened	Current Record - Minor Descr and Owner	
Minors - Flattened	Minor Descr and Owner As-of-Date	
University Honors Cutoffs	Current Record - Program Honors Cutoffs	
Transfer Course Data	Current Record - Program/Plan	
Transfer Course Data	Program/Plan As-of-Date	
Transfer Course Data	Program/Plan Maximum Sequence at End of Day	Returns the maximum effective sequence for the effective date. Can be used with 'As of Date' filter, or with manually created date filters (such as Term End Date)
Transfer Other Detail	Current Record - Program/Plan	
Transfer Other Detail	Program/Plan As-of-Date	
Transfer Other Detail	Program/Plan Maximum Sequence at End of Day	Returns the maximum effective sequence for the effective date. Can be used with 'As of Date' filter, or with manually created date filters (such as Term End Date)
Transfer Test Detail	Current Record - Program/Plan	
Transfer Test Detail	Program/Plan As-of-Date	
Transfer Test Detail	Program/Plan Maximum Sequence at End of Day	Returns the maximum effective sequence for the effective date. Can be used with 'As of Date' filter, or with manually created date filters (such as Term End Date)
Committees	Current Record - Committees	
Committees	Committees As-of-Date	
Committees	Current Record - Program/Plan	
Committees	Program/Plan As-of-Date	
Committees	Program/Plan Maximum Sequence at End of Day	Returns the maximum effective sequence for the effective date. Can be used with 'As of Date' filter, or with manually created date filters (such as Term End Date)
Student Milestones	Current Record - Student Milestones	
	1	I

Class Name	Condition Name	Description
Student Milestones	Student Milestones As-of-Date	
Student Milestones	Current Record - Program/Plan	
Student Milestones	Program/Plan As-of-Date	
Student Milestones	Program/Plan Maximum Sequence at End of Day	Returns the maximum effective sequence for the effective date. Can be used with 'As of Date' filter, or with manually created date filters (such as Term End Date)
Milestone Attempts	Current Record - Milestone Attempts	
Milestone Attempts	Milestone Attempts As-of-Date	
Milestone Attempts	Current Record - Program/Plan	
Milestone Attempts	Program/Plan As-of-Date	
Milestone Attempts	Program/Plan Maximum Sequence at End of Day	Returns the maximum effective sequence for the effective date. Can be used with 'As of Date' filter, or with manually created date filters (such as Term End Date)
Course	Current Record - Course	
Course	Course As-of-date	
Course Offerings	Current Record - Course Offerings	
Course Offerings	Course Offerings As-of-date	
Course Topics	Current Record - Course Topics	
Course Topics	Course Topics As-of-date	
Class	Current Record - Class	
Class	Class As-of-Date	
Class Instructor	Current Record - Class Instructor	
Class Instructor	Class Instructor As-of-Date	
Facilities	Current Record - Class Meeting Pattern	
Facilities	Class Meeting Pattern As-of-Date	
Class Meeting Pattern	Current Record - Class Meeting Pattern	
Class Meeting Pattern	Class Meeting Pattern As-of-Date	
Instructor Advisor - Reg Only	Current Record - Instructor Advisor	

Class Name	Condition Name	Description
Instructor Advisor - Reg Only	Instructor Advisor As-of-date	
Degree Plan - All plan types	Current Record - DP Plan Descr and Owner	
Degree Plan - All plan types	DP Plan Descr and Owner As-of-Date	
Degree Subplan	Current Record - Subplan Descr	
Degree Subplan	Subplan Descr As-of-Date	
Degree Plan Flattened - Owner	Current Record - DPF Plan Descr and Owner	
Degree Plan Flattened - Owner	DPF Plan Descr and Owner As-of-Date	
Degree Minor - Flattened	Current Record - DMF Minor Descr and Owner	