

Folder	Object	Description
	Position	PS_POSITION_DATA is a lookup containing information for position management. Positions are effective dated and each position has unique position number. Positions include attributes such as the business unit, jobcode, union code, FLSA Status, salary plan, salary grade and UC employee relation code. All position attributes carry over to the job associated with a given position.
Position	Position Details	Position details contains objects that represent data associated with the Position.
Position/Position Details	PS Position Nbr	POSITION_NBR is an alphanumeric value indicating the identifier for an approved position to which an employee is appointed.
Position/Position Details	PS Count Positions	POSITION_NBR is an alphanumeric value indicating the identifier for an approved position to which an employee is appointed.
Position/Position Details	PS Dept Id	DEPTID is a unique identifier for a position that differentiates the administrative unit by HR Business that has coordinating responsibility and/or pay disposition for a person's employment.
Position/Position Details	PS Position Jobcode	PS Position Jobcode
Position/Position Details	PS Position Description	DESCR is the 30-character text that Indicates the long description of the annual benefits base rate code.
Position/Position Details	PS Position Nbr and Desc	POSITION_NBR is an alphanumeric value indicating the identifier for an approved position to which an employee is appointed.
Position/Position Details/PS Position Nbr and Desc	PS Position Desc Short	DESCRSHORT is the 10-character text that describes the annual benefits base rate code. 162085849
Position/Position Details	PS Position Eff Dt	EFFDT denotes when the transaction became or becomes formally active or operational.
Position/Position Details	PS FTE	FTE is a numeric value indicating the percentage of the full-time equivalence of a position.
Position/Position Details	PS Full or Part Time	FULL_PART_TIME is a single character alphanumeric value indicating whether a position is Fixed ' X, Not Applicable ' F or Variable ' V.
Position/Position Details	PS Perm or Temp	REG_TEMP is a single character alphanumeric value indicating whether the position is permanent or temporary.
Position/Position Details	PS Action Cd	ACTION is a code that identifies the action to update an employee's job or employment information.
Position/Position Details	PS Action Desc	ACTION_DESCR is the 50-character text that describes an action to an employee's job or employment information.
Position/Position Details	PS Action and Desc	ACTION is a code that identifies the action to update an employee's job or employment information.

Folder	Object	Description
Position/Position Details	PS Action Dt	ACTION_DT is a full calendar date including day, month and year indicating when the department budget entry was created.
Position/Position Details	PS Action Eff Dt	EFFDT denotes when the transaction became or becomes formally active or operational.
Position/Position Details	PS Action Reason Cd	ACTION_REASON denotes why an employee's job or employment information is updated.
Position/Position Details	PS Action Reason Desc	DESCR is the 30-character text that Indicates the long description of the annual benefits base rate code.
Position/Position Details	PS Action Reason Short	ACTION_DESCRSHORT is the 30-character text that describes an action to an employee's job or employment information.
Position/Position Details	PS Action Reason and Desc	ACTION_REASON denotes why an employee's job or employment information is updated.
Position/Position Details/PS Action Reason and Desc	PS Action Reason Eff Dt	EFFDT denotes when the transaction became or becomes formally active or operational.
Position/Position Details/PS Action Reason and Desc	PS Action Reason Short	DESCRSHORT is the 10-character text that describes the annual benefits base rate code.
Position/Position Details/PS Action Reason and Desc	PS Action Reason Ownerid	OBJECTOWNERID is an alphanumeric value that represents the PeopleSoft owner id of an object.
Position/Position Details	PS Class Ind	CLASS_INDC is a single character alphanumeric value indicating the FTE Classification.
Position/Position Details	PS Class Desc Full	Full description of the Class Ind code returns values like: All, Not Applicable, Temporary, Unclassified, Professional & Support Staff, Management & Sr Professional, Senior Management Group, Academic, PSS (A&PS - Grandfathered), LBNL Academic, LBNL Staff)
Position/Position Details	PS Class Desc Short	Short description of the Class Ind code returns values like: All, N/A, Temporary, Unclassifd, PSS, MSP, SMG, Academic, PSS-APS, LBNL Acad, LBNL Staff
Position/Position Details	PS Sal Admin Plan Cd	SAL_ADMIN_PLAN is an alphanumeric value indicating the salary for the grade, step, or half-step an employee holds in association to their job.
Position/Position Details	PS Sal Admin Plan Desc	DESCR is the 30-character text that Indicates the long description of the annual benefits base rate code.
Position/Position Details/PS Sal Admin Plan Desc	PSA Sal Eff Dt	EFFDT denotes when the transaction became or becomes formally active or operational.
Position/Position Details/PS Sal Admin Plan Desc	PSA Sal Admin Plan	SAL_ADMIN_PLAN is an alphanumeric value indicating the salary for the grade, step, or half-step an employee holds in association to their job.

Folder	Object	Description
Position/Position Details/PS Sal Admin Plan Desc	PSA Sal Desc Short	DESCRSHORT is the 10-character text that describes the annual benefits base rate code.
Position/Position Details/PS Sal Admin Plan Desc	PSA Sal Descr-254	DESCR254 Indicates the 254-character long description of the person of interest history information section.
Position/Position Details	PS Grade	GRADE is an alphanumeric value indicating the salary grade associated with a position and/or a job.
Position/Position Details	PS Grade Desc	DESCR is the 30-character text that Indicates the long description of the annual benefits base rate code.
Position/Position Details/PS Grade Desc	PSG Eff Dt	EFFDT denotes when the transaction became or becomes formally active or operational.
Position/Position Details/PS Grade Desc	PSG Salary Grade Desc Short	DESCRSHORT is the 10-character text that describes the annual benefits base rate code.
Position/Position Details	Grade Ranges	PS_SAL_GRADE_TBL is the reference table for salary ranges. The minimum, midpoint, and maximum salary are used to calculate comp ratio and percent of range. Several edits are done in the system to warn that an employee is over the maximum or under the minimum for their salary grade.
Position/Position Details/Grade Ranges	PSG Salary Grade and Desc	GRADE is an alphanumeric value indicating the salary grade associated with a position and/or a job.
Position/Position Details/Grade Ranges	PSG Salary Admin Plan	SAL_ADMIN_PLAN is an alphanumeric value indicating the salary for the grade, step, or half-step an employee holds in association to their job.
Position/Position Details/Grade Ranges	PSG Salary Matrix Cd	TBD
Position/Position Details/Grade Ranges	PSG Min Rt Hourly	TBD
Position/Position Details/Grade Ranges	PSG Mid Rt Hourly	TBD
Position/Position Details/Grade Ranges	PSG Max Rt Hourly	TBD
Position/Position Details/Grade Ranges	PSG Min Rt Daily	TBD
Position/Position Details/Grade Ranges	PSG Mid Rt Daily	TBD
Position/Position Details/Grade Ranges	PSG Max Rt Daily	TBD
Position/Position Details/Grade Ranges	PSG Min Rt Monthly	TBD
Position/Position Details/Grade Ranges	PSG Mid Rt Monthly	TBD
Position/Position Details/Grade Ranges	PSG Max Rt Monthly	TBD

Folder	Object	Description
Position/Position Details/Grade Ranges	PSG Min Rt Annual	TBD
Position/Position Details/Grade Ranges	PSG Mid Rt Annual	TBD
Position/Position Details/Grade Ranges	PSG Max Rt Annual	TBD
Position/Position Details/Grade Ranges	PSG Step Increm Type	TBD
Position/Position Details/Grade Ranges	PSG Step Increm Accum	TBD
Position/Position Details/Grade Ranges	PSG Labor Agreement	TBD
Position/Position Details/Grade Ranges	PSG Empl Ctg	TBD
Position/Position Details/Grade Ranges	PSG Empl Ctg L1	TBD
Position/Position Details/Grade Ranges	PSG Empl Ctg L2	TBD
Position/Position Details/Grade Ranges	PSG Min Yrs Grade	TBD
Position/Position Details/Grade Ranges	PSG Max Yrs Grade	TBD
Position/Position Details/Grade Ranges	PSG Min Grd Age	
Position/Position Details/Grade Ranges	PSG Review Count	TBD
Position/Position Details/Grade Ranges	PSG Eligibility Points	TBD
Position/Position Details/Grade Ranges	PSG Regulatory Region	REG_REGION is an alphanumeric value indicating the governing region where there are specific laws and regulations.
Position/Position Details	PS Step	STEP is a numerical value indicating the pay rate and the order in which pay rates progress.
Position/Position Details	PS Step Desc	STEP_DESCR is the 30-character text that describes a salary step.
Position/Position Details/PS Step Desc	PSS Eff Dt	EFFDT denotes when the transaction became or becomes formally active or operational.
Position/Position Details	Step Details	PS_SAL_STEP_TBL is used to store the salary for each step when multi-step grade is used. The control flag for multi-step grade is found on the Installation record. When it is set to 'Yes', employees salaries are automatically set to the one stored on this table for their Salary Administration Plan, Grade, and Step.
Position/Position Details/Step Details	PSS Step Sal Admin Plan	SAL_ADMIN_PLAN is an alphanumeric value indicating the salary for the grade, step, or half-step an employee holds in association to their job.

Folder	Object	Description
Position/Position Details/Step Details	PSS Step Grade	GRADE is an alphanumeric value indicating the salary grade associated with a position and/or a job.
Position/Position Details/Step Details	PSS Rate Daily	DAILY_RT indicates the currency value of the full-time daily salary.
Position/Position Details/Step Details	PSS Rate Hourly	HOURLY_RT is a currency value indicating the hourly pay rate for an employee on a job.
Position/Position Details/Step Details	PSS Rate Monthly	MONTHLY_RT indicates the full-time monthly salary.
Position/Position Details/Step Details	PSS Rate Annual	ANNUAL_RT indicates the currency value of the full-time annual salary.
Position/Position Details/Step Details	PSS Incr Months	TBD
Position/Position Details/Step Details	PSS Incr Hours	TBD
Position/Position Details	PS Barg Unit Cd (Restricted Access)	COMPANY is a code which identifies the enterprise associated with the Savings Balances by EMPLID.
Position/Position Details	PS Barg Unit Desc (Restricted Access)	DESCR is the 30-character text that Indicates the long description of the annual benefits base rate code.
Position/Position Details/PS Barg Unit Desc (Restricted Access)	PUN Eff Dt	EFFDT denotes when the transaction became or becomes formally active or operational. Any table with effective date may contain historical, current, and future information.
Position/Position Details/PS Barg Unit Desc (Restricted Access)	PUN Union Desc Short	DESCRSHORT is the 10-character text that describes the annual benefits base rate code.
Position/Position Details	Bargaining Unit Details (Restricted Access)	PS_UNION_TBL is used to identify unions your company deals with. It may have a subordinate record in the UNION_ERNCD_TBL to record the pay earnings codes (for payroll processing) that are valid for members of a particular union. There may be multiple UNION_TBL records for a union, each with a unique effective date.
Position/Position Details/Bargaining Unit Details (Restricted Access)	PUN Barg Unit	BARG_UNIT identifies the local bargaining unit that represents this union.
Position/Position Details/Bargaining Unit Details (Restricted Access)	PUN Contract Begin Dt	CONTRACT_BEGIN_DT is a full calendar date including day, month and year that identifies the first day of the current bargaining unit contract.
Position/Position Details/Bargaining Unit Details (Restricted Access)	PUN Contract End Dt	CONTRACT_END_DT is a full calendar date including day, month and year that identifies the last day of the current bargaining unit contract.

Folder	Object	Description
Position/Position Details/Bargaining Unit Details (Restricted Access)	PUN Union Local Flg	UNION_LOCAL_FLG denotes if the union is represented by a local bargaining unit.
Position/Position Details/Bargaining Unit Details (Restricted Access)	PUN Contact Name	CONTACT_NAME is an alphanumeric value indicating the full name of the emergency contact person, containing First Name and Last Name.
Position/Position Details/Bargaining Unit Details (Restricted Access)	PUN Union Steward Name	UNION_STEWARD_NAME identifies the name of the person who serves as the liaison between the UC organization and the union.
Position/Position Details/Bargaining Unit Details (Restricted Access)	PUN Certified	CERTIFIED flag is set when the union is certified. Certification means that a labor administration board formally recognizes the union as the bargaining unit's exclusive representative.
Position/Position Details/Bargaining Unit Details (Restricted Access)	PUN Closed Shop	CLOSED_SHOP flag is set when the union is a closed shop. This usually means that individuals can't work for a company within the represented worker class unless they agree to pay the equivalent dues to the union.
Position/Position Details/Bargaining Unit Details (Restricted Access)	PUN Disability Ins	DISABILITY_INS indicates whether the union provides disability insurance for its members.
Position/Position Details/Bargaining Unit Details (Restricted Access)	PUN FICA Pickup	TBD
Position/Position Details/Bargaining Unit Details (Restricted Access)	PUN Life Ins	LIFE_INS indicates whether the union provides life insurance for its members.
Position/Position Details/Bargaining Unit Details (Restricted Access)	PUN Sick Plan	SICK_PLAN indicates the sick leave code that the union offers to its members.
Position/Position Details/Bargaining Unit Details (Restricted Access)	PUN Vacation Plan	VACATION_PLAN indicates the vacation code that the union offers to its members.
Position/Position Details/Bargaining Unit Details (Restricted Access)	PUN Callback Min Hours	CALLBACK_MIN_HOURS indicates the minimum hours per day for which bargaining unit members get paid if they are called in to a job. .

Folder	Object	Description
Position/Position Details/Bargaining Unit Details (Restricted Access)	PUN Callback Rate	CALLBACK_RATE indicates the pay rate for which a bargaining unit members get paid if they are called in to a job.
Position/Position Details/Bargaining Unit Details (Restricted Access)	PUN Retmt Pickup Pct	RETMT_PICKUP_PCT indicates the retirement pickup percent for bargaining unit members' retirement plan under the contract.
Position/Position Details/Bargaining Unit Details (Restricted Access)	PUN SDI Admin Pct	SDI_ADMIN_PCT indicates the percent amount paid to the state disability insurance.
Position/Position Details/Bargaining Unit Details (Restricted Access)	PUN Std Hours	STD_HOURS is a numeric value indicating the hours worked in the associated work period for this position. For example, if the Work Period is weekly, the Standard Hours might be 40.00.
Position/Position Details/Bargaining Unit Details (Restricted Access)	PUN Work Day Hours	WORK_DAY_HOURS is the number of hours an employee is scheduled to work on a normal day which is used to calculate the FLSA Basic Rate Formula.
Position/Position Details	PS Confidential Posn	CONFIDENTIAL_POSN is a single character alphanumeric value indicating if the position is confidential.
Position/Position Details	PS EG Group	EG_GROUP in PS_PER_ORG_ASG_HP is not in use in UC HCM.
Position/Position Details	PS FLSA Status	FLSA_STATUS is a single character alphanumeric value indicating whether a position is exempt, nonexempt or no Fair Labor Standards Act Status required.
Position/Position Details	PS Adds To FTE Actual	ADDS_TO_FTE_ACTUAL is a single character alphanumeric value (Y/N) indicating that this position is to be included when processing FTE edits for budgeting purposes.
Position/Position Details	PS Job Share	JOB_SHARE is a single character alphanumeric value indicating whether job sharing is permitted for this position.
Position/Position Details	PS Key Position	KEY_POSITION is a single character alphanumeric value indicating whether this is a key position.
Position/Position Details	PS Manager Level	TBD
Position/Position Details	PS Max Head Count	MAX_HEAD_COUNT is a numeric value indicating the maximum number of employees permitted for a position.
Position/Position Details	PS Work Study Pool Id	POSITION_POOL_ID is an alphanumeric value that identifies groups of positions for budgeting purposes associated with the amounts encumbered and paid against the budget.

Folder	Object	Description
Position/Position Details	PS Reports To Dept Id	REPORTS_TO position number is an alphanumeric value indicating the position number, title, and name of the manager associated with this position.
Position/Position Details	PS Reports To Emplid	Position Reports-to Employee Id
Position/Position Details	PS Reports To Cruz Id	Position Reports-to CRUZ Id
Position/Position Details	PS Reports To Empl Rcd	Position Reports-to Employee RCD
Position/Position Details	PS Reports To Employee Name	Position Report-To Employee Name
Position/Position Details/PS Reports To Employee Name	PS Reports To Pos Descripton	Position Reports-To Position description
Position/Position Details/PS Reports To Employee Name	PS Reports To Pos Descrshort	Position Reports-To Position short description
Position/Position Details	PS Reports To Posn	REPORTS_TO position number is an alphanumeric value indicating the position number, title, and name of the manager associated with this position.
Position/Position Details	PS Seasonal	SEASONAL in PS_POSITION_DATA is not in use in UC HCM.
Position/Position Details	PS Status	POSN_STATUS is a single character alphanumeric value indicating when the position is approved, frozen, or proposed.
Position/Position Details	PS Status Dt	STATUS_DT is a full calendar date including day, month and year indicating when the status of the JPM Profile has changed.
Position/Position Details	PS Shift	SHIFT is a single character alphanumeric value indicating the abbreviation of the worker's shift type associated with the earnings distribution.
Position/Position Details	PS Supv Lvl Id	SUPV_LVL_ID is an alphanumeric value indicating the supervisor level of the person associated with this job.
Position/Position Details	PS Training Program	TRN_PROGRAM is an alphanumeric unique identifier used to identify a UC training program.
Position/Position Details	PS Update Incumbents	UPDATE_INCUMBENTS is a single character alphanumeric value indicating that information about the Position has changed. 20190826 - Hidden per KR request
Position/Position Details	PS Position Filled Ind	Is position filled?
Position/Position Details	PS Current Record Ind	Current Record indicator, 'Y' = Current Record, 'N' - Not Current
Position/Position Details	PS Current or Future	Returns "Current" for Current rows and "Future" for NON-Current Future Position data and 'Non-Current' for Non-Current Past positions

Folder	Object	Description
Position/Position Details/Unused and Hidden Objects Holding area/Address - NOT USED	PUN Phone (Restricted Access)	PHONE is an alphanumeric value indicating the phone number for a person or organization.
Position/Position Details/Unused and Hidden Objects Holding area/Address - NOT USED/PUN Phone (Restricted Access)	PUN Country Code (Restricted Access)	COUNTRY_CODE is an alphanumeric value indicating the telephone code used when making a call to a given country.
Position	Position Funding Entry	Position Funding Entry contains objects that describe how the Position is funded.
Position/Position Funding Entry	Position Funding Earnings	DEPT_BUDGET_ERN contains the Earnings Distributions to Accounts for each of the specified Department Budget Levels. The granularity options include Department, Position Pool, Position Number, Job Code, Appointment, Earn Code, Empl ID and Empl Record. Each Expense can be budgeted differently and sequence numbers can be used to specify priority in the accounts to be charged. For each budget level record there will always be at least one default earnings distribution row.
Position/Position Funding Entry/Position Funding Earnings	PE Dept Id	DEPTID is a unique identifier for a position that differentiates the administrative unit by HR Business that has coordinating responsibility and/or pay disposition for a person's employment.
Position/Position Funding Entry/Position Funding Earnings	PE Position Nbr	POSITION_NBR is an alphanumeric value indicating the identifier for an approved position to which an employee is appointed.
Position/Position Funding Entry/Position Funding Earnings	PE Fiscal Year	FISCAL_YEAR identifies the specific accounting period, such as fiscal year 2012.
Position/Position Funding Entry/Position Funding Earnings	PE Earnings Cd	ERNCD is an alphanumeric code indicating how to compensate an employee. Known previously as the DOS code.
Position/Position Funding Entry/Position Funding Earnings	PE Earnings Desc	DESCR is the 30-character text that describes the annual benefits base rate code.

Folder	Object	Description
Position/Position Funding Entry/Position Funding Earnings/PE Earnings Desc	PE Lookup Erncd	Erncd from the lookup table. This object is useful for getting a Complete list of erncodes and Descriptions.
Position/Position Funding Entry/Position Funding Earnings	PE Eff Seq	EFFSEQ is a numeric value indicating the sequence of multiple transactions for an employee on a job.
Position/Position Funding Entry/Position Funding Earnings	PE Funding Eff Dt	EFFDT denotes when the transaction became or becomes formally active or operational.
Position/Position Funding Entry/Position Funding Earnings	PE Funding End Dt	Date taht funding ends
Position/Position Funding Entry/Position Funding Earnings	PE Dist Pct	DIST_PCT is decimal value value indicating the percentage of the distribution of the employer paid deductions impact on department budgets.
Position/Position Funding Entry/Position Funding Earnings	PE Pct of Pay	JOB FTE * DIST_PCT is decimal value value indicating the percentage of the distribution of the employer paid deductions impact on department budgets.
Position/Position Funding Entry/Position Funding Earnings	PE Budget Amt	BUDGET_AMT is a currency value indicating the fiscal year budget amount of deductions distributions to accounts for each of the specified department budget levels.
Position/Position Funding Entry/Position Funding Earnings	PE Acct Cd	ACCT_CD field is an alphanumeric unique value of the combination code used on the chartfield transaction table.
Position/Position Funding Entry/Position Funding Earnings	PE Budget Seq	BUDGET_SEQ is a numeric value indicating the sequence of the deductions distributions to accounts for each of the specified department budget levels.
Position/Position Funding Entry/Position Funding Earnings	PE GL Pay Type	GL_PAY_TYPE is an alphanumeric value indicating the general ledger pay type to override the GL pay type on job data.
Position/Position Funding Entry/Position Funding Earnings	PE HP Excess	HP_EXCESS is a single character alphanumeric value indicating whether to enable the encumbrance and actuals processes to continue to post transactions to a combination code even when the budget cap has been exceeded.

Folder	Object	Description
Position/Position Funding Entry/Position Funding Earnings	PE HP Used Distribution	HP_USED_DISTRIBUTN is a single character alphanumeric value indicating whether a budget has been used.
Position/Position Funding Entry/Position Funding Earnings	PE HP Fringe Group	HP_FRINGE_GROUP is a alphanumeric value indicating a group of fringe expenses to exclude from funding from the earnings combination code.
Position/Position Funding Entry/Position Funding Earnings	PE HP Redirect Acct	HP_REDIRECT_ACCT is an alphanumeric value indicating a combination code specified for a fringe group.
Position/Position Funding Entry/Position Funding Earnings	PE Current Record	Current record indicator for R_DEPT_BUDGET_ERN rows.
Position/Position Funding Entry/Position Funding Earnings	PE Current or Future	Current or Future record indicator for R_DEPT_BUDGET_ERN rows. When CURRENT_RECORD = Y this evaluated to "Current". When CURRENT_RECORD = N AND EFFDT > today() then this evaluates to "Future". When CURRENT_RECORD = N AND EFFDT <= today() then this evaluates to "Expired" all else "Unfunded"
Position/Position Funding Entry/Position Funding Earnings	PE Max Effseq	Max effective sequence for a position funding entry
Position/Position Funding Entry/Position Funding Earnings	PE Max Effdt	Maximum effective date for a funding entry
Position/Position Funding Entry/Position Funding Earnings	PE UC Dept Budget	
Position/Position Funding Entry/Position Funding Earnings/PE UC Dept Budget	PE UC Effdt	
Position/Position Funding Entry/Position Funding Earnings/PE UC Dept Budget	PE UC Effseq	

Folder	Object	Description
Position/Position Funding Entry/Position Funding Earnings/PE UC Dept Budget	PE UC Eff Status	
Position/Position Funding Entry/Position Funding Earnings/PE UC Dept Budget	PE UC Action Dt	
Position/Position Funding Entry/Position Funding Earnings/PE UC Dept Budget	PE UC Appr Status	
Position/Position Funding Entry/Position Funding Earnings/PE UC Dept Budget	PE UC Bdgt Level Ind	
Position/Position Funding Entry/Position Funding Earnings/PE UC Dept Budget	PE UC Flag	
Position/Position Funding Entry/Position Funding Earnings/PE UC Dept Budget	PE UC Request Id	
Position/Position Funding Entry/Position Funding Earnings/PE UC Dept Budget	PE UC Current Record	
Position/Position Funding Entry/Position Funding Earnings	Count Funding Entries	Count of unique Position Nbr in the Position Funding structure
Position/Position Funding Entry	Position Funding COA (FOAPAL)	These are the Banner COA tables. The Appt/Dist rows contain the Banner FOAPAL against which payroll expense is recorded. You can add the titles from the various COA tables (org, fund, account,etc) into your query to make the resulting report more user friendly.

Folder	Object	Description
Position/Position Funding Entry/Position Funding COA (FOAPAL)	PF Funding Fiscal Yr	FISCAL_YEAR identifies the specific accounting period, such as fiscal year 2012.
Position/Position Funding Entry/Position Funding COA (FOAPAL)	PF Org Code	ORGANIZATION CODE: Identifies the individual organization code which appears on a transaction.
Position/Position Funding Entry/Position Funding COA (FOAPAL)	PF Org Title	TITLE: The hierarchy description or title appropriate for this level.
Position/Position Funding Entry/Position Funding COA (FOAPAL)	PF Division	For Academic or Multi-Campus Research units, this object displays the Org Level 3 title from the employee distribution. For Academic Support units, this object displays the Org Level 2 title from the employee distribution.
Position/Position Funding Entry/Position Funding COA (FOAPAL)	PF Org Heirarchy	The Org Hierarchy class is a "flattened" version of the Banner organization hierarchy. This new hierarchy class permits reporting on all 8 levels of the hierarchy, including service center hierarchies that have varying data entry levels. By including org codes and title from the various levels into a query and setting a condition on the desired level of reporting, hierarchical reports can be created very rapidly. Download the query/report DWFHCORG from the repository to g
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Org Heirarchy	PF Org Code and Title	This object combines the ORG Code - ORG TITLE which is the code and the hierarchy description or title appropriate for this level.
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Org Heirarchy	PF Org Lvl 1 Code	ORGANIZATION LVL 1 CODE: Identifies the individual organization code which appears on a transaction.

Folder	Object	Description
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Org Heirarchy	PF Org Lvl 1 Title	ORGANZATION LVL 1 TITLE: Identifies the individual organization name which appears on a transaction.
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Org Heirarchy	PF Org Lvl 1 Code and Title	This object combines the LEVEL 1 ORG Code - ORG TITLE which is the code and the hierarchy description or title appropriate for this level.
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Org Heirarchy	PF Org Lvl 2 Code	ORGANZATION LVL 2 CODE: Identifies the individual organization code which appears on a transaction.
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Org Heirarchy	PF Org Lvl 2 Title	ORGANZATION LVL 2 TITLE: Identifies the individual organization name which appears on a transaction.
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Org Heirarchy	PF Org Lvl 2 Code and Title	This object combines the LEVEL 2 ORG Code - ORG TITLE which is the code and the hierarchy description or title appropriate for this level.
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Org Heirarchy	PF Org Lvl 3 Code	ORGANZATION LVL 3 CODE: Identifies the individual organization code which appears on a transaction.
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Org Heirarchy	PF Org Lvl 3 Title	ORGANZATION LVL 3 TITLE: Identifies the individual organization name which appears on a transaction.

Folder	Object	Description
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Org Heirarchy	PF Org Lvl 3 Code and Title	This object combines the LEVEL 3 ORG Code - ORG TITLE which is the code and the hierarchy description or title appropriate for this level.
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Org Heirarchy	PF Org Lvl 4 Code	ORGANZATION LVL 4 CODE: Identifies the individual organization code which appears on a transaction.
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Org Heirarchy	PF Org Lvl 4 SC Dept	This version of the ORG LVL4 code appends SC to the front to emulate the UCSC department format. This objects can be used in subqueries to I dentify departments in a structure. ORGANZATION LVL 4 CODE: Identifies the individual organization code which appears on a transaction.
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Org Heirarchy	PF Org Lvl 4 Title	ORGANZATION LVL 4 TITLE: Identifies the individual organization name which appears on a transaction.
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Org Heirarchy	PF Org Lvl 4 Code and Title	This object combines the LEVEL 4 ORG Code - ORG TITLE which is the code and the hierarchy description or title appropriate for this level.
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Org Heirarchy	PF Org Lvl 5 Code	ORGANZATION LVL 5 CODE: Identifies the individual organization code which appears on a transaction.
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Org Heirarchy	PF Org Lvl 5 Title	ORGANZATION LVL 5 TITLE: Identifies the individual organization name which appears on a transaction.

Folder	Object	Description
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Org Heirarchy	PF Org Lvl 5 Code and Title	This object combines the LEVEL 5 ORG Code - ORG TITLE which is the code and the hierarchy description or title appropriate for this level.
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Org Heirarchy	PF Org Lvl 6 Code	ORGANZATION LVL 6 CODE: Identifies the individual organization code which appears on a transaction.
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Org Heirarchy	PF Org Lvl 6 Title	ORGANZATION LVL 6 TITLE: Identifies the individual organization name which appears on a transaction.
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Org Heirarchy	PF Org Lvl 6 Code and Title	This object combines the LEVEL 6 ORG Code - ORG TITLE which is the code and the hierarchy description or title appropriate for this level.
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Org Heirarchy	PF Org Details	Additional information about org codes in FIS Banner
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Org Heirarchy/PF Org Details	PF Org Activity Date	ACTIVITY DATE: The date when the information for a record on a table was entered or last updated.
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Org Heirarchy/PF Org Details	PF Org Actv Code Def	FUND ACTIVITY CODE DEFAULT: The activity which is primarily associated with this organization.

Folder	Object	Description
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Org Heirarchy/PF Org Details	PF Org Current Ind	C=Current, H=History
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Org Heirarchy/PF Org Details	PF Org Data Entry Ind	DATA ENTRY INDICATOR: Indicates if this account is to be used for data entry -(Y) or if it will be used for reporting - (N). The default is (Y).
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Org Heirarchy/PF Org Details	PF Org Effective Date	EFFECTIVE DATE: The effective date of this particular record.
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Org Heirarchy/PF Org Details	PF Org Next Change Date	NEXT CHANGE DATE: The change date for this particular record. I.E., if the record included a termination date, the next change date would reflect the date that the termianation date was entered. Requires a future change record.
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Org Heirarchy/PF Org Details	PF Org Orgn Code Nsf	BUDGET CONTROL ORGAINZATION: The organization responsible for controlling the budget.
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Org Heirarchy/PF Org Details	PF Org Orgn Code Pred	PREDECESSOR ORGANIZATION CODE: The value of the next higher organizational level unless this is level 1.

Folder	Object	Description
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Org Heirarchy/PF Org Details	PF Org Prog Code Def	FUND PROGRAM DEFAULT CODE: The program code which can be attached to an organization code. This code then defaults into the accounting distribution when the fund or organization is used in a transaction.
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Org Heirarchy/PF Org Details	PF Org Term Date	TERMINATION DATE: The date when this particular record is no longer in effect.
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Org Heirarchy	PF Service Center Code	Service Center with which the account is associated.
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Org Heirarchy	PF Service Center Title	Service Center Title
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Org Heirarchy	PF Status Ind	STATUS INDICATOR: The current status of the associated validation table record.
Position/Position Funding Entry/Position Funding COA (FOAPAL)	PF Fund Code	FUND CODE: A code which uniquely identifies a fiscal entity.
Position/Position Funding Entry/Position Funding COA (FOAPAL)	PF Fund Title	TITLE: The hierarchy description or title appropriate for this level.

Folder	Object	Description
Position/Position Funding Entry/Position Funding COA (FOAPAL)	PF Fund Heirarchy	<p>The Fund Hierarchy class is a "flattened" version of the Banner organization hierarchy. This new hierarchy class permits reporting on all 4 levels of the hierarchy, including service center hierarchies that have varying data entry levels. By including org codes and title from the various levels into a query and setting a condition on the desired level of reporting, hierarchical reports can be created very rapidly.</p> <p>Download the query/report DWFHCORG from the repository to g</p>
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Fund Heirarchy	PF Fund Lvl 1 Code	
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Fund Heirarchy	PF Fund Lvl 1 Title	
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Fund Heirarchy	PF Fund Lvl 2 Code	
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Fund Heirarchy	PF Fund Lvl 2 Title	
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Fund Heirarchy	PF Fund Lvl 3 Code	
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Fund Heirarchy	PF Fund Lvl 3 Title	

Folder	Object	Description
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Fund Heirarchy	PF Fund Lvl 4 Code	
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Fund Heirarchy	PF Fund Lvl 4 Title	
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Fund Heirarchy	PF Fund Lvl 5 Code	
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Fund Heirarchy	PF Fund Lvl 5 Title	
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Fund Heirarchy	PF Fund Lvl 6 Code	
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Fund Heirarchy	PF Fund Lvl 6 Title	
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Fund Heirarchy	PF Fund Lvl 7 Code	

Folder	Object	Description
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Fund Heirarchy	PF Fund Lvl 7 Title	
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Fund Heirarchy	PF Grant Code	GRANT CODE: User specified code which defines the grant which corresponds to the fund code. Must exist on FTVGRNT.
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Fund Heirarchy	PF Primary Fund Type	
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Fund Heirarchy	PF Primary Fund Type Desc	
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Fund Heirarchy	PF Fund Details	
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Fund Heirarchy/PF Fund Details	PF Fund FTyp Code	FUND TYPE CODE: The value assigned to the level 1 and 2 fund type by the user. Fund type codes are used to classify and aggregate the Fund Cd Date.
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Fund Heirarchy/PF Fund Details	PF Fund UCOP Details	

Folder	Object	Description
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Fund Heirarchy/PF Fund Details/PF Fund UCOP Details	PF Fund UCOP Bdgt Fund Ind	
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Fund Heirarchy/PF Fund Details/PF Fund UCOP Details	PF Fund UCOP Endw Restrct Code	
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Fund Heirarchy/PF Fund Details/PF Fund UCOP Details	PF Fund UCOP Fed Flowthru Code	
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Fund Heirarchy/PF Fund Details/PF Fund UCOP Details	PF Fund UCOP Fund Group	
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Fund Heirarchy/PF Fund Details/PF Fund UCOP Details	PF Fund UCOP Fund Restrct Code	

Folder	Object	Description
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Fund Heirarchy/PF Fund Details/PF Fund UCOP Details	PF Fund UCOP Locn Code	
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Fund Heirarchy/PF Fund Details/PF Fund UCOP Details	PF Fund UCOP On Off Camp Code	
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Fund Heirarchy/PF Fund Details/PF Fund UCOP Details	PF Fund UCOP Type Awd Code	
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Fund Heirarchy/PF Fund Details/PF Fund UCOP Details	PF Fund Bdgt Roll	
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Fund Heirarchy/PF Fund Details	PF Status Ind	STATUS INDICATOR: The current status of the associated validation table record.
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Fund Heirarchy/PF Fund Details	PF Term Date	TERMINATION DATE: The date when this particular record is no longer in effect.

Folder	Object	Description
Position/Position Funding Entry/Position Funding COA (FOAPAL)	PF Activity Code	ACTIVITY CODE: A user-defined code attribute which may be used to identify accounting data by activity. This is an optional field.
Position/Position Funding Entry/Position Funding COA (FOAPAL)	PF Activity Title	TITLE: The hierarchy description or title appropriate for this level.
Position/Position Funding Entry/Position Funding COA (FOAPAL)	PF Activity	Provides detailed status of a user-defined element which may be used to identify accounting data by activity
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Activity	PF Actv Code and Title	
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Activity	PF Actv Code Blanks First	
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Activity	PF Actv Title No Blanks	
Position/Position Funding Entry/Position Funding COA (FOAPAL)	PF Acct Code	ACCOUNT CODE: The user defined value representing an account. Accounts are either Assets, Liability, Control, Fund Balance, Revenue, Labor, Expenditure or Transfer.
Position/Position Funding Entry/Position Funding COA (FOAPAL)	PF Acct Title	TITLE: The hierarchy description or title appropriate for this level.

Folder	Object	Description
Position/Position Funding Entry/Position Funding COA (FOAPAL)	PF Account	The Account Hierarchy class is a "flattened" version of the Banner account hierarchy. This new hierarchy class permits reporting on all 6 levels of the hierarchy, including service center hierarchies that have varying data entry levels. By including account codes and title from the various levels into a query and setting a condition on the desired level of reporting, hierarchical reports can be created very rapidly. 6/98 gsm
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Account	PF Acct Code and Title	
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Account	PF Acct Code Pool	POOLED FUNDS ACCOUNT: This account must be an asset account type. It must be valid across all charts.
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Account	PF Acct Code Pool Title	
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Account	PF Acct Details	
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Account/PF Acct Details	PF Acct Type Code	ACCOUNT TYPE CODE: The code that classifies an account type i.e., asset, revenue, etc. which is used for reporting purposes.
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Account/PF Acct Details	PF Acct Code Pred	ACCOUNT FUND CODE: The user-defined value of the other than level 1 account fund code.

Folder	Object	Description
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Account/PF Acct Details	PF Acct Activity Date	ACTIVITY DATE: The date when the information for this record on the table was entered or last updated.
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Account/PF Acct Details	PF Acct Data Entry Ind	DATA ENTRY INDICATOR: Indicates if this field is used for data entry (Y) or for reporting (N). Defaults to (Y).
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Account/PF Acct Details	PF Acct Effective Date	EFFECTIVE DATE: The effective date for this record.
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Account/PF Acct Details	PF Acct Next Change Date	NEXT CHANGE DATE: The change date for this particular record. I.E., if the record included a termination date, the next change date would reflect the date that the termination date was entered. Requires a future change record
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Account/PF Acct Details	PF Acct Status Ind	STATUS INDICATOR: The current status of the associated validation table record.
Position/Position Funding Entry/Position Funding COA (FOAPAL)/PF Account/PF Acct Details	PF Acct Term Date	TERMINATION DATE: The date when this particular record is no longer in effect

Folder	Object	Description
Position/Position Funding Entry/Position Funding COA (FOAPAL)	PF Org Fund Activity Code	ORGANIZATION CODE: Identifies the individual organization code which appears on a transaction.
Position/Position Funding Entry/Position Funding COA (FOAPAL)	PF Org Fund Activity Title	TITLE: The hierarchy description or title appropriate for this level.
Position/Position Funding Entry	Position Funding Acct	Dept Budget ERN Acct
Position/Position Funding Entry/Position Funding Acct	PFA Dept Org Cd	FOAPAL component "O"rganization - DEPTID_CF is an alphanumeric value used to identify a divisional breakdown of an organization
Position/Position Funding Entry/Position Funding Acct	PFA Dept Fund Cd	FOAPAL component "F"und - FUND_CODE field is an alphanumeric value used to indicate the primary structural units of Education and Government accounting.
Position/Position Funding Entry/Position Funding Acct	PFA Dept Activity	PRODUCT field is an alphanumeric value used to identify information for profitability and cash flow analysis by product.
Position/Position Funding Entry/Position Funding Acct	PFA Sub	Element in the FOAPAL or FAU that tells if the funds are permanent (Sub 1) or soft (Sub 2). For units that operate with many staff that are NOT permanently funded (on gifts or grant funds or just don't have a true FTE)
Position/Position Funding Entry/Position Funding Acct	PFA Dept Acct Cd	DESCR is the 30-character text that Indicates the long description of the Department Account
Position/Position Funding Entry/Position Funding Acct	PFA Dept Acct Desc	DESCR is the 30-character text that Indicates the long description of the Department Account
Position/Position Funding Entry/Position Funding Acct	PFA Dept Account	FOAPAL component "A"ccount - ACCT_CD field is an alphanumeric unique value of the combination code used on the chartfield transaction table.
Position/Position Funding Entry/Position Funding Acct/PFA Dept Account	PFA Dept Acct Cd and Desc	ACCT_CD field is an alphanumeric unique value of the combination code used on the chartfield transaction table.

Folder	Object	Description
Position/Position Funding Entry/Position Funding Acct/PFA Dept Account	PFA Dept Acct Desc Short	DESCRSHORT is the 10-character text that describes the annual benefits base rate code.
Position/Position Funding Entry/Position Funding Acct	PFA Dept Program Code	PROGRAM_CODE is an alphanumeric value used to track expenditures for programs within or across an organization.
Position/Position Funding Entry/Position Funding Acct	PFA Class Fld	CLASS_FLD field is an alphanumeric value used to identify specific appropriations.
Position/Position Funding Entry/Position Funding Acct	PFA Affiliate	AFFILIATE field is an alphanumeric value used to map transactions between business units when using a single interunit account.
Position/Position Funding Entry/Position Funding Acct/PFA Affiliate	PFA Affiliate Intra2	AFFILIATE_INTRA2 field is an alphanumeric value used to identify a fund affiliate.
Position/Position Funding Entry/Position Funding Acct/PFA Affiliate	PFA Affiliate Intra1	AFFILIATE_INTRA1 field is an alphanumeric value used to identify a fund affiliate.
Position/Position Funding Entry/Position Funding Acct	PFA Operating Unit	OPERATING_UNIT field is an alphanumeric value used to indicate a location.
Position/Position Funding Entry/Position Funding Acct	PFA Alt-Acct	ALTACCT field is an alphanumeric value used to classify the nature of a transaction for regulatory authorities, and is used for statutory accounting.
Position/Position Funding Entry/Position Funding Acct	PFA Budget Ref	BUDGET_REF field is an alphanumeric value used to identify unique budgets, when individual budgets share budget keys and overlapping budget periods.
Position/Position Funding Entry/Position Funding Acct	PFA Chartfield1	CHARTFIELD1 stores a chart of accounts, resources, and so on, depending on the PeopleSoft Enterprise application.

Folder	Object	Description
Position/Position Funding Entry/Position Funding Acct	PFA Chartfield3	CHARTFIELD3 field stores an identifier. For UCSC we use the values identified by "SCFIN".
Position/Position Funding Entry/Position Funding Acct	PFA Business Unit Pc	BUSINESS_UNIT_PC field is an alphanumeric value used to identify an operational subset of an organization.
Position/Position Funding Entry/Position Funding Acct	PFA Activity Id	ACTIVITY_ID field is an alphanumeric value used to identify a specific task as part of a project.
Position/Position Funding Entry/Position Funding Acct	PFA Resource Type	RESOURCE_TYPE field is an alphanumeric value used to identify the purpose or origin of a transaction.
Position/Position Funding Entry/Position Funding Acct	PFA Resource Category	RESOURCE_CATEGORY is an alphanumeric value used to identify additional information used for project costing.
Position/Position Funding Entry/Position Funding Acct	PFA Resource Sub Cat	RESOURCE_SUB_CAT is an alphanumeric values to identify additional information used for project costing.
Position/Position Funding Entry/Position Funding Acct	PFA Direct Charge	TBD
Position/Position Funding Entry/Position Funding Acct	PFA Fdm Hash	FDM_HASH field is used to make the combination code (account code) row unique.
Position/Position Funding Entry/Position Funding Acct	PFA Prorate Liability	TBD

Folder	Object	Description
Position	Position HR Department	DEPT_TBL is a look up table containing information regarding business units of the organization such as department, division, region, as defined in the organizational hierarchy. "Use DEPT_TBL to record information about the organizational entities in your company. Data also includes description, company code, location, and budget fields. Assign a DEPTID to each department, division, region, etc. which is used in your organizational hierarchy. The Tree Editor is used to build a hierarchy of these codes, and to identify and group them into the appropriate organizational levels. Department ID is used as the primary organizational identifier on payroll earnings records. It is also used as the basis for implementing organizational security for employee data. You can create multiple DEPT_TBL records for a department, each with a unique effective date.".
Position/Position HR Department	PD HR Dept Id	DEPTID is a unique identifier for a position that differentiates the administrative unit by HR Business that has coordinating responsibility and/or pay disposition for a person's employment.
Position/Position HR Department	PD HR Dept Desc	DESCR is the 30-character text that Indicates the long description of the annual benefits base rate code.
Position/Position HR Department/PD HR Dept Desc	PD Dept Desc Short	DESCRSHORT is the 10-character text that describes the annual benefits base rate code.
Position/Position HR Department/PD HR Dept Desc	PD Effective Dt	EFFDT denotes when the transaction became or becomes formally active or operational.
Position/Position HR Department	PD Dept Rollup	
Position/Position HR Department/PD Dept Rollup	PDR Deptid	
Position/Position HR Department/PD Dept Rollup	PDR Dept Desc	
Position/Position HR Department/PD Dept Rollup	PDR Rollup Tree Level	
Position/Position HR Department/PD Dept Rollup	PDR Sub Division	
Position/Position HR Department/PD Dept Rollup	PDR Sub Division Name	

Folder	Object	Description
Position/Position HR Department/PD Dept Rollup	PDR Sub Division Lvl	
Position/Position HR Department/PD Dept Rollup	PDR Division	
Position/Position HR Department/PD Dept Rollup	PDR Division Name	
Position/Position HR Department/PD Dept Rollup	PDR Div Lvl Num	
Position/Position HR Department/PD Dept Rollup	PDR Org Base	
Position/Position HR Department/PD Dept Rollup	PDR Org Base Name	
Position/Position HR Department/PD Dept Rollup	PDR Org Base Lvl	
Position/Position HR Department	PD HR Dept Id and Desc	DESCR is the 30-character text that Indicates the long description of the annual benefits base rate code.
Position/Position HR Department	PD HR Dept Location	LOCATION is an alphanumeric value used as an abbreviation to identify the physical location associated with this company.
Position	Position Benefits Admin (Restricted Access)	Position SALARY and BENEFITS ADMIN 20190826 - Hidden per KR request
Position/Position Benefits Admin (Restricted Access)	UC Employee Relations (Restricted Access)	PS_UC_POS_EMP_REL contains employee relations and special training code values associated to a Position. 20190826 - Hidden per KR request
Position/Position Benefits Admin (Restricted Access)/UC Employee Relations (Restricted Access)	PER UC Empl Relations Cd	UC_EMP_REL_CD categorizes the employee relationship to a given position. Values: H,I,D,C,A,B,E,F,G 20190826 - Hidden per KR request
Position/Position Benefits Admin (Restricted Access)/UC Employee Relations (Restricted Access)	PER UC Representatn Cd	UC_REPRESENTATN_CD is a single character alphanumeric value indicating whether the employee is covered or not covered with respect to bargaining unit. 20190826 - Hidden per KR request

Folder	Object	Description
Position/Position Benefits Admin (Restricted Access)	UC Job Data (Restricted Access)	PS_UC_POS_JOB_DATA contains custom information for Job Data on Position Data Component. 20190826 - Hidden per KR request
Position/Position Benefits Admin (Restricted Access)/UC Job Data (Restricted Access)	PJD UC Academic Dur Appt	UC_ACAD_DUR_APPT is a single character alphanumeric value indicating the expected duration of an academic job. 20190826 - Hidden per KR request
Position/Position Benefits Admin (Restricted Access)/UC Job Data (Restricted Access)	PJD UC FTE	FTE is a numeric value indicating the percentage of the full-time equivalence of a position. 20190826 - Hidden per KR request
Position/Position Benefits Admin (Restricted Access)	UC Special Training (Restricted Access)	PS_UC_POS_SPCL_TRN contains tracking details for employees in Positions that require Federal and/ or State government training. 20190826 - Hidden per KR request
Position/Position Benefits Admin (Restricted Access)/UC Special Training (Restricted Access)	PST UC Special Training Cd	UC_SPCL_TRAININ_CD is an alphanumeric value indicating the special training required for an employee in a Position. 20190826 - Hidden per KR request
Position/Position Location/PL Location Desc	PL Location Desc Short	DESCRSHORT is the 10-character text that describes the annual benefits base rate code.
Position/Position Location/PL Location Desc	PL Location Desc Alternate	DESCR_AC is the 30-character text described as the alternate character description for a company.
Position/Position Location/PL Location Desc	PL Effective Dt	EFF_STATUS indicates whether a row in a table is (A)ctive or (I)nactive.
Position/Position Location/PL Location Desc	PL Jurisdiction	TBD
Position/Position Location/PL Location Desc	PL Sector	TBD
Position/Position Location/PL Location Desc	PL Setid	
Position/Position Location/PL Phone Nbr	PL Country Code	COUNTRY_CODE is an alphanumeric value indicating the telephone code used when making a call to a given country.

Folder	Object	Description
Position/Position Location/PL Phone Nbr	PL Phone Ext	Phone Extension
	Employee	Employee contains header information for a person and is the parent table of all other person tables within the person subject area. PS_PERSON contains one and only one record per person.
Employee	Employee Details	
Employee/Employee Details	E Employee Id	EMPLID is an alphanumeric value indicating the system generated unique identifier for a person.
Employee/Employee Details	E Employee Name	NAME is an alphanumeric value indicating the person's full name with the format LAST_NAME, FIRST_NAME ,MIDDLE_NAME.
Employee/Employee Details/E Employee Name	E Employee Last Name	LAST_NAME is an alphanumeric value indicating the full or truncated Last Name of a dependent.
Employee/Employee Details/E Employee Name	E Employee First Name	FIRST_NAME is an alphanumeric value indicating the full or abbreviated first name of the person.
Employee/Employee Details/E Employee Name	E Employee Middle Name	MIDDLE_NAME is an alphanumeric value indicating the full or truncated middle name of a dependent.
Employee/Employee Details	E Employee Name - Primary	NAME_FORMAL is an alphanumeric value indicating formal display format of the person's full name.
Employee/Employee Details	E Empl Email Addr	Employee email address derived from the Cruz Id.
Employee/Employee Details	E Empl AIS Id	E Empl UC Student Id where applicable
Employee/Employee Details	E Empl Cruz Id	Returns Employee CruzId based on BUSN email address
Employee/Employee Details	E Empl PPS Id	EMPLID is an alphanumeric value indicating the system generated unique identifier for a person.
Employee/Employee Details	E Empl UC Net Id	E Empl UC NetId
Employee/Employee Details	E Empl Count	Count for distinct employee id based on the UCPath employee id
Employee	Work Study Awards	PS_UC_WS_AWARD contains the work study award balance information for an employee (EMPLID) by campus (business unit) within an academic year.
Employee/Work Study Awards	WS Academic Year	ACAD_YEAR is an alphanumeric value indicating the academic year to which the associated Work Study Limit entry applies.
Employee/Work Study Awards	WS Academic Begin Dt	BEGIN_DT is a full calendar date including day, month and year that identifies the start date of balance period.
Employee/Work Study Awards	WS Academic End Dt	END_DT is a full calendar date including day, month and year that identifies the end date of a balance period.

Folder	Object	Description
Employee/Work Study Awards	WS Cal Yr Desc	DESCR is the 30-character text that Indicates the long description of the annual benefits base rate code.
Employee/Work Study Awards/WS Cal Yr Desc	WS WrkStdy Cal Yr Begin Dt	
Employee/Work Study Awards/WS Cal Yr Desc	WS WrkStdy Cal Yr End Dt	
Employee/Work Study Awards/WS Cal Yr Desc	WS WrkStdy Cal Yr Desc Short	DESCRSHORT is the 10-character text that describes the annual benefits base rate code.
Employee/Work Study Awards	WS Position Pool Id	POSITION_POOL_ID is an alphanumeric value that identifies groups of positions for budgeting purposes associated with the amounts encumbered and paid against the budget.
Employee/Work Study Awards	WS Eff Dt	EFFDT denotes when the transaction became or becomes formally active or operational.
Employee/Work Study Awards	WS UC Award Amt	UC_WS_AWD_AMT is the currency value indicating an employee's work study award amount within an academic year.
Employee/Work Study Awards	WS UC Award Bal	UC_WS_AWD_BAL is the currency value indicating an employee's work study award amount minus the work study expenditure within an academic year.
Employee/Work Study Awards	WSS UC WS Split Desc	DESCR is the 30-character text that Indicates the long description of the annual benefits base rate code.
Employee/Work Study Awards	WSS UC WS Split Fund Cd	FUND_CODE field is an alphanumeric value used to indicate the primary structural units of Education and Government accounting.
Employee/Work Study Awards	WS Percent Need Met	TBD
Employee	Employee Personal (Restricted Access)	This folder contains those objects and subfolders which contain Employee Personal data which is not available to all users.
Employee/Employee Personal (Restricted Access)	E Employee Email Addr - Home	EMAIL_ADDR is an alphanumeric value indicating the electronic mail address of the person.
Employee/Employee Personal (Restricted Access)	E Employee Email Home Only	Limit emails returned to only the work or BUSN type email address type
Employee/Employee Personal (Restricted Access)	E Employee Email Addr - Preferred	EMAIL_ADDR is an alphanumeric value indicating the electronic mail address of the person.
Employee/Employee Personal (Restricted Access)	Employee Data	

Folder	Object	Description
Employee/Employee Personal (Restricted Access)/Employee Data	ED Gender (Sex)	SEX is a single character alphanumeric value indicating the self-selected gender identification of dependent.
Employee/Employee Personal (Restricted Access)/Employee Data	ED Birth Country	BIRTHCOUNTRY is an alphanumeric value indicating the ISO supported 3-character code that identifies the birth location of a dependent person.
Employee/Employee Personal (Restricted Access)/Employee Data/ED Birth Country	EM Birth State	BIRTHSTATE is an alphanumeric value indicating the state where a dependent was born.
Employee/Employee Personal (Restricted Access)/Employee Data/ED Birth Country	EM Birth Place	Employee birth place
Employee/Employee Personal (Restricted Access)/Employee Data	ED Date of Birth	BIRTHDATE is a full calendar date with day, month and year indicating the date on which a person was born.
Employee/Employee Personal (Restricted Access)/Employee Data	ED Date of Death	DT_OF_DEATH is a full calendar date with day, month and year indicating the date on which a person's employment affiliation with the University ends due to death.
Employee/Employee Personal (Restricted Access)/Employee Data	ED Highest Education Level	Highest Education Level long Desc
Employee/Employee Personal (Restricted Access)/Employee Data/ED Highest Education Level	ED Highest Education Short	Highest Education Level (Short)
Employee/Employee Personal (Restricted Access)/Employee Data	ED Highest Ed Eff Dt	EFFDT denotes when the transaction became or becomes formally active or operational.
Employee/Employee Personal (Restricted Access)/Employee Data	ED Highest Ed Lvl Id	Highest Lvl Id - A unique identifier that indicates the highest education level reported by the employee
Employee/Employee Personal (Restricted Access)/Employee Data	ED Marital Status	MAR_STATUS is an alphanumeric value indicating the marital status of the dependent or beneficiary.

Folder	Object	Description
Employee/Employee Personal (Restricted Access)/Employee Data	ED Marital Status Dt	MAR_STATUS_DT is a full calendar date including day, month and year that identifies when the marital status is/was effective for the dependent or beneficiary.
Employee/Employee Personal (Restricted Access)/Employee Data	ED Military Status Id	Military Status Id
Employee/Employee Personal (Restricted Access)/Employee Data	ED Military Status Desc	Military Status long description 30 char
Employee/Employee Personal (Restricted Access)/Employee Data	ED Military Status Id and Desc	Military Status long description 30 char
Employee/Employee Personal (Restricted Access)/Employee Data/ED Military Status Id and Desc	ED Military Status Short	Military Status long description 10 char
Employee/Employee Personal (Restricted Access)/Employee Data/ED Military Status Id and Desc	ED Eff Dt	
Employee/Employee Personal (Restricted Access)/Employee Data	ED Military Discharge Dt	
Employee/Employee Personal (Restricted Access)	Disclosures	Employee Disclosures identify what personal data can be released to various related UC organizations
Employee/Employee Personal (Restricted Access)/Disclosures	Disclosures Organization	PS_UC_EE_DISCLOSUR contains the person's release and organization disclosure information that is established by the employee through the HCM Employee Self Service (ESS) component.
Employee/Employee Personal (Restricted Access)/Disclosures/Disclosures Organization	EDO ESS Dscl Addr Proc	UC_ADDR_PROC is a single character alphanumeric value indicating whether the person has authorized the University to release his or her home address for normal campus business purposes.
Employee/Employee Personal (Restricted Access)/Disclosures/Disclosures Organization	EDO ESS Dscl Addr Rel	UC_ADDR_REL is a single character alphanumeric value indicating whether the person has authorized the University to release his or her home address to employee organizations.

Folder	Object	Description
Employee/Employee Personal (Restricted Access)/Disclosures/Disclosures Organization	EDO ESS Dscl Confirm Accept	CONFIRM_ACCEPT is a single character alphanumeric value indicating that the user has or has not accepted the changes for a record.
Employee/Employee Personal (Restricted Access)/Disclosures/Disclosures Organization	EDO ESS Dscl Disclosure Stat	UC_DISCLOSURE_STAT is a single character alphanumeric value indicating how the status code associated with a given row was generated.
Employee/Employee Personal (Restricted Access)/Disclosures/Disclosures Organization	EDO ESS Dscl Email Rel	UC_EMAIL_REL is a single character alphanumeric value indicating whether the person has authorized the University to release his or her email address to employee organizations.
Employee/Employee Personal (Restricted Access)/Disclosures/Disclosures Organization	EDO ESS Dscl Phone Proc	UC_PHONE_PROC is a single character alphanumeric value indicating whether the person has authorized the University to release his or her home phone number for normal campus business purposes.
Employee/Employee Personal (Restricted Access)/Disclosures/Disclosures Organization	EDO ESS Dscl Phone Rel	UC_ADDR_REL is a single character alphanumeric value indicating whether the person has authorized the University to release his or her home address to employee organizations.
Employee/Employee Personal (Restricted Access)/Disclosures/Disclosures Organization	EDO ESS Dscl Mobile Rel	TBD
Employee/Employee Personal (Restricted Access)/Disclosures/Disclosures Organization	EDO ESS Dscl Spouse Proc	UC_SPOUSE_PROC is a single character alphanumeric value indicating whether the person has authorized the University to release his or her spouse's name for normal campus business purposes.
Employee/Employee Personal (Restricted Access)/Disclosures/Disclosures Organization	EDO ESS Dscl Last Upd Dttm	LASTUPDDTTM specifies the date and time of the last update to an entry.
Employee/Employee Personal (Restricted Access)/Disclosures/Disclosures Organization	EDO ESS Dscl Last Upd By	
Employee/Employee Personal (Restricted Access)/Disclosures	Disclosures Personal Info	PS_UC_SS_DISCLOSUR contains the UC employee personal information address, spouse etc details.
Employee/Employee Personal (Restricted Access)/Disclosures/Disclosures Personal Info	EDP SS Dscl Union Cd	UNION_CD is an alphanumeric abbreviation that represents the employee's union code associated with their payroll deductions.

Folder	Object	Description
Employee/Employee Personal (Restricted Access)/Disclosures/Disclosures Personal Info	EDP SS Dscl Addr Rel	UC_ADDR_REL is a single character alphanumeric value indicating whether the person has authorized the University to release his or her home address to employee organizations.
Employee/Employee Personal (Restricted Access)/Disclosures/Disclosures Personal Info	EDP SS Dscl Phone Rel	UC_PHONE_REL is a single character alphanumeric value indicating whether the person has authorized the University to release his or her home telephone number to employee organizations.
Employee/Employee Personal (Restricted Access)/Disclosures/Disclosures Personal Info	EDP SS Dscl Mobile Rel	UC_PHONE_REL is a single character alphanumeric value indicating whether the person has authorized the University to release his or her Mobile telephone number to employee organizations.
Employee/Employee Personal (Restricted Access)/Disclosures/Disclosures Personal Info	EDP SS Dscl Email Rel	UC_PHONE_REL is a single character alphanumeric value indicating whether the person has authorized the University to release his or her email address to employee organizations.
Employee/Employee Personal (Restricted Access)/Disclosures/Disclosures Personal Info	EDP SS Dscl Addr Proc	UC_ADDR_PROC is a single character alphanumeric value indicating whether the person has authorized the University to release his or her home address for normal campus business purposes.
Employee/Employee Personal (Restricted Access)/Disclosures/Disclosures Personal Info	EDP SS Dscl Phone Proc	UC_PHONE_PROC is a single character alphanumeric value indicating whether the person has authorized the University to release his or her home phone number for normal campus business purposes.
Employee/Employee Personal (Restricted Access)/Disclosures/Disclosures Personal Info	EDP SS Dscl Spouse Proc	UC_SPOUSE_PROC is a single character alphanumeric value indicating whether the person has authorized the University to release his or her spouse's name for normal campus business purposes.
Employee/Employee Personal (Restricted Access)/Disclosures/Disclosures Personal Info	EDP SS Dscl Confirm Accept	CONFIRM_ACCEPT is a single character alphanumeric value indicating that the user has or has not accepted the changes for a record.
Employee/Employee Personal (Restricted Access)/Disclosures/Disclosures Personal Info	EDP SS Dscl Disclosure Stat	UC_DISCLOSURE_STAT is a single character alphanumeric value indicating how the status code associated with a given row was generated.

Folder	Object	Description
Employee/Employee Personal (Restricted Access)/Disclosures/Disclosures Personal Info	EDP SS Dscl Last Upd Dttm	LASTUPDDTTM specifies the date and time of the last update to an entry.
Employee/Employee Personal (Restricted Access)/Disclosures/Disclosures Personal Info	EDP SS Dscl Last Upd By	LASTUPDOPRID specifies the user id of the person that made the last update to an entry.
Employee/Employee Personal (Restricted Access)	Citizenship	CITIZENSHIP
Employee/Employee Personal (Restricted Access)/Citizenship	ET Citizenship Country ISO	COUNTRY is an alphanumeric value indicating the ISO supported 3-character code denoting a country. For example, USA for United States of America.
Employee/Employee Personal (Restricted Access)/Citizenship/ET Citizenship Country ISO	ET Dependent Id	DEPENDENT_ID is an alphanumeric value indicating the sequential number beginning with 0, 1, 2, 3, etc., working in tandem with EMPL_ID to identify person and person's dependents and beneficiaries in accordance with country of citizenship.
Employee/Employee Personal (Restricted Access)/Citizenship	ET Citizenship Country Name	Full Country name of the country of citizenship
Employee/Employee Personal (Restricted Access)/Citizenship/ET Citizenship Country Name	ET Citizenship Cntry Name (short)	
Employee/Employee Personal (Restricted Access)/Citizenship/ET Citizenship Country Name	ET Country Abbrev (2 Char)	Citizenship Country Abbrev (2 Char)
Employee/Employee Personal (Restricted Access)/Citizenship/ET Citizenship Country Name	ET EO Sec Page Name	TBD
Employee/Employee Personal (Restricted Access)/Citizenship/ET Citizenship Country Name	ET EU Member State	Citizenship country is a European Union Member State

Folder	Object	Description
Employee/Employee Personal (Restricted Access)/Citizenship/ET Citizenship Country Name	ET Addr Validate	TBD
Employee/Employee Personal (Restricted Access)/Citizenship/ET Citizenship Country Name	ET Post Srch Avail	TBD
Employee/Employee Personal (Restricted Access)/Citizenship	ET Citizenship Status Cd	ET Citizenship Status Cd
Employee/Employee Personal (Restricted Access)/Citizenship	ET Citizenship Status Desc	DESCR is the 30-character text that Indicates the long description of the Citizenship Status
Employee/Employee Personal (Restricted Access)/Citizenship/ET Citizenship Status Desc	ET Citizenship Country Cd	COUNTRY is an alphanumeric value indicating the ISO supported 3-character code denoting a country.
Employee/Employee Personal (Restricted Access)/Citizenship/ET Citizenship Status Desc	ET Citizenship Status Desc Short	DESCRSHORT is the 10-character text that Indicates the long description of the Citizenship Status
Employee/Employee Personal (Restricted Access)/Citizenship	ET Citizenship Status Cd and Desc	ET Citizenship Status Cd
Employee/Employee Personal (Restricted Access)	Checklist	PS_PER_CHECKLIST contains each individual checklist. Checklists are used to track tasks in PS that are necessary to complete hires, rehires, transfers and termination transactions.
Employee/Employee Personal (Restricted Access)/Checklist	EK Checklist Dt	CHECKLIST_DT is a full calendar date including day, month and year indicating when a checklist is created.
Employee/Employee Personal (Restricted Access)/Checklist	EK Checklist Cd	CHECKLIST_CD is an unique identifier of a checklist that represents a list of planned or completed action items that can be assigned to a staff member, volunteer, or unit.
Employee/Employee Personal (Restricted Access)/Checklist	EK Responsible Id	TBD

Folder	Object	Description
Employee/Employee Personal (Restricted Access)/Checklist	Checklist Items	PS_CHECKLIST_ITEM table is one of several records used to set up any checklist (list of items to do) appropriate to your company. For example, you might set up a checklist of items for employees being sent on an overseas work assignment. That checklist might include items such as attend briefing, attend language school, submit school applications for dependents, take physical exams, and obtain passports and visas. There are several records involved in checklist maintenance. CHECKLIST_TBL is the parent record that contains the code assigned to the checklist, plus an effective date and descriptions. A subordinate record, CHECKLIST_ITEM, contains the actual items assigned to a checklist. Before you add items to CHECKLIST_ITEM, you must set them up on an edit table named CHKLST_ITEM_TBL.
Employee/Employee Personal (Restricted Access)/Checklist/Checklist Items	EKI Checklist Cd	CHECKLIST_CD is a unique identifier of a checklist that represents a list of planned or completed action items that can be assigned to a staff member, volunteer, or unit.
Employee/Employee Personal (Restricted Access)/Checklist/Checklist Items	EKI Checklist Dt	CHECKLIST_DT is a full calendar date including day, month and year indicating when a checklist is created.
Employee/Employee Personal (Restricted Access)/Checklist/Checklist Items	EKI Checklist Seq	CHECKLIST_SEQ is the sequence number that identifies the sequential order in which items on the checklist are to be executed.
Employee/Employee Personal (Restricted Access)/Checklist/Checklist Items	EKI Chklist Item Cd	CHKLST_ITEM_CD is an alphanumeric value used as an abbreviation to identify an item on checklist.
Employee/Employee Personal (Restricted Access)/Checklist/Checklist Items	EKI Chklist Item Desc	CHKLST_ITEM_CD is an alphanumeric value used as an abbreviation to identify an item on checklist.
Employee/Employee Personal (Restricted Access)/Checklist/Checklist Items	EKI Chklist Item TBL Desc	CHKLST_ITEM_CD is an alphanumeric value used as an abbreviation to identify an item on checklist.
Employee/Employee Personal (Restricted Access)/Checklist/Checklist Items	EKI Chklist Item TBL Type	CHKLST_ITEM_CD is an alphanumeric value used as an abbreviation to identify an item on checklist.

Folder	Object	Description
Employee/Employee Personal (Restricted Access)/Checklist/Checklist Items	EKI Briefing Status	BRIEFING_STATUS is an alphanumeric value indicating the status of the checklist item.
Employee/Employee Personal (Restricted Access)/Checklist/Checklist Items	EKI Status Dt	STATUS_DT is a full calendar date including day, month and year indicating when the status of the JPM Profile has changed.
Employee/Employee Personal (Restricted Access)	Ethnicity	EE Diversity Ethnicity
Employee/Employee Personal (Restricted Access)/Ethnicity	ET Ethnic Category	
Employee/Employee Personal (Restricted Access)/Ethnicity	ET Ethnic Group Cd	ETHNIC_GRP_CD is character code indicating the self-selected ethnic background of a person.
Employee/Employee Personal (Restricted Access)/Ethnicity	ET Ethnic Group Desc	DESCR50 is the 50-character text that describes an ethnic group code.
Employee/Employee Personal (Restricted Access)/Ethnicity/ET Ethnic Group Desc	ET Ethnic Desc Short	ET Ethnic Desc Short
Employee/Employee Personal (Restricted Access)/Ethnicity	ET Ethnic Primary Ind	PRIMARY_INDICATOR is an alphanumeric value indicating the ethnic group with which the person most directly identifies.
Employee/Employee Personal (Restricted Access)/Ethnicity	ET Ethnic Gov Region	REG_REGION is an alphanumeric value indicating the governing region where there are specific laws and regulations.
Employee/Employee Personal (Restricted Access)	Form I9 Data	EI Employee I9 form data
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Employee Name	NAME is an alphanumeric value indicating the person's full name with the format LAST_NAME, FIRST_NAME ,MIDDLE_NAME.
Employee/Employee Personal (Restricted Access)/Form I9 Data/EI9 Employee Name	EI9 Empl Name Initials	NAME_INITIALS is an abbreviation of the person's name.
Employee/Employee Personal (Restricted Access)/Form I9 Data/EI9 Employee Name	EI9 Empl First Name	

Folder	Object	Description
Employee/Employee Personal (Restricted Access)/Form I9 Data/EI9 Employee Name	EI9 Empl Middle Initial	MIDDLE_INITIAL denotes the person's middle initial as listed on the I9 information.
Employee/Employee Personal (Restricted Access)/Form I9 Data/EI9 Employee Name	EI9 Empl Last Name	LAST_NAME is an alphanumeric value indicating the full or truncated Last Name of a dependent.
Employee/Employee Personal (Restricted Access)/Form I9 Data/EI9 Employee Name	EI9 Maiden Name	MAIDEN_NAME denotes the employee's maiden name and is of format LAST_NAME, FIRST_NAME, as listed on the I9 information.
Employee/Employee Personal (Restricted Access)/Form I9 Data/EI9 Employee Name	EI9 Empl Name Ac	NAME_AC is the full-length designation of an employee's name, this field is automatically populated with the employee's current name during reverification, if it is different from the name initially saved on the form.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Effective Date	EFFDT denotes when the transaction became or becomes formally active or operational. Any table with effective date may contain historical, current, and future information.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Birthdate	Employee birth date as entered on the I9 form
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Address1	ADDRESS1 is text value indicating the first line of a postal address (street number, street, and apartment number if applicable) that does not necessarily meet US Postal standards, for a person.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Address2	ADDRESS2 is text value indicating the second line of an address that does not necessarily meet US Postal standards, for a person.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Address3	ADDRESS3 is text value indicating the third line of a postal address (street number, street, and apartment number if applicable) that does not necessarily meet US Postal standards, of a vendor.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Address4	ADDRESS4 is a text value indicating the fourth line of a postal address (street number, street, and apartment number if applicable) that does not necessarily meet US Postal standards.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 City	CITY is an alphanumeric value indicating the full-length name of the city associated with the address and state fields of the person.

Folder	Object	Description
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 State	STATE is an alphanumeric value used as an abbreviation to identify the state the employee worked in, if different from the employee's regular pay.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 IR Postal Code	POSTAL is an alphanumeric value indicating the mail delivery area such as a town or a part of a city.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 County	COUNTY is an alphanumeric value indicating the full-length designation of a county that may optionally be given as part of a an address for a person.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Country	COUNTRY is an alphanumeric value indicating the ISO supported 3-character code denoting a country.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 House Type	HOUSE_TYPE is an alphanumeric value indicating a type of dwelling associated with the address.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Geo Code	GEO_CODE is an alphanumeric value used that represents the company's geographical code.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Admin Name	NAME_ADMIN denotes the full name of the administrator that reviews the employee's submitted I-9 form information.
Employee/Employee Personal (Restricted Access)/Form I9 Data/EI9 Admin Name	EI9 Title	TITLE denotes the job title of the administrator that reviews the employee's submitted I-9 form information.
Employee/Employee Personal (Restricted Access)/Form I9 Data/EI9 Admin Name	EI9 Er Sign Dt	I9_ER_SIGN_DT is a full calendar date including day, month and year that identifies when the administrator signed their review of the employee's I9 form information.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Admin Company	COMPANY is a code which identifies the enterprise associated with the Savings Balances by EMPLID. For example, UCS for the University of California System.
Employee/Employee Personal (Restricted Access)/Form I9 Data/EI9 Admin Company	EI9 Admin Co Address1	ADDRESS1_COMPANY indicates the first line of an address (street number, street, and apartment number if applicable).
Employee/Employee Personal (Restricted Access)/Form I9 Data/EI9 Admin Company	EI9 Admin Co Address2	ADDRESS2_COMPANY indicates the second line of an address, that does not necessarily meet US Postal standards, of the company address for the administrator that reviews the employee's I9 form information.

Folder	Object	Description
Employee/Employee Personal (Restricted Access)/Form I9 Data/EI9 Admin Company	EI9 Admin Co City	CITY_COMPANY is the full-length designation of the city associated with the address and state field of the company address for the administrator that reviews the employee's I9 form information.
Employee/Employee Personal (Restricted Access)/Form I9 Data/EI9 Admin Company	EI9 Admin Co State	STATE_COMPANY is an alphanumeric value used as an abbreviation to identify the state associated with the address and city fields of the company address for the administrator that reviews the employee's I9 form information.
Employee/Employee Personal (Restricted Access)/Form I9 Data/EI9 Admin Company	EI9 Admin Co Postal	POSTAL_COMPANY is the zip code for the company address for the administrator that reviews the employee's I9 form information.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Alien Nbr	I9_ALIEN_NBR is a numeric value that specifies the lawful Permanent Resident alien number on the employee's EI9form information.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Alien Auth Dt	I9_ALIEN_AUTH_DT is a full calendar date including day, month and year that identifies until when the employee is authorized to work, on the employee's EI9form information.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Elig Type	I9_ELIG_TYPE is a categorization of EI9eligibility type.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Admission Nbr	I9_ADMISSION_NBR is a numeric value that specifies the lawful Permanent Resident alien number or admission number on the employee's EI9form information.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Spcl Placement	I9_SPCL_PLACEMENT is a flag that indicates whether or not an employee is granted special placement even without a List A or List B document.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Minor	I9_MINOR field is a flag that indicates whether or not a minor is granted special placement even without a List A or List B document.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Translator	I9_TRANSLATOR is a flag that indicates whether or not whether the EI9form was prepared or translated by a person other than the employee.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 EE Sign Dt	I9_EE_SIGN_DT is a full calendar date including day, month and year that identifies when the employee signed their EI9form information.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Name Preparer	NAME_PREPARER denotes the full name of the person who assisted the employee in the completion of the I-9 Form.

Folder	Object	Description
Employee/Employee Personal (Restricted Access)/Form I9 Data/EI9 Name Preparer	EI9 Address1 Preparer	ADDRESS1_PREPARER indicates the first line of an address (street number, street, and apartment number if applicable), that does not necessarily meet US Postal standards, of the person who assisted the employee in the completion of the I-9 Form.
Employee/Employee Personal (Restricted Access)/Form I9 Data/EI9 Name Preparer	EI9 City Preparer	CITY_PREPARER is the full-length designation of the city associated with the address and state field, of the person who assisted the employee in the completion of the I-9 form.
Employee/Employee Personal (Restricted Access)/Form I9 Data/EI9 Name Preparer	EI9 State Preparer	CITY_PREPARER is the full-length designation of the city associated with the address and state field, of the person who assisted the employee in the completion of the I-9 form.
Employee/Employee Personal (Restricted Access)/Form I9 Data/EI9 Name Preparer	EI9 Postal Preparer	
Employee/Employee Personal (Restricted Access)/Form I9 Data/EI9 Name Preparer	EI9 Sign Dt Preparer	I9_PREP_SIGN_DT is a full calendar date including day, month and year that identifies when the person who assisted the employee in the completion of the I-9 form signed the document.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Hire Dt	HIRE_DT denotes when the most recent employment affiliation commenced.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Rehire Dt	REHIRE_DT is a full calendar date including day, month and year that identifies the employee's most recent hire date.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Rev Doc Title	I9_REV_DOC_TITLE is an alphanumeric value used as an abbreviation to indicate what type of document is used for EI9status verification.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Rev Receipt Flg	I9_REV_RECEIPT_FLG is a flag that indicates whether or not the administrator has reverified the documents on the employee's EI9form information.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Rev Doc Nbr	I9_REV_DOC_NBR field is an alphanumeric value that designates the document number of the reverification document on the employee's EI9form information.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Rev Doc Exp Dt	I9_REV_DOC_EXP_DT is a full calendar date including day, month and year that identifies when the verification document on employee's EI9form information expires.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Rev Receipt Nbr	I9_REV_RECEIPT_NBR is an alphanumeric value that designates a receipt number of the documentation for reverification of the employee's EI9form information.

Folder	Object	Description
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Rev Rec Exp Dt	I9_REV_REC_EXP_DT is a full calendar date including day, month and year that identifies when the receipt of verification document on employee's EI9form information expires.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Reverified Dt	I9_REVERIFIED_DT is a full calendar date including day, month and year that identifies when the administrator reverifies an employee's EI9form information.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Doc Type	I9_DOC_TYPE is an alphanumeric value that designates the type of document that the employee submits for EI9verification.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Doc Title A	I9_DOC_TITLE_A is an alphanumeric value that designates the List A document that the employee submits for EI9verification.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Doc Title B	I9_DOC_TITLE_B is an alphanumeric value that designates the List B document that the employee submits for EI9verification.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Doc Title C	I9_DOC_TITLE_C is an alphanumeric value that designates the List C document that the employee submits for EI9verification.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Issue Auth A	I9_ISSUE_AUTH_A denotes the issuing authority of the List A document that the employee submitted for I-9 verification.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Issue Auth B	I9_ISSUE_AUTH_A denotes the issuing authority of the List B document that the employee submitted for I-9 verification.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Issue Auth C	I9_ISSUE_AUTH_A denotes the issuing authority of the List C document that the employee submitted for I-9 verification.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Receipt Flg A	I9_RECEIPT_FLG_A is a flag that indicates whether or not the administrator has verified the List A document that the employee submitted for I-9 verification.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Receipt Flg B	I9_RECEIPT_FLG_B is a flag that indicates whether or not the administrator has verified the List B document that the employee submitted for I-9 verification.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Receipt Flg C	I9_RECEIPT_FLG_C is a flag that indicates whether or not the administrator has verified the List C document that the employee submitted for I-9 verification.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Receipt Nbr A1	I9_RECEIPT_NBR_A1 is an alphanumeric value that designates a receipt number of the first List A document the employee submits for EI9verification.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Receipt Nbr A2	I9_RECEIPT_NBR_A2 is an alphanumeric value that designates a receipt number of the second List A document the employee submits for EI9verification.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Receipt Nbr B	I9_RECEIPT_NBR_B is an alphanumeric value that designates a receipt number of the List B document of the employee's EI9form information.

Folder	Object	Description
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Receipt Nbr C	I9_RECEIPT_NBR_C is an alphanumeric value that designates a receipt number of the List C document of the employee's I9 form information.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Rec Exp Dt A1	I9_REC_EXP_DT_A1 is a full calendar date including day, month and year that identifies when the first receipt of verification of the List A document on employee's I9 form information expires.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Rec Exp Dt A2	I9_REC_EXP_DT_A2 is a full calendar date including day, month and year that identifies when the second receipt of verification of the List A document on employee's I9 form information expires.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Rec Exp Dt B	I9_REC_EXP_DT_B is a full calendar date including day, month and year that identifies when the receipt of verification of the List B document on employee's I9 form information expires.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Rec Exp Dt C	I9_REC_EXP_DT_C is a full calendar date including day, month and year that identifies when the receipt of verification of the List C document on employee's I9 form information expires.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Doc Nbr A1	I9_DOC_NBR_A1 is an alphanumeric value that designates the first List A document number the employee submits for I9 verification.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Doc Nbr A2	I9_DOC_NBR_A2 is an alphanumeric value that designates the second List A document number the employee submits for I9 verification.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Doc Nbr B	I9_DOC_NBR_B is an alphanumeric value that designates the List B document number the employee submits for I9 verification.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Doc Nbr C	I9_DOC_NBR_C is an alphanumeric value that designates the List C document number the employee submits for I9 verification.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Doc Exp Dt A1	I9_DOC_EXP_DT_A1 is a full calendar date including day, month and year that identifies when the first List A document, the employee submits for I9 verification, expires.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Doc Exp Dt A2	I9_DOC_EXP_DT_A2 is a full calendar date including day, month and year that identifies when the second List A document, the employee submits for I9 verification, expires.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Doc Exp Dt B	I9_DOC_EXP_DT_B is a full calendar date including day, month and year that identifies when the List B document, the employee submits for I9 verification, expires.
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Doc Exp Dt C	I9_DOC_EXP_DT_C is a full calendar date including day, month and year that identifies when the List C document, the employee submits for I9 verification, expires.

Folder	Object	Description
Employee/Employee Personal (Restricted Access)/Form I9 Data	EI9 Name Field	NAME_FIELD is the alphanumeric text that represents the person's full name.
Employee/Employee Personal (Restricted Access)	Home Address	EA Employee Addresses
Employee/Employee Personal (Restricted Access)/Home Address	EA Addr Type	ADDRESS_TYPE is an alphanumeric value indicating the description of the location of a person or organization. For example; home, billing, mailing, etc.
Employee/Employee Personal (Restricted Access)/Home Address/EA Addr Type	EA Addr Type Seq	ORDER_BY_SEQ number designates the order in which the system should make the address available.
Employee/Employee Personal (Restricted Access)/Home Address/EA Addr Type	EA Addr Type Desc	ADDR_TYPE_DESCR is the 30-character text that describes a given address type. (Home, Billing, Business, Check, Mailing .)
Employee/Employee Personal (Restricted Access)/Home Address/EA Addr Type	EA House Type	HOUSE_TYPE is an alphanumeric value indicating a type of dwelling associated with the address. For example, boat or trailer.
Employee/Employee Personal (Restricted Access)/Home Address	EA Effective Date	EFFDT is the full calendar date including day, month and year indicating when the record became or becomes formally active or operational.
Employee/Employee Personal (Restricted Access)/Home Address	EA Address1	ADDRESS1 is text value indicating the first line of a postal address (street number, street, and apartment number if applicable) that does not necessarily meet US Postal standards, for a person.
Employee/Employee Personal (Restricted Access)/Home Address	EA Address2	ADDRESS2 is text value indicating the second line of an address that does not necessarily meet US Postal standards, for a person. ADDRESS2 is used to continue the address from ADDRESS1, if necessary.
Employee/Employee Personal (Restricted Access)/Home Address	EA Address3	ADDRESS2 is text value indicating the third line of an address that does not necessarily meet US Postal standards, for a person. ADDRESS2 is used to continue the address from ADDRESS1, if necessary.
Employee/Employee Personal (Restricted Access)/Home Address	EA Address4	ADDRESS2 is text value indicating the forth line of an address that does not necessarily meet US Postal standards, for a person. ADDRESS2 is used to continue the address from ADDRESS1, if necessary.
Employee/Employee Personal (Restricted Access)/Home Address	EA City	CITY is an alphanumeric value indicating the full-length name of the city associated with the address and state fields of the person.

Folder	Object	Description
Employee/Employee Personal (Restricted Access)/Home Address	EA County	COUNTY is an alphanumeric value indicating the full-length designation of a county that may optionally be given as part of a an address for a person.
Employee/Employee Personal (Restricted Access)/Home Address	EA State	STATE is an alphanumeric value indicating the state associated with the address and city fields of the person.
Employee/Employee Personal (Restricted Access)/Home Address	EA Postal Code	POSTAL is an alphanumeric value indicating the mail delivery area such as a town or a part of a city.
Employee/Employee Personal (Restricted Access)/Home Address	EA Country	COUNTRY is an alphanumeric value indicating the ISO supported 3-character code denoting a country. For example, USA for United States of America.
Employee/Employee Personal (Restricted Access)/Home Address	EA Regulatory Region	REG_REGION is an alphanumeric value indicating the governing region where there are specific laws and regulations.
Employee/Employee Personal (Restricted Access)/Home Address	EA Address Type - MAIL	This filter selects the Employee Address type of 'HOME' for home address
Employee/Employee Personal (Restricted Access)/Home Address	EA Address Type - HOME (Recommended)	This filter selects the Employee Address type of 'HOME' for home address
Employee/Employee Personal (Restricted Access)	Passport	EP Employee Passport NOTE: Currently no data loaded
Employee/Employee Personal (Restricted Access)/Passport	PP Issuing Authority	ISSUING_AUTHORITY is an alphanumeric value indicating the issuing authority of the passport.
Employee/Employee Personal (Restricted Access)/Passport	PP Passport Country Cd	COUNTRY is an alphanumeric value indicating the ISO supported 3-character code denoting a country. For example, USA for United States of America.
Employee/Employee Personal (Restricted Access)/Passport/PP Passport Country Cd	PP Passport Country	EP Country Passport (TBD)
Employee/Employee Personal (Restricted Access)/Passport/PP Passport Country Cd	PP Passport State	EP State Passport (TBD)

Folder	Object	Description
Employee/Employee Personal (Restricted Access)/Passport/PP Passport Country Cd	PP Passport City	EP Passport City (TBD)
Employee/Employee Personal (Restricted Access)/Passport	PP Passport Nbr	EP Passport Nbr (TBD)
Employee/Employee Personal (Restricted Access)/Passport/PP Passport Nbr	PP Dependent Id	DEPENDENT_ID is an alphanumeric value indicating the sequential number beginning with 0, 1, 2, 3, etc., working in tandem with EMPL_ID to identify person and person's dependents and beneficiaries in accordance with country of citizenship. Note: There are no values in UCOP.
Employee/Employee Personal (Restricted Access)/Passport	PP Passport Dt Issued	DT_ISSUED is a full calendar date including day, month and year indicating when the person's passport for the employee or dependent was granted.
Employee/Employee Personal (Restricted Access)/Passport	PP Passport Dt Expires	EXPIRATN_DT is a full calendar date including day, month and year indicating the expiration of the passport.
Employee/Employee Personal (Restricted Access)	Visa Permit	PS_VISA_PMT_DATA contains VISA and PERMITS information for a person or their dependents. PS_VISA_PMT_DATA is not effective dated.
Employee/Employee Personal (Restricted Access)/Visa Permit	VP Visa Emplid	EMPLID is an alphanumeric value indicating the system generated unique identifier for a person.
Employee/Employee Personal (Restricted Access)/Visa Permit	VP Visa Dependent Id	DEPENDENT_ID is an alphanumeric value indicating the sequential number beginning with 0, 1, 2, 3, etc.
Employee/Employee Personal (Restricted Access)/Visa Permit	VP Visa Permit Country	COUNTRY is an alphanumeric value indicating the ISO supported 3-character code denoting a country.
Employee/Employee Personal (Restricted Access)/Visa Permit	VP Visa Permit Issuing Authority	ISSUING_AUTHORITY is an alphanumeric value indicating the issuing authority of the passport.
Employee/Employee Personal (Restricted Access)/Visa Permit	VP Visa Permit Place Issued	PLACE_ISSUED is an alphanumeric value indicating where the visa permit was issued.
Employee/Employee Personal (Restricted Access)/Visa Permit	VP Visa Permit Nbr	VISA_WRPMT_NBR is an alphanumeric value indicating the visa or work permit number associated with the employee or dependent.
Employee/Employee Personal (Restricted Access)/Visa Permit	VP Visa Permit Status	VISA_WRPMT_STATUS is a single character alphanumeric value indicating the visa or work permit status of an employee or dependent.

Folder	Object	Description
Employee/Employee Personal (Restricted Access)/Visa Permit	VP Visa Permit Status Dt	STATUS_DT is a full calendar date including day, month and year indicating when the status of the JPM Profile has changed.
Employee/Employee Personal (Restricted Access)/Visa Permit	VP Visa Permit Type	VISA_PERMIT_TYPE is the unique code that indicates the type of visa or work permit.
Employee/Employee Personal (Restricted Access)/Visa Permit	VP Visa Permit Dt Issued	DT_ISSUED is a full calendar date including day, month and year indicating when the person's passport for the employee or dependent was granted.
Employee/Employee Personal (Restricted Access)/Visa Permit	VP Visa Permit Eff Dt	EFFDT denotes when the transaction became or becomes formally active or operational.
Employee/Employee Personal (Restricted Access)/Visa Permit	VP Visa Permit Duration Tm	DURATION_TIME is a numeric value indicating in combination with the duration type (Days, Month, years), indicates the valid period of Visa.
Employee/Employee Personal (Restricted Access)/Visa Permit	VP Visa Permit Duration Type	DURATION_TYPE is a single character alphanumeric value indicating the duration type.
Employee/Employee Personal (Restricted Access)/Visa Permit	VP Visa Entry Dt	ENTRY_DT is a full calendar date including day, month and year indicating a person's entry into the country.
Employee/Employee Personal (Restricted Access)/Visa Permit	VP Visa Expiratn Dt	EXPIRATN_DT is a full calendar date including day, month and year indicating the expiration of the passport.
Employee/Employee Personal (Restricted Access)/Visa Permit	VISA Permt Support	PS_VISA_PMT_SUPPORT contain information that identifies documents that support of each visa or permit recorded on VISA_PMT_DATA for an employee or dependent. .
Employee/Employee Personal (Restricted Access)/Visa Permit/VISA Permt Support	VPS Visa Sup Empl id	EMPLID is an alphanumeric value indicating the system generated unique identifier for a person.
Employee/Employee Personal (Restricted Access)/Visa Permit/VISA Permt Support	VPS Visa Sup Dependent Id	DEPENDENT_ID is an alphanumeric value indicating the sequential number beginning with 0, 1, 2, 3, etc.
Employee/Employee Personal (Restricted Access)/Visa Permit/VISA Permt Support	VPS Visa Support Doc Id	TBD

Folder	Object	Description
Employee/Employee Personal (Restricted Access)/Visa Permit/VISA Permt Support	VPS Visa Sup Country	COUNTRY is an alphanumeric value indicating the ISO supported 3-character code denoting a country.
Employee/Employee Personal (Restricted Access)/Visa Permit/VISA Permt Support	VPS Visa Sup Permit Type	VISA_PERMIT_TYPE is the unique code that indicates the type of visa or work permit.
Employee/Employee Personal (Restricted Access)/Visa Permit/VISA Permt Support	VPS Visa Sup Eff Dt	EFFDT denotes when the transaction became or becomes formally active or operational.
Employee/Employee Personal (Restricted Access)/Visa Permit/VISA Permt Support	VPS Visa Sup Request Dt	REQUEST_DT is the full calendar date including day, month, and year indicating the date of the visa request.
Employee/Employee Personal (Restricted Access)/Visa Permit/VISA Permt Support	VPS Visa Sup Dt Recvd	TBD
	Job	JOB contains information that describes the employment relationship of a person to the organization and in most cases the assignment of a person to a position.
Job	Job Most Frequent	
Job/Job Most Frequent	J Jobcode	JOBCODE is an alphanumeric value indicating a job category within the organization.
Job/Job Most Frequent	J Jobcode Desc	DESCR is the 30-character text that Indicates the long description of the job code.
Job/Job Most Frequent	J Jobcode Desc Short	Short DESCR is the 10-character text that Indicates the long description of the job code.
Job/Job Most Frequent	J Empl Rcd	EMPL_RCD is a numeric value indicating a unique instance of a J for an employee with multiple concurrent jobs.
Job/Job Most Frequent	J Position Nbr	POSITION_NBR is an alphanumeric value indicating the identifier for an approved position to which an employee is appointed.
Job/Job Most Frequent	J Effective Seq	EFFSEQ is a numeric value indicating the sequence of multiple transactions for an employee on a job.
Job/Job Most Frequent	J Full Part Time	FULL_PART_TIME is a single character alphanumeric value indicating whether a position is Fixed ' X, Not Applicable ' F or Variable ' V.

Folder	Object	Description
Job/Job Most Frequent	J Primary Job Ind	PRIMARY_JOB_IND is a Y/N flag value used to indicate whether this row is the employee's primary job.
Job/Job Most Frequent	J FTE	FTE is a numeric value indicating the percentage of the full-time equivalence of a position.
Job/Job Most Frequent	J Appt Type	EMPL_CLASS identifies the classification of how an employee is paid within a setid.
Job/Job Most Frequent	J Appt Title	Appt Type Title
Job/Job Most Frequent	J Appt Type and Title	Appointment Type (EMPL_CLASS) identifies the classification of how an employee is paid within a setid.
Job/Job Most Frequent	J Appt Type Eff Dt	EFFDT denotes when the transaction became or becomes formally active or operational.
Job/Job Most Frequent	J Academic Staff or Student	Appt Type Title returns only Academic Staff Student
Job/Job Most Frequent	J Empl Class	EEO_CLASS is a single character alphanumeric value indicating the Equal Employment Opportunity class for the job based on the job code assigned to the employee.
Job/Job Most Frequent	J Empl Status	EMPL_STATUS is a single character alphanumeric value indicating the payroll status of a person with regard to the organization and, in most cases, the assignment of the person to a position.
Job/Job Most Frequent	J Empl Status Desc	EMPL_STATUS is a single character alphanumeric value indicating the payroll status of a person with regard to the organization and, in most cases, the assignment of the person to a position.
Job/Job Most Frequent	J Empl Status and Desc	EMPL_STATUS is a single character alphanumeric value indicating the payroll status of a person with regard to the organization and, in most cases, the assignment of the person to a position.
Job/Job Most Frequent	J Empl Type	EMPL_TYPE is an alphanumeric value indicating the employee type such as "S"- Salaried or "H" - Hourly.
Job/Job Most Frequent	J HR Status	HR_STATUS is a single character alphanumeric value indicating if the employee is active or inactive from an HR standpoint.
Job/Job Most Frequent	J HR Status Desc	HR_STATUS is a single character alphanumeric value indicating if the employee is active or inactive from an HR standpoint.
Job/Job Most Frequent	J HR Status and Desc	HR_STATUS is a single character alphanumeric value indicating if the employee is active or inactive from an HR standpoint.
Job/Job Most Frequent	J Sal Admin Plan	SAL_ADMIN_PLAN is an alphanumeric value indicating the salary for the grade, step, or half-step an employee holds in association to their job.
Job/Job Most Frequent	J Grade	GRADE is an alphanumeric value indicating the salary grade associated with a position and/or a job.

Folder	Object	Description
Job/Job Most Frequent	J Step	STEP is a numerical value indicating the pay rate and the order in which pay rates progress.
Job/Job Most Frequent	J Step Entry Date	STEP_ENTRY_DT is a full calendar date including day, month and year indicating the date on which the person first joined the associated salary step.
Job/Job Most Frequent	J Barg Unit	BARG_UNIT identifies the local bargaining unit that represents this union.
Job/Job Most Frequent	J Bargaining Unit Cd	UNION_CD is an alphanumeric abbreviation that represents the employee's union code associated with their payroll deductions.
Job/Job Most Frequent	J Reports To Dept Id	Job REPORTS_TO position is an alphanumeric value indicating the position number, title, and name of the manager associated with this position.
Job/Job Most Frequent	J Reports To Empl Id	Job Reports To EmplId
Job/Job Most Frequent	J Reports To Empl Rcd	Job Reports-to Employee RCD
Job/Job Most Frequent	J Reports To Cruz Id	Job Reports-to Cruz Id
Job/Job Most Frequent	J Reports To Employee Name	Job Reports To Employee Name
Job/Job Most Frequent/J Reports To Employee Name	J Reports To Effdt	Job Report to effective date
Job/Job Most Frequent/J Reports To Employee Name	J Reports To Pos Description	Job Reports-To Position description
Job/Job Most Frequent/J Reports To Employee Name	J Reports To Pos Descrshort	Job Reports-To Position short description
Job/Job Most Frequent	J Reports To Posn	Job REPORTS_TO position number is an alphanumeric value indicating the position number, title, and name of the manager associated with this position.
Job/Job Most Frequent	J Current Record	BARG_UNIT identifies the local bargaining unit that represents this union.
Job/Job Most Frequent	J Current or Future	Returns "Current", "Future" or "Expired" for Current, NON-Current Future, and 'Expired' for Non-Current Past positions
Job/Job Most Frequent	Count Jobcode	Counter for distinct jobcodes in a query
Job	Job Dates	Job Dates
Job/Job Dates	JDT Assign Begin	ASGN_START_DT is a full calendar date including day, month and year indicating when an assignment began.

Folder	Object	Description
Job/Job Dates	JDT Assign Ends	Chooses first not null ASGN_END_DT, EXPECTED_END_DT, TERMINATION_DT full calendar date including day, month and year indicating when a temporary assignment ends.
Job/Job Dates	JDT Asgn Start Dt	ASGN_START_DT is a full calendar date including day, month and year indicating when a temporary assignment began.
Job/Job Dates	JDT Asgn End Dt	ASGN_END_DT is a full calendar date including day, month and year indicating when a temporary assignment ended.
Job/Job Dates	JDT Last Asgn Start Dt	LST_ASGN_START_DT is a full calendar date including day, month and year indicating the most recent start date for the temporary assignment.
Job/Job Dates	JDT Expected End Date	EXPECTED_END_DATE is a full calendar date including day, month and year indicating when the job is expected to end.
Job/Job Dates	JDT Effective Date	Job Effective Date denotes when the Job became or becomes formally active or operational.
Job/Job Dates	JDT Hire Dt	HIRE_DT denotes when the most recent employment affiliation commenced.
Job/Job Dates	JDT Last Hire Dt	LAST_HIRE_DT is a full calendar date including day, month and year indicating the most recent date when the person was hired or rehired in the organization.
Job/Job Dates	JDT Termination Dt	TERMINATION_DT is a full calendar date including day, month and year indicating the first date that the employee is no longer employed in that job
Job/Job Dates	JDT Last Date Worked	LAST_DATE_WORKED is a full calendar date including day, month and year indicating the last date worked by employee in this job.
Job/Job Dates	JDT Leave Exptd Return Dt	EXPECTED_RETURN_DT is a full calendar date including day, month and year indicating when the job on hold is expected to be reinstated.
Job/Job Dates	JDT Postdoc Annivesary Dt	Postdoc Annivesary Dt
Job/Job Dates	JDT Probation End Dt	UC_PROB_END_DT is the full calendar date including the day, month and year indicating the date when the probation period of an employee ends.
Job/Job Dates	JDT Todays Date	For use in conditions
Job/Job Dates	Job Entry Dates	
Job/Job Dates/Job Entry Dates	JDT Dept Entry Dt	DEPT_ENTRY_DT is a full calendar date including day, month and year indicating the date on which the person is first assigned to the department.
Job/Job Dates/Job Entry Dates	JDT Job Entry Dt	JOB_ENTRY_DT is a full calendar date including day, month and year indicating the date on which the person is first assigned to the job code.

Folder	Object	Description
Job/Job Dates/Job Entry Dates	JDT Grade Entry Dt	GRADE_ENTRY_DT is a full calendar date including day, month and year indicating the date on which the person first joined the associated salary grade.
Job/Job Dates/Job Entry Dates	JDT Position Entry Dt	POSITION_ENTRY_DT is a full calendar date including day, month and year indicating the date on which the person is first assigned to the position.
Job/Job Dates/Job Entry Dates	JDT Step Entry Dt	STEP_ENTRY_DT is a full calendar date including day, month and year indicating the date on which the person first joined the associated salary step.
Job	Job Details	
Job/Job Details	JT BAS Group Id	BAS_GROUP_ID uniquely identifies a user-defined Benefits Administration Group used to facilitate benefits processing.
Job/Job Details	JT BAS Group Desc	DESCR is the 30-character text that Indicates the long description of the annual benefits base rate code.
Job/Job Details	JT BAS Group Id and Desc	BAS_GROUP_ID uniquely identifies a user-defined Benefits Administration group used to facilitate benefits processing and its description.
Job/Job Details/JT BAS Group Id and Desc	JBadm Bene Admin Desc Short	DESCRSHORT is the 10-character text that describes the annual benefits base rate code.
Job/Job Details	JT BAS Action	BAS_ACTION is an alphanumeric value indicating a benefits-related process or event that is associated with a personnel action and action reason combination.
Job/Job Details	JT Benefit Status	BEN_STATUS is an alphanumeric value indicating an employee's status relative to benefits, and is used to determine eligibility for benefits.
Job/Job Details	JT Business Unit	BUSINESS_UNIT is an alphanumeric value indicating the Business Unit of Employee at the time of the transaction.
Job/Job Details	JT Business Unit Name	BUSINESS_UNIT is an alphanumeric value indicating the Business Unit of Employee at the time of the transaction.
Job/Job Details/JT Business Unit Name	J Bus Unit and Name	BUSINESS_UNIT is an alphanumeric value indicating the Business Unit of Employee at the time of the transaction.
Job/Job Details/JT Business Unit Name	J Bus Unit Name Short	BUSINESS_UNIT is an alphanumeric value indicating the Business Unit of Employee at the time of the transaction.
Job/Job Details/JT Business Unit Name	J Bus Unit Default SetId	BUSINESS_UNIT is an alphanumeric value indicating the Business Unit of Employee at the time of the transaction.
Job/Job Details/JT Business Unit Name	J Bus Unit GL Setid	BUSINESS_UNIT is an alphanumeric value indicating the Business Unit of Employee at the time of the transaction.
Job/Job Details	JT Company	COMPANY is a code which identifies the enterprise associated with the Savings Balances by EMPLID.
Job/Job Details	JT Cobra Action	COBRA_ACTION is an alphanumeric value indicating a COBRA-related process or event that is associated with a personnel action and action reason combination.
Job/Job Details	JT Holiday Schedule	HOLIDAY_SCHEDULE is an alphanumeric value used as an abbreviation defining a default holiday schedule.

Folder	Object	Description
Job/Job Details	JT Location Id	LOCATION is an alphanumeric value used as an abbreviation to identify the physical location associated with this company.
Job/Job Details	JT Earn Dist Type Cd	EARNS_DIST_TYPE is a single character alphanumeric value indicating the earnings distribution of the JT such as By Amount, By Hours, or By Percent.
Job/Job Details	JT Per Org	PER_ORG is an alphanumeric value indicating the relationship(s) between a person and the organization such as EMP for Employee. Screen reader support enabled. PER_ORG is an alphanumeric value indicating the relationship(s) between a person and the organization such as EMP for Employee.
Job/Job Details	JT Reg Temp	REG_TEMP is a single character alphanumeric value indicating whether the position is permanent or temporary.
Job/Job Details	JT Officer Cd	OFFICER_CD is an alphanumeric Y/N value indicating highly compensated workers.
Job/Job Details	JT Pay Group	PAYGROUP is the unique code that indicates a person's pay group.
Job/Job Details	JT Tax Location Cd	TAX_LOCATION_CD is an alphanumeric value indicating the abbreviation of the location used for the job's taxes.
Job/Job Details	JT Gp Paygroup	GP_PAYGROUP is a logical grouping to qualify individuals for absence management.
Job/Job Details	JT Gp Dflt Elig Grp	GP_DFLT_ELIG_GRP is a single character alphanumeric value indicating whether or not to override the eligibility group with the pay group value of the field.
Job/Job Details	JT Gp Elig Grp	GP_ELIG_GRP is an alphanumeric value indicating the eligibility group, which specifies absence elements that a payee might be eligible to receive.
Job/Job Details	JT Gp Dflt Currt typ	GP_DFLT_CURRTTYP is a single character alphanumeric value indicating whether or not to override the rate type with the pay group value of the field.
Job/Job Details	JT Gp Dflt Exrtdt	
Job/Job Details	JT Gp Asof Dt Exg Rt	GP_ASOF_DT_EXG_RT is an alphanumeric value indicating the Use Rate As Of date.
Job/Job Details	JT Cur Rt Type	CUR_RT_TYPE is an alphanumeric value indicating the currency exchange rate type to use when performing currency conversions for the payee.
Job/Job Details	JT Class Ind	CLASS_INDC is a single character alphanumeric value indicating the FTE Classification.
Job/Job Details	Eligibility Config	JEL Elig Config

Folder	Object	Description
Job/Job Details/Eligibility Config	JEL Elig Config1	ELIG_CONFIG1 is a UC definable field used as an alphanumeric value for several Benefits Administration eligibility rules indicating which benefit level the employee is eligible to enroll in for health plans.
Job/Job Details/Eligibility Config	JEL Elig Config2	ELIG_CONFIG2 is a UC definable field used as an alphanumeric value for several Benefits Administration eligibility rules indicating which benefit level the employee is eligible to enroll in for non-health plans.
Job/Job Details/Eligibility Config	JEL Elig Config3	ELIG_CONFIG3 is a UC definable field used as an alphanumeric value indicating if an employee is eligible for Medicare.
Job/Job Details/Eligibility Config	JEL Elig Config4	ELIG_CONFIG4 is a UC definable alphanumeric value indicating the DCP [Defined Contribution Plan] Summary Salary that determines if an employee is eligible for summer salary benefit plan.
Job/Job Details/Eligibility Config	JEL Elig Config5	ELIG_CONFIG5 is a UC definable alphanumeric value used in several Benefits Administration eligibility rules indicating if employee is in a confidential position (HERRA Exempt) or in a non HEERA Exempt position.
Job/Job Details/Eligibility Config	JEL Elig Config6	ELIG_CONFIG6 is an alphanumeric value indicating values to further filter persons' eligibility for a specific benefit.
Job/Job Details/Eligibility Config	JEL Elig Config7	ELIG_CONFIG7 is an alphanumeric value indicating values to further filter persons' eligibility for a specific benefit.
Job/Job Details/Eligibility Config	JEL Elig Config8	ELIG_CONFIG8 is an alphanumeric value indicating values to further filter persons' eligibility for a specific benefit.
Job/Job Details/Eligibility Config	JEL Elig Config9	ELIG_CONFIG9 is an alphanumeric value indicating the employee's eligibility for retirement benefits including UCRP, Safe Harbor, PERS, etc.
Job/Job Details	JT FICA Status EE	FICA_STATUS_EE is a single character alphanumeric value used to identify the employee's FICA status, such as Exempt, Medicare Only or subject.
Job/Job Details	JT Prorate Cnt Amt	PRORATE_CNT_AMT is a single character alphanumeric value indicating how a new pay rate is to be applied for employees that have contract pay changes.
Job/Job Details	JT Pay System Flg	PAY_SYSTEM_FLG is an alphanumeric value indicating an abbreviation to identify the payroll system that is used to process the person's paycheck.
Job/Job Details	JT Lump Sum Pay	LUMP_SUM_PAY is a single character alphanumeric value (Y/N) indicating whether or not to apply new pay rate changes for contract employees in one lump sum retro payment for the pay periods that have already been paid.

Folder	Object	Description
Job/Job Details	JT Contract Num	CONTRACT_NUM is an alphanumeric value indicating the contract number of the employee.
Job/Job Details	JT Indicator	JOB_INDICATOR is an alphanumeric value indicating whether this is the person's primary or secondary job for this organizational relationship.
Job/Job Details	JT Benefit System	BENEFIT_SYSTEM is an alphanumeric value indicating the benefits system that is used to process a person's benefits.
Job/Job Details	JT Data Src Cd	Data Src Cd
Job/Job Details	JT Estabid	ESTABID is an alphanumeric unique identifier of the reporting region for EEO reporting.
Job/Job Details	JT Supv Lvl Id	SUPV_LVL_ID is an alphanumeric value indicating the supervisor level of the person associated with this job.
Job/Job Details	JT Absence System Cd	ABSENCE_SYSTEM_CD is an alphanumeric value indicating an abbreviation to identify the absence system that is used to process this person's absence.
Job/Job Details	JT Last Day Worked Override	LDW_OVR is a single character alphanumeric value indicating whether or not the last date worked value has been overridden.
Job/Job Details	JT Auto End Flg	AUTO_END_FLG is a single character alphanumeric value indicating whether the job will automatically terminate on the expected job end date (EXPECTED_END_DATE).
Job/Job Details	JT Shift Factor	SHIFT_FACTOR is a decimal value indicating the shift differential factor.
Job/Job Details	JT Currency Cd	CURRENCY_CD indicates the monetary type as identified by the ISO currency code.
Job/Job Details	JT Regulatory Region	REG_REGION is an alphanumeric value indicating the governing region where there are specific laws and regulations.
Job/Job Details	JT Directly Tipped	DIRECTLY_TIPPED is an alphanumeric value (Y/N) indicating whether employee receives tips.
Job/Job Details	JT FLSA Status	FLSA_STATUS is a single character alphanumeric value indicating whether a position is exempt, nonexempt or no Fair Labor Standards Act Status required.
Job/Job Details	JT EEO Class	EEO_CLASS is a single character alphanumeric value indicating the Equal Employment Opportunity class for the job based on the job code assigned to the employee.
Job/Job Details	JT Supervisor Id	SUPERVISOR_ID is an alphanumeric value indicating who the employee reports to if not using position management.
Job/Job Details	JT Position Override	POSITION_OVERRIDE is a single character alphanumeric value indicating whether or not exceptions to the default position data were entered for this job.
Job/Job Details	JT Position Chg Rec	POSN_CHANGE_RECORD is a single character alphanumeric value indicating whether or not changes to job related fields initiated a system update.

Folder	Object	Description
Job	Department	DEPT_TBL is a look up table containing information regarding business units of the organization such as department, division, region, as defined in the organizational hierarchy. "Use DEPT_TBL to record information about the organizational entities in your company. Data also includes description, company code, location, and budget fields. Assign a DEPTID to each department, division, region, etc. which is used in your organizational hierarchy. The Tree Editor is used to build a hierarchy of these codes, and to identify and group them into the appropriate organizational levels. Department ID is used as the primary organizational identifier on payroll earnings records. It is also used as the basis for implementing organizational security for employee data. You can create multiple DEPT_TBL records for a department, each with a unique effective date.".
Job/Department	DP Dept Id	DEPTID from Job record is a unique identifier for a position that differentiates the administrative unit by HR Business that has coordinating responsibility and/or pay disposition for a person's employment.
Job/Department	DP Dept Description	DESCR is the 30-character text that Indicates the long description of the annual benefits base rate code.
Job/Department/DP Dept Description	DP DeptId	DEPTID from Department table is a unique identifier for a position that differentiates the administrative unit by HR Business that has coordinating responsibility and/or pay disposition for a person's employment. This object is useful for listing all departments.
Job/Department	DP Dept Id and Desc	DESCR is the 30-character text that Indicates the long description of the annual benefits base rate code.
Job/Department/DP Dept Id and Desc	DP Dept Desc Short	DESCRSHORT is the 10-character text that describes the annual benefits base rate code.
Job/Department	DP Dept Id Rollup	UC_DEPTID_ROLLUP is an alphanumeric value that represents the FS department associated with the FAU ACCOUNT.
Job/Department/DP Dept Id Rollup	DP UC Dept Level	TBD
Job/Department/DP Dept Id Rollup	DP UC Dept Sau	TBD
Job/Department/DP Dept Id Rollup	DP UC Dept Type	UC_DEPT_TYPE is the code that categorizes a UC department.
Job/Department	DP Dept Location	LOCATION is an alphanumeric value used as an abbreviation to identify the physical location associated with this company.
Job/Department/DP Dept Location	DP Dept Loc Address	Department location Address line 1

Folder	Object	Description
Job/Department/DP Dept Location	DP Dept Loc Building	Department Location Building
Job/Department/DP Dept Location	DP Dept Loc Floor	Department location Floor
Job/Department/DP Dept Location	DP Dept Loc Addr City	Department location Adress City name
Job/Department/DP Dept Location	DP Dept Loc State	
Job/Department/DP Dept Location	DP Dept Loc Postal Cd	
Job/Department	DP Dept Loc Description	Department Location Description
Job/Department/DP Dept Loc Description	DP Dept Loc Desc Short	Department Location short description
Job	Jobcode Attributes	PS_JOBCODE_TBL table is a lookup table containing information about the job assignments in the organization. Jobs are identified by job codes and a job code is assigned to each job. Data includes description, salary grade, standard hours, and salary survey equivalents. There may be multiple JOBCODE_TBL records for a job code, each with a unique effective date.
Job/Jobcode Attributes	JC Jobcode	JOBCODE is an alphanumeric value indicating a job category within the organization.
Job/Jobcode Attributes	JC Jobcode Desc	JOBCODE is an alphanumeric value indicating a job category within the organization.
Job/Jobcode Attributes	JC Jobcode and Desc	DESCR is the 30-character text that Indicates the long description of the annual benefits base rate code.
Job/Jobcode Attributes/JC Jobcode and Desc	JC Setid	SETID is an unique identifier which enables sharing or restricting selection of information across business units.
Job/Jobcode Attributes/JC Jobcode and Desc	JC Job code	JOBCODE from Jobcode table is an alphanumeric value indicating a job category within the organization.
Job/Jobcode Attributes/JC Jobcode and Desc	JC Effective Dt	EFFDT denotes when the transaction became or becomes formally active or operational.
Job/Jobcode Attributes/JC Jobcode and Desc	JC Eff Status	EFF_STATUS indicates whether a row in a table is (A)ctive or (I)nactive.
Job/Jobcode Attributes/JC Jobcode and Desc	JC Jobcode Desc Short	DESCRSHORT is the 10-character text that describes the annual benefits base rate code.
Job/Jobcode Attributes	UC Job Codes	TBD

Folder	Object	Description
Job/Jobcode Attributes/UC Job Codes	JUC Jobcode	JOBCODE is an alphanumeric value indicating a job category within the organization.
Job/Jobcode Attributes/UC Job Codes	JUC Setid	SETID is an unique identifier which enables sharing or restricting selection of information across business units.
Job/Jobcode Attributes/UC Job Codes	JUC Estabid	TBD
Job/Jobcode Attributes/UC Job Codes	JUC UC Job Group	TBD
Job/Jobcode Attributes/UC Job Codes	JUC UC Job Group Desc	TBD
Job/Jobcode Attributes/UC Job Codes/JUC UC Job Group Desc	JUC UC Job Group Descrshort	UC Job Group Descrshort
Job/Jobcode Attributes/UC Job Codes	JUC UC Job Group and Desc	TBD
Job/Jobcode Attributes/UC Job Codes	JUC UC Job Group Eff Dt	TBD
Job/Jobcode Attributes/UC Job Codes	JUC UC Jobcodes Eff Dt	EFFDT denotes when the transaction became or becomes formally active or operational.
Job/Jobcode Attributes/UC Job Codes	JUC UC ACA Comp Grp Cd	UC_ACA_COMP_GRP_CD is an alphanumeric unique identifier that represents a category of academic compensation subgroups.
Job/Jobcode Attributes/UC Job Codes	JUC UC By Agrmnt	UC_BYAGRMNT is a single alphanumeric value that indicates if the job code is by agreement.
Job/Jobcode Attributes/UC Job Codes	JUC UC Bn Excl Elig	TBD
Job/Jobcode Attributes/UC Job Codes	JUC UC CTO OS Cd	UC_CTO_OS_CD is an alphanumeric unique identifier that represents a category of occupational subgroups.
Job/Jobcode Attributes/UC Job Codes	JUC UC CTO OS Desc	UC_CTO_OS_CD is an alphanumeric unique identifier that represents a category of occupational subgroups.
Job/Jobcode Attributes/UC Job Codes	JUC UC Retirement Safety Cd	UC_RETMT_SFTY_CD is a single character alphanumeric value indicating that the job code is safety retirement eligible.

Folder	Object	Description
Job/Jobcode Attributes/UC Job Codes	JUC UC Eligible Oncall	UC_ELIGIBLE_ONCALL is a single alphanumeric value that indicates if the job code is On call eligible.
Job/Jobcode Attributes/UC Job Codes	JUC UC Eligible Shift diff	UC_ELIGIBLE_SHIFTD is a single alphanumeric value that indicates if the job code is eligible for shift differential.
Job/Jobcode Attributes/UC Job Codes	JUC UC Faculty Ind	TBD
Job/Jobcode Attributes/UC Job Codes	JUC UC OSHPD Code	OSHPD code stands for Office of Statewide Health Planning and Development.
Job/Jobcode Attributes/UC Job Codes	JUC UC Offscale	UC_OFFSCALE is a single alphanumeric value that indicates if the job code is off scale.
Job/Jobcode Attributes/UC Job Codes	JUC UC Summer Sal	UC_SUMMER_SAL is a single character alphanumeric value indicating that the employee is eligible for Summer Salary benefits.
Job/Jobcode Attributes/UC Job Codes	JUC UC Syswide Local	UC_SYSWD_LCL is a single alphanumeric value that indicates if the job code is local or system wide.
Job/Jobcode Attributes/UC Job Codes	JUC Class Ind	CLASS_INDC is a single character alphanumeric value indicating the FTE Classification.
Job/Jobcode Attributes/UC Job Codes	JUC Empl Class	EMPL_CLASS identifies the classification of how an employee is paid within a setid.
Job/Jobcode Attributes	Family and Function	Job Code Functions SubFunc Family EEO SOC OCC
Job/Jobcode Attributes/Family and Function	JUF Job Family Cd	JOB_FAMILY is an alphanumeric value used to check for the group (Job family) that the Person was holding before the current row in Job.
Job/Jobcode Attributes/Family and Function	JUF Job Family Desc	DESCR is the 30-character text that Indicates the long description of the annual benefits base rate code.
Job/Jobcode Attributes/Family and Function	JUF Job Family Cd and Desc	JOB_FAMILY is an alphanumeric value used to check for the group (Job family) that the Person was holding before the current row in Job. and DESCR is the 30-character text that Indicates the long description of the Job Family
Job/Jobcode Attributes/Family and Function/JUF Job Family Cd and Desc	JUF Job Family Cd	JOB_FAMILY is an alphanumeric value used to check for the group (Job family) that the Person was holding before the current row in Job.

Folder	Object	Description
Job/Jobcode Attributes/Family and Function/JUF Job Family Cd and Desc	JFam Family Desc Short	DESCRSHORT is the 10-character text that describes the annual benefits base rate code.
Job/Jobcode Attributes/Family and Function/JUF Job Family Cd and Desc	JFam Effective Dt	EFFDT denotes when the transaction became or becomes formally active or operational.
Job/Jobcode Attributes/Family and Function	JUF Job Function	JOB_FUNCTION is an alphanumeric unique identifier used to check for the Job Function that the Person was holding before the current row in Job.
Job/Jobcode Attributes/Family and Function	JUF Job Function Desc	JOB_FUNCTION is an alphanumeric unique identifier used to check for the Job Function that the Person was holding before the current row in Job.
Job/Jobcode Attributes/Family and Function	JUF Job Function and Desc	JOB_FUNCTION is an alphanumeric unique identifier used to check for the Job Function that the Person was holding before the current row in Job.
Job/Jobcode Attributes/Family and Function/JUF Job Function and Desc	JFun Effective Date	EFFDT denotes when the transaction became or becomes formally active or operational.
Job/Jobcode Attributes/Family and Function/JUF Job Function and Desc	JFun Job Function Short	DESCRSHORT is the 10-character text that describes the annual benefits base rate code.
Job/Jobcode Attributes/Family and Function	JUF Job Sub Func Cd	TBD
Job/Jobcode Attributes/Family and Function	JUF Job Sub Func Desc	JOB_FUNCTION is an alphanumeric unique identifier used to check for the Job Function that the Person was holding before the current row in Job.
Job/Jobcode Attributes/Family and Function	JUF Job Sub Func and Desc	
Job/Jobcode Attributes/Family and Function/JUF Job Sub Func and Desc	JUF Job SubFunc Cd	JOB_FUNCTION is an alphanumeric unique identifier used to check for the Job Function that the Person was holding before the current row in Job.
Job/Jobcode Attributes/Family and Function/JUF Job Sub Func and Desc	JSub SubFunction Desc Short	DESCRSHORT is the 10-character text that describes the annual benefits base rate code.
Job/Jobcode Attributes/Family and Function/JUF Job Sub Func and Desc	JSub SubFunction Effective Dt	

Folder	Object	Description
Job/Jobcode Attributes/Family and Function	JUF EEO1 Code	TBD
Job/Jobcode Attributes/Family and Function	JUF EEO1 Description	EEO1 long description
Job/Jobcode Attributes/Family and Function	JUF EEO1 Cd and Description	EEO1 long description
Job/Jobcode Attributes/Family and Function/JUF EEO1 Cd and Description	JUF EEO1 Desc Short	EEO1 short description
Job/Jobcode Attributes/Family and Function/JUF EEO1 Cd and Description	JUF EEO1 Effective Dt	EFFDT denotes when the transaction became or becomes formally active or operational.
Job/Jobcode Attributes/Family and Function	JUF EEO4 Code	TBD
Job/Jobcode Attributes/Family and Function	JUF EEO4 Description	EEO4 Id and long description
Job/Jobcode Attributes/Family and Function	JUF EEO4 Cd and Description	EEO4 Id and long description
Job/Jobcode Attributes/Family and Function/JUF EEO4 Cd and Description	JUF EEO4 Desc Short	EEO1 short description
Job/Jobcode Attributes/Family and Function/JUF EEO4 Cd and Description	JUF EEO4 Effective Dt	EFFDT denotes when the transaction became or becomes formally active or operational.
Job/Jobcode Attributes/Family and Function	JUF EEO5 Code	TBD
Job/Jobcode Attributes/Family and Function	JUF EEO5 Description	TBD
Job/Jobcode Attributes/Family and Function	JUF EEO5 Cd and Description	EEO5 Id and long description

Folder	Object	Description
Job/Jobcode Attributes/Family and Function/JUF EEO5 Cd and Description	JUF EEO5 Id	JE01 Job EEO5 Id unique value identifying the type
Job/Jobcode Attributes/Family and Function/JUF EEO5 Cd and Description	JUF EEO5 Desc Short	EEO5 short description
Job/Jobcode Attributes/Family and Function/JUF EEO5 Cd and Description	JUF EEO5 Effective Dt	EFFDT denotes when the transaction became or becomes formally active or operational.
Job/Jobcode Attributes/Family and Function	JUF EEO6 Code	TBD
Job/Jobcode Attributes/Family and Function	JUF EEO6 Description	TBD
Job/Jobcode Attributes/Family and Function	JUF EEO6 Cd and Description	EEO6 Id and long description
Job/Jobcode Attributes/Family and Function/JUF EEO6 Cd and Description	JUF EEO6 Id	JE01 Job EEO1 Id unique value identifying the type
Job/Jobcode Attributes/Family and Function/JUF EEO6 Cd and Description	JUF EEO6 Desc Short	EEO6 short description
Job/Jobcode Attributes/Family and Function/JUF EEO6 Cd and Description	JUF EEO6 Effective Dt	EFFDT denotes when the transaction became or becomes formally active or operational.
Job/Jobcode Attributes/Family and Function	JUF EEO Job Group	TBD
Job/Jobcode Attributes/Family and Function	JUF US SOC Cd	US_SOC_CD is an alphanumeric unique identifier that represents the US Standard Occupation Code
Job/Jobcode Attributes/Family and Function	JUF US SOC Desc	DESCR50 is the 50-character text that describes an Standard Occupation Code
Job/Jobcode Attributes/Family and Function	JUF US SOC Cd and Desc	US SOC Code and the 50-character text that describes an Standard Occupation Code

Folder	Object	Description
Job/Jobcode Attributes/Family and Function	JUF US OCC Cd	US_OCC_CD is an alphanumeric unique identifier that represents a US Occupation Code.
Job/Jobcode Attributes/Family and Function	JUF US OCC Desc	DESCR50 is the 50-character text that describes an ethnic group code.
Job/Jobcode Attributes/Family and Function	JUF US OCC Cd and Description	DESCR50 is the 50-character text that describes an ethnic group code.
Job/Jobcode Attributes	JC Sal Admin Plan	SAL_ADMIN_PLAN is an alphanumeric value indicating the salary for the grade, step, or half-step an employee holds in association to their job.
Job/Jobcode Attributes	JC Barg Unit Local	BARG_UNIT identifies the local bargaining unit that represents this union.
Job/Jobcode Attributes	JC Step	STEP is a numerical value indicating the pay rate and the order in which pay rates progress.
Job/Jobcode Attributes	JC Bargaining Unit Cd	UNION_CD is an alphanumeric abbreviation that represents the employee's union code associated with their payroll deductions.
Job/Jobcode Attributes	JC Directly Tipped	DIRECTLY_TIPPED is an alphanumeric value indicating whether employee receives tips.
Job/Jobcode Attributes	JC EG Academic Rank	EG_ACADEMIC_RANK is an alphanumeric value indicating the rank when this is a faculty position.
Job/Jobcode Attributes	JC EG Academic Rank and Desc	EG_ACADEMIC_RANK is an alphanumeric value indicating the rank when this is a faculty position.
Job/Jobcode Attributes/JC EG Academic Rank and Desc	EG Rank Description	DESCR is alphanumeric value indicating the long description.
Job/Jobcode Attributes/JC EG Academic Rank and Desc	EG Rank Desc Short	DESCRSHORT is an alphanumeric value indicating a short or abbreviated version of the description to describe this position.
Job/Jobcode Attributes/JC EG Academic Rank and Desc	EG HP Stats Rank Cd	TBD
Job/Jobcode Attributes/JC EG Academic Rank and Desc	EG Rank Partial Flag	TBD
Job/Jobcode Attributes/JC EG Academic Rank and Desc	EG Rank Auto Tnr Flag	TBD

Folder	Object	Description
Job/Jobcode Attributes/JC EG Academic Rank and Desc	EG Req Prob Prd	TBD
Job/Jobcode Attributes/JC EG Academic Rank and Desc	EG Rank Track Flag	TBD
Job/Jobcode Attributes/JC EG Academic Rank and Desc	EG Rank Ipeds	TBD
Job/Jobcode Attributes/JC EG Academic Rank and Desc	EG Rank Group	EG_GROUP is an alphanumeric value indicating the calculation group when using Track Flexible Service.
Job/Jobcode Attributes/JC EG Academic Rank and Desc	EG Rank Eff Dt	EFFDT is the full calendar date including day, month and year indicating when the record became or becomes formally active or operational.
Job/Jobcode Attributes	JC EG Group	EG_GROUP in PS_PER_ORG_ASG_HP is not in use in UC HCM.
Job/Jobcode Attributes	JC FLSA Status	FLSA_STATUS is a single character alphanumeric value indicating whether a position is exempt, nonexempt or no Fair Labor Standards Act Status required.
Job/Jobcode Attributes	JC Function Cd	TBD
Job/Jobcode Attributes	JC Grade	GRADE is an alphanumeric value indicating the salary grade associated with a position and/or a job.
Job/Jobcode Attributes	JC INAIL Code	INAIL_CODE classifies jobs according to the level of risk that is associated with the job and the related insurance that is required by the employer.
Job/Jobcode Attributes	JC IPEDSS code	TBD
Job/Jobcode Attributes	JC Last Update Date	LAST_UPDATE_DATE is a full calendar date including day, month and year indicating the last update to an entry.
Job/Jobcode Attributes	JC Manager Level	TBD
Job/Jobcode Attributes	JC Med Chkup Req'd	TBD - Medical Checkup required fro the jobcode?
Job/Jobcode Attributes	JC Position Mgmt Ind	TBD
Job/Jobcode Attributes	JC Reg Temp	REG_TEMP is a single character alphanumeric value indicating whether the position is permanent or temporary.

Folder	Object	Description
Job/Jobcode Attributes	JC Regulatory Region	REG_REGION is an alphanumeric value indicating the governing region where there are specific laws and regulations.
Job/Jobcode Attributes	JC Retro Rate	
Job/Jobcode Attributes	JC Retro Percent	
Job/Jobcode Attributes	JC Comp Frequency	COMP_FREQUENCY is an alphanumeric value indicating the compensation frequency associated with the component of pay rate.
Job/Jobcode Attributes	JC Sal Range Currency	SAL_RANGE_CURRENCY indicates the monetary type as identified by the ISO currency code.
Job/Jobcode Attributes	JC Sal Range Frequency	TBD
Job/Jobcode Attributes	JC Sal Range Min Rate	TBD
Job/Jobcode Attributes	JC Sal Range Mid Rate	TBD
Job/Jobcode Attributes	JC Sal Range Max Rate	TBD
Job/Jobcode Attributes	JC Std Hrs Frequency	STD_HRS_FREQUENCY is an alphanumeric value indicating an abbreviation to define the standard work period, the time period during which workers must complete the standard hours.
Job/Jobcode Attributes	JC Std Hours	STD_HOURS is a numeric value indicating the hours worked in the associated work period for this position.
Job/Jobcode Attributes	JC Setid Salary	SETID_SALARY is an alphanumeric value indicating the SETID associated with the salary plan, grade and step of the job.
Job/Jobcode Attributes	JC Survey Salary	
Job/Jobcode Attributes	JC Survey Job Code	
Job/Jobcode Attributes	JC Telework Avail	TBD
Job/Jobcode Attributes	JC Training Pgm	TRN_PROGRAM is an alphanumeric unique identifier used to identify a UC training program.
Job/Jobcode Attributes	JC Workers Comp Cd	WORKERS_COMP_CD is free form alphanumeric text and not a code.
Job	Job Action (Restricted Access)	
Job/Job Action (Restricted Access)	JA Action	ACTION is a code that identifies the action to update an employee's job or employment information.
Job/Job Action (Restricted Access)	JA Action Reason	ACTION_REASON denotes why an employee's job or employment information is updated.

Folder	Object	Description
Job/Job Action (Restricted Access)	JA Action Reason Desc	DESCR is the 30-character text that Indicates the long description of the annual benefits base rate code.
Job/Job Action (Restricted Access)	JA Action Reason with Desc	ACTION_REASON denotes why an employee's job or employment information is updated.
Job/Job Action (Restricted Access)/JA Action Reason with Desc	JAcrn Job Object Ownerid	OBJECTOWNERID is an alphanumeric value that represents the PeopleSoft owner id of an object.
Job/Job Action (Restricted Access)/JA Action Reason with Desc	JAcrn Job Action Rsn Eff Dt	EFFDT denotes when the transaction became or becomes formally active or operational.
Job/Job Action (Restricted Access)/JA Action Reason with Desc	JAcrn Job Action Rsn Short	DESCRSHORT is the 10-character text that describes the annual benefits base rate code.
Job/Job Action (Restricted Access)/JA Action Reason with Desc	JAcrn Job Action Cd	ACTION is a code that identifies the action to update an employee's job or employment information.
Job/Job Action (Restricted Access)	JA Action Dt	ACTION_DT is a full calendar date including day, month and year indicating when the department budget entry was created.
Job/Job Action (Restricted Access)	JA Action Description	ACTION_DESCR is the 50-character text that describes an action to an employee's job or employment information.
Job/Job Action (Restricted Access)	JA Action with Description	EFF_STATUS indicates whether a row in a table is (A)ctive or (I)nactive.
Job/Job Action (Restricted Access)/JA Action with Description	JAct Job Object Ownerid	OBJECTOWNERID is an alphanumeric value that represents the PeopleSoft owner id of an object.
Job/Job Action (Restricted Access)/JA Action with Description	JAct Job Action Desc Short	ACTION_DESCRSHORT is the 30-character text that describes an action to an employee's job or employment information.
Job/Job Action (Restricted Access)/JA Action with Description	JAct Job Eff Dt	EFFDT denotes when the transaction became or becomes formally active or operational.
Job	Job Compensation	
Job/Job Compensation	JC Comp Frequency	COMP_FREQUENCY is an alphanumeric value indicating the compensation frequency associated with the component of pay rate.

Folder	Object	Description
Job/Job Compensation	JC Std Hrs Frequency	STD_HRS_FREQUENCY is an alphanumeric value indicating an abbreviation to define the standard work period, the time period during which workers must complete the standard hours.
Job/Job Compensation	JC Shift	SHIFT is a single character alphanumeric value indicating the abbreviation of the worker's shift type associated with the earnings distribution.
Job/Job Compensation	Job Comp Amounts	Note: these objects present compensation data by rolling it up to the JOB Current record = Y level
Job/Job Compensation/Job Comp Amounts	JCN Annl Bene Base Rate	ANNL_BENEF_BASE_RT is a numeric value indicating the compensation amount used to calculate benefits and benefit deductions for an employee.
Job/Job Compensation/Job Comp Amounts	JCN Change Amt	CHANGE_AMT is a currency value indicating the overall change amount in this pay component rate relative to the previous J Data row.
Job/Job Compensation/Job Comp Amounts	JCN Change Pct	CHANGE_PCT is a numeric value indicating the overall change amount (by percent) for this pay component.
Job/Job Compensation/Job Comp Amounts	JCN Std Hours	STD_HOURS is a numeric value indicating the hours worked in the associated work period for this position. Value is FTE adjusted.
Job/Job Compensation/Job Comp Amounts	JCN Shift Rate	SHIFT_RT is a decimal value indicating the currency value of the shift differential for this worker and job.
Job/Job Compensation/Job Comp Amounts	JCN Work Day Hours	WORK_DAY_HOURS is the number of hours an employee is scheduled to work on a normal day which is used to calculate the FLSA Basic Rate Formula.
Job/Job Compensation/Job Comp Amounts	JCN Base Comp Annual or Hourly	ODSOPS.R_COMPENSATION.CONVERT_COMPRT
Job/Job Compensation/Job Comp Amounts	JCN Base Comp Monthly or Hourly	
Job/Job Compensation/Job Comp Amounts	JCN Base Comp Converted	Base Converted Comprate from R_COMPENSATION
Job/Job Compensation/Job Comp Amounts	JCN JOB Comp Amounts	
Job/Job Compensation/Job Comp Amounts/JCN JOB Comp Amounts	JCN Job Annual	ANNUAL_RT indicates the currency value of the full-time annual salary. Value is FTE adjusted.

Folder	Object	Description
Job/Job Compensation/Job Comp Amounts/JCN JOB Comp Amounts	JCN Job Monthly	MONTHLY_RT indicates the full-time monthly salary. Value is FTE adjusted.
Job/Job Compensation/Job Comp Amounts/JCN JOB Comp Amounts	JCN Job Daily	MONTHLY_RT indicates the full-time monthly salary. Value is FTE adjusted.
Job/Job Compensation/Job Comp Amounts/JCN JOB Comp Amounts	JCN Job Hourly	HOURLY_RT is a currency value indicating the hourly pay rate for an employee on a job. Value is FTE adjusted.
Job/Job Compensation/Job Comp Amounts/JCN JOB Comp Amounts	JCN Job Comp Rate	COMPRATE is a currency value indicating the compensation rate for each component of pay in the context of the COMP_FREQUENCY field. Value is FTE adjusted.
Job/Job Compensation/Job Comp Amounts	JCN Base Comp by Rate Cd	Base comp accumulators for all Ratecd types
Job/Job Compensation/Job Comp Amounts/JCN Base Comp by Rate Cd	JCN Base Comp AllComp	Compensation amount for any compensation type except UCGCY for an employee. Not all employees will be compensated with this code.
Job/Job Compensation/Job Comp Amounts/JCN Base Comp by Rate Cd	JCN Base Comp UCHRLY	Compensation amount for any UCHRLY based compensation for an employee. Not all employees will be compensated with this code.
Job/Job Compensation/Job Comp Amounts/JCN Base Comp by Rate Cd	JCN Base Comp UCANNL	Compensation amount for any UCANNL based compensation for an employee. Not all employees will be compensated with this code.
Job/Job Compensation/Job Comp Amounts/JCN Base Comp by Rate Cd	JCN Base Comp UCOFF1	Compensation amount for any UCOFF1 based compensation for an employee. Not all employees will be compensated with this code.
Job/Job Compensation/Job Comp Amounts/JCN Base Comp by Rate Cd	JCN Base Comp UCWOS	Compensation amount for any UCWOS based compensation for an employee. Not all employees will be compensated with this code.
Job/Job Compensation/Job Comp Amounts/JCN Base Comp by Rate Cd	JCN Base Comp UCABVE	Compensation amount for any UCABVE based compensation for an employee. Not all employees will be compensated with this code.

Folder	Object	Description
Job/Job Compensation/Job Comp Amounts/JCN Base Comp by Rate Cd	JCN Base Comp UCGCY	Compensation amount for any UCGCY based compensation for an employee. Not all employees will be compensated with this code.
Job/Job Compensation/Job Comp Amounts/JCN Base Comp by Rate Cd	JCN Base Comp UCFELL	Compensation amount for any UCFELL based compensation for an employee. Not all employees will be compensated with this code.
Job/Job Compensation/Job Comp Amounts/JCN Base Comp by Rate Cd	JCN Base Comp UCOHR1	Compensation amount for any UCOHR1 based compensation for an employee. Not all employees will be compensated with this code.
Job/Job Compensation/Job Comp Amounts/JCN Base Comp by Rate Cd	JCN Base Comp UCPDMO	Compensation amount for any UCPDMO based compensation for an employee. Not all employees will be compensated with this code.
Job/Job Compensation/Job Comp Amounts/JCN Base Comp by Rate Cd	JCN Base Comp UCPPDP	Compensation amount for any UCPPDP based compensation for an employee. Not all employees will be compensated with this code.
Job/Job Compensation/Job Comp Amounts/JCN Base Comp by Rate Cd	JCN Base Comp UCLHRL	Compensation amount for any UCLHRL based compensation for an employee. Not all employees will be compensated with this code.
Job/Job Compensation/Job Comp Amounts	JCN Base Comp Counts	
Job/Job Compensation/Job Comp Amounts/JCN Base Comp Counts	JCN Base Count UCHRLY	Count of compensation occurrences for UCHRLY based compensation for an employee. Not all employees will be compensated with this code.
Job/Job Compensation/Job Comp Amounts/JCN Base Comp Counts	JCN Base Count UCANNL	Count of compensation occurrences for UCANNL based compensation for an employee. Not all employees will be compensated with this code.
Job/Job Compensation/Job Comp Amounts/JCN Base Comp Counts	JCN Base Count UCOFF1	Count of compensation occurrences for UCOFF1 based compensation for an employee. Not all employees will be compensated with this code.
Job/Job Compensation/Job Comp Amounts/JCN Base Comp Counts	JCN Base Count UCWOS	Count of compensation occurrences for UCWOS based compensation for an employee. Not all employees will be compensated with this code.

Folder	Object	Description
Job/Job Compensation/Job Comp Amounts/JCN Base Comp Counts	JCN Base Count UCABVE	Count of compensation occurrences for UCABVE based compensation for an employee. Not all employees will be compensated with this code.
Job/Job Compensation/Job Comp Amounts/JCN Base Comp Counts	JCN Base Count UCGCY	Count of compensation occurrences for UCGCY based compensation for an employee. Not all employees will be compensated with this code.
Job/Job Compensation/Job Comp Amounts/JCN Base Comp Counts	JCN Base Count UCFELL	Count of compensation occurrences for UCFELL based compensation for an employee. Not all employees will be compensated with this code.
Job/Job Compensation/Job Comp Amounts/JCN Base Comp Counts	JCN Base Count UCOHR1	Count of compensation occurrences for UCOHR1 based compensation for an employee. Not all employees will be compensated with this code.
Job/Job Compensation/Job Comp Amounts/JCN Base Comp Counts	JCN Base Count UCPDMO	Count of compensation occurrences for UCPDMO based compensation for an employee. Not all employees will be compensated with this code.
Job/Job Compensation/Job Comp Amounts/JCN Base Comp Counts	JCN Base Count UCLHRL	Count of compensation occurrences for UCLHRL based compensation for an employee. Not all employees will be compensated with this code.
Job/Job Compensation/Job Comp Amounts/JCN Base Comp Counts	JCN Base Count UCPDPD	Count of compensation occurrences for UCPDPD based compensation for an employee. Not all employees will be compensated with this code.
Job/Job Compensation/Job Comp Amounts/JCN Base Comp Counts	JCN Base Count	Count of compensation occurrences.
Job/Job Compensation	Job Comp Table	Job Compensation table
Job/Job Compensation/Job Comp Table	JCP Eff Seq	EFFSEQ is a numeric value indicating the sequence of multiple transactions for an employee on a job.
Job/Job Compensation/Job Comp Table	JCP Eff Dt	EFFDT is the full calendar date including day, month and year indicating when the record became or becomes formally active or operational.
Job/Job Compensation/Job Comp Table	JCP Comp Eff Seq	COMP_EFFSEQ is a numeric value indicating the sequence number that identifies different Components of Pay for a job.
Job/Job Compensation/Job Comp Table	JCP Comp Rate Cd	COMP_RATECD is an alphanumeric value indicating the pay components on pages and when configuring compensation packages in a compensation record.

Folder	Object	Description
Job/Job Compensation/Job Comp Table	JCP Comp Rate Desc	DESCR is the 30-character text that Indicates the long description of the compensation rate code.
Job/Job Compensation/Job Comp Table/JCP Comp Rate Desc	JCPD Comp Rate Desc (short)	DESCRSHORT is the 10-character text that Indicates the short description of the compensation rate code.
Job/Job Compensation/Job Comp Table	JCP Comp Frequency	COMP_FREQUENCY is an alphanumeric value indicating the compensation frequency associated with the component of pay rate.
Job/Job Compensation/Job Comp Table	JCP Comp Rate	COMPRATE is a currency value indicating the compensation rate for each component of pay in the context of the COMP_FREQUENCY field.
Job/Job Compensation/Job Comp Table	JCP Comp Rate Monthly or Hourly	COMPRATE is a currency value indicating the compensation rate for each component of pay in the context of the COMP_FREQUENCY field.
Job/Job Compensation/Job Comp Table	JCP Comp Pct	COMP_FREQUENCY is an alphanumeric value indicating the compensation frequency associated with the component of pay rate.
Job/Job Compensation/Job Comp Table	JCP Comp Rate Points	TBD
Job/Job Compensation/Job Comp Table	JCP Currency Cd	CURRENCY_CD indicates the monetary type as identified by the ISO currency code.
Job/Job Compensation/Job Comp Table	JCP Manual Switch	MANUAL_SW (SWITCH) is a single character alphanumeric value indicating whether the pay component's value was manually entered or the pay rate contains only defaulted values.
Job/Job Compensation/Job Comp Table	JCP Convert Comp Rate	CONVERT_COMPRT is a numeric value indicating the converted compensation rate for this pay component.
Job/Job Compensation/Job Comp Table	JCP Change Amt	CHANGE_AMT is a currency value indicating the overall change amount in this pay component rate relative to the previous Job Data row.
Job/Job Compensation/Job Comp Table	JCP Change Pct	CHANGE_PCT is a numeric value indicating the overall change amount (by percent) for this pay component.
Job/Job Compensation/Job Comp Table	JCP Change Pts	CHANGE_PTS is a numeric value indicating the overall change amount (in points) for this pay component.
Job/Job Compensation/Job Comp Table	JCP FTE Indicator	FTE_INDICATOR is a flag used indicating that the value associated with the rate code is to be multiplied by the FTE factor for annualization and deannualization.

Folder	Object	Description
Job/Job Compensation/Job Comp Table	JCP Rate Code Group	RATE_CODE_GROUP is an alphanumeric value indicating the group used to calculate percentage-based components as part of the worker compensation package.
Job/Job Compensation/Job Comp Table	JCP Cmp Src Ind	CMP_SRC_IND is a single character alphanumeric value indicating how the pay component gets into the pay components grid.
Job/Job Compensation/Job Comp Table	Comp Rate Details	
Job/Job Compensation/Job Comp Table/Comp Rate Details	JCPD Comp Rate Cd and Desc	COMP_RATECD is an alphanumeric value indicating the pay components on pages and when configuring compensation packages in a compensation record this object includes description
Job/Job Compensation/Job Comp Table/Comp Rate Details	JCPD Comp Rate	COMPRATE is a decimal value indicating the compensation rate for the job associated with the employee's earnings used for accounting purposes.
Job/Job Compensation/Job Comp Table/Comp Rate Details	JCPD Comp Pct	COMP_PCT is a numeric value indicating the percent to be applied to the job compensation rate when the selected rate code is percent.
Job/Job Compensation/Job Comp Table/Comp Rate Details	JCPD Comp Base Pay Sw	TBD
Job/Job Compensation/Job Comp Table/Comp Rate Details	JCPD Comp Rate Type	TBD
Job/Job Compensation/Job Comp Table/Comp Rate Details	JCPD Comp Frequency	COMP_FREQUENCY is an alphanumeric value indicating the compensation frequency associated with the component of pay rate.
Job/Job Compensation/Job Comp Table/Comp Rate Details	JCPD Currency Cd	CURRENCY_CD is an alphanumeric value indicating the monetary type as identified by the ISO currency code.
Job/Job Compensation/Job Comp Table/Comp Rate Details	JCPD Comp Non Upd Ind	TBD
Job/Job Compensation/Job Comp Table/Comp Rate Details	JCPD Comp Calc By	TBD

Folder	Object	Description
Job/Job Compensation/Job Comp Table/Comp Rate Details	JCPD Comp Payable Sw	TBD
Job/Job Compensation/Job Comp Table/Comp Rate Details	JCPD Eff Dt	EFFDT is the full calendar date including day, month and year indicating when the record became or becomes formally active or operational.
Job/Job Compensation/Job Comp Table/Comp Rate Details	JCPD Eff Status	EFF_STATUS is a single character alphanumeric value indicating whether a row in a table is (A)ctive or (I)nactive.
Job/Job Compensation/Job Comp Table/Comp Rate Details	JCPD Ern Cd	ERNCD is an alphanumeric code indicating how to compensate an employee.
Job/Job Compensation/Job Comp Table/Comp Rate Details	JCPD FTE Indicator	FTE_INDICATOR is a flag used indicating that the value associated with the rate code is to be multiplied by the FTE factor for annualization and deannualization.
Job/Job Compensation/Job Comp Table/Comp Rate Details	JCPD Lookup Id	TBD
Job/Job Compensation/Job Comp Table/Comp Rate Details	JCPD Sal Pkg Warn	TBD
Job/Job Compensation/Job Comp Table/Comp Rate Details	JCPD Seniority Calc	TBD
Job/Job Compensation/Job Comp Table/Comp Rate Details	JCPD Rate Code Class	TBD
Job/Job Compensation/Job Comp Table/Comp Rate Details	JCPD Use Highest Rt Sw	TBD
Job/Job Compensation	Dist Adjusted Comp	Compensation objects. The Dist Pct adjusted was not a measure that would ever be useful so these objects have been reverted to the original job value pending removal from the universe (05/20/2020)

Folder	Object	Description
Job/Job Compensation/Dist Adjusted Comp	JCA Dist Pct	DIST_PCT is decimal value value indicating the percentage of the distribution of the employer paid deductions impact on department budgets.
Job/Job Compensation/Dist Adjusted Comp	JCA Job Comp Rate	COMPRATE is a currency value indicating the compensation rate for each component of pay in the context of the COMP_FREQUENCY field.
Job/Job Compensation/Dist Adjusted Comp	JCA Job Comp Annual	ANNUAL_RT indicates the currency value of the full-time annual salary.
Job/Job Compensation/Dist Adjusted Comp	JCA Job Comp Monthly	MONTHLY_RT indicates the full-time monthly salary.
Job/Job Compensation/Dist Adjusted Comp	JCA Job Comp Daily	MONTHLY_RT indicates the full-time monthly salary.
Job/Job Compensation/Dist Adjusted Comp	JCA Job Comp Hourly	HOURLY_RT is a currency value indicating the hourly pay rate for an employee on a job.
Job/Job Compensation/Dist Adjusted Comp	JCA Job Std Hours	STD_HOURS is a numeric value indicating the hours worked in the associated work period for this position.
Job/Job Compensation/Dist Adjusted Comp	JCA Job Shift Rate	SHIFT_RT is a decimal value indicating the currency value of the shift differential for this worker and job.
Job/Job Compensation/Dist Adjusted Comp	JCA Job Work Day Hours	WORK_DAY_HOURS is the number of hours an employee is scheduled to work on a normal day which is used to calculate the FLSA Basic Rate Formula.
Job	Primary Job Indicator	PS_PRIMARY_JOBS table records information indicating which EMPL_RCD is an employee's primary job for elected benefits coverage.
Job/Primary Job Indicator	JP Primary Job Ind	PRIMARY_JOB_IND is a Y/N flag value used to indicate whether this row is the employee's primary job.
Job/Primary Job Indicator	JP Primary Job App	PRIMARY_JOB_APP is an alphanumeric value that identifies the application of the primary job selection for benefits or pension administration purposes.
Job/Primary Job Indicator	JP Empl Rcd	EMPL_RCD is a numeric value indicating a unique instance of a job for an employee with multiple concurrent jobs.
Job/Primary Job Indicator	JP Job Effseq	JOB_EFFSEQ indicates the sequence number of the transaction for the Effective Date.
Job/Primary Job Indicator	JP Job Empl Rcd	JOB_EMPL_RCD field is used by the system when changes to the primary job occur.
Job/Primary Job Indicator	JP Effective Dt	EFFDT denotes when the transaction became or becomes formally active or operational.

Folder	Object	Description
Job/Primary Job Indicator	JP Primary Flag1	PRIMARY_FLAG1 is a binary flag that indicates whether or not the job is to be included by the system in determining the employee's benefit eligibility.
Job/Primary Job Indicator	JP Primary Flag2	PRIMARY_FLAG2 is a binary flag that indicates whether or not the job is to be included when the system calculates the employee's benefit deduction and coverage.
Job/Primary Job Indicator	JP Primary Jobs Src	PRIMARY_JOBS_SRC is a single character alphanumeric value used to identify the source of the primary job information.
Job	Person Org Assignment	PS_PER_ORG_ASGN contains information about the relationship between an employee and the organization(aka Business Unit) to which an employee is assigned by job.
Job/Person Org Assignment	PO Per Org	PER_ORG is an alphanumeric value indicating the relationship(s) between a person and the organization such as EMP for Employee.
Job/Person Org Assignment	PO Empl Rcd	EMPL_RCD is a numeric value indicating a unique instance of a job for an employee with multiple concurrent jobs.
Job/Person Org Assignment	PO Business Title	BUSINESS_TITLE is a text value indicating a full textual explanation of the worker's official title, which might be different from the job title.
Job/Person Org Assignment	PO Benefit Rcd Nbr	BENEFIT_RCD_NBR is a numeric value indicating the sequence of concurrent jobs for an employee.
Job/Person Org Assignment	PO Home Host Class	HOME_HOST_CLASS is a single character alphanumeric value indicating whether the current job for a worker that is on assignment, is at the worker's home location or the assignment location.
Job/Person Org Assignment	PO Position Phone	POSITION_PHONE is an alphanumeric value indicating the employee's primary work phone number.
Job/Person Org Assignment	PO Com Sen Pay Dt Override	CMPNY_DT_OVR is a single character alphanumeric value indicating whether or not the Company Seniority Pay Date has been overridden.
Job/Person Org Assignment	PO Company Seniority Dt	CMPNY_SENIORITY_DT is a full calendar date including day, month and year indicating the first date an employee enters a Company.
Job/Person Org Assignment	PO Last Increase Dt	LAST_INCREASE_DT is a full calendar date including day, month and year indicating the latest date on which the worker received a salary increase.
Job/Person Org Assignment	PO Last Verification Dt	LAST_VERIFICATN_DT is a full calendar date including day, month and year indicating the latest date on which the worker verified his or her personal data in the system.
Job/Person Org Assignment	PO Probation Dt	PROBATION_DT is a full calendar date including day, month and year indicating the date on which the worker is placed on probation.

Folder	Object	Description
Job/Person Org Assignment	PO Prof Experience Dt	PROF_EXPERIENCE_DT is a full calendar date including day, month and year indicating the earliest date on which the worker started working in a job that required skills that are directly related to the worker's current position.
Job/Person Org Assignment	PO Org Instance ERN	ORG_INSTANCE_ERN is a numeric value indicating the EMPL_RCD (ERN) that is considered the organizational Instance for this particular ERN.
Job/Person Org Assignment	PO Service Dt	SERVICE_DT is a full calendar date including day, month and year indicating the worker's seniority date.
Job/Person Org Assignment	PO Service Dt Override	SERVICE_DT_OVR is a single character alphanumeric value indicating whether or not the Service Date has been overridden.
Job/Person Org Assignment	PO Seniority Pay Dt	SENIORITY_PAY_DT is a full calendar date including day, month and year indicating the date that the system should use to calculate seniority-based pay.
Job/Person Org Assignment	PO Sen Pay Dt Override	SEN_PAY_DT_OVR is a single character alphanumeric value indicating that the Seniority Pay Date has been overridden.
Job/Person Org Assignment	Covered Comp Offsets	PS_UC_BN_CC_CALC1 contains granular information about Covered Comp Offset Amounts.
Job/Person Org Assignment/Covered Comp Offsets	CC Emplid	EMPLID is an alphanumeric value indicating the system generated unique identifier for a person.
Job/Person Org Assignment/Covered Comp Offsets	CC Empl Rcd	EMPL_RCD is a numeric value indicating a unique instance of a job for an employee with multiple concurrent jobs.
Job/Person Org Assignment/Covered Comp Offsets	CC Eff Dt	EFFDT denotes when the transaction became or becomes formally active or operational.
Job/Person Org Assignment/Covered Comp Offsets	CC Plan Type	PLAN_TYPE identifies a category of benefit plan, such as Medical, Dental, and Life (Insurance).
Job/Person Org Assignment/Covered Comp Offsets	CC Benefit Plan	BENEFIT_PLAN is a code which identifies the specific elected coverage within a plan type (Medical, Dental, and Life Insurance).
Job/Person Org Assignment/Covered Comp Offsets	CC Dedcd	DEDCD is a code which identifies payroll deductions by benefit coverage such as medical, short-term disability, 4021k.
Job/Person Org Assignment/Covered Comp Offsets	CC Ded Class	DED_CLASS is a single character alphanumeric value indicating the IRS associated tax status of payroll deductions for benefits, such as before tax, after tax and nontaxable.
Job/Person Org Assignment/Covered Comp Offsets	CC Seqno	TBD

Folder	Object	Description
Job/Person Org Assignment/Covered Comp Offsets	Company	COMPANY is a code which identifies the enterprise associated with the Savings Balances by EMPLID.
Job/Person Org Assignment/Covered Comp Offsets	CC Paygroup	PAYGROUP is the unique code that indicates a person's pay group.
Job/Person Org Assignment/Covered Comp Offsets	CC Pay Pd End Dt	PAY_END_DT is a full calendar date including day, month and year that identifies the end date of the pay period.
Job/Person Org Assignment/Covered Comp Offsets	CC Process Instance	PROCESS_INSTANCE is a numeric value indicating a PeopleSoft batch process run.
Job/Person Org Assignment/Covered Comp Offsets	CC UC Comp Limit Type	
Job/Person Org Assignment/Covered Comp Offsets	CC Off Cycle	OFF_CYCLE is a binary flag that indicates whether or not the specified pay run is an off-cycle pay run.
Job/Person Org Assignment/Covered Comp Offsets	CC UC CC Employer Calc Amt	TBD
Job/Person Org Assignment/Covered Comp Offsets	CC UC CC Employee Calc Amt	TBD
Job/Person Org Assignment/Covered Comp Offsets	CC UC CC Employee Actl Amt	TBD
Job/Person Org Assignment/Covered Comp Offsets	CC UC CC Employer Actl Amt	TBD
Job/Person Org Assignment/Covered Comp Offsets	CC Actuall Offset Amt	TBD
Job/Person Org Assignment/Covered Comp Offsets	CC Ded Cur Cd	DED_CUR is a the currency value of the current deduction amount.
Job/Person Org Assignment/Covered Comp Offsets	CC UC CCL	TBD
Job/Person Org Assignment/Covered Comp Offsets	CC Calc Val	CALC_VAL is a numeric value that represents the value used to calculate the element.
Job/Person Org Assignment/Covered Comp Offsets	CC UC Cal Contribution	TBD

Folder	Object	Description
Job/Person Org Assignment/Covered Comp Offsets	CC UC Offset Employer Amt	TBD
Job/Person Org Assignment/Covered Comp Offsets	CC UC Offset Employee Amt	TBD
Job/Person Org Assignment/Covered Comp Offsets	CC Balance Amt	TBD
Job/Person Org Assignment/Covered Comp Offsets	CC UC Prev Bal	
Job/Person Org Assignment/Covered Comp Offsets	CC UC Net Employee Ac	TBD
Job/Person Org Assignment/Covered Comp Offsets	CC UC Net Employer Ac	TBD
Job/Person Org Assignment/Covered Comp Offsets	CC Flag	TBD
Job/Person Org Assignment/Covered Comp Offsets	CC Flag1	TBD
Job/Person Org Assignment/Covered Comp Offsets	CC Flag2	TBD
Job/Person Org Assignment/Covered Comp Offsets	CC Flag3	TBD
Job/Person Org Assignment/Covered Comp Offsets	CC Yes	TBD
Job/Person Org Assignment/Covered Comp Offsets	CC Lastupdoprid	LASTUPDOPRID specifies the user id of the person that made the last update to an entry.
Job/Person Org Assignment/Covered Comp Offsets	CC Created By	TBD
Job/Person Org Assignment	Per Org Asgn HP	PS_PER_ORG_ASG_HP contains extra information for Education and Government. E & G record not used at UC.
Job/Person Org Assignment/Per Org Asgn HP	HP Emplid	

Folder	Object	Description
Job/Person Org Assignment/Per Org Asgn HP	HP Empl Rcd	
Job/Person Org Assignment/Per Org Asgn HP	HP Tenure Accr Flg	
Job/Person Org Assignment/Per Org Asgn HP	HP FTE Tenure	
Job/Person Org Assignment/Per Org Asgn HP	HP Eg Group	EG_GROUP in PS_PER_ORG_ASG_HP is not in use in UC HCM.
Job/Person Org Assignment/Per Org Asgn HP	HP FTE Flx Srvc	
Job/Person Org Assignment/Per Org Asgn HP	HP Appoint End Dt	
Job/Person Org Assignment/Per Org Asgn HP	HP Contract Length	
Job/Person Org Assignment	ER1 UC Empl Rev 1	TBD no explanation of usage I'm leaving it hidden for now
Job	Additional Pay	
Job/Additional Pay	BAP Employee Id	EMPLID is an alphanumeric value indicating the system generated unique identifier for a person.
Job/Additional Pay	BAP Empl Rcd	EMPL_RCD is a numeric value indicating a unique instance of a job for an employee with multiple concurrent jobs.
Job/Additional Pay	BAP Dept Id	DEPTID is a unique identifier for a position that differentiates the administrative unit by HR Business that has coordinating responsibility and/or pay disposition for a person's employment.
Job/Additional Pay	BAP Addl Seq	ADDL_SEQ is a numeric value indicating the sequence of additional pay for a given instance of the same earnings code and earnings date for an employee.
Job/Additional Pay	BAP Earnings Cd	ERNCD is an alphanumeric code indicating how to compensate an employee
Job/Additional Pay	BAP Earnings Cd Desc	Description of the Earnings Code indicating how to compensate an employee
Job/Additional Pay/BAP Earnings Cd Desc	BAP Earning Cd Desc Short	10 character description of the Earnings Code indicating how to compensate an employee
Job/Additional Pay	BAP Earnings Eff Dt	EFFDT denotes when the transaction became or becomes formally active or operational.

Folder	Object	Description
Job/Additional Pay	BAP Earnings End Dt	EARNINGS_END_DT is a full calendar date including day, month and year indicating the end date of the additional earnings that will be paid for a specific period.
Job/Additional Pay	BAP Other Pay	OTH_PAY is a numeric value indicating the flat amount for additional pay earnings.
Job/Additional Pay	BAP Other Hrs	OTH_HRS is a numeric value indicating the number of hours that are payable for the additional pay earnings.
Job/Additional Pay	BAP Hourly Rt	HOURLY_RT is a currency value indicating the hourly pay rate for an employee on a job.
Job/Additional Pay	BAP Goal Amt	GOAL_AMT is a currency value indicating the total amount of the earnings which may be paid in multiple installments, with the related element GOAL_BAL giving the total paid toward this goal.
Job/Additional Pay	BAP Goal Balance	GOAL_BAL is a currency value indicating the total payments made to date toward a final target payment amount given in the related element GOAL_AMT.
Job/Additional Pay	BAP Jobcode	JOB_CODE is an alphanumeric value indicating a job category within the organization.
Job/Additional Pay	BAP Position Nbr	POSITION_NBR is an alphanumeric value indicating the identifier for an approved position to which an employee is appointed.
Job/Additional Pay	BAP Acct Cd	ACCT_CD field is an alphanumeric unique value of the combination code used on the chartfield transaction table.
Job/Additional Pay	BAP Addl Pay Reason	ADDLPAY_REASON is an alphanumeric value indicating the reason for additional pay.
Job/Additional Pay	BAP Addl Pay Rsn Desc	ADDLPAY_REASON_DESC is an alphanumeric value describing the reason for additional pay. Such as Range Adjustment, E014 Pay Cycle Changes, E014 Tax Status Changes, E014 Prorate Additional Pay, Academic Advancement, Retroactive Change, New Additional Pay, Change to Monthly Amount, Clinical Incentive ...
Job/Additional Pay/BAP Addl Pay Rsn Desc	BAP Addl Pay Rsn Desc Short	ADDLPAY_REASON is an alphanumeric value indicating the reason for additional pay.
Job/Additional Pay	BAP Addl Pay Shift	ADDL_PAY_SHIFT is a single character alphanumeric field indicating how the additional shift pay will be paid.
Job/Additional Pay	BAP Addl Pay Frequency	ADDL_PAY_FREQUENCY is a single character alphanumeric value indicating the frequency for calculating taxes for the additional pay when the tax frequency is different from the pay frequency set up in the Job record.
Job/Additional Pay	BAP Record Source	RECORD_SOURCE is a single character alphanumeric value indicating that the source of the record
Job/Additional Pay	BAP Tax Method	TAX_METHOD is a single character alphanumeric value indicating how the tax will be handled.

Folder	Object	Description
Job/Additional Pay	BAP Tax Periods	TAX_PERIODS is a numeric value indicating the number of pay periods over which to spread the tax for the earnings.
Job/Additional Pay	BAP State	STATE is an alphanumeric value used as an abbreviation to identify the state the employee worked in, if different from the employee's regular pay.
Job/Additional Pay	BAP Locality	LOCALITY indicates the locality the employee worked in, if different from the employee's regular pay.
Job/Additional Pay	BAP Plan Type	PLAN_TYPE identifies a category of benefit plan, such as Medical, Dental, and Life (Insurance).
Job/Additional Pay	BAP Pay Period5	PAY_PERIOD5 is a single character alphanumeric value indicating whether additional pay will be paid for the pay period.
Job/Additional Pay	BAP Pay Period4	PAY_PERIOD4 is a single character alphanumeric value indicating whether additional pay will be paid for the pay period.
Job/Additional Pay	BAP Pay Period3	PAY_PERIOD3 is a single character alphanumeric value indicating whether additional pay will be paid for the pay period.
Job/Additional Pay	BAP Pay Period2	PAY_PERIOD2 is a single character alphanumeric value indicating whether additional pay will be paid for the pay period.
Job/Additional Pay	BAP Pay Period1	PAY_PERIOD1 is a single character alphanumeric value indicating whether additional pay will be paid for the pay period.
Job/Additional Pay	BAP Ok To Pay	OK_TO_PAY is a single character alphanumeric value indicating that the earnings will be paid.
Job/Additional Pay	BAP Sepchk	SEPCHK is numeric value indicating the additional pay to be paid on a separate check.
Job/Additional Pay	BAP Prorate CUI Weeks	PRORATE_CUI_WEEKS indicates the CUI weeks will be prorated when there is a mid-period job change.
Job/Additional Pay	BAP Prorate Addl Pay	PRORATE_ADDL_PAY is a single character alphanumeric value indicating that the system will prorate the additional pay for mid-period changes, based on the employee's Job record.
Job/Additional Pay	BAP GL Pay Type	GL_PAY_TYPE is an alphanumeric value indicating the general ledger pay type to override the GL pay type on job data.
Job/Additional Pay	BAP Disable Direct Deposit	DISABLE_DIR_DEP is a single character alphanumeric value indicating whether to allow direct deposit for the additional pay associated with the paysheets.
Job/Additional Pay	BAP Ded Subset Genl	DED_SUBSET_GENL is an alphanumeric value indicating the 'General Deduction Subset' in the General Deductions Taken field.

Folder	Object	Description
Job/Additional Pay	BAP Ded Taken Genl	DED_TAKEN_GENL is a single character alphanumeric value indicating the method for taking general deductions for the additional pay that is paid on a separate check.
Job/Additional Pay	BAP Ded Subset Id	DED_SUBSET_ID is an alphanumeric value indicating benefit deduction subset ID.
Job/Additional Pay	BAP Ded Taken	DED_TAKEN is a single character alphanumeric value indicating the method for taking benefit deductions for the additional pay that is paid on a separate check.
Job/Additional Pay	BAP Comp Ratecd	COMP_RATECD is an alphanumeric value indicating the pay components on pages and when configuring compensation packages in a compensation record.
Job/Additional Pay	BAP Business Unit	BUSINESS_UNIT is an alphanumeric value indicating the Business Unit of Employee at the time of the transaction.
Job	Additional Pay UC	
Job/Additional Pay UC	BUP Employee Id	EMPLID is an alphanumeric value indicating the system generated unique identifier for a person.
Job/Additional Pay UC	BUP Empl Rcd	EMPL_RCD is a numeric value indicating a unique instance of a job for an employee with multiple concurrent jobs.
Job/Additional Pay UC	BUP Deptid	DEPTID is a unique identifier for a position that differentiates the administrative unit by HR Business that has coordinating responsibility and/or pay disposition for a person's employment.
Job/Additional Pay UC	BUP Addl Seq	ADDL_SEQ is a numeric value indicating the sequence of additional pay for a given instance of the same earnings code and earnings date for an employee.
Job/Additional Pay UC	BUP Earnings Cd	ERNCD is an alphanumeric code indicating how to compensate an employee (known previously as DOS codes)
Job/Additional Pay UC	BUP Earnings Desc	Description of the Earnings Code indicating how to compensate an employee
Job/Additional Pay UC/BUP Earnings Desc	BUP Earnings Desc Short	10- character description of the Earnings Code indicating how to compensate an employee
Job/Additional Pay UC	BUP Earnings Eff Dt	EFFDT denotes when the transaction became or becomes formally active or operational.
Job/Additional Pay UC	BUP Earnings End Dt	EARNINGS_END_DT is a full calendar date including day, month and year indicating the end date of the additional earnings that will be paid for a specific period.
Job/Additional Pay UC	BUP Other Pay	OTH_PAY is a numeric value indicating the flat amount for additional pay earnings.
Job/Additional Pay UC	BUP Goal Amt	GOAL_AMT is a currency value indicating the total amount of the earnings which may be paid in multiple installments, with the related element GOAL_BAL giving the total paid toward this goal.

Folder	Object	Description
Job/Additional Pay UC	BUP Goal Balance	GOAL_BAL is a currency value indicating the total payments made to date toward a final target payment amount given in the related element GOAL_AMT.
Job/Additional Pay UC	BUP Oth Hrs	OTH_HRS is a numeric value indicating the number of hours that are payable for the additional pay earnings.
Job/Additional Pay UC	BUP Hourly Rt	HOURLY_RT is a currency value indicating the hourly pay rate for an employee on a job.
Job/Additional Pay UC	BUP UC Transact Id	Transaction Id
Job/Additional Pay UC	BUP Jobcode	JOBCODE is an alphanumeric value indicating a job category within the organization.
Job/Additional Pay UC	BUP Position Nbr	POSITION_NBR is an alphanumeric value indicating the identifier for an approved position to which an employee is appointed.
Job/Additional Pay UC	BUP Acct Cd	ACCT_CD field is an alphanumeric unique value of the combination code used on the chartfield transaction table.
Job/Additional Pay UC	BUP GL Pay Type	GL_PAY_TYPE is an alphanumeric value indicating the general ledger pay type to override the GL pay type on job data.
Job/Additional Pay UC	BUP Addl Pay Shift	ADDL_PAY_SHIFT is a single character alphanumeric field indicating how the additional shift pay will be paid.
Job/Additional Pay UC	BUP Addl Pay Reason	ADDLPAY_REASON is an alphanumeric value indicating the reason for additional pay.
Job/Additional Pay UC	BUP Addl Pay Reason Desc	ADDLPAY_REASON_DESC is an alphanumeric value describing the reason for additional pay. Such as Range Adjustment, E014 Pay Cycle Changes, E014 Tax Status Changes, E014 Prorate Additional Pay, Academic Advancement, Retroactive Change, New Additional Pay, Change to Monthly Amount, Clinical Incentive ...
Job/Additional Pay UC/BUP Addl Pay Reason Desc	BUP Addl Pay Reason Desc Short	ADDLPAY_REASON is an alphanumeric value indicating the reason for additional pay.
Job/Additional Pay UC	BUP Sepchk	SEPCHK is numeric value indicating the additional pay to be paid on a separate check.
Job/Additional Pay UC	BUP Ok To Pay	OK_TO_PAY is a single character alphanumeric value indicating that the earnings will be paid.
Job/Additional Pay UC	BUP Disable Dir Dep	DISABLE_DIR_DEP is a single character alphanumeric value indicating whether to allow direct deposit for the additional pay associated with the paysheets.
Job/Additional Pay UC	BUP Prorate Addl Pay	PRORATE_ADDL_PAY is a single character alphanumeric value indicating that the system will prorate the additional pay for mid-period changes, based on the employee's Job record.
Job/Additional Pay UC	BUP Prorate Cui Weeks	PRORATE_CUI_WEEKS indicates the CUI weeks will be prorated when there is a mid-period job change.

Folder	Object	Description
Job/Additional Pay UC	BUP Pay Period1	PAY_PERIOD1 is a single character alphanumeric value indicating whether additional pay will be paid for the pay period.
Job/Additional Pay UC	BUP Pay Period2	PAY_PERIOD2 is a single character alphanumeric value indicating whether additional pay will be paid for the pay period.
Job/Additional Pay UC	BUP Pay Period3	PAY_PERIOD3 is a single character alphanumeric value indicating whether additional pay will be paid for the pay period.
Job/Additional Pay UC	BUP Pay Period4	PAY_PERIOD4 is a single character alphanumeric value indicating whether additional pay will be paid for the pay period.
Job/Additional Pay UC	BUP Pay Period5	PAY_PERIOD5 is a single character alphanumeric value indicating whether additional pay will be paid for the pay period.
Job/Additional Pay UC	BUP State	STATE is an alphanumeric value used as an abbreviation to identify the state the employee worked in, if different from the employee's regular pay.
Job/Additional Pay UC	BUP Locality	LOCALITY indicates the locality the employee worked in, if different from the employee's regular pay.
Job/Additional Pay UC	BUP Tax Periods	TAX_PERIODS is a numeric value indicating the number of pay periods over which to spread the tax for the earnings.
Job/Additional Pay UC	BUP Tax Method	TAX_METHOD is a single character alphanumeric value indicating how the tax will be handled.
Job/Additional Pay UC	BUP Addl Pay Frequency	ADDL_PAY_FREQUENCY is a single character alphanumeric value indicating the frequency for calculating taxes for the additional pay when the tax frequency is different from the pay frequency set up in the Job record.
Job/Additional Pay UC	BUP Ded Taken	DED_TAKEN is a single character alphanumeric value indicating the method for taking benefit deductions for the additional pay that is paid on a separate check.
Job/Additional Pay UC	BUP Ded Subset Id	DED_SUBSET_ID is an alphanumeric value indicating benefit deduction subset ID.
Job/Additional Pay UC	BUP Ded Taken Genl	DED_TAKEN_GENL is a single character alphanumeric value indicating the method for taking general deductions for the additional pay that is paid on a separate check.
Job/Additional Pay UC	BUP Ded Subset Genl	DED_SUBSET_GENL is an alphanumeric value indicating the 'General Deduction Subset' in the General Deductions Taken field.
Job/Additional Pay UC	BUP Plan Type	PLAN_TYPE identifies a category of benefit plan, such as Medical, Dental, and Life (Insurance).
Job/Additional Pay UC	BUP Business Unit	BUSINESS_UNIT is an alphanumeric value indicating the Business Unit of Employee at the time of the transaction.

Folder	Object	Description
Job/Additional Pay UC	BUP Comp Ratecd	COMP_RATECD is an alphanumeric value indicating the pay components on pages and when configuring compensation packages in a compensation record.
Job/Additional Pay UC	BUP Record Source	RECORD_SOURCE is a single character alphanumeric value indicating that the source of the record
Job	Pay Group	<p>PS_PAYGROUP_TBL is used to group employees by how they are paid. For example, if your company has both salaried and hourly employees, you might set up a monthly paygroup for the salaried employees paid once a month, and another paygroup for hourly employees paid weekly.</p> <p>A subordinate record, PAYGRP_EMPLTYPE, is used to identify the valid employee types for each paygroup.</p>
Job/Pay Group	PYG Paygroup Id	DESCR is the 30-character text that Indicates the long description of the annual benefits base rate code.
Job/Pay Group	PYG Paygroup Desc	DESCR is the 30-character text that Indicates the long description of the annual benefits base rate code.
Job/Pay Group/PYG Paygroup Desc	PYG Paygroup Id	DESCRSHORT is the 10-character text that describes the annual benefits base rate code.
Job/Pay Group/PYG Paygroup Desc	PYG Paygroup Desc Short	DESCRSHORT is the 10-character text that describes the annual benefits base rate code.
Job/Pay Group/PYG Paygroup Desc	PYG Eff Dt	EFFDT denotes when the transaction became or becomes formally active or operational.
Job/Pay Group	PYG Paygroup and Desc	PAYGROUP is the unique code that indicates a person's pay group.
Job/Pay Group	PYG Company	COMPANY is a code which identifies the enterprise associated with the Savings Balances by EMPLID.
Job/Pay Group	PYG Country	COUNTRY is an alphanumeric value indicating the ISO supported 3-character code denoting a country.
Job/Pay Group	PYG Pay Frequency	PAY_FREQUENCY is an alphanumeric value that uniquely identifies the pay period frequency associated with the earnings.
Job/Pay Group	PYG Retiree Paygroup	RETIREE_PAYGROUP is used to indicate that the paygroup contains only retirees.
Job/Pay Group	PYG Src Bank Id	SRC_BANK_ID is the alphanumeric value used to identify the bank from which employees in this pay group are to be paid.
Job/Pay Group	PYG Empl Type	EMPL_TYPE is an alphanumeric value indicating the employee type such as salaried or hourly.
Job/Pay Group	PYG Net Pay Minimum	NET_PAY_MINIMUM is an integer used to represent the minimum dollar amount (net) that any given check may be issued for with the selected pay group.

Folder	Object	Description
Job/Pay Group	PYG Net Pay Maximum	NET_PAY_MAXIMUM is an integer used to represent the maximum dollar amount (net) that any given check may be issued for with the selected pay group.
Job/Pay Group	PYG Auto Overtime	Held over from previous version.
Job/Pay Group	PYG Pay Ref Nbr	Canadian functionality.
Job/Pay Group	PYG Roe Issuer Id	Canadian functionality.
Job/Pay Group	PYG Roe Contact Id	Canadian functionality.
Job/Pay Group	PYG Pay Rpt Seq	PAY_RPT_SEQ is an alphanumeric value used to determine the sequence to run payroll reports.
Job/Pay Group	PYG Pay Rpt Subtotals	PAY_RPT_SUBTOTALS is an alphanumeric value used to determine payroll report subtotals.
Job/Pay Group	PYG Pay Rpt Empl Seq	PAYCHECK_EMPL_SEQ is an alphanumeric value used to determine the sequence for printing employee paychecks.
Job/Pay Group	PYG Paycheck Seq	PAYCHECK_SEQ is an alphanumeric value used to determine the sequence of options for printing paychecks.
Job/Pay Group	PYG Paychk Addr Optn	PAYCHECK_ADDR_OPTN is an alphanumeric value used to determine the sequence of options for paycheck addresses.
Job/Pay Group	PYG Paychk Locn Optn	PAYCHECK_LOCN_OPTN is an alphanumeric value used to determine the sequence of options for paycheck locations when they are distributed internally
Job/Pay Group	PYG Paychk Empl Seq	PAYCHECK_EMPL_SEQ is an alphanumeric value used to determine the sequence for printing employee paychecks, i.
Job/Pay Group	PYG Paychk Seq Fld01	PAYCHECK_SEQ_FLD01 is an alphanumeric value used to define the check print sequence.
Job/Pay Group	PYG Paychk Seq Fld02	PAYCHECK_SEQ_FLD02 is an alphanumeric value used to define the check print sequence.
Job/Pay Group	PYG Paychk Seq Fld03	PAYCHECK_SEQ_FLD03 is an alphanumeric value used to define the check print sequence.
Job/Pay Group	PYG Paychk Seq Fld04	PAYCHECK_SEQ_FLD04 is an alphanumeric value used to define the check print sequence.
Job/Pay Group	PYG Paychk Seq Fld05	PAYCHECK_SEQ_FLD05 is an alphanumeric value used to define the check print sequence.
Job/Pay Group	PYG Paychk Seq Fld06	PAYCHECK_SEQ_FLD06 is an alphanumeric value used to define the check print sequence.
Job/Pay Group	PYG Paychk Seq Fld07	PAYCHECK_SEQ_FLD07 is an alphanumeric value used to define the check print sequence.
Job/Pay Group	PYG Paychk Seq Fld08	PAYCHECK_SEQ_FLD08 is an alphanumeric value used to define the check print sequence.
Job/Pay Group	PYG Paychk Seq Fld09	PAYCHECK_SEQ_FLD09 is an alphanumeric value used to define the check print sequence.
Job/Pay Group	PYG Paychk Seq Fld10	PAYCHECK_SEQ_FLD010 is an alphanumeric value used to define the check print sequence.

Folder	Object	Description
Job/Pay Group	PYG OASDI Earns Break	OASDI_EARNS_BREAK is a dollar amount at which earnings below the break point are treated differently from earnings above the break point.
Job/Pay Group	PYG OASDI Low Factor	OASDI_LOW_FACTOR is the numeric value that represents the factor that is used in the calculation to modify earnings that fall below the break point.
Job/Pay Group	PYG OASDI High Exempt	OASDI_HIGH_EXEMPT is the numeric value that represents the factor that is used in the calculation to modify earnings that exceed the break point.
Job/Pay Group	PYG Prorate Salaried	PRORATE_SALARIED is an alphanumeric value used to define how earnings and hours are prorated during paysheet creation for salaried employees eligible for partial pay.
Job/Pay Group	Jpyg Prorate Hrly	PRORATE_HRLY is an alphanumeric value used to define how earnings and hours are prorated during paysheet creation for hourly and exception hourly employees eligible for partial pay.
Job/Pay Group	PYG Auto Paysheet Upd	AUTO_PAYSHEET_UPD is an alphanumeric value that indicates how the system is to compare paysheet records to Job data.
Job/Pay Group	PYG Work Schedule	WORK_SCHEDULE alphanumeric value that represents the work schedule used when prorating partial pay.
Job/Pay Group	PYG Dflt Ben Program	DFLT_BEN_PROGRAM is the alphanumeric code that represents the default benefits program for all employees in the pay group.
Job/Pay Group	PYG Ern Program	ERN_PROGRAM is an alphanumeric code indicating an Earnings Program, which represents the category or type of employee, for example: ' Academic Salaried Employees ' Hourly Employees ' Staff Physicians ' Etc.
Job/Pay Group	PYG Erncd Reg Hrs	ERNCD_REG_HRS is an alphanumeric abbreviation that represents the earnings code for regular hours earnings type.
Job/Pay Group	PYG Erncd Ot Hrs	ERNCD_OT_HRS is an alphanumeric abbreviation that represents the earnings code for overtime hours earnings type.
Job/Pay Group	PYG Erncd Reg Earns	ERNCD_REG_EARNS is an alphanumeric abbreviation that represents the earnings code for regular earnings.
Job/Pay Group	PYG Erncd Holiday	ERNCD_REG_EARNS is an alphanumeric abbreviation that represents the earnings code for holiday earnings.

Folder	Object	Description
Job/Pay Group	PYG Regulatory Region	REG_REGION is an alphanumeric value indicating the governing region where there are specific laws and regulations.
Job/Pay Group	PYG Holiday Schedule	HOLIDAY_SCHEDULE is an alphanumeric value used as an abbreviation defining a default holiday schedule.
Job/Pay Group	PYG Retropay Pgm Id	RETROPAY_PGM_ID is the alphanumeric identifier that represents the earnings code used in retro pay calculations.
Job/Pay Group	PYG Retro Trg Pgm Id	RETRO_GRG_PGM_ID is the alphanumeric identifier that represents the retro pay program associated with the pay group.
Job/Pay Group	PYG FLSA Required	FLSA_REQUIRED is a binary flag that identifies whether any non-exempt employees in the company need to have the FLSA rate calculated for their overtime pay.
Job/Pay Group	PYG PI Config Id	Used for Payroll Interface, not NA Payroll.
Job/Pay Group	PYG Default Setid	DEFAULT_SETID is the alphanumeric value is for the shift table used by the employees in the pay group.
Job/Pay Group	PYG Confirm Errors	CONFIRM_ERRORS is a flag that indicates that the pay calendar can continue with errors.
Job/Pay Group	PYG Err Ped Option	ERR_PED_OPTION is the alphanumeric value used by the Pay Calendar build process to set up the Pay Calendar.
Job/Pay Group	PYG Currency Cd	CURRENCY_CD indicates the monetary type as identified by the ISO currency code.
Job/Pay Group	PYG Rt Type	RT_TYPE is an alphanumeric value that defines a category of market rates for currency conversion.
Job/Pay Group	PYG Rt Conv Dt Ind	RT_CONV_DT is the alphanumeric value used to indicate which date to use when using multi-currency.
Job/Pay Group	PYG Tips Delay Wthld	TIPS_DELAY_WTHLD is the alphanumeric value used to determine if the employee wants to withhold taxes.
Job/Pay Group	PYG Tips Adjust	TIPS_ADJUST is the alphanumeric value used by the system to adjust tips for the pay group to minimum wage.
Job/Pay Group	PYG Erncd Tips Adjust	ERNCD_TIPS_ADJUST is an alphanumeric abbreviation that represents the earnings code to be used for adjusting a tipped employee's earnings up to minimum wage when reported tips plus earnings do not equal the required minimum wage.
Job/Pay Group	PYG Erncd Tips Cred	ERNCD_TIPS_CRED is an alphanumeric abbreviation that represents the earnings code to be used for tips credit.
Job/Pay Group	PYG FLSA Sal Hrs Use	FLSA_SAL_HRS_USE is the alphanumeric value used to identify the type of FLSA salaried hours.
Job/Pay Group	PYG Term Pgm Id	TERM_PGM_ID is the alphanumeric value used to identify the Final Check Program for the pay group.
Job/Pay Group	PYG Wage Loss Plan	WAGE_LOSS_PLAN is the alphanumeric value used to identify the Wage Loss Replacement Plan for the pay group.

Folder	Object	Description
Job/Pay Group	PYG Erncd 1042 Earns	ERNCD_1042_EARNS is the alphanumeric value that identifies the 1042 earnings code.
Job/Pay Group	PYG Erncd Ern Not Pd	ERNCD_ERN_NOT_PD is the alphanumeric value that identifies the earned not paid earnings code.
Job/Pay Group	PYG Erncd Pd Not Ern	ERNCD_PD_NOT_ERN is the alphanumeric value that identifies the paid not earned earnings code.
Job/Pay Group	PYG Erncd Cntrct Reg	ERNCD_CNTRCT_REG is the alphanumeric value that identifies the contract regular earnings earnings code.
Job/Pay Group	PYG Stdnt Fin Paygroup	STDNT_FIN_PAYGROUP is binary alphanumeric value that represents the student financial paygroup.
Job/Pay Group	PYG Industry	INDUSTRY is the alphanumeric value that represents the UC industry.
Job/Pay Group	PYG Industry Sector	INDUSTRY_SECTOR is the alphanumeric value that represents the UC industry sector.
Job/Pay Group	PYG FLSA Period Type	FLSA_PERIOD_TYPE is the alphanumeric value that identifies the FLSA period and how it applies to the pay group and other FLSA calculation parameters.
Job/Pay Group	PYG FLSA Calendar Id	FLSA_CALENDAR_ID is the alphanumeric value used to define the FLSA period.
Job/Pay Group	PYG FLSA Basic Formula	FLSA_BASIC_FORMULA is the alphanumeric value that indicates whether to use the Basic formula.
Job/Pay Group	PYG Freq Id Monthly	FREQ_ID_MONTHLY is the alphanumeric value that identifies the monthly frequency for the pay group.
Job/Pay Group	PYG Freq Id Daily	FREQ_ID_DAILY is the alphanumeric value that identifies the daily frequency for the pay group.
Job/Pay Group	PYG Ded Priority	DED_PRIORITY indicates the order in which the system takes deductions during pay calculation and is based on the deduction priority number and the deduction classification.
Job/Pay Group	PYG Dd Src Bank Id	DD_SRC_BANK_ID is the alphanumeric value that identifies the direct deposit pay from a different bank account than checks.
Job	Job Probation Details (Restricted Access)	PS_UC_EMPL_PRB_DTL is a UC custom table that is a child of PS_JOB and contains the employment probation details for an employee. The following columns contained in the table however are not directly related to employment probation : UC_POSTDOC_ANVS_DT, UC_PAYGRP_OVRIDE, UC_ELIG_GRP_OVRIDE, UC_TERM_OVRIDE, UC_ERIT_END_DT.
Job/Job Probation Details (Restricted Access)	PRB Effdt	EFFDT denotes when the transaction became or becomes formally active or operational.
Job/Job Probation Details (Restricted Access)	PRB Effseq	EFFSEQ is a numeric value indicating the sequence of multiple transactions for an employee on a job.

Folder	Object	Description
Job/Job Probation Details (Restricted Access)	PRB Probation Code	UC_PROBATION_CODE is a single character alphanumeric value indicating an employee's probation terms.
Job/Job Probation Details (Restricted Access)	PRB Probation End Dt	UC_PROB_END_DT is the full calendar date including the day, month and year indicating the date when the probation period of an employee ends.
Job/Job Probation Details (Restricted Access)	PRB Acad Appt Duration	UC_ACAD_DUR_APPT is a single character alphanumeric value indicating the expected duration of an academic job.
Job/Job Probation Details (Restricted Access)	PRB UC Trial Emp End Dt	UC_TRIAL_EMP_ENDDT is a full calendar date including day, month and year indicating the date when trial employment of an employee finishes.
Job/Job Probation Details (Restricted Access)	PRB ERIT End Dt	UC_ERIT_END_DT is the full calendar date including the day, month and year indicating the employee's reduction in time end date.
Job/Job Probation Details (Restricted Access)	PRB Postdoc Annivesary Dt	Postdoc Annivesary Dt
Job/Job Probation Details (Restricted Access)	PRB Term Override	UC_TERM_OVRIDE is a single character alphanumeric value indicating whether to override the automated termination based on the Expected Job End Date.
Job/Job Probation Details (Restricted Access)	PRB Partial Yr Career Dur	UC_PY_CAREER_DUR is an alphanumeric label indicating the duration of the job in number of months for partial year employees.
Job/Job Probation Details (Restricted Access)	PRB UC Alt Work Wk	TBD
Job/Job Probation Details (Restricted Access)	PRB UC Elig Grp Override	TBD
Job/Job Probation Details (Restricted Access)	PRB UC Loc Use Type	TBD
Job/Job Probation Details (Restricted Access)	PRB UC Loc Use End Dt	TBD
Job/Job Probation Details (Restricted Access)	PRB UC Paygroup Override	TBD
Job/Job Probation Details (Restricted Access)	PRB UC Pri Job Ovr	TBD

Folder	Object	Description
Job	Job Location (Restricted Access)	PS_LOCATION_TBL has been synchronized with the ERP Table definition. Any changes will need to be applied to the LOCATION_TBL definition in the ERP database. LOCATION_TBL is a lookup table used to record information about a company's work sites. 20190826 - Hidden per KR request
Job/Job Location (Restricted Access)	LC Location Id	LOCATION is an alphanumeric value used as an abbreviation to identify the physical location associated with this company.
Job/Job Location (Restricted Access)	LC Location Description	DESCR is the 30-character text that Indicates the long description of the annual benefits base rate code.
Job/Job Location (Restricted Access)	LC Location Id and Description	Displays the Location ID and the location Description (the 30-character text that Indicates the long description of the Location).
Job/Job Location (Restricted Access)/LC Location Id and Description	LC Location Desc Short	DESCRSHORT is the 10-character text that describes the annual benefits base rate code.
Job/Job Location (Restricted Access)/LC Location Id and Description	LC Location Desc Alternate	DESCR_AC is the 30-character text described as the alternate character description for a company.
Job/Job Location (Restricted Access)	Location Address (Restricted Access)	Job Location Address 20190826 - Hidden per KR request
Job/Job Location (Restricted Access)/Location Address (Restricted Access)	LCA Job Address1	ADDRESS1 is text value indicating the first line of a postal address (street number, street, and apartment number if applicable) that does not necessarily meet US Postal standards, for a person.
Job/Job Location (Restricted Access)/Location Address (Restricted Access)	LCA Job Address2	ADDRESS2 is text value indicating the second line of a postal address (street number, street, and apartment number if applicable) that does not necessarily meet US Postal standards, for a person.
Job/Job Location (Restricted Access)/Location Address (Restricted Access)	LCA Job Address3	ADDRESS3 is text value indicating the third line of a postal address (street number, street, and apartment number if applicable) that does not necessarily meet US Postal standards, for a person.
Job/Job Location (Restricted Access)/Location Address (Restricted Access)	LCA Job Address4	ADDRESS4 is text value indicating the forth line of a postal address (street number, street, and apartment number if applicable) that does not necessarily meet US Postal standards, for a person.

Folder	Object	Description
Job/Job Location (Restricted Access)/Location Address (Restricted Access)	LCA Job Attn To	ATTN_TO is the 30-character text that represents the location attention-to information.
Job/Job Location (Restricted Access)/Location Address (Restricted Access)	LCA Job Building	TBD
Job/Job Location (Restricted Access)/Location Address (Restricted Access)	LCA Job Floor	TBD
Job/Job Location (Restricted Access)/Location Address (Restricted Access)	LCA Job House Type	HOUSE_TYPE is an alphanumeric value indicating a type of dwelling associated with the address.
Job/Job Location (Restricted Access)/Location Address (Restricted Access)	LCA Job City	CITY is an alphanumeric value indicating the full-length name of the city associated with the address and state fields of the person.
Job/Job Location (Restricted Access)/Location Address (Restricted Access)	LCA Job State	STATE is an alphanumeric value used as an abbreviation to identify the state the employee worked in, if different from the employee's regular pay.
Job/Job Location (Restricted Access)/Location Address (Restricted Access)	LCA Job County	COUNTY is an alphanumeric value indicating the full-length designation of a county that may optionally be given as part of a an address for a person.
Job/Job Location (Restricted Access)/Location Address (Restricted Access)	LCA Job Country	COUNTRY is an alphanumeric value indicating the ISO supported 3-character code denoting a country.
Job/Job Location (Restricted Access)/Location Address (Restricted Access)	LCA Job Postal Cd	POSTAL is an alphanumeric value indicating the mail delivery area such as a town or a part of a city.

Folder	Object	Description
Job/Job Location (Restricted Access)/Location Address (Restricted Access)	LCA Job Geo Code	GEO_CODE is an alphanumeric value used that represents the company's geographical code.
Job/Job Location (Restricted Access)	LC Phone Number	COUNTRY_CODE is an alphanumeric value indicating the telephone code used when making a call to a given country.
Job/Job Location (Restricted Access)/LC Phone Number	LC Phone Country Code	COUNTRY_CODE is an alphanumeric value indicating the telephone code used when making a call to a given country.
Job/Job Location (Restricted Access)/LC Phone Number	LC Phone Ext	Phone Extension
Job/Job Location (Restricted Access)	LC Fax Nbr	Fax number for the location
Job/Job Location (Restricted Access)	LC EEO Estab id	ESTABID is an alphanumeric unique identifier of the reporting region for EEO reporting.
Job/Job Location (Restricted Access)	LC Holiday Schedule	HOLIDAY_SCHEDULE is an alphanumeric value used as an abbreviation defining a default holiday schedule.
Job/Job Location (Restricted Access)	LC Label Format Id	USG_LBL_FORMAT_ID is an alphanumeric value that represents a item usage label format.
Job/Job Location (Restricted Access)	LC Label Format Id2	LABEL_FORMAT_ID2 is an alphanumeric value that represents a carton label format identifier.
Job/Job Location (Restricted Access)	LC Label Format Id3	LABEL_FORMAT_ID3 is an alphanumeric value that represents a carton label format identifier.
Job/Job Location (Restricted Access)	LC Lang Cd	LANG_CD is an alphanumeric value used as an abbreviation to identify the language associated with a location.
Job/Job Location (Restricted Access)	LC Locality	JL Locality
Job/Job Location (Restricted Access)	LC Message Text2	MESSAGE_TEXT2 is free form text to identifies a check cashing location.
Job/Job Location (Restricted Access)	LC Matricula Nbr	TBD
Job/Job Location (Restricted Access)	LC Office Type	
Job/Job Location (Restricted Access)	LC Regulatory Region	REG_REGION is an alphanumeric value indicating the governing region where there are specific laws and regulations.
Job/Job Location (Restricted Access)	LC Sal Admin Plan	SAL_ADMIN_PLAN is an alphanumeric value indicating the salary for the grade, step, or half-step an employee holds in association to their job.
Job/Job Location (Restricted Access)	LC Setid Salary	SETID_SALARY is an alphanumeric value indicating the SETID associated with the salary plan, grade and step of the job.

Folder	Object	Description
Job/Job Location (Restricted Access)	LC Tele Location	TELE_LOCATION is a flag that indicates the location is a telecommuting location.
Job/Salary Grade/SGD Salary Grade and Desc	SGD Effective Dt	EFFDT denotes when the transaction became or becomes formally active or operational.
Job/Salary Grade/SGD Salary Grade and Desc	SGD Salray Grade Desc Short	DESCRSHORT is the 10-character text that describes the annual benefits base rate code.
Job/Salary Grade/SGD Salary Grade and Desc	SGD Setid	SETID is an unique identifier which enables sharing or restricting selection of information across business units.
Job/Salary Step/STP Salary Step and Desc	STP Eff Dt	EFFDT denotes when the transaction became or becomes formally active or operational.
Job/Salary Step/STP Salary Step and Desc	STP Setid	SETID is an unique identifier which enables sharing or restricting selection of information across business units.
Job/Salary Step/STP Salary Step and Desc	STP Salary Step Desc	STEP_DESCR is the 30-character text that describes a salary step.
Job/Bargaining Unit/JUN Union Desc	JUN Effective Dt	EFFDT denotes when the transaction became or becomes formally active or operational. Any table with effective date may contain historical, current, and future information.
Job/Bargaining Unit/JUN Union Desc	JUN Union Desc Short	DESCRSHORT is the 10-character text that describes the annual benefits base rate code.
	Salary and Benefits Expenses	Folder contains the employee salary and benefits details data originating from funding and earnings information for a given pay run.
Salary and Benefits Expenses	SBE Org Code	
Salary and Benefits Expenses	SBE Fund Code	Fund Code identifies the funding source for a payroll transaction
Salary and Benefits Expenses	SBE Activity Code	
Salary and Benefits Expenses	SBE Acct Code	The account code for the Benefits included on the summary row
Salary and Benefits Expenses	SBE Sub	Element in the FOAPAL or FAU that tells if the funds are permanent (Sub 1) or soft (Sub 2). For units that operate with many staff that are NOT permanently funded (on gifts or grant funds or just don't have a true FTE)
Salary and Benefits Expenses	SBE Effseq	EFFSEQ is a numeric value indicating the sequence of multiple transactions for an employee on a job.
Salary and Benefits Expenses	SBE Effdt	Effective date of the salary or benefits transaction
Salary and Benefits Expenses	SBE Fiscal Year	FISCAL_YEAR identifies the specific accounting period, such as fiscal year 2012.
Salary and Benefits Expenses	SBE Fiscal Pd	Fiscal Year + Fiscal period as YYYYMM
Salary and Benefits Expenses	SBE Fiscal Pd Begin Dt	Fiscal period begining date

Folder	Object	Description
Salary and Benefits Expenses	SBE Fiscal Pd End Dt	Fiscal period ending date
Salary and Benefits Expenses	SBE Fiscal Pd Nbr	ACCOUNTING_PERIOD is a integer value that identifies the accounting period as a month within the calendar associated with earnings distribution information created by the payroll calculation and distribution processes.
Salary and Benefits Expenses	SBE Deptid	Department Id
Salary and Benefits Expenses	SBE Position Nbr	
Salary and Benefits Expenses	SBE Empl Id	EMPLID is an alphanumeric value indicating the system generated unique identifier for a person.
Salary and Benefits Expenses	SBE Empl Rcd	EMPL_RCD is a numeric value indicating a unique instance of a job for an employee with multiple concurrent jobs.
Salary and Benefits Expenses	SBE Employee Name	NAME is an alphanumeric value indicating the person's full name with the format LAST_NAME, FIRST_NAME ,MIDDLE_NAME.
Salary and Benefits Expenses	SBE Employee Last Name	Employee Last Name
Salary and Benefits Expenses	SBE Employee First Name	Employee First Name
Salary and Benefits Expenses	SBE Employee Middle Name	Employee Middle Name
Salary and Benefits Expenses	SBE Empl AIS Id	E Empl UC Student Id where applicable
Salary and Benefits Expenses	SBE Empl PPS Id	PPS employee ID
Salary and Benefits Expenses	SBE Jobcode	Jobcode from Job table
Salary and Benefits Expenses	SBE Jobcode Desc	Jobcode Desc
Salary and Benefits Expenses	SBE Jobcode Short	Jobcode description short version
Salary and Benefits Expenses	SBE Job FTE	FTE from the JOB table
Salary and Benefits Expenses	SBE Compensation	Compensation objects included in SALARY transactions only
Salary and Benefits Expenses/SBE Compensation	SBE Comp Frequency	SBE Comp Frequency indicates the frequency of payments such as Monthly
Salary and Benefits Expenses/SBE Compensation	SBE Pct of Pay	Salary Expense Amount / Comp Rate indicates the full-time salary for the job time period which is defined in the Comprate Frequency object.

Folder	Object	Description
Salary and Benefits Expenses/SBE Compensation	SBE Base Annual or Hourly	Base compensation Annual rate. Typically NOT FTE adjusted.
Salary and Benefits Expenses/SBE Compensation	SBE Base Monthly or Hourly	Base compensation Monthly or Hourly rate. Typically NOT FTE adjusted.
Salary and Benefits Expenses/SBE Compensation	SBE Comprate	Comp Rate from the Job table which is the same as the Compensation table CONVRT_COMPRATE indicates the full-time salary for the job time period which is FTE adjusted.
Salary and Benefits Expenses/SBE Compensation	SBE Comprate Hourly	Comprate Hourly from the JOB table which is typically FTE adjusted.
Salary and Benefits Expenses/SBE Compensation	SBE Base Comprate Converted	Base Comprate Converted from the Compensation table (equiv JCP Comprate object) this compensation amount is FTE adjusted
Salary and Benefits Expenses/SBE Compensation	SBE Comprate Dim	Comp Rate from the Job table which is the same as the Compensation table CONVRT_COMPRATE indicates the full-time salary for the job time period which is FTE adjusted.
Salary and Benefits Expenses/SBE Compensation	SBE Comprate Hourly Dim	MONTHLY_RT indicates the full-time hourly equivalent salary as a dimension in format 999.99
Salary and Benefits Expenses/SBE Compensation	SBE Base Comprate Annual or Hourly Dim	Annual Comprate from the Compensation table (equiv JCP Comprate object) this compensation amount is not FTE adjusted
Salary and Benefits Expenses/SBE Compensation	SBE Base Comprate Monthly or Hourly Dim	Annual Comprate from the Compensation table divided by a factor determined by COMP_FGRQUENCY this compensation amount is not FTE adjusted. Calculation * UC912 = "Base Comp Annual"/12 * UC_9M = "Base Comp Annual"/9 * M = "Base Comp Annual"/12 * B = "Base Comp Annual"/26.01
Salary and Benefits Expenses/SBE Compensation	SBE Base Comprate Converted Dim	Base Comprate Converted from the Compensation table (equiv JCP Comprate object) this compensation amount is FTE adjusted
Salary and Benefits Expenses/SBE Compensation	SBE Job Comp Annual	Employee Annual Rate from Job record (typically FTE adjusted).
Salary and Benefits Expenses/SBE Compensation	SBE Job Comp Monthly	Employee Monthly Rate from Job record (typically FTE adjusted).
Salary and Benefits Expenses/SBE Compensation	SBE Job Comp Daily	Employee Daily Rate from Job record (typically FTE adjusted).

Folder	Object	Description
Salary and Benefits Expenses/SBE Compensation	SBE Job Comp Hourly	Employee Hourly Rate from Job record (typically FTE adjusted).
Salary and Benefits Expenses/SBE Compensation	SBE Base Comp Amounts	
Salary and Benefits Expenses/SBE Compensation/SBE Base Comp Amounts	SBE Base Comp Allcomp	SBE Base Comp UCHRLY summarizes all UCHRLY compensation for an employee and job.
Salary and Benefits Expenses/SBE Compensation/SBE Base Comp Amounts	SBE Base Comp UCHRLY	SBE Base Comp UCHRLY summarizes all UCHRLY compensation for an employee and job.
Salary and Benefits Expenses/SBE Compensation/SBE Base Comp Amounts	SBE Base Comp UCANNL	SBE Base Comp UCANNL summarizes all UCANNL compensation for an employee and job.
Salary and Benefits Expenses/SBE Compensation/SBE Base Comp Amounts	SBE Base Comp UCWOS	SBE Base Comp UCWOS summarizes all UCWOS compensation for an employee and job.
Salary and Benefits Expenses/SBE Compensation/SBE Base Comp Amounts	SBE Base Comp UCOFF1	SBE Base Comp UCOFF1 summarizes all UCOFF1 compensation for an employee and job.
Salary and Benefits Expenses/SBE Compensation/SBE Base Comp Amounts	SBE Base Comp UCABVE	SBE Base Comp UCABVE summarizes all UCABVE compensation for an employee and job.
Salary and Benefits Expenses/SBE Compensation/SBE Base Comp Amounts	SBE Base Comp UCGCY	SBE Base Comp UCGCY summarizes all UCGCY compensation for an employee and job.
Salary and Benefits Expenses/SBE Compensation/SBE Base Comp Amounts	SBE Base Comp UCFELL	SBE Base Comp UCFELL summarizes all UCFELL compensation for an employee and job.
Salary and Benefits Expenses/SBE Compensation/SBE Base Comp Amounts	SBE Base Comp UCOHR1	SBE Base Comp UCOHR1 summarizes all UCOHR1 compensation for an employee and job.
Salary and Benefits Expenses/SBE Compensation/SBE Base Comp Amounts	SBE Base Comp UCPDMO	SBE Base Comp UCPDMO summarizes all UCPDMO compensation for an employee and job.

Folder	Object	Description
Salary and Benefits Expenses/SBE Compensation/SBE Base Comp Amounts	SBE Base Comp UCDDPD	SBE Base Comp UCDDPD summarizes all UCDDPD compensation for an employee and job.
Salary and Benefits Expenses/SBE Compensation/SBE Base Comp Amounts	SBE Base Comp UCLHRL	SBE Base Comp UCLHRL summarizes all UCLHRL compensation for an employee and job.
Salary and Benefits Expenses/SBE Compensation	SBE Base Comp Counts	
Salary and Benefits Expenses/SBE Compensation/SBE Base Comp Counts	SBE Base Count Allcomp	Count of the number of all compensation types (excluding UCGCY).
Salary and Benefits Expenses/SBE Compensation/SBE Base Comp Counts	SBE Base Count UCHRLY	Count of the number of UCHRLY compensation types.
Salary and Benefits Expenses/SBE Compensation/SBE Base Comp Counts	SBE Base Count UCANNL	Count of the number of UCANNL compensation types.
Salary and Benefits Expenses/SBE Compensation/SBE Base Comp Counts	SBE Base Count UCOFF1	Count of the number of UCOFF1 compensation types.
Salary and Benefits Expenses/SBE Compensation/SBE Base Comp Counts	SBE Base Count UCWOS	Count of the number of UCWOS compensation types.
Salary and Benefits Expenses/SBE Compensation/SBE Base Comp Counts	SBE Base Count UCABVE	Count of the number of UCABVE compensation types.
Salary and Benefits Expenses/SBE Compensation/SBE Base Comp Counts	SBE Base Count UCGCY	Count of the number of UCGCY compensation types.
Salary and Benefits Expenses/SBE Compensation/SBE Base Comp Counts	SBE Base Count UCFELL	Count of the number of UCFELL compensation types.

Folder	Object	Description
Salary and Benefits Expenses/SBE Compensation/SBE Base Comp Counts	SBE Base Count UCOHR1	Count of the number of UCOHR1 compensation types.
Salary and Benefits Expenses/SBE Compensation/SBE Base Comp Counts	SBE Base Count UCPDMO	Count of the number of UCPDMO compensation types.
Salary and Benefits Expenses/SBE Compensation/SBE Base Comp Counts	SBE Base Count UCPDPD	Count of the number of UCPDPD compensation types.
Salary and Benefits Expenses/SBE Compensation/SBE Base Comp Counts	SBE Base Count UCLHRL	Count of the number of UCLHRL compensation types.
Salary and Benefits Expenses	SBE FOAPAL	
Salary and Benefits Expenses/SBE FOAPAL	SBE Org Fund Activity Code	SBE Org Fund Activity Code
Salary and Benefits Expenses/SBE FOAPAL	SBE Org Fund Activity Title	SBE Org Fund Activity Titles concatenated
Salary and Benefits Expenses/SBE FOAPAL	SBE Org Hierarchy	
Salary and Benefits Expenses/SBE FOAPAL/SBE Org Hierarchy	SBE Org Title	
Salary and Benefits Expenses/SBE FOAPAL/SBE Org Hierarchy	SBE Division	For Academic or Multi-Campus Research units, this object displays the Org Level 3 title from the employee distribution. For Academic Support units, this object displays the Org Level 2 title from the employee distribution.
Salary and Benefits Expenses/SBE FOAPAL/SBE Org Hierarchy	SBE Org Level1 Code	
Salary and Benefits Expenses/SBE FOAPAL/SBE Org Hierarchy	SBE Org Level1 Title	
Salary and Benefits Expenses/SBE FOAPAL/SBE Org Hierarchy	SBE Org Level1 Code Title	

Folder	Object	Description
Salary and Benefits Expenses/SBE FOAPAL/SBE Org Hierarchy	SBE Org Level2 Code	
Salary and Benefits Expenses/SBE FOAPAL/SBE Org Hierarchy	SBE Org Level2 Title	
Salary and Benefits Expenses/SBE FOAPAL/SBE Org Hierarchy	SBE Org Level2 Code Title	
Salary and Benefits Expenses/SBE FOAPAL/SBE Org Hierarchy	SBE Org Level3 Code	
Salary and Benefits Expenses/SBE FOAPAL/SBE Org Hierarchy	SBE Org Level3 Title	
Salary and Benefits Expenses/SBE FOAPAL/SBE Org Hierarchy	SBE Org Level3 Code Title	
Salary and Benefits Expenses/SBE FOAPAL/SBE Org Hierarchy	SBE Org Level4 Code	
Salary and Benefits Expenses/SBE FOAPAL/SBE Org Hierarchy	SBE Org Level4 SC Dept	Org Level 4 formatted with "SC" added in front to replicate SC department ID's in subqueries
Salary and Benefits Expenses/SBE FOAPAL/SBE Org Hierarchy	SBE Org Level4 Title	
Salary and Benefits Expenses/SBE FOAPAL/SBE Org Hierarchy	SBE Org Level4 Code Title	
Salary and Benefits Expenses/SBE FOAPAL/SBE Org Hierarchy	SBE Org Level5 Code	

Folder	Object	Description
Salary and Benefits Expenses/SBE FOAPAL/SBE Org Hierarchy	SBE Org Level5 Title	
Salary and Benefits Expenses/SBE FOAPAL/SBE Org Hierarchy	SBE Org Level5 Code Title	
Salary and Benefits Expenses/SBE FOAPAL/SBE Org Hierarchy	SBE Org Level6 Code	
Salary and Benefits Expenses/SBE FOAPAL/SBE Org Hierarchy	SBE Org Level6 Title	
Salary and Benefits Expenses/SBE FOAPAL/SBE Org Hierarchy	SBE Org Level6 Code Title	
Salary and Benefits Expenses/SBE FOAPAL/SBE Org Hierarchy	SBE Org Details	Additional information about org codes in FIS Banner
Salary and Benefits Expenses/SBE FOAPAL/SBE Org Hierarchy/SBE Org Details	SED Org Activity Date	ACTIVITY DATE: The date when the information for a record on a table was entered or last updated.
Salary and Benefits Expenses/SBE FOAPAL/SBE Org Hierarchy/SBE Org Details	SED Org Actv Code Def	FUND ACTIVITY CODE DEFAULT: The activity which is primarily associated with this organization.
Salary and Benefits Expenses/SBE FOAPAL/SBE Org Hierarchy/SBE Org Details	SED Org Alt Pool Ind	This field is not used. All values null.
Salary and Benefits Expenses/SBE FOAPAL/SBE Org Hierarchy/SBE Org Details	SED Org COAs Code	CHART OF ACCOUNTS CODE: The primary identification code for any chart of accounts which is used to uniquely identify that chart from any other in a multi-chart environment.

Folder	Object	Description
Salary and Benefits Expenses/SBE FOAPAL/SBE Org Hierarchy/SBE Org Details	SED Org Current Ind	C=Current, H=History
Salary and Benefits Expenses/SBE FOAPAL/SBE Org Hierarchy/SBE Org Details	SED Org Data Entry Ind	DATA ENTRY INDICATOR: Indicates if this account is to be used for data entry -(Y) or if it will be used for reporting - (N). The default is (Y).
Salary and Benefits Expenses/SBE FOAPAL/SBE Org Hierarchy/SBE Org Details	SED Org Effective Date	EFFECTIVE DATE: The effective date of this particular record.
Salary and Benefits Expenses/SBE FOAPAL/SBE Org Hierarchy/SBE Org Details	SED Org Encb Policy Ind	This field is not used. All values null.
Salary and Benefits Expenses/SBE FOAPAL/SBE Org Hierarchy/SBE Org Details	SED Org Fin Mgr	not currently used, is null
Salary and Benefits Expenses/SBE FOAPAL/SBE Org Hierarchy/SBE Org Details	SED Org Fund Cd Def	FUND CODE DEFAULT: The fund which is primarily associated with organization.
Salary and Benefits Expenses/SBE FOAPAL/SBE Org Hierarchy/SBE Org Details	SED Org Hierarchy Table Ind	This optional field is used to indicate whether combination budget control should be applied to this organization. Valid values are 'Y' or 'N'.
Salary and Benefits Expenses/SBE FOAPAL/SBE Org Hierarchy/SBE Org Details	SED Org Locn Code Def	LOCATION CODE DEFAULT: The location which is primarily associated with this organization.
Salary and Benefits Expenses/SBE FOAPAL/SBE Org Hierarchy/SBE Org Details	SED Org Mail Code	Mail Stop for particular location

Folder	Object	Description
Salary and Benefits Expenses/SBE FOAPAL/SBE Org Hierarchy/SBE Org Details	SED Org Next Change Date	NEXT CHANGE DATE: The change date for this particular record. I.E., if the record included a termination date, the next change date would reflect the date that the termination date was entered. Requires a future change record.
Salary and Benefits Expenses/SBE FOAPAL/SBE Org Hierarchy/SBE Org Details	SED Org Orgn Code Nsf	BUDGET CONTROL ORGANIZATION: The organization responsible for controlling the budget.
Salary and Benefits Expenses/SBE FOAPAL/SBE Org Hierarchy/SBE Org Details	SED Org Orgn Code Pred	PREDECESSOR ORGANIZATION CODE: The value of the next higher organizational level unless this is level 1.
Salary and Benefits Expenses/SBE FOAPAL/SBE Org Hierarchy/SBE Org Details	SED Org Prog Code Def	FUND PROGRAM DEFAULT CODE: The program code which can be attached to an organization code. This code then defaults into the accounting distribution when the fund or organization is used in a transaction.
Salary and Benefits Expenses/SBE FOAPAL/SBE Org Hierarchy/SBE Org Details	SED Org Term Date	TERMINATION DATE: The date when this particular record is no longer in effect.
Salary and Benefits Expenses/SBE FOAPAL/SBE Org Hierarchy/SBE Org Details	SED Org Unit Title	A - Academic Senate A7 - UCSC - Academic Senate GS - Printing trades PA - Police officers CX - Clerical allied services EX - Patient care technical FX - Non-senate academic research professional HX - Residual patient care professional IX - Non- academic senate instructional LX - Professional librarians NX
Salary and Benefits Expenses/SBE FOAPAL	SBE Fund Hierarchy	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy	SBE Fund Title	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy	SBE Fund Code and Title	TITLE: The hierarchy description or title appropriate for this level.

Folder	Object	Description
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy	SBE Fund Level1 Code	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy	SBE Fund Level1 Title	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy	SBE Fund Level2 Code	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy	SBE Fund Level2 Title	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy	SBE Fund Level3 Code	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy	SBE Fund Level3 Title	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy	SBE Fund Level4 Code	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy	SBE Fund Level4 Title	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy	SBE Fund Level5 Code	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy	SBE Fund Level5 Title	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy	SBE Fund Level6 Code	

Folder	Object	Description
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy	SBE Fund Level6 Title	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy	SBE Grant Code	GRANT CODE: User specified code which defines the grant which corresponds to the fund code. Must exist on FTVGRNT.
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy	SBE Primary Fund Type	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy	SBE Primary Fund Type Description	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy	SBE Fund Details	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Activity Date	ACTIVITY DATE: The date that information for this record on the table was entered or last updated.
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Actv Code Def	Activity Code default for this Fund code
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Arb Begin Unit Value	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Bank Code	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE COAs Code	CHART OF ACCOUNTS CODE: The primary identification code for any chart of accounts which is used to uniquely identify that chart from any other in a multi-chart environment.

Folder	Object	Description
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Current Ind	If = C, then this is the current version for this Fund
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Data Entry Ind	DATA ENTRY INDICATOR: Indicates if the account is to be used for data entry (Y) or if the field is used for reporting (N). Defaults to Y.
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Effective Date	EFFECTIVE DATE: The effective date of this particular record.
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE FTYP Code	FUND TYPE CODE: The value assigned to the level 1 and 2 fund type by the user. Fund type codes are used to classify and aggregate the Fund Cd Date.
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Fund Cd Bavl	BUDGET CONTROL FUND: Identifies the fund code to be used for available balance checking.
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Fund Cd Pred	PREDECESSOR FUND CODE: The user-defined value of the other-than level 1 predecessor fund code.
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Next Change Date	NEXT CHANGE DATE: The change date for this particular record. I.E., if the record included a termination date, the next change date would reflect the date that the termination date was entered. Requires a future change record.
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Status Ind	STATUS INDICATOR: The current status of the associated validation table record.
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Term Date	TERMINATION DATE: The date when this particular record is no longer in effect.

Folder	Object	Description
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Close Proj Ind	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Comp Proj Num	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Const Fin Mgr	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Cost Code Comp	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Cost Code Grnt	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Cum Cost Amt	Cum Cost Amt
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Current Year Income	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Fbal Ind	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Fin Mgr	

Folder	Object	Description
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Fund Cd Endow Func	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Fund Cd Match	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Fund Cd Plant	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Fund Cd Plant Comp	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Fund Cd Source	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Fund Cd Spend Incm	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Grnt Code	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Ind Code	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Locn Code Def	

Folder	Object	Description
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Max Constr Amt	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Pooling Method	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Pool Ind	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Proj Complete Date	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Proj Desc	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Proj End Date Comp	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Proj Start Date Comp	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Py Retained Income	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Real GL	

Folder	Object	Description
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Real GI Py	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Spendable Rate	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Spendable Return Ind	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Spend Formula Freq Ind	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SBE Ucop Locn Code	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SSBa Fund Acct Details	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBa Fund Acct Details	SSBa Acct Code Accr	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBa Fund Acct Details	SSBa Acct Code Cip	

Folder	Object	Description
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBa Fund Acct Details	SSBa Acct Code Asset	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBa Fund Acct Details	SSBa Acct Code Contra Inc	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBa Fund Acct Details	SSBa Acct Code Contra Rg	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBa Fund Acct Details	SSBb Acct Code Contra RI	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBa Fund Acct Details	SSBa Acct Code Equity	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBa Fund Acct Details	SSBa Acct Code Fund Bal	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBa Fund Acct Details	SSBa Acct Code Income	

Folder	Object	Description
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBa Fund Acct Details	SSBa Acct Code Plant	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBa Fund Acct Details	SSBa Acct Code Pool	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBa Fund Acct Details	SSBa Acct Code Real Gain	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBa Fund Acct Details	SSBa Acct Code Real Loss	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBa Fund Acct Details	SSBa Acct Code Reclass	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBa Fund Acct Details	SSBa Acct Code Rev	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBa Fund Acct Details	SSBa Acct Code Spd Tr Frm	

Folder	Object	Description
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBa Fund Acct Details	SSBa Acct Code Spd Tr To	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBa Fund Acct Details	SSBa Acct Code Spend Excs	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBa Fund Acct Details	SSBa Acct Code Spend Incm	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBa Fund Acct Details	SSBa Acct Code Trf Income	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBa Fund Acct Details	SSBa Acct Code Trf Rgl	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBa Fund Acct Details	SSBa Acct Code Trf Rgl Py	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBa Fund Acct Details	SSBa Acct Code Trf Ri Py	

Folder	Object	Description
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SSDb Fund BAVL Details	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSDb Fund BAVL Details	SSBb Bavl Key Acct	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSDb Fund BAVL Details	SSBb Bavl Key Fund	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSDb Fund BAVL Details	SSBb Bavl Key Orgn	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSDb Fund BAVL Details	SSBb Bavl Key Prog	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSDb Fund BAVL Details	SSBb Bavl Period	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSDb Fund BAVL Details	SSBb Bavl Severity	

Folder	Object	Description
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSDb Fund BAVL Details	SSBb Status Ind	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSDb Fund BAVL Details	SSBb Fund Distribution Details	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSDb Fund BAVL Details/SSBb Fund Distribution Details	SSBb Distribution Freq Inc	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSDb Fund BAVL Details/SSBb Fund Distribution Details	SSBb Distribution Freq Rgl	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSDb Fund BAVL Details/SSBb Fund Distribution Details	SSBb Distribution Ind Inc	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSDb Fund BAVL Details/SSBb Fund Distribution Details	SSBb Distribution Ind Rgl	

Folder	Object	Description
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSDb Fund BAVL Details/SSBb Fund Distribution Details	SSBb Distribution St Date	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SSBc Fund Org Details	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBc Fund Org Details	SSBc Orgn Code Contra Inc	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBc Fund Org Details	SSBc Orgn Code Contra Rg	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBc Fund Org Details	SSBc Orgn Code Contra RI	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBc Fund Org Details	SSBc Orgn Code Def	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBc Fund Org Details	SSBc Orgn Code Income	

Folder	Object	Description
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBc Fund Org Details	SSBc Orgn Code Real Loss	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBc Fund Org Details	SSBc Orgn Code Real Gain	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBc Fund Org Details	SSBc Orgn Code Spd Tr Frm	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBc Fund Org Details	SSBc Orgn Code Spend Incm	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBc Fund Org Details	SSBc Orgn Code Trf Income	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBc Fund Org Details	SSBc Orgn Code Trf Rgl	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBc Fund Org Details	SSBc Orgn Code Trf Rgl Py	

Folder	Object	Description
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBc Fund Org Details	SSBc Orgn Code Trf Ri Py	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SSBd Fund Prog Details	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBd Fund Prog Details	SSBd Prog Code Contra Inc	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBd Fund Prog Details	SSBd Prog Code Contra Rg	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBd Fund Prog Details	SSBd Prog Code Contra RI	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBd Fund Prog Details	SSBd Prog Code Def	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBd Fund Prog Details	SSBd Prog Code Income	

Folder	Object	Description
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBd Fund Prog Details	SSBd Prog Code Real Gain	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBd Fund Prog Details	SSBd Prog Code Real Loss	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBd Fund Prog Details	SSBd Prog Code Spd Tr Frm	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBd Fund Prog Details	SSBd Prog Code Spend Incm	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBd Fund Prog Details	SSBd Prog Code Trf Income	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBd Fund Prog Details	SSBd Prog Code Trf Rgl	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBd Fund Prog Details	SSBd Prog Code Trf Rgl Py	

Folder	Object	Description
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBd Fund Prog Details	SSBd Prog Code Trf Ri Py	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details	SSBd Fund UCOP Details	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBd Fund UCOP Details	SSBd Ucop Bdgt Fund Ind	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBd Fund UCOP Details	SSBd Ucop Endw Restrct Code	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBd Fund UCOP Details	SSBd Ucop Fed Flowthru Code	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBd Fund UCOP Details	SSBd Ucop Fund Group	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBd Fund UCOP Details	SSBd Ucop Fund Restrct Code	

Folder	Object	Description
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBd Fund UCOP Details	SSBd Ucop Locn Code	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBd Fund UCOP Details	SSBd Ucop On Off Camp Code	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBd Fund UCOP Details	SSBd Ucop Type Awd Code	
Salary and Benefits Expenses/SBE FOAPAL/SBE Fund Hierarchy/SBE Fund Details/SSBd Fund UCOP Details	SSBd Bdgt Roll	
Salary and Benefits Expenses/SBE FOAPAL	SBE Activity Title	
Salary and Benefits Expenses/SBE FOAPAL	SBE Activity	
Salary and Benefits Expenses/SBE FOAPAL/SBE Activity	SBE Activity Code Blanks First	
Salary and Benefits Expenses/SBE FOAPAL/SBE Activity	SBE Activity Title No Blanks	
Salary and Benefits Expenses/SBE FOAPAL/SBE Activity	SBE Activity Status Ind	
Salary and Benefits Expenses/SBE FOAPAL	SBE Acct Title	
Salary and Benefits Expenses/SBE FOAPAL	SBE Acct Hierarchy	
Salary and Benefits Expenses/SBE FOAPAL/SBE Acct Hierarchy	SBE Acct Code Level1	

Folder	Object	Description
Salary and Benefits Expenses/SBE FOAPAL/SBE Acct Hierarchy	SBE Acct Title Level1	
Salary and Benefits Expenses/SBE FOAPAL/SBE Acct Hierarchy	SBE Acct Code Level2	
Salary and Benefits Expenses/SBE FOAPAL/SBE Acct Hierarchy	SBE Acct Title Level2	
Salary and Benefits Expenses/SBE FOAPAL/SBE Acct Hierarchy	SBE Acct Code Level3	
Salary and Benefits Expenses/SBE FOAPAL/SBE Acct Hierarchy	SBE Acct Title Level3	
Salary and Benefits Expenses/SBE FOAPAL/SBE Acct Hierarchy	SBE Acct Code Level4	
Salary and Benefits Expenses/SBE FOAPAL/SBE Acct Hierarchy	SBE Acct Title Level4	
Salary and Benefits Expenses/SBE FOAPAL/SBE Acct Hierarchy	SBE Acct Code Level5	
Salary and Benefits Expenses/SBE FOAPAL/SBE Acct Hierarchy	SBE Acct Title Level5	
Salary and Benefits Expenses/SBE FOAPAL/SBE Acct Hierarchy	SBE Acct Code Level6	
Salary and Benefits Expenses/SBE FOAPAL/SBE Acct Hierarchy	SBE Acct Title Level6	

Folder	Object	Description
Salary and Benefits Expenses/SBE FOAPAL/SBE Acct Hierarchy	SBE Acct Code Pool	
Salary and Benefits Expenses/SBE FOAPAL/SBE Acct Hierarchy	SBE Acct Code Pool Title	
Salary and Benefits Expenses/SBE FOAPAL/SBE Acct Hierarchy	Account Heirarchy Details	
Salary and Benefits Expenses/SBE FOAPAL/SBE Acct Hierarchy/Account Heirarchy Details	SBE Acct Type Code	ACCOUNT TYPE CODE: The code that classifies an account type i.e., asset, revenue, etc. which is used for reporting purposes.
Salary and Benefits Expenses/SBE FOAPAL/SBE Acct Hierarchy/Account Heirarchy Details	SBE Acct Code Pred	ACCOUNT FUND CODE: The user-defined value of the other than level 1 account fund code.
Salary and Benefits Expenses/SBE FOAPAL/SBE Acct Hierarchy/Account Heirarchy Details	SBE Activity Date	ACTIVITY DATE: The date when the information for this record on the table was entered or last updated.
Salary and Benefits Expenses/SBE FOAPAL/SBE Acct Hierarchy/Account Heirarchy Details	SBE COAs Code	CHART OF ACCOUNTS CODE: The primary identification code for any chart of accounts which uniquely identifies that chart from any other in multi-chart environment.
Salary and Benefits Expenses/SBE FOAPAL/SBE Acct Hierarchy/Account Heirarchy Details	SBE Data Entry Ind	DATA ENTRY INDICATOR: Indicates if this field is used for data entry (Y) or for reporting (N). Defaults to (Y).
Salary and Benefits Expenses/SBE FOAPAL/SBE Acct Hierarchy/Account Heirarchy Details	SBE Effective Date	EFFECTIVE DATE: The effective date for this record.

Folder	Object	Description
Salary and Benefits Expenses/SBE FOAPAL/SBE Acct Hierarchy/Account Heirarchy Details	SBE ITYP Seq Code	"INTERNAL INCOME TYPE SEQUENCE CODE: This sequence code is used to retrieve the correct income type code from the table ftvityp."
Salary and Benefits Expenses/SBE FOAPAL/SBE Acct Hierarchy/Account Heirarchy Details	SBE Next Change Date	NEXT CHANGE DATE: The change date for this particular record. I.E., if the record included a termination date, the next change date would reflect the date that the termination date was entered. Requires a future change recor
Salary and Benefits Expenses/SBE FOAPAL/SBE Acct Hierarchy/Account Heirarchy Details	SBE Status Ind	STATUS INDICATOR: The current status of the associated validation table record.
Salary and Benefits Expenses/SBE FOAPAL/SBE Acct Hierarchy/Account Heirarchy Details	SBE Term Date	TERMINATION DATE: The date when this particular record is no longer in effect
Salary and Benefits Expenses	SBE Datatype	Contains value SALARY on Salary transactions and BENEFITS for Benefit transactions
Salary and Benefits Expenses	SBE Erncd	For SALARY data types this is the Earnings Code associated with a Salary Expense for Benefits this value is NULL
Salary and Benefits Expenses	SBE Description	ERNCD is an alphanumeric code indicating how to compensate an employee or Benefit expense description
Salary and Benefits Expenses	SBE Desc Short	This short description removes the repetitive and redundant word "Expense" from the description if it appears. The purpose is to conserve space on reports. This description describes the paycode or the benfit description for this detail line depending on the Datatype.
Salary and Benefits Expenses	SBE Hours1	HOURS1 is a numeric value that represents the total number of hours on a given pay status within a specified pay period.
Salary and Benefits Expenses	SBE Monetary Amount	MONETARY_AMOUNT is a dollar amount paid to a FAU string. When the row DataType = SALARY this is a Salary Amount and BENEFIT when not salary.
Salary and Benefits Expenses	SBE Journal Id	UC Journal Id
Salary and Benefits Expenses	SBE Journal Line	Journal Line
Salary and Benefits Expenses	SBE Journal Dt	Payroll Journal date

Folder	Object	Description
Salary and Benefits Expenses	SBE Accounting Dt	ACCOUNTING_DT is the full calendar date including day, month and year that identifies the accounting date or posting date of the transaction.
Salary and Benefits Expenses	SBE Payroll Cycle Begin Date	The Begin date of payroll cycle during which the payroll was processed. This can be different from the dates the employee worked and earned pay.
Salary and Benefits Expenses	SBE Payroll Cycle End Date	The End date of payroll cycle during which the payroll was processed. This can be different from the dates the employee worked and earned pay.
Salary and Benefits Expenses	SBE Earnings Begin Date	The Beginning work dates for which payroll was processed. Earns dates do not exist for benefits expenses due to a bug in UCPath.
Salary and Benefits Expenses	SBE Earnings End Date	The Ending work dates for which payroll was processed. Earns dates do not exist for benefits expenses due to a bug in UCPath.
Salary and Benefits Expenses	SBE UC Journal Id	UC Journal Id
Salary and Benefits Expenses	SBE In Process Flg	IN_PROCESS_FLG is a flag that denotes the status of the transaction line that is originally set during the Journal Modifications program and can later be updated during the Journal Feedback Process (I-703).
Salary and Benefits Expenses	SBE Monthly BiWeekly	Pay Period description like MONTHLY, BIWEEKLY ...
Salary and Benefits Expenses	SBE MO BI Short	Pay Period description like MONTHLY, BIWEEKLY shortened to MO or BI
Salary and Benefits Expenses	SBE Paygroup	PAYGROU is the unique code that indicates a person's pay group.
Salary and Benefits Expenses	SBE Payroll Run Id	RUN_ID is a unique alphanumeric indicator of the pay calendar entries that are processed together.
Salary and Benefits Expenses/SBE Payroll Run Id	SBE Cal Pay Begin Dt	
Salary and Benefits Expenses/SBE Payroll Run Id	SBE Cal Pay End Dt	
Salary and Benefits Expenses/SBE Payroll Run Id	SBE Cal Check Dt	
Salary and Benefits Expenses/SBE Payroll Run Id	SBE Cal Pay Off Cycle	
Salary and Benefits Expenses	SBE UC Deptid Rollup	UC_DEPTID_ROLLUP is an alphanumeric value that represents the FS department associated with the FAU ACCOUNT.
Salary and Benefits Expenses	SBE UC Dept Rollup Desc	Department name for rollup department

Folder	Object	Description
Salary and Benefits Expenses	SBE UC Dept Rollup Short	UC department rollup short name
Salary and Benefits Expenses	SBE Salary Expense	Salary Expense amount paid to a FAU string. This object only retruns values when the transaction is a SALARY data type.
Salary and Benefits Expenses	SBE Benefit Expense	Benefit Expense amount paid to a FAU string. This object only retruns values when the transaction is a BENEFIT data type.
Salary and Benefits Expenses	SBE Derived Pct Effort	UC_DRV_EFT_PCT is the numeric value that represents the calculated derived percent effort (Derived percent effort divided by paid percent FTE).
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED Pay Run Id	SED Pay UC Run Desc	UC_PAY_RUN_DESCR is a full text explanation of the pay run ID.
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED Pay Run Id	SED Cal Pay Begin Dt	Payroll period begin date from the Payroll Calendar
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED Pay Run Id	SED Cal Pay End Dt	Payroll period end date from the Payroll Calendar
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED Pay Run Id	SED Cal Check Dt	Payroll check date from the Payroll Calendar
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED Pay Run Id	SED Cal Pay Off Cycle	Payroll off cycle indicator from Payroll calendar

Folder	Object	Description
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy	SED Org at any level	Limit search to one or more org codes (level 1 - 6).
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy	SED Org Code and Title	This object combines the ORG Code - ORG TITLE which is the code and the hierarchy description or title appropriate for this level.
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy	SED Org Lvl 1 Code	ORGANZATION LVL 1 CODE: Identifies the individual organization code which appears on a transaction.
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy	SED Org Lvl 1 Title	ORGANZATION LVL 1 TITLE: Identifies the individual organization name which appears on a transaction.
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy	SED Org Lvl 1 Code and Title	This object combines the LEVEL 1 ORG Code - ORG TITLE which is the code and the hierarchy description or title appropriate for this level.
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy	SED Org Lvl 2 Code	ORGANZATION LVL 2 CODE: Identifies the individual organization code which appears on a transaction.

Folder	Object	Description
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy	SED Org Lvl 2 Title	ORGANZATION LVL 2 TITLE: Identifies the individual organization name which appears on a transaction.
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy	SED Org Lvl 2 Code and Title	This object combines the LEVEL 2 ORG Code - ORG TITLE which is the code and the hierarchy description or title appropriate for this level.
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy	SED Org Lvl 3 Code	ORGANZATION LVL 3 CODE: Identifies the individual organization code which appears on a transaction.
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy	SED Org Lvl 3 Title	ORGANZATION LVL 3 TITLE: Identifies the individual organization name which appears on a transaction.
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy	SED Org Lvl 3 Code and Title	This object combines the LEVEL 3 ORG Code - ORG TITLE which is the code and the hierarchy description or title appropriate for this level.
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy	SED Org Lvl 4 Code	ORGANZATION LVL 4 CODE: Identifies the individual organization code which appears on a transaction.

Folder	Object	Description
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy	SED Org Lvl 4 Title	ORGANZATION LVL 4 TITLE: Identifies the individual organization name which appears on a transaction.
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy	SED Org Lvl 4 Code and Title	This object combines the LEVEL 4 ORG Code - ORG TITLE which is the code and the hierarchy description or title appropriate for this level.
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy	SED Org Lvl 5 Code	ORGANZATION LVL 5 CODE: Identifies the individual organization code which appears on a transaction.
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy	SED Org Lvl 5 Title	ORGANZATION LVL 5 TITLE: Identifies the individual organization name which appears on a transaction.
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy	SED Org Lvl 5 Code and Title	This object combines the LEVEL 5 ORG Code - ORG TITLE which is the code and the hierarchy description or title appropriate for this level.
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy	SED Org Lvl 6 Code	ORGANZATION LVL 6 CODE: Identifies the individual organization code which appears on a transaction.

Folder	Object	Description
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy	SED Org Lvl 6 Title	ORGANZATION LVL 6 TITLE: Identifies the individual organization name which appears on a transaction.
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy	SED Org Lvl 6 Code and Title	This object combines the LEVEL 6 ORG Code - ORG TITLE which is the code and the hierarchy description or title appropriate for this level.
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy	SED Org Details	Additional information about org codes in FIS Banner
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy/SED Org Details	SED Org Activity Date	ACTIVITY DATE: The date when the information for a record on a table was entered or last updated.
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy/SED Org Details	SED Org Actv Code Def	FUND ACTIVITY CODE DEFAULT: The activity which is primarily associated with this organization.
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy/SED Org Details	SED Org Alt Pool Ind	This field is not used. All values null.

Folder	Object	Description
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy/SED Org Details	SED Org COAs Code	CHART OF ACCOUNTS CODE: The primary identification code for any chart of accounts which is used to uniquely identify that chart from any other in a multi-chart environment.
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy/SED Org Details	SED Org Current Ind	C=Current, H=History
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy/SED Org Details	SED Org Data Entry Ind	DATA ENTRY INDICATOR: Indicates if this account is to be used for data entry -(Y) or if it will be used for reporting - (N). The default is (Y).
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy/SED Org Details	SED Org Effective Date	EFFECTIVE DATE: The effective date of this particular record.
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy/SED Org Details	SED Org Encb Policy Ind	This field is not used. All values null.

Folder	Object	Description
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy/SED Org Details	SED Org Fin Mgr	not currently used, is null
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy/SED Org Details	SED Org Fund Cd Def	FUND CODE DEFAULT: The fund which is primarily associated with organization.
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy/SED Org Details	SED Org Hierarchy Table Ind	This optional field is used to indicate whether combination budget control should be applied to this organization. Valid values are 'Y' or 'N'.
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy/SED Org Details	SED Org Locn Code Def	LOCATION CODE DEFAULT: The location which is primarily associated with this organization.
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy/SED Org Details	SED Org Mail Code	Mail Stop for particular location

Folder	Object	Description
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy/SED Org Details	SED Org Next Change Date	NEXT CHANGE DATE: The change date for this particular record. I.E., if the record included a termination date, the next change date would reflect the date that the termination date was entered. Requires a future change record.
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy/SED Org Details	SED Org Orgn Code Nsf	BUDGET CONTROL ORGANIZATION: The organization responsible for controlling the budget.
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy/SED Org Details	SED Org Orgn Code Pred	PREDECESSOR ORGANIZATION CODE: The value of the next higher organizational level unless this is level 1.
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy/SED Org Details	SED Org Prog Code Def	FUND PROGRAM DEFAULT CODE: The program code which can be attached to an organization code. This code then defaults into the accounting distribution when the fund or organization is used in a transaction.
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy/SED Org Details	SED Org Term Date	TERMINATION DATE: The date when this particular record is no longer in effect.

Folder	Object	Description
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy/SED Org Details	SED Org Unit Title	A - Academic Senate A7 - UCSC - Academic Senate GS - Printing trades PA - Police officers CX - Clerical allied services EX - Patient care technical FX - Non-senate academic research professional HX - Residual patient care professional IX - Non-academic senate instructional LX - Professional librarians NX
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy	SED Service Center Code	Service Center with which the account is associated.
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy	SED Service Center Title	Service Center Title
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy	SED Status Ind	STATUS INDICATOR: The current status of the associated validation table record.
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy	SED Service Center	Chart of Accounts -- Service Center
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy/SED Service Center	SED Svc Service Center Code	Code for Service Center

Folder	Object	Description
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy/SED Service Center	SED Svc Name	This is the descriptive name of the service center taken from the FZVSCTR validation table. Use this object along with the service center code for a more readable report.
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy/SED Service Center	SED Svc Activity Date	ACTIVITY DATE: The date when the information for a record on a table was entered or last updated.
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy/SED Service Center	SED Svc Contact Email	Service Center contact's email address
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy/SED Service Center	SED Svc Contact Extension	Service Center Contact's Extension.
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy/SED Service Center	SED Svc Contact Name	Name of Contact at Service Center.

Folder	Object	Description
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy/SED Service Center	SED Svc Location	Location of Service Center.
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy/SED Service Center	SED Svc Mail Code	Mail stop for the Service Center
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy/SED Service Center	SED Svc Printer ID	The unique identification code of the printer.
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy/SED Service Center	SED Svc Status	Active or Inactive for dimension of time
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Org Heirarchy/SED Service Center	SED Svc User Id	USER IDENTIFICATION: The unique identification code of the user.
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Activity	SED Actv Actv Code and Title	

Folder	Object	Description
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Activity	SED Actv Activity Code	Enter one or more Activity Codes – or 1 for All – or 2 for blanks only
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Account	SED Acct Code and Title	
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Account	SED Acct Code Pool	POOLED FUNDS ACCOUNT: This account must be an asset account type. It must be valid across all charts.
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Account	SED Acct Code Pool Title	
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Account	SED Acct Details	
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Account/SED Acct Details	SED Acct Type Code	ACCOUNT TYPE CODE: The code that classifies an account type i.e., asset, revenue, etc. which is used for reporting purposes.
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Account/SED Acct Details	SED Acct Code Pred	ACCOUNT FUND CODE: The user-defined value of the other than level 1 account fund code.

Folder	Object	Description
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Account/SED Acct Details	SED COAs Code	CHART OF ACCOUNTS CODE: The primary identification code for any chart of accounts which uniquely identifies that chart from any other in multi-chart environment.
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Account/SED Acct Details	SED Activity Date	ACTIVITY DATE: The date when the information for this record on the table was entered or last updated.
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Account/SED Acct Details	SED Data Entry Ind	DATA ENTRY INDICATOR: Indicates if this field is used for data entry (Y) or for reporting (N). Defaults to (Y).
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Account/SED Acct Details	SED Next Change Date	NEXT CHANGE DATE: The change date for this particular record. I.E., if the record included a termination date, the next change date would reflect the date that the termination date was entered. Requires a future change record
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Account/SED Acct Details	SED Term Date	TERMINATION DATE: The date when this particular record is no longer in effect

Folder	Object	Description
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Account/SED Acct Details	SED Effective Date	EFFECTIVE DATE: The effective date for this record.
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Account/SED Acct Details	SED ITYP Seq Code	"INTERNAL INCOME TYPE SEQUENCE CODE: This sequence code is used to retrieve the correct income type code from the table fvtityp."
Salary and Benefits Expenses/Labor Ledger Detail (Hidden for now)/SED Salary Expense Details/SED FOAPAL/SED Account/SED Acct Details	SED Status Ind	STATUS INDICATOR: The current status of the associated validation table record.
	FILLER	This class contains several null (empty) value objects in a variety of formats for use in Union Queries, to act as filler when needed to balance both sides of the query.
FILLER	F Zero Number 1	
FILLER	F Zero Number 2	
FILLER	F Zero Number 3	
FILLER	F Zero Text	
FILLER	F Zero Text 2	
FILLER	F Zero Text 3	
FILLER	F Empty Date 1	Null (empty) as a date format
FILLER	F Empty Date 2	Null (empty) as a date format
FILLER	F Empty Date 3	Null (empty) as a date format
FILLER	F Empty Date 4	Null (empty) as a date format
FILLER	F Empty Date 5	Null (empty) as a date format
FILLER	F Empty Number 1	Null (empty) as a number format
FILLER	F Empty Number 2	Null (empty) as a number format
FILLER	F Empty Number 3	Null (empty) as a number format
FILLER	F Empty Number 4	Null (empty) as a number format
FILLER	F Empty Number 5	Null (empty) as a number format
FILLER	F Empty Number Dim 1	Null (empty) as a number format but as a dimension instead of a measure

Folder	Object	Description
FILLER	F Empty Number Dim 2	Null (empty) as a number format but as a dimension instead of a measure
FILLER	F Empty Text 1	Null (empty) as a text or character format
FILLER	F Empty Text 2	Null (empty) as a text or character format
FILLER	F Empty Text 3	Null (empty) as a text or character format
FILLER	F Empty Text 4	Null (empty) as a text or character format
FILLER	F Empty Text 5	Null (empty) as a text or character format
FILLER	F Empty Text 6	Null (empty) as a text or character format
FILLER	F Empty Text 7	Null (empty) as a text or character format
FILLER	F Empty Text 8	Null (empty) as a text or character format
FILLER	F Empty Text 9	Null (empty) as a text or character format
FILLER	F Empty Text 10	Null (empty) as a text or character format
FILLER	F Empty Text 11	Null (empty) as a text or character format
FILLER	F Empty Text 12	Null (empty) as a text or character format
FILLER	F Empty Text 13	Null (empty) as a text or character format
FILLER	F Empty Text 14	Null (empty) as a text or character format
FILLER	F Empty Text 15	Null (empty) as a text or character format
FILLER	F Blank Text 1	A blank space as a text or character format. Blanks sort first alphabetically, whereas Null (empty) sorts last.
FILLER	F Blank Text 2	A blank space as a text or character format. Blanks sort first alphabetically, whereas Null (empty) sorts last.
FILLER	F Blank Text 3	A blank space as a text or character format. Blanks sort first alphabetically, whereas Null (empty) sorts last.
FILLER	F Blank Text 4	A blank space as a text or character format. Blanks sort first alphabetically, whereas Null (empty) sorts last.
FILLER	F Blank Text 5	A blank space as a text or character format. Blanks sort first alphabetically, whereas Null (empty) sorts last.