

Class Name	Parent Class	Class Description
Ils1		
Ils2		
Filler		This class contains several null (empty) value objects in a variety of formats for use in Union Queries, to act as filler when needed to balance both sides of the query.

Class Name	Object Name	Description
Ils1	Acadyr	
Ils1	Edbid	
Ils1	Divnm	
Ils1	Deptcode	
Ils1	Deptname	
Ils1	Lastname	
Ils1	Firstname	
Ils1	Fte	
Ils1	Service1	
Ils1	Service2	
Ils1	Service3	
Ils1	Falleave	
Ils1	Falleaveperc	
Ils1	Fallreliefperc	
Ils1	Winterleave	
Ils1	Winterleaveperc	
Ils1	Winterreliefperc	
Ils1	Springleave	
Ils1	Springleaveperc	
Ils1	Springreliefperc	
Ils1	Relieftotal	
Ils1	Sttotal	
Ils1	Totaladjust	
Ils1	Adjustedwl	
Ils1	Budgetfte	
Ils1	Leaves	
Ils1	Courserelief	
Ils1	Payrollfte	
Ils2	Divcode	
Ils2	Divnm	
Ils2	Deptcode	
Ils2	Deptname	
Ils2	Budgettype	
Ils2	Factype	
Ils2	Acadyr	
Ils2	Permbudfte	
Ils2	Org 4 Code	Org Unit Code from PBO.DEPT
Ils2	Fiscal Year	Derived from AcadYear from PBO.DEPT
Filler	F Empty Date 1	Null (empty) as a date format
Filler	F Empty Date 2	Null (empty) as a date format
Filler	F Empty Date 3	Null (empty) as a date format
Filler	F Empty Date 4	Null (empty) as a date format
Filler	F Empty Date 5	Null (empty) as a date format
Filler	F Empty Number 1	Null (empty) as a number format
Filler	F Empty Number 2	Null (empty) as a number format
Filler	F Empty Number 3	Null (empty) as a number format
Filler	F Empty Number 4	Null (empty) as a number format
Filler	F Empty Number 5	Null (empty) as a number format
Filler	F Empty Number Dim 1	Null (empty) as a number format but as a dimension instead of a measure

Class Name	Object Name	Description
Filler	F Empty Number Dim 2	Null (empty) as a number format but as a dimension instead of a measure
Filler	F Empty Text 1	Null (empty) as a text or character format
Filler	F Empty Text 2	Null (empty) as a text or character format
Filler	F Empty Text 3	Null (empty) as a text or character format
Filler	F Empty Text 4	Null (empty) as a text or character format
Filler	F Empty Text 5	Null (empty) as a text or character format
Filler	F Empty Text 6	Null (empty) as a text or character format
Filler	F Empty Text 7	Null (empty) as a text or character format
Filler	F Empty Text 8	Null (empty) as a text or character format
Filler	F Empty Text 9	Null (empty) as a text or character format
Filler	F Empty Text 10	Null (empty) as a text or character format
Filler	F Empty Text 11	Null (empty) as a text or character format
Filler	F Empty Text 12	Null (empty) as a text or character format
Filler	F Empty Text 13	Null (empty) as a text or character format
Filler	F Empty Text 14	Null (empty) as a text or character format
Filler	F Empty Text 15	Null (empty) as a text or character format
Filler	F Blank Text 1	A blank space as a text or character format. Blanks sort first alphabetically, whereas Null (empty) sorts last.
Filler	F Blank Text 2	A blank space as a text or character format. Blanks sort first alphabetically, whereas Null (empty) sorts last.
Filler	F Blank Text 3	A blank space as a text or character format. Blanks sort first alphabetically, whereas Null (empty) sorts last.
Filler	F Blank Text 4	A blank space as a text or character format. Blanks sort first alphabetically, whereas Null (empty) sorts last.
Filler	F Blank Text 5	A blank space as a text or character format. Blanks sort first alphabetically, whereas Null (empty) sorts last.
Filler	F Campus Text	The literal string (the word) "Campus"